

Well No.	1	2	3	4	5	6	7	8
-----------------	----------	----------	----------	----------	----------	----------	----------	----------

INTERPRETATION TABLE								
HLA-Cw*01 SSP subtyping								
Amplification patterns of the Cw*0101 to Cw*0122 alleles								
Well ⁵								
9	10	11	12	13	14	15	16	
230	210	340	155	155	240	230	255	Length of spec. PCR product(s)
	290							
800	1070	800	1070	800	1070	800	1070	Length of int. pos. control ¹
368	368	368	485	89	89	89	89	5'-primer(s) ²
5'-gTg ^{3'}	5'-gTg ^{3'}	5'-gTA ^{3'}	5'-CAA ^{3'}	5'-gAA ^{3'}	5'-gAA ^{3'}	5'-gAA ^{3'}	5'-gAA ^{3'}	
559	539	3 rd I	601	201	289	278	301	3'-primer(s) ³
5'-CTC ^{3'}	5'-TCA ^{3'}	5'-ATg ^{3'}	5'-CTC ^{3'}	5'-CTC ^{3'}	5'-AgC ^{3'}	5'-ggT ^{3'}	5'-gCA ^{3'}	
	619							
	5'-TTT ^{3'}							
9	10	11	12	13	14	15	16	Well No.
								HLA-Cw allele ⁴
				13				*010201-010206
				13				*0103
				13				*0104
				13				*0105
				13				*0106
				13				*0107
				13				*0108
				13				*0109
9				13				*0110
	10			13				*0111
		11		13				*0112
			12	13				*0113
				13				*0114
				13				*0115
				13				*0116
				13	14			*0117
				13		15		*0118
				13			16	*0119
				13				*0120
					14			*0121
	10			13				*0122
								*0437
			12					*0509, 0517, *0815
								*0737
								HLA-Cw allele ⁴
			12					B*1533

9	10	11	12	13	14	15	16	Well No.
----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------	-----------------