

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

Lot-specific information

## Olerup SSP® HLA-A-B-DR-DQ SSP Combi Tray

Product number:	101.708-24 – including <i>Taq</i> pol. 101.708-24u – without <i>Taq</i> pol.
Lot number:	6G8
Expiry date:	2021-03-01
Number of tests:	24 tests
Number of wells per test:	95 +1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

### This Product Description is only valid for Lot No. 6G8.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

### CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-A-B-DR-DQ COMBI TRAY LOT (6F9)

The **HLA-A low resolution** specificity and interpretation tables have been updated for the HLA-A alleles described since the previous *Olerup SSP® HLA-A-B-DR-DQ Combi Tray* lot was made (**Lot No. 6F9**). The kit design is based on IMGT/HLA database 3.31.0.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
9	-	Added	3'-primer added for the A*26:137 allele.
16	-	Added	3'-primer added for the A*03:273 allele.

The **HLA-B low resolution** specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP® HLA-A-B-DR-DQ Combi Tray* lot was made (**Lot No. 6F9**). The kit design is based on IMGT/HLA database 3.31.0.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
25	Modified	Modified	5' and 3'-primers modified for decreased tendency of primer oligomer formation.

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

### Lot No.: 6G8

#### Lot-specific information

37	-	Added	3'-primer added for improved allelic resolution.
46	-	Added	3'-primer added for the B*41:06 allele.
47	-	Added	3'-primers added for improved HLA-specific amplification.
50	-	Added, Removed	3'-primer added for improved HLA-specific amplification, excess 3'-primer removed.
52	-	Added	3'-primer added for the B*56:54 allele.
59	Modified	-	5'-primer modified for decreased tendency of primer oligomer formation.

The **HLA-DR low resolution** specificity and interpretation tables have been updated for the HLA-DRB alleles described since the previous *Olerup SSP® HLA-A-B-DR-DQ Combi Tray* lot was made (**Lot No. 6F9**). The kit design is based on IMGT/HLA database 3.31.0.

The primers of the wells detailed below have been exchanged, modified or added compared to the previous lot.

Well	5'-primer	3'-primer	rationale
68	Added	-	5'-primer added for the DRB1*12:57 allele.
69	-	Added	3'-primers added for the DRB1*03:15:02 allele.
72	Exchanged, Removed	-	5'-primer exchanged for decreased tendency of primer oligomer formation, excess 5'-primer removed.
74	Added	-	5'-primer added for the DRB1*13:197 allele.
75	Modified	-	5'-primer modified for improved HLA-specific amplification.

The **DQ low resolution** specificity and interpretation tables have been updated for the HLA-DQB1 alleles described since the previous *Olerup SSP® HLA-A-B-DR-DQ Combi Tray* lot was made (**Lot No. 6F9**). The kit design is based on IMGT/HLA database 3.31.0.

The primers of the wells detailed below have been exchanged, modified or added compared to the previous lot.

Well	5'-primer	3'-primer	rationale
88	Exchanged	-	5'-primer exchanged for improved allelic resolution of the DQB1*05 alleles.
89	Added	-	5'-primer added for the DQB1*06:212 allele.

Change in revision R01 compared to R00:

1. Primer mix 4 amplifies the A\*01:15N allele. This has been corrected in the Specificity and Interpretation Tables.

Change in revision R02 compared to R01:

1. Primer mix 93 does not amplify the DQB1\*03:03:06, 03:06, 03:25:01-03:25:02 and DQB1\*04:03:01-04:03:02 alleles. This has been corrected in the specificity and interpretation tables.

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

**Lot-specific information**

Well **96** contains Negative Control primer pairs, that will amplify more than 95% of the Ølerup SSP® HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.  
 The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
<b>5'-primer<sup>1</sup></b>	164	340	440	45	45	43	36
	5'-CAC <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-TTA <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-TAC <sup>3'</sup>
							36
							5'-TAT <sup>3'</sup>
<b>3'-primer<sup>2</sup></b>	231	2 <sup>nd</sup> I	507	59	58	57	47
	5'-TgC <sup>3'</sup>	5'-AAA <sup>3'</sup>	5'-TTg <sup>3'</sup>	5'-CTC <sup>3'</sup>	5'-ggC <sup>3'</sup>	5'-CTC <sup>3'</sup>	5'-ACA <sup>3'</sup>
							48
							5'-gCA <sup>3'</sup>
							48
							5'-gCC <sup>3'</sup>
							52
							5'-TgT <sup>3'</sup>
<b>A*</b>	+	+	+				
<b>B*</b>	+	+	+				
<b>C*</b>	+	+	+				
<b>DRB1</b>				+	+		
<b>DRB3</b>				+	+		
<b>DRB5</b>				+			
<b>DQB1</b>					+		
<b>DPB1</b>						+	
<b>DQA1</b>							+

<sup>1</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codonnumbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>2</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon or the 2<sup>nd</sup> intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

Lot-specific information

## PRODUCT DESCRIPTION

### HLA-A-B-DR-DQ SSP Combi Tray

#### CONTENT

The primer set contains 5'- and 3'-primers for grouping the HLA-A\*01:01 to A\*80:03 alleles into the corresponding serological groups A1 to A80.

The primer set contains 5'- and 3'-primers for grouping the B\*07:02 to B\*83:01 alleles into the corresponding serological groups B7 to B81 as well as primer pairs for recognizing the Bw4 and Bw6 sequence motifs.

The primer set contains 5'- and 3'-primers for grouping the DRB1\*01:01 to DRB1\*10:24 alleles into the corresponding serological groups DR1 to DR18 as well as primer pairs for recognizing the DRB3, DRB4 and DRB5 groups of alleles.

The primer set contains 5'- and 3'-primers for grouping the DQB1 alleles into the serological groups DQ2 to DQ9.

*Please note that DQB1 amplifications usually are somewhat less pronounced than e.g. DRB and DQA1 amplifications even when using the same DNA preparation and exactly the same experimental procedures.*

#### PLATE LAYOUT

Each test consists of 96 PCR reactions in a 96 well PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32
33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56
57	58	59	60	61	62	63	64
65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88
89	90	91	92	93	94	95	NC

The 96 well PCR plate is marked with 'A-B-DR-DQ' in silver/gray ink.

Well No. 1 is marked with the Lot No. '6G8'.

Wells 1 to 21 – HLA-A low resolution primers.

Wells 22 to 64 – HLA-B low resolution primers.

Wells 65 to 87 – HLA-DR low resolution primers.

Wells 88 to 95 – HLA-DQ low resolution primers.

Well 96 – Negative Control.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are covered with a PCR-compatible foil.

101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

Lot No.: 6G8

Lot-specific information

## INTERPRETATION

Only HLA-A alleles will be amplified by the 21 wells of the HLA-A low resolution primer set, **wells 1 to 21**, except that a few HLA-B and HLA-C alleles will be amplified by some primer mixes. For further details see Specificity Table.

Only HLA-B alleles will be amplified by the 43 wells of the HLA-B low resolution, primer set, **wells 22 to 64**, except that a few HLA-A and HLA-C alleles will be amplified by some primer mixes. For further details see Specificity Table.

Only HLA-DRB alleles will be amplified by the 23 wells the DR low resolution primer set, **wells 65 to 87**. Thus, the interpretation of DR low resolution typings is not influenced by other HLA class II genes.

Only the DQB1 alleles will be amplified by the 8 wells the DQ low resolution primer set, **wells 88 to 95**. Thus, the interpretation of DQ low resolution typings is not influenced the DQB2 and DQB3 genes.

## UNIQUELY IDENTIFIED ALLELES

All the HLA-A alleles, i.e. **A\*01:01 to A\*80:03**, recognized by the HLA Nomenclature Committee in January 2018<sup>1,2</sup> will be amplified by the primers in the HLA-A low resolution primer set, **wells 1 to 21**. The HLA-A alleles will be grouped into their corresponding serological specificities<sup>3,4</sup>.

All the HLA-B alleles, i.e. **B\*07:02 to B\*83:01**, recognized by the HLA Nomenclature Committee in January 2018<sup>1,2</sup> will be amplified by the primers in the HLA-B low resolution primer set, **wells 22 to 64**. The HLA-B alleles will be grouped into their corresponding serological specificities<sup>3</sup>.

All the HLA-DRB1, -DRB3, -DRB4 and -DRB5 alleles, i.e. **DRB1\*01:01:01 to DRB1\*10:24**, **DRB3\*01:01:02:01 to DRB3\*03:15**, **DRB4\*01:01:01:01 to DRB4\*03:01N**, **DRB5\*01:01:01 to DRB5\*02:18**, recognized by the HLA Nomenclature Committee in January 2018<sup>1,2</sup> will be amplified by the primers in the DR low resolution primer set, **wells 65 to 87**. The HLA-DRB alleles will be grouped into their corresponding serological specificities<sup>3</sup>.

All the DQB1 alleles, i.e. **DQB1\*05:01:01:01 to DQB1\*05:158**, **DQB1\*06:01:01 to DQB1\*06:249**, **DQB1\*02:01:01 to DQB1\*02:104**, **DQB1\*03:01:01:01 to DQB1\*03:274** and **DQB1\*04:01:01 to DQB1\*04:42**, recognized by the HLA Nomenclature Committee in January 2018<sup>1,2</sup> will be amplified by the primers in the DQ low resolution primer set. The DQB1 alleles will be grouped into their corresponding serological specificities<sup>5</sup>, i.e.:

DQ5(1) =	DQB1*05:01:01-05:05
DQ6(1) =	DQB1*06:01:01-06:44
DQ2 =	DQB1*02:01:01-02:05
DQ3 =	DQB1*03:06, 03:10, 03:14
DQ7(3) =	DQB1*03:01:01-03:01:06, 03:04, 03:09, 03:13, 03:16, 03:19

101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

**Lot No.: 6G8****Lot-specific information**

DQ8(3) = DQB1\*03:02:01-03:02:05, 03:05:01-03:05:04, 03:07-03:08,  
03:11, 03:18  
DQ9(3) = DQB1\*03:03:02:01-03:03:04, 03:12, 03:15, 03:17, 03:20  
DQ4 = DQB1\*04:01-04:02

<sup>1</sup>HLA-A, HLA-B, HLA-DRB and HLA-DQB1 alleles listed on the IMGT/HLA web page 2018-January-19, release 3.31.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

<sup>2</sup>Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

<sup>3</sup>The HLA-A, HLA-B, HLA-C HLA-DRB1, -DRB3, -DRB4 and -DRB5 and the DQB1 alleles will be grouped into their corresponding serological specificities, except that following alleles give rise to identical amplification patterns:

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8****Lot-specific information**

Alleles	Alleles
A*01:26, 01:136, 01:192, A*11:94, 11:112, 11:211, 11:226	B*51:45, 51:81, B*53:44, 53:47
A*03:01:23, 03:08, 03:36N, 03:57, 03:59, 03:72, 03:89-01-03:89:02, 03:107-03:108, 03:111, 03:142, 03:172-03:173, 03:176, 03:178N, 03:198-03:199, 03:203, 03:205, 03:211, 03:252, 03:267, A*24:92	B*51:104, 51:118N, 51:147, B*52:73, B*58:08:01-58:08:02
A*03:187, 03:215, 03:225, 03:249, A*25:46	B*53:30, B*57:45, 57:51, 57:69
A*11:116, 11:140, 11:199:01, 11:222, A*66:23	B*55:01:07, 55:02:01:01-55:02:10, 55:07, 55:10, 55:12, 55:16, 55:19, 55:26, 55:30, 55:35, 55:37, 55:39, 55:41-55:43, 55:47-55:48, 55:50, 55:57, 55:61-55:63, 55:65, 55:67, 55:69-55:72, 55:77, 55:80, 55:82-55:83N, B*56:10
A*23:01:01-01:23:01:12, 23:01:14-23:13, 23:15-23:56, 23:58-23:63, 23:65, 23:67-23:68, 23:70-23:83, B*18:27	B*55:04, 55:08, 55:13, 55:23, 55:27, 55:32, 55:46, 55:49, 55:81, 55:86, B*56:01:05, 56:15, 56:18-56:19N, 56:22, 56:31-56:32, 56:50
A*23:14:01-23:14:02, A*24:24, 24:71, 24:315, 24:392	B*57:01:01-01-57:01:04, 57:01:06-57:01:22, 57:01:24-57:03:03, 57:05-57:06, 57:08, 57:10, 57:15-57:20, 57:22-57:23, 57:25-57:30, 57:32-57:44, 57:46, 57:48-57:50, 57:52-57:58, 57:60-57:68, 57:70, 57:72-57:81, 57:84-57:87, 57:90-57:92, B*58:36
A*30:01:01-30:02:11, 30:02:13-30:04:02, 30:06-30:07, 30:09-30:20, 30:22-30:54, 30:56-30:88, 30:90-30:124, 30:126-30:127, B*07:260	B*57:01:23, 57:89, B*58:01:01-01-58:01:02, 58:01:04-58:01:15, 58:01:17-58:01:22, 58:04-58:05, 58:10N-58:15, 58:19, 58:21-58:24, 58:28:01-58:29, 58:31N-58:35, 58:37, 58:39N-58:42, 58:45:01-58:45:02, 58:47-58:59:02, 58:62-58:63, 58:65-58:72N, 58:74-58:75, 58:77, 58:79-58:83, 58:85-58:91
A*31:08, 31:109, A*33:53, 33:125, 33:131	DRB1*03:126, DRB1*14:179
B*07:174, 07:202, 07:222, 07:279, B*81:02	DRB*08:20, DRB1*13:18, 13:47, 13:55, 13:158, 13:164, 13:232
B*08:26:01-08:26:02, 08:50, 08:62, 08:85, 08:94, 08:146, B*42:07, 42:24	DRB1*08:31, 08:41, 08:75, DRB1*11:67, 11:193:01-11:193:02, 11:209
B*13:04, 13:10, 13:35, 13:59, 13:71-13:72, 13:108, B*44:135, 44:158, 44:184	DRB*13:13, 13:119, 13:154, 13:156, DRB1*14:84, 14:116, 14:144
B*13:46, B*44:213	DRB1*13:44, 13:86, 13:206, DRB1*14:183
B*14:08:01-14:08:02, 14:55, B*39:01:19, 39:25N, 39:30, 39:32-39:34, 39:43, 39:47, 39:50, 39:74, 39:82, 39:102, 39:107, 39:112, 39:128	DRB1*13:235, DRB1*14:98
B*18:29, 18:72:01-18:72:03, 18:92, 18:102, B*35:31-35:32:02, 35:37, 35:53N, 35:64:01-35:64:02, 35:68:01-35:68:02, 35:75, 35:99, 35:118-35:119, 35:127, 35:151, 35:174, 35:205, 35:234-35:235, 35:273, 35:292	DQB1*03:03:06, 03:06, 03:17:01-03:17:02, 03:23:02, 03:25:01-03:25:02, 03:62, 03:72, 03:78, 03:81, 03:100, 03:110, 03:151, 03:217, 03:225, 03:244, 03:272, DQB1*04:03:03
B*35:191, B*58:64	DQB1*05:62, DQB1*06:23, 06:156, 06:162, 06:169

<sup>4</sup>The A\*36 alleles will give rise to identical amplification patterns as some A\*01 alleles. These alleles can be separated by the A\*01 and A\*36 high resolution SSP primer sets.

<sup>5</sup>The serological split of the DQB1\*05:05-05:158, DQB1\*06:06 to 06:07 alleles, the DQB1\*06:10, 06:13, 06:15-06:24 and 06:27 to 06:249, the DQB1\*02:04-02:104, the DQB1\*03:07-03:09 and 03:11-03:274 alleles and the DQB1\*04:03:01-04:42 alleles is not known. In this table we have used the expert-assigned serological grouping in Tissue Antigens (2009) 73:95-170, and also inferred the serological grouping from the naming of the sequence-defined allele.

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

Lot-specific information  
**SPECIFICITY TABLE**

**HLA-A low resolution primer set**

**Specificities and sizes of the PCR products of the 21 primer mixes used for HLA-A low resolution SSP typing**

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	HLA-A serology <sup>3</sup>	Amplified HLA-A alleles <sup>4,5</sup>
1 <sup>6</sup>	120 bp, 145 bp, 225 bp	<b>800 bp</b>	A1, A36	*01:01:01:01-01:04N, 01:06-01:33, 01:35-01:244, 03:18, 03:135, 11:94, 11:112, 11:211, 11:226, 26:120, 36:01-36:05
2	175 bp, 215 bp, 255 bp, 365 bp, 415 bp	<b>800 bp</b>	A2, A19, A28, A203, A210,	*02:01:01:01-02:01:15, 02:01:17-02:01:19, 02:01:21-02:01:81, 02:01:83-02:22:02, 02:24:01- 02:35:01, 02:35:03-02:47, 02:49-02:77, 02:78 <sup>w</sup> , 02:79:01-02:97:02, 02:99, 02:101:01-02:128, 02:130-02:570, 02:572-02:643N, 02:645-02:706
3 <sup>9</sup>	205 bp, 235 bp	1070 bp	A1, A3, A11, A32, A34, A36	*01:12, 01:19, 01:21, 01:126, 01:200, 01:244, 02:338, 03:01:01-01:17:02, 03:19-03:74, 03:76- 03:94, 03:96-03:134, 03:136-03:176, 03:178N- 03:186, 03:188-03:193, 03:195-03:199, 03:201- 03:214, 03:216-03:224, 03:226-03:248, 03:250- 03:259, 03:261-03:289, 11:03, 11:20, 11:25:01- 11:25:02, 11:60, 11:130, 11:158, 11:175, 11:183, 11:209, 24:92, 32:04, 34:02:01-34:04, 34:07- 34:10N, 34:13, 34:15, 36:02, 74:23
4	190 bp	<b>800 bp</b>	A1, A3, A11, A30, A36, A68	*01:01:01:01-01:01:22, 01:01:24-01:01:47, 01:01:49-01:01:64, 01:01:67-01:01:78, 01:01:80- 01:04N, 01:06-01:07, 01:09:01:01-01:11N, 01:13, 01:15N-01:18N, 01:20-01:29, 01:31N-01:33, 01:35- 01:78, 01:80-01:98, 01:100-01:144, 01:146, 01:148, 01:150-01:158, 01:160N-01:166, 01:168- 01:177, 01:179N-01:199, 01:201-01:204, 01:206- 01:207, 01:209-01:213, 01:215-01:227, 01:229- 01:235, 01:237-01:243, 02:78, 02:169, 03:12, 03:18, 03:88, 03:135, 11:01:01:01-11:27, 11:29- 11:52Q, 11:54-11:269, 25:43, 26:19, 26:72, 29:67, 30:08, 32:64, 36:04, 66:23, 68:13:01, 68:66:01- 68:66:02, 68:134, 74:19, <b>C*03:365, C*12:131</b>
5	135 bp, 200 bp	<b>800 bp</b>	A9, A23, A24, A29, A80	*11:166, 23:01:01:01-23:56, 23:58-23:65, 23:67- 23:68, 23:70-23:83, 24:24, 24:71, 24:315, 24:392, 29:07, 29:49, 31:29, 31:85, 32:72, 80:01:01- 80:03, <b>B*18:27</b>
6	175 bp, 205 bp	1070 bp	A2, A3, A9, A23, A24, A2403, A26	*02:17:01 <sup>w</sup> -02:17:04 <sup>w</sup> , 11:139, 23:14:01-23:14:02, 24:02:01:01-24:11N, 24:13:01-24:13:02, 24:17- 24:50, 24:54-24:56, 24:58-24:63, 24:66-24:91, 24:93, 24:95-24:113, 24:115-24:137, 24:139- 24:187, 24:189-24:210, 24:212-24:221, 24:223- 24:227, 24:229-24:290, 24:292-24:295, 24:297- 24:303N, 24:305-24:315, 24:317-24:323N, 24:325- 24:394, 26:16, 33:19, 33:119, 68:45, 68:117
7	165 bp, 200 bp	<b>800 bp</b>	A2, A3, A10, A11, A25, A26, A28, A32,	*01:51, 02:55, 02:527, 02:582, 02:644, 03:24, 03:50, 11:10, 11:183, 11:191, 11:269, 25:01:01- 25:16, 25:18-25:33, 25:35-25:45,

101.708-24 – including *Taq* polymerase, IFU-01Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

Lot No.: 6G8

## Lot-specific information

			A34, A66, A68, A69	26:01:01:01-26:06, 26:08-26:15, 26:17-26:18, 26:20-26:43:02, 26:45-26:63, 26:65-26:71N, 26:73- 26:88, 26:90-26:91, 26:93-26:149, 29:28, 32:15, 33:51, 34:01:01-34:17, 66:01:01-66:22, 66:24- 66:29, 68:01:01-68:174, 69:01:01-69:03
8 <sup>6,7</sup>	80 bp	800 bp	A2, A3, A25, A32	*02:81, 02:124, 25:01:01-25:45, 32:01:01:01- 32:02, 32:04, 32:06-32:37, 32:39-32:59, 32:61- 32:70, 32:72-32:77, 32:81-32:106, <b>B*07:81,</b> <b>B*08:52, B*18:67, B*38:41, B*38:67, B*51:185,</b> <b>B*53:05:01-53:05:02, B*53:16, B*53:33, B*57:60</b>
9 <sup>6,10</sup>	80 bp, 240 bp	800 bp	A10, A26, A43	*01:43, 01:51, 02:644, 11:17, 11:40, 11:223, 26:01:01-26:02:02, 26:04, 26:07:01-26:20, 26:22-26:29, 26:31-26:43:02, 26:45-26:77, 26:79- 26:91, 26:93-26:110, 26:112-26:149, 29:105, 33:13, 33:48, 43:01, 68:84
10 <sup>6</sup>	80 bp, 175 bp	1070 bp	A1, A9, A10, A11, A26, A34, A66	*01:13, 01:26, 01:28, 01:136, 01:176, 01:192, 01:229, 02:662, 03:63, 03:88, 11:01:01-11:27, 11:29-11:52Q, 11:54-11:269, 24:19, 24:44, 26:03:01, 26:06, 26:21, 26:78, 26:92, 26:111, 30:125, 34:01:01-34:08, 34:10N-34:17, 66:01:01-66:01:03, 66:04-66:11, 66:13-66:14, 66:17-66:20, 66:22-66:24, 66:27N, 66:29, 69:02, 80:02
11 <sup>6</sup>	125 bp, 165 bp 190 bp	800 bp	A10, A25, A26, A31, A34, A43, A66	*01:01:56, 02:309, 02:454, 03:01:19, 03:103:02, 11:11, 25:05-25:06, 26:09, 26:54, 26:91, 31:03- 31:04, 31:123, 34:01:01-34:17, 43:01, 66:02- 66:03:01:02, 66:16, 66:19, 66:21, 66:25-66:26Q, 66:28N, 68:130:01, 74:01:03
12	175 bp, 225 bp	1070 bp	A1, A2, A3, A10, A25, A26, A34, A43, A66	*01:13, 01:176, 01:194, 02:34-02:35:03, 02:56:01- 02:56:02, 02:62, 02:103, 02:135, 02:580, 03:01:01-03:01:22, 03:01:24-03:07:02, 03:09- 03:11N, 03:13-03:31, 03:33-03:35, 03:37-03:40, 03:42-03:56, 03:58, 03:60-03:71, 03:73-03:87, 03:90-03:106, 03:109-03:110, 03:112-03:141, 03:143-03:151, 03:153-03:171, 03:174-03:175, 03:177, 03:179-03:193, 03:195-03:197N, 03:201- 03:202, 03:204, 03:206-03:210, 03:212-03:218, 03:220-03:251, 03:253-03:259, 03:261-03:266N, 03:268-03:272, 03:274-03:289, 11:116, 11:140, 11:199:01-11:199:02, 11:222, 25:01:01-25:05, 25:07-25:35, 25:37-25:42N, 25:44-25:46, 26:01:01-26:01:44, 26:02:01 <sup>w</sup> -26:02:02 <sup>w</sup> , 26:03:01, 26:05-26:08, 26:10-26:28, 26:29 <sup>w</sup> , 26:30- 26:43:02, 26:45-26:48, 26:49 <sup>w</sup> , 26:50-26:74, 26:76- 26:77, 26:79-26:90, 26:92-26:149, 30:55, 31:24- 31:25, 32:26:01-32:26:02, 33:61, 34:08, 43:01, 66:01:01-66:01:03, 66:04-66:09, 66:10 <sup>w</sup> , 66:11- 66:15, 66:17-66:20, 66:22-66:24, 66:27N, 66:29, 68:71, 74:13
13 <sup>6,10</sup>	80 bp, 115 bp, 200 bp, 240 bp, 460 bp	1070 bp	A26, A29, A31, A34, A36, A68	*02:237, 02:309, 02:454, 03:01:38, 03:95, 03:123:02, 03:171, 03:231:01, 11:130, 26:19, 26:22, 29:01:01-29:111, 31:03-31:04, 31:123, 32:42, 34:04, 36:02, 66:09, 68:19, 68:130:02
14 <sup>6,8,11</sup>	90 bp, 135 bp	1070 bp	A1, A30	*01:13, 01:28, 01:176, 01:194, 01:229, 03:43, 03:82, 03:186, 11:113, 11:162, 30:01:01-30:02:11,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8****Lot-specific information**

	205 bp			30:02:13-30:04:02, 30:06-30:20, 30:22-30:127, 31:35, <b>B*07:260</b>
<b>15</b>	240 bp, 380 bp, 410 bp	1070 bp	A24, A31, A32	*02:237, 03:95, 29:14, 31:01:02:01-31:133, 32:05, 32:79, 33:53, 33:125, 33:131, 74:13
<b>16<sup>11</sup></b>	140 bp, 180 bp, 235 bp, 260 bp	1070 bp	A1, A2, A3, A25, A32, A74	*01:07, 01:95, 03:32, 03:43, 03:82, 03:152, 03:186, 03:219, 03:273, 23:64, 24:104, 24:243, 25:03, 25:30, 29:13, 29:39, 29:98, 30:89, 31:21, 31:35, 32:01:01-32:107, 74:07
<b>17</b>	205 bp, 390 bp	1070 bp	A24, A31, A32, A33, A68, A74	*02:243:01-02:243:02, 24:82, 29:48, 29:105, 31:08, 31:109, 32:05, 32:15, 32:79, 32:93, 33:01:01-01- 33:01:10, 33:03:01:01-33:37, 33:39-33:134, 33:136-33:137, 68:29, 74:04, 74:21
<b>18</b>	340 bp, 375 bp	<b>800 bp</b>	A2, A19, A68, A74	*01:121, 02:65, 02:407, 02:449, 03:246, 03:282, 32:62, 68:25, 74:01:01-74:28
<b>19<sup>10,11,12</sup></b>	210 bp, 240 bp	<b>800 bp</b>	A2, A25, A28, A68	*02:34-02:35:03, 02:46, 02:48, 02:56:01-02:56:02, 02:62, 02:70, 02:78, 02:103, 02:129, 02:571, 02:580, 02:651, 11:199:02, 23:01:13, 24:340, 25:05, 26:54, 26:122, 34:02:04, 68:01:01-68:174
<b>20<sup>6,12</sup></b>	65 bp, 240 bp, 375 bp, 545 bp	<b>800 bp</b>	A2, A26, A28, A32, A66, A68, A69	*02:55, 02:149, 02:243:01-02:243:02, 02:309, 02:644, 23:57, 24:82, 25:30, 26:22, 29:80, 31:41, 32:06, 33:22, 66:06, 66:09, 68:08:02, 68:29, 68:105, 68:157, 69:01:01-01-69:03
<b>21<sup>6,10</sup></b>	75 bp, 155 bp, 240 bp, 495 bp	<b>800 bp</b>	A2, A3, A26, A28, A36, A68, A80	*02:55, 02:237, 02:671, 03:41, 03:63, 03:75, 03:88, 03:95, 03:177, 11:130, 24:18, 24:204, 24:213, 26:03:01, 26:05-26:06, 26:21, 26:30, 26:78, 26:111, 33:24, 36:02, 68:05, 68:15, 68:20, 68:109, 68:136, 80:01:01-80:01:01:02, 80:03, <b>C*06:187</b>

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-A low resolution SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>The serological reactivity of all HLA-A alleles is not known. The grouping of not serologically defined alleles is taken from Tissue Antigens 73, 95-170, 2009.

<sup>4</sup>For several HLA Class I alleles 1<sup>st</sup> and/or 4<sup>th</sup> exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

### Lot No.: 6G8

#### Lot-specific information

<sup>5</sup>The A\*23:66, A\*24:14:01:01-24:15, 24:51-24:53, 24:57, 24:64, 24:94, 24:114, 24:138, 24:188, 24:222N, 24:228, 24:291, 24:296, 24:304, 24:316, 24:324, A\*33:135 alleles will not be amplified by this lot of A-B-DR-DQ. These alleles can e.g. be amplified by the HLA-A low resolution kit and/or the A-B-DR resolution kit.

<sup>6</sup>HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

<sup>7</sup>Primer mix 8 may weakly amplify the A\*34 alleles.

<sup>8</sup>Primer mix 14 may give rise to a lower yield of HLA-specific PCR product than the other HLA-A low primer mixes.

<sup>9</sup>Primer mix 3 may faintly amplify the A\*30:04:01-30:04:02, 30:06, 30:09, 30:17, 30:29, 30:46, 30:77, 30:90, 30:99, 30:103, 30:105 and 30:117 alleles.

<sup>10</sup>Primer mixes 9, 13, 19 and 21 may have a tendency of giving rise to primer oligomer formation.

<sup>11</sup>Primer mixes 14, 16 and 19 may have tendency of unspecific amplification.

<sup>12</sup>Primer mixes 19 and 20 may generate a false positive band of about 560 base pairs. This band should be disregarded when interpreting HLA-A low resolution typings.

‘w’, might be weakly amplified.

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

Lot-specific information  
**SPECIFICITY TABLE**

**HLA-B low resolution primer set**

**Specificities and sizes of the PCR products of the 43 primer mixes used for HLA-B low resolution SSP typing**

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	HLA-B serol. <sup>3</sup>	Amplified HLA-B alleles <sup>4</sup>
22	285 bp	<b>800 bp</b>	7, 703, 8, 35, 40, 41,42, 48, 60, 61,81	*07:02:01:01-07:02:38, 07:02:40-07:06:02, 07:08:01-07:18:02, 07:20-07:32, 07:34-07:39, 07:41-07:52, 07:54-07:59, 07:61-07:76, 07:79-07:83, 07:85-07:99, 07:101-07:121, 07:123-07:138, 07:140-07:164, 07:166-07:192, 07:194-07:195, 07:199-07:213, 07:215-07:234, 07:236-07:238, 07:240-07:254, 07:256-07:305, 08:01:01:01-08:01:20, 08:01:22-08:01:24, 08:01:26-08:05, 08:07-08:08N, 08:10-08:11, 08:13-08:15, 08:17-08:30N, 08:32-08:83, 08:85-08:88, 08:90-08:102, 08:104-08:106, 08:108-08:112, 08:114-08:115, 08:117-08:133, 08:135-08:168, 08:170-08:174, 08:176-08:183, 08:185-08:190, 15:297, 27:164, 35:66, 35:87, 37:07, 40:15-40:16, 40:30-40:32, 40:34, 40:45, 40:59, 40:80, 40:98, 40:137, 40:160:01-40:160:02, 41:02:01-41:02:07, 41:04, 41:10-41:11, 41:13, 41:18-41:19, 41:23-41:24, 41:27, 41:31, 41:36, 41:38-41:43, 41:45N-41:49, 41:51-41:52, 42:01:01-42:02:01:02, 42:05:01-42:07, 42:09-42:13, 42:15-42:24, 44:150, 44:166, 48:01:01-48:01:06, 48:05-48:12, 48:14-48:20, 48:22, 48:27-48:39, 48:41-48:42, 53:15, 81:01-81:08, <b>C*03:260</b>
23	215 bp	1070 bp	8, 44	*08:01:01:01-08:05, 08:07-08:25, 08:27-08:49, 08:51-08:61, 08:63-08:64, 08:66-08:84, 08:86N-08:93, 08:95-08:122, 08:124-08:131, 08:133-08:145, 08:147-08:190, 13:93, 15:142, 15:180, 15:429, 35:218, 35:256, 37:62, 40:328, 44:49, 44:156, 49:25, 51:68, 51:176, <b>C*06:147</b>
24	140 bp, 235 bp	1070 bp	7, 8, 13, 15, 35, 4005, 44, 49, 50, 61, 62, 77	*07:20, 07:24, 07:60, 07:100, 07:131, 07:220, 07:223, 08:21, 08:25, 08:175, 13:01:01:01-13:04, 13:06-13:08, 13:10-13:23, 13:25-13:38, 13:40-13:57, 13:59-13:66, 13:68-13:96, 13:99-13:108, 15:07:01:01-15:07:03, 15:36 <sup>w</sup> , 15:45, 15:55, 15:68, 15:89 <sup>w</sup> , 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 15:431, 35:05:01:01-35:05:03, 35:16-35:17:02, 35:22, 35:30, 35:51, 35:58, 35:72, 35:89, 35:97, 35:113-35:114, 35:125, 35:164, 35:199, 35:232, 35:242, 35:318, 35:346, 40:05:01:01-40:05:01:02, 40:71, 40:174, 44:08 <sup>w</sup> , 44:54, 44:57 <sup>w</sup> , 44:60, 44:106, 44:110, 44:135, 44:158, 44:184, 44:211, 44:213, 46:12, 51:64, 51:148, 53:14, 55:51, 58:18, <b>C*03:05, C*03:25, C*03:27, C*03:143, C*03:167, C*03:296, C*03:335, C*03:346</b>
25 <sup>6,7</sup>	140 bp, 260 bp	<b>800 bp</b>	12, 13, 14, 15, 17, 18, 21, 27, 35, 39, 40, 41, 44, 45, 47, 48, 49, 50, 57, 58, 60,	*07:68:01-07:68:03, 07:100, 07:218, 07:220, 07:237, 07:262, 08:71, 08:118, 13:01:01:01-13:01:09, 13:01:11-13:04, 13:06-13:13:02, 13:15-13:23, 13:25-13:57, 13:59-13:82, 13:84-13:92, 13:94-13:96, 13:99-13:101, 13:102 <sup>w</sup> , 13:103N-13:105, 13:107-13:108, 14:01:01:01-14:02:08, 14:02:10-14:05, 14:07N, 14:09, 14:11-14:36, 14:38-14:54, 14:57-14:59, 15:07:01:01-15:07:03, 15:45-15:46, 15:53, 15:55, 15:68, 15:106, 15:126, 15:197:02, 15:207, 15:212, 15:324, 15:329,

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

Lot No.: 6G8

**Lot-specific information**

<b>26<sup>7</sup></b>	185 bp, 235 bp	<b>800 bp</b>	7, 16, 17, 27, 2708, 37, 38, 39, 3901, 3902, 64, 67	15:331, 15:336, 15:360, 15:383, 15:399, 15:405, 15:431, 65 18:14, 18:44:01-18:44:02, 18:107, 27:32, 27:138, 35:05:01:01-35:05:03, 35:22, 35:46-35:47, 35:51, 35:58, 35:63, 35:66, 35:72, 35:89, 35:97, 35:154, 35:199, 35:207, 35:217, 35:232, 35:317, 38:19, 39:03:01:01-39:03:01:02, 39:14:01:01-39:14:01:02, 39:24:01-39:24:02, 39:29, 39:37, 39:76, 39:79, 39:120, 40:01:01-40:01:39, 40:01:42-40:01:49, 40:07, 40:10:01:01-40:10:02, 40:14:01-40:16, 40:22N-40:23, 40:25, 40:30-40:36, 40:38, 40:42-40:43, 40:45, 40:47-40:49, 40:51-40:55, 40:58-40:63, 40:65-40:67, 40:69, 40:71-40:73, 40:76-40:77, 40:79-40:81, 40:84, 40:87:01-40:88, 40:92, 40:100-40:102, 40:106, 40:108, 40:110, 40:112-40:114:02, 40:116-40:118N, 40:121, 40:123-40:126, 40:128-40:130:02, 40:132, 40:134-40:136, 40:139-40:141, 40:146-40:147, 40:150-40:156, 40:158, 40:160:01-40:160:02, 40:163-40:164, 40:166, 40:168, 40:171-40:172, 40:174-40:175, 40:178- 40:179, 40:182-40:183, 40:186:01-40:188, 40:191-40:199, 40:204, 40:207-40:208, 40:212-40:213, 40:215-40:219, 40:221-40:223, 40:227-40:228, 40:231, 40:233-40:242, 40:245, 40:247, 40:249-40:250, 40:252-40:253, 40:257- 40:264, 40:272-40:273, 40:277-40:282, 40:285-40:286N, 40:288, 40:298:01-40:301, 40:308, 40:310, 40:312, 40:315- 40:316, 40:319, 40:321, 40:323-40:327, 40:329, 40:332- 40:333, 40:336, 40:338N-40:339, 40:342, 40:344, 40:346, 40:352-40:353, 40:355, 40:357-40:358, 40:360, 41:01:01- 41:40, 41:42-41:54, 42:10, 42:17, 44:02:01:01-44:02:31, 44:02:33-44:02:39, 44:02:41-44:03:06, 44:03:08-44:03:15, 44:03:17-44:03:18, 44:03:21-44:03:29, 44:03:32-44:05:04, 44:09-44:39, 44:41:01-44:43:02, 44:45-44:56N, 44:58N- 44:80, 44:82, 44:84:01-44:102, 44:104-44:110, 44:112- 44:129, 44:132-44:133, 44:135-44:144, 44:146-44:155, 44:157-44:193, 44:195N-44:199, 44:201-44:209, 44:211, 44:213-44:223, 44:226-44:230, 44:231 <sup>w</sup> , 44:232-44:245, 44:247-44:277, 45:01:01-45:21, 46:12, 47:01:01:01-47:10, 48:12, 48:14, 48:29, 49:01:01:01-49:02, 49:04:01-49:14, 49:16-49:24, 49:27-49:30, 49:32-49:41, 49:43-49:48, 50:01:01:01-50:02, 50:04-50:06, 50:08-50:20, 50:31-50:33, 50:35-50:42, 50:44-50:54, 51:64, 53:14, 53:30, 54:38, 57:11, 57:45, 57:51, 57:69, 57:71, 57:88, 58:02:01-58:02:02, 58:06- 58:07, 58:18, 58:25, 58:38, 58:43, 58:60, <b>C*01:30</b> , <b>C*01:32:01-01:32:02</b> , <b>C*06:20</b> , <b>C*06:207</b> , <b>C*12:87</b> , <b>C*14:76</b> , <b>C*14:82</b> , <b>C*16:85</b> , <b>C*16:98</b> , <b>C*16:102</b> , <b>C*16:110</b>

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

Lot No.: 6G8

## Lot-specific information

				39:64-39:71, 39:73-39:75, 39:77, 39:79-39:82, 39:84-39:88, 39:90-39:91, 39:93-39:95N, 39:97N-39:98, 39:100, 39:102- 39:104, 39:106-39:109, 39:111-39:125, 39:127-39:128, 39:130, 47:04-47:05, 48:21, 48:26, 67:01:01, 67:03-67:04, 67:06-67:07
27	190 bp	800 bp	7, 14, 35, 38, 39, 44, 47, 57, 62, 65	*07:28, 08:87, 14:02:01:01-14:02:02, 14:02:04-14:02:05, 14:02:07-14:06:02, 14:09, 14:11, 14:13, 14:15-14:18, 14:20, 14:22-14:23, 14:25, 14:27, 14:29-14:31, 14:33-14:39, 14:41N, 14:43-14:45, 14:48, 14:50-14:52, 14:56-14:59, 15:77, 15:189, 15:233, 35:03:17, 35:26, 38:05, 38:33, 39:04, 39:129, 44:16, 44:37:01-44:37:02, 44:64:01-44:64:02, 44:91, 44:132, 44:150, 44:190, 44:268, 44:275, 52:26, 57:04:01- 57:04:02, <b>A*23:31, A*24:106, C*01:115, C*02:97, C*07:231,</b> <b>C*14:79, C*16:10</b>
28	180 bp, 290 bp	1070 bp	15, 22, 46, 62, 63, 71, 72, 75, 76, 77	*15:01:01:01-15:01:03, 15:01:06-15:02:11, 15:03:03, 15:04:01:01-15:08:02, 15:10:02, 15:11:01-15:11:03, 15:11:05-15:15, 15:17:01:01-15:17:06, 15:19-15:21:01:02, 15:24:01-15:28, 15:30:01:01-15:36, 15:38:01-15:40:02, 15:42-15:46, 15:48, 15:50, 15:55-15:58, 15:60, 15:63, 15:65- 15:66, 15:70-15:71, 15:73, 15:75-15:79N, 15:81-15:89, 15:92, 15:94N, 15:96-15:97, 15:101-15:102, 15:104-15:107, 15:109-15:113, 15:116-15:118, 15:120-15:122, 15:125- 15:126, 15:128-15:129, 15:135-15:150, 15:152, 15:154- 15:155, 15:157, 15:159-15:160, 15:162-15:172, 15:174- 15:175, 15:177-15:179:02, 15:181N-15:185, 15:187-15:196, 15:199, 15:201-15:209N, 15:211, 15:213-15:219, 15:223- 15:225, 15:227-15:228, 15:230-15:234, 15:236-15:237, 15:239-15:241, 15:244-15:251, 15:256-15:262N, 15:264- 15:265, 15:267-15:273, 15:276-15:280, 15:283-15:289, 15:291, 15:295-15:305, 15:308-15:310, 15:315-15:322, 15:324-15:328, 15:330-15:334, 15:339-15:346, 15:348- 15:350, 15:352-15:353, 15:355-15:361, 15:363:01-15:368, 15:370-15:375N, 15:377Q-15:378, 15:381, 15:383-15:387, 15:390-15:396, 15:398-15:407, 15:409-15:413, 15:415- 15:417, 15:419-15:425, 15:428-15:432, 46:01:01-46:70, 46:72-46:73, <b>C*01:73, C*05:01:28, C*07:02:30, C*08:16:02</b>
29 <sup>8</sup>	165 bp, 225 bp, 285 bp, 330 bp	1070 bp	5, 8, 12, 21, 22, 37, 41, 42, 44, 45, 48, 51, 56, 57, 60, 62, 70, 71, 72, 82	*08:01:01:01-08:01:22, 08:01:24-08:05, 08:08N-08:13, 08:15- 08:27, 08:29-08:36, 08:38-08:48, 08:50-08:73, 08:75-08:76, 08:78, 08:80-08:86N, 08:88, 08:90-08:106, 08:109-08:110, 08:112-08:155, 08:157-08:163, 08:165-08:190, 13:46, 15:03:01:01-15:03:06, 15:09:01-15:10:04, 15:18:01:01- 15:18:06, 15:23, 15:29, 15:37, 15:46-15:47:02, 15:49, 15:51- 15:54, 15:61-15:62, 15:64:01-15:64:02, 15:69, 15:72, 15:74, 15:80, 15:83, 15:90-15:91, 15:93, 15:98-15:99, 15:103, 15:106, 15:108, 15:114-15:115, 15:119, 15:123-15:124, 15:127, 15:131-15:134, 15:143, 15:151, 15:153, 15:156, 15:158, 15:161, 15:173, 15:176, 15:186, 15:197:01-15:198, 15:200, 15:210, 15:212, 15:220-15:221, 15:226N, 15:229, 15:235, 15:238, 15:242:01-15:243, 15:252-15:253, 15:255, 15:259, 15:263, 15:266, 15:274-15:275:02, 15:281-15:282, 15:290, 15:292-15:294N, 15:306-15:307, 15:311-15:314, 15:323, 15:329, 15:335, 15:337-15:338, 15:351, 15:354, 15:369, 15:379-15:380N, 15:382, 15:388-15:389, 15:397, 15:414, 15:426-15:427, 15:433, 15:435, 35:87, 37:12, 38:30, 40:12, 40:136, 40:231, 40:279, 41:01:01-41:03:02, 41:05- 41:09, 41:11-41:17, 41:19-41:48, 41:50, 41:53-41:54, 42:01:01-42:02:01:02, 42:04-42:08, 42:10-42:15,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

				42:17-42:19, 42:21-42:24, 44:14-44:15:01:02, 44:18, 44:20, 44:62, 44:100, 44:166, 44:213, 45:01:01-45:21, 51:08:01-51:08:02, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 52:19, 55:20, 55:56, 56:13, 57:09, 82:01-82:03, <b>C*03:342, C*07:46, C*07:356, C*07:546, C*12:184, C*15:99, C*16:85</b>
<b>30<sup>7,8,10</sup></b>	165 bp, 190 bp, 390 bp	1070 bp	5, 17, 21, 35, 51, 5102, 5103, 52, 56, 62, 63, 70, 78	*13:62, 15:01:02, 15:09:01-15:09:02, 15:16:01:01-15:17:06, 15:67, 15:95, 15:162, 15:168, 15:177, 15:196, 15:208, 15:216, 15:222, 15:230, 15:243, 15:254, 15:268, 15:273, 15:277-15:278, 15:356, 15:361-15:362, 15:396, 15:403, 15:408, 15:411, 15:423-15:424, 15:435, 27:153, 35:01:10, 35:04:02, 35:251, 40:26, 40:28, 44:03:40, 44:62, 49:18:01, 50:14, 51:01:01-01-51:01:03, 51:01:05-51:02:03, 51:02:05-51:09:03, 51:11N-51:12, 51:13:02-51:14, 51:16-51:23, 51:24:03-51:24:05, 51:26-51:33, 51:37-51:41N, 51:43-51:44N, 51:46, 51:48-51:61:02, 51:63:01, 51:64-51:80, 51:82-51:91, 51:92:02, 51:94-51:98N, 51:100-51:106:01, 51:107-51:130, 51:132-51:142, 51:145-51:147, 51:149N-51:156, 51:158:01-51:196, 51:198, 51:200-51:219, 51:221-51:224, 51:226-51:229, 52:01:01-01-52:01:04, 52:01:06-52:01:14, 52:01:16-52:13, 52:15-52:24, 52:25:02-52:57, 52:59-52:66, 52:68-52:73, 53:28, 56:05:01-56:06, 56:21, 58:08:01-58:08:02, 78:01:01-01-78:09
<b>31</b>	180 bp	<b>800 bp</b>	13, 22, 55, 60	*07:78, 13:01:01-01-13:02:21, 13:07N-13:09, 13:11, 13:14-13:20, 13:22:01-13:23, 13:25, 13:27-13:34, 13:36-13:45, 13:47, 13:49N-13:50, 13:52, 13:54-13:58, 13:60-13:61, 13:63N-13:70, 13:73-13:78, 13:80-13:85, 13:87-13:107, 40:48, 45:10, 49:07, 50:31, 54:26, 55:09, 55:22, 55:24, 59:09
<b>32<sup>5</sup></b>	90 bp, 105 bp, 195 bp	1070 bp	8, 12, 27, 38, 39, 3902, 44, 45, 48, 60, 70, 71, 72, 82	*07:27, 07:50, 07:219, 08:04:01-08:04:02, 08:17, 08:54:01-08:54:02, 08:110, 13:97, 15:03:01:01-15:03:06, 15:47:01-15:47:02, 15:49, 15:54, 15:61-15:62, 15:64:01-15:64:02, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220, 15:235, 15:242:01-15:242:02, 15:253, 15:259, 15:266, 15:274, 15:281-15:282, 15:369, 15:379, 15:389, 15:397, 18:37, 18:125, 27:18, 27:29, 37:28, 38:03, 39:02:01-39:02:03, 39:08, 39:13:01-39:13:02, 39:23, 39:39:01-39:39:02, 39:49, 39:88, 39:101, 39:105, 39:110, 40:12, 40:46, 40:93, 42:11, 44:10, 44:15:01:01-44:15:01:02, 44:18, 44:40, 44:44, 44:117, 44:130, 44:140, 44:156, 44:210:01-44:210:02, 44:251, 45:01:01-45:03, 45:05-45:07, 45:11-45:21, 48:01:01-01-48:05, 48:07-48:30, 48:32-48:40, 48:42, 49:20, 50:02, 52:16, 55:18, 56:44, 58:44, 82:01-82:03, <b>C*05:102, C*08:93, C*15:25</b>
<b>33</b>	195 bp	1070 bp	27, 35, 37, 44, 58, 76	*07:27, 07:236, 07:240, 08:126, 08:131, 08:139, 15:12, 15:14, 15:19, 15:91, 15:131, 15:161, 15:270, 15:298, 15:304N, 18:54, 18:56, 18:108, 18:132, 35:45, 35:71, 37:01:01-01-37:09, 37:12-37:13, 37:15-37:21, 37:23-37:28, 37:30N-37:33N, 37:35-37:36, 37:38-37:66, 37:68-37:70, 38:17, 44:17, 44:43:01-44:43:02, 44:144, 44:230, 44:256, 45:09, 46:17, 53:22, 57:93, 58:07, <b>A*24:174, C*02:82, C*06:165, C*14:61</b>
<b>34<sup>5,8</sup></b>	105 bp, 395 bp, 435 bp	1070 bp	5, 7, 15, 41, 42, 62, 63, 70, 71, 75, 77	*07:04, 07:25, 07:146, 08:187, 15:09:01-15:10:04, 15:13:01-15:13:02, 15:16:01:01-15:18:06, 15:21:01:01-15:21:01:02, 15:23-15:24:02, 15:37, 15:44, 15:51-15:52, 15:66-15:67, 15:72, 15:76, 15:80, 15:87, 15:90, 15:93, 15:95, 15:99,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

				15:101, 15:108, 15:114-15:115, 15:119, 15:124, 15:133-15:134, 15:153, 15:157, 15:161-15:162, 15:168, 15:176-15:177, 15:186, 15:189, 15:196-15:198, 15:200, 15:208, 15:216, 15:221-15:222, 15:226N, 15:229-15:230, 15:238, 15:243, 15:252, 15:254-15:255, 15:263, 15:268, 15:273, 15:275-01-15:275:02, 15:290, 15:292-15:294N, 15:306-15:307, 15:311-15:314, 15:323, 15:329, 15:335, 15:337-15:338, 15:351, 15:354, 15:356, 15:361-15:362, 15:376, 15:380N, 15:382, 15:388, 15:394, 15:396, 15:403-15:404, 15:408, 15:411, 15:414, 15:418, 15:420, 15:423-15:424, 15:426-15:427, 15:433-15:435, 40:136, 40:231, 40:279, 41:08, 42:05-01-42:05:02, <b>C*07:335, C*14:62</b>
<b>35<sup>5</sup></b>	115 bp, 150 bp	1070 bp	18	*08:176, 18:01-01-01-18:15, 18:17N-18:28, 18:30-18:71, 18:73-18:91, 18:93-18:101, 18:103-18:106, 18:108-18:143, 35:289, 48:28
<b>36<sup>5</sup></b>	80 bp	1070 bp	7, 27, 2708, 44, 60	*07:73, 08:88, 08:102, 27:01-27:05:22, 27:05:24-27:21, 27:23-27:51, 27:53-27:66N, 27:68-27:74, 27:76-27:139, 27:141-27:167, 38:22, 40:46, 40:93, 44:40, 44:44, 44:130, 44:210-01-44:210:02, 49:26
<b>37<sup>5</sup></b>	105 bp, 150 bp	<b>800 bp</b>	12, 13, 17, 18, 22, 35, 37, 39, 44, 45, 47, 48, 51, 53, 56, 57, 58, 60, 61, 62, 70, 75, 77	*07:137, 07:235, 08:49, 08:60, 08:76, 08:129, 08:181, 13:01-01-01-13:01:12, 13:06-13:07N, 13:12-01-13:13:02, 13:17, 13:20-13:23, 13:25-13:26:02, 13:28-13:29, 13:36, 13:39, 13:43, 13:50-13:52, 13:57, 13:60-13:61, 13:63N, 13:73, 13:76N-13:80, 13:83, 13:86-13:87, 13:90, 13:92, 13:95, 13:106-13:107, 14:10, 15:02-01-15:02:11, 15:13:01-15:13:02, 15:20-15:21:01:02, 15:25-01-15:25:03, 15:36, 15:44, 15:62, 15:77, 15:80, 15:85, 15:88-15:89, 15:106, 15:112, 15:121, 15:139, 15:144, 15:154, 15:165, 15:170, 15:194, 15:204, 15:213-15:214, 15:223, 15:240, 15:250, 15:265, 15:271, 15:283, 15:289, 15:291, 15:297, 15:301-15:302N, 15:308, 15:319, 15:325, 15:328, 15:330, 15:341, 15:345, 15:357-15:358, 15:366, 15:374, 15:378, 15:393-15:394, 15:399, 15:402, 15:404, 15:407, 15:418, 15:420, 15:425, 18:22, 18:69, 18:105, 27:19, 27:30, 27:127, 27:150, 35:01-01-01-35:04:03, 35:06-35:21, 35:23-35:30, 35:33-35:36, 35:38-35:42:02, 35:45-35:50, 35:52, 35:54-35:57, 35:59-01-35:59:02, 35:61-01-35:63, 35:65Q, 35:69-35:71, 35:74, 35:76-35:78, 35:80-35:85, 35:88, 35:90-35:96, 35:98, 35:100-35:101:02, 35:103-35:113, 35:115-35:116, 35:120-35:126, 35:128-35:134N, 35:136-35:150:02, 35:152-35:173:02N, 35:175-35:184, 35:186-35:198, 35:200-35:204, 35:206-35:231, 35:233, 35:236-35:250, 35:252-35:259, 35:261-35:264, 35:266-35:272, 35:274-35:275, 35:277-35:291, 35:293-35:330, 35:332-35:360, 37:01-01:01-37:01:07, 37:01:09, 37:01:11, 37:03N-37:06:02, 37:08, 37:10-37:43, 37:45-37:50, 37:52-37:70, 38:20, 39:42, 40:04, 40:28, 40:30, 40:34, 40:64, 40:68, 40:99, 40:129, 40:137, 40:160-01-40:160:02, 40:343, 41:48, 42:13, 44:02-01:01-44:02:33, 44:02:35-44:14, 44:16-44:17, 44:19N, 44:21-44:30, 44:32-44:40, 44:42-44:46, 44:48-44:52N, 44:55-44:64:02, 44:66-44:98, 44:101-44:105, 44:107-44:134, 44:136-44:137, 44:139-44:157, 44:159-44:165, 44:167-44:181, 44:183, 44:185-44:191, 44:194-44:196, 44:198N-44:212, 44:214-44:229, 44:231-44:235, 44:237N-44:245, 44:247-44:277, 46:33, 46:67, 48:02-01-48:02:03, 48:25, 50:17, 51:04, 51:42, 51:46, 51:56-01-51:56:03, 51:139, 51:186, 51:227, 53:01-01-53:13, 53:15-53:43, 53:45-53:46, 53:48N-53:49, 55:14,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

Lot No.: 6G8

## Lot-specific information

				56:09, 56:11-56:12, 57:01:01:01-57:01:04, 57:01:06-57:10, 57:12, 57:14:01-57:20, 57:22-57:30, 57:32-57:46, 57:48- 57:81, 57:84-57:93, 58:01:01:01-58:01:02, 58:01:04- 58:01:15, 58:01:17-58:01:22, 58:04-58:05, 58:09-58:15, 58:17N, 58:19, 58:21-58:24, 58:28:01-58:29, 58:31N-58:37, 58:39N-58:42, 58:44-58:45:02, 58:47-58:59:02, 58:62-58:91, 83:01, <b>C*03:102, C*03:263:01-03:263:02, C*03:317,</b> <b>C*15:24, C*15:126</b>
<b>38<sup>7,8</sup></b>	140 bp	1070 bp	8, 18, 22, 35, 39, 78	*07:65, 07:134, 08:32, 08:133, 08:180, 15:202, 15:239, 15:308, 15:376, 18:01:01:01-18:08, 18:10-18:15, 18:17N- 18:36, 18:38-18:47, 18:49-18:53, 18:55-18:65, 18:68-18:106, 18:108-18:124, 18:126-18:135, 18:137-18:143, 35:01:01:01- 35:18, 35:20:01-35:24:02, 35:27-35:45, 35:48, 35:50-35:62, 35:64:01-35:72, 35:74-35:153, 35:155-35:197, 35:199- 35:206, 35:208-35:209, 35:211-35:216N, 35:218-35:253, 35:255-35:270, 35:272-35:273, 35:275-35:310, 35:312- 35:316, 35:318-35:360, 37:05, 37:11, 37:14, 37:29, 37:37, 37:67, 39:19:01-39:19:02, 40:185, 40:209, 40:308, 40:350, 40:365, 46:40:01-46:40:02, 56:06, 56:45, 58:64, 78:01:01:01- 78:09
<b>39<sup>5,9</sup></b>	55 bp, 245 bp, 390 bp, 415 bp	1070 bp	5, 15, 48, 60, 62, 63, 70, 71, 72, 75, 76, 77, 82	*15:01:01:01-15:01:04, 15:01:06-15:21:01:02, 15:23- 15:40:02, 15:42-15:58, 15:60-15:67, 15:69-15:99, 15:102- 15:129, 15:131-15:179:02, 15:181N-15:235, 15:237-15:254, 15:256-15:435, 40:12, 46:50, 82:01-82:03, <b>C*03:179,</b> <b>C*06:147, C*14:61, C*16:85</b>
<b>40<sup>9</sup></b>	210 bp	<b>800 bp</b>	27, 37	*07:27, 07:236, 07:273, 08:49, 08:126, 18:54, 37:01:01:01- 37:70, 38:17, <b>C*07:302</b>
<b>41</b>	170 bp	<b>800 bp</b>	16, 35, 38, 39, 3901, 3902, 67, 72	*08:55, 15:69, 15:186, 35:35, 35:276, 38:01:01:01-38:02:05, 38:02:07-38:09, 38:11-38:21, 38:23-38:29, 38:31-38:35, 38:38-38:44, 38:46-38:49, 38:51, 38:53-38:62, 38:64, 38:66- 38:68Q, 39:01:01:01-39:01:01:07, 39:01:03:01-39:01:18, 39:01:20-39:20, 39:22-39:24:02, 39:26-39:29, 39:31:01:01- 39:31:01:02, 39:35, 39:37-39:42, 39:44-39:46, 39:48-39:49, 39:51-39:73, 39:75-39:81, 39:83-39:101, 39:103-39:106, 39:108-39:111, 39:113-39:127, 39:129-39:131, 40:184, 50:49, 51:101, 52:71, 58:20, 58:84, 67:01:01-67:07, <b>C*15:51</b>
<b>42<sup>5</sup></b>	110 bp	1070 bp	38	*27:07:04, 38:01:01:01-38:01:07, 38:01:09-38:02:02, 38:02:04-38:03, 38:05, 38:08-38:24, 38:26-38:34N, 38:36- 38:68Q, 49:26, 52:01:10, <b>A*23:01:18, A*25:01:08</b>
<b>43</b>	395 bp	1070 bp	14, 16, 38, 39, 3901, 61, 64, 65	*07:69, 07:85, 07:180, 08:65, 14:01:01:01-14:20, 14:22- 14:41N, 14:43-14:48, 14:50-14:56, 14:58-14:59, 38:01:01:01- 38:02:07, 38:04-38:05, 38:08-38:25, 38:27-38:53, 38:55Q- 38:68Q, 39:01:01:01-39:01:01:07, 39:01:03:01-39:01:24, 39:03:01:01-39:07, 39:09:01:01-39:09:03, 39:11-39:12, 39:14:01:01-39:15, 39:18-39:19:02, 39:22, 39:24:01-39:38Q, 39:40:01N-39:48, 39:50-39:57, 39:59-39:62, 39:64-39:82, 39:84-39:87N, 39:90-39:95N, 39:97N-39:98, 39:100, 39:102- 39:104, 39:106-39:109, 39:111-39:125, 39:127-39:130, 40:75 <sup>2</sup> , 40:322 <sup>2</sup> , 49:26
<b>44</b>	160 bp, 425 bp	1070 bp	7, 703, 8, 14, 15, 16, 21, 27, 39, 3901, 3902, 40, 42, 45, 48, 50, 51, 54,	*07:02:01:01-07:26, 07:28-07:35, 07:37:01-07:37:02, 07:39- 07:64, 07:66-07:80, 07:82-07:148, 07:150-07:178, 07:181N- 07:191, 07:193-07:194, 07:196-07:218, 07:220-07:235, 07:237-07:256, 07:258-07:270, 07:272N, 07:274-07:305, 08:01:01:01-08:01:36, 08:04:01-08:05, 08:07-08:35, 08:37- 08:51, 08:53:01-08:77, 08:79-08:116, 08:118-08:125, 08:127- 08:130, 08:132-08:135, 08:137-08:138, 08:140-08:146

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

					60, 61, 64, 65, 67, 70, 73, 81
<b>45<sup>12</sup></b>	180 bp	1070 bp	15, 40, 44, 48, 60, 62, 71		*15:116, 15:124, 15:352, 15:412, 27:125, 35:230, 35:331, 38:63, 40:01:01-40:01:06, 40:01:08-40:01:17, 40:01:19-40:01:49, 40:07, 40:10:01-40:10:02, 40:12, 40:21-40:23, 40:25, 40:30, 40:33-40:34, 40:36, 40:38, 40:42-40:43, 40:46-40:49, 40:51-40:52, 40:54-40:55, 40:59-40:63, 40:65-40:67, 40:69, 40:73-40:74, 40:76, 40:79, 40:81, 40:84, 40:87:01-40:88, 40:92, 40:100-40:102, 40:106, 40:108, 40:112-40:114:02, 40:116-40:118N, 40:123-40:126, 40:128, 40:130:01-40:130:02, 40:132, 40:134-40:135, 40:137-40:141, 40:146-40:147, 40:149-40:156, 40:160:01-40:160:02, 40:163, 40:166, 40:168, 40:170-40:172, 40:175, 40:178-40:179, 40:182-40:183, 40:185-40:188, 40:191, 40:193-40:196, 40:198-40:199, 40:204, 40:207-40:208, 40:210, 40:212-40:213, 40:215-40:218, 40:221-40:223, 40:227-40:228, 40:231, 40:234-40:236, 40:238-40:242, 40:245, 40:247,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

				40:249-40:253, 40:257-40:265N, 40:272-40:273, 40:277-40:282, 40:285-40:286N, 40:288, 40:299-40:301, 40:308, 40:310, 40:312, 40:315, 40:319, 40:321, 40:323-40:329, 40:332-40:333, 40:336, 40:338N-40:339, 40:344, 40:346, 40:352-40:353, 40:355, 40:357-40:358, 40:360, 40:365, 44:31, 44:169, 44:182, 46:06, 46:43, 48:03:01-48:03:02, 48:17, 48:23, 48:40, 57:59, <b>C*03:129, C*03:234, C*05:136, C*17:16</b>
<b>46<sup>5</sup></b>	105 bp	1070 bp	7, 8, 22, 41, 42	*07:04, 07:25, 07:146, 08:01:01:01-08:01:24, 08:01:26-08:05, 08:07-08:12:03, 08:14-08:19N, 08:21-08:24, 08:26:01-08:30N, 08:32-08:39, 08:41-08:54:02, 08:56:01-08:69, 08:71-08:78, 08:80-08:102, 08:104-08:112, 08:114-08:133, 08:135-08:142, 08:144-08:155, 08:157-08:168, 08:170, 08:172-08:174, 08:176-08:190, 35:87, 40:136, 40:231, 40:279, 41:01:01-41:08, 41:10-41:28, 41:30-41:31, 41:33-41:54, 42:01:01-42:02:01:02, 42:04-42:07, 42:09-42:18, 42:20-42:24, 44:166, 55:20
<b>47</b>	325 bp	<b>800 bp</b>	7, 15, 22, 27, 2708, 35, 42, 45, 46, 54, 55, 56, 67, 73, 78, 81, 82	*07:02:01:01-07:02:52, 07:04-07:07, 07:09-07:15, 07:17-07:26, 07:28-07:31, 07:33:01-07:36, 07:39-07:46, 07:47 <sup>w</sup> , 07:48-07:49N, 07:51-07:68:03, 07:70-07:84, 07:86-07:179, 07:181N-07:206, 07:208-07:218, 07:220-07:227, 07:229-07:231N, 07:233-07:305, 08:123, 08:132, 14:21, 14:57, 15:76, 15:101, 15:255, 27:01-27:11, 27:13-27:15, 27:17, 27:19-27:21, 27:24-27:28, 27:30-27:38, 27:40-27:58, 27:60-27:76, 27:78-27:91, 27:93-27:118, 27:120-27:128, 27:130-27:136, 27:138-27:152, 27:154-27:167, 35:76, 35:186, 35:229, 37:60, 38:26, 40:166, 42:01:01-42:02:01:02, 42:04-42:06, 42:08-42:10, 42:12-42:23, 44:90, 44:97, 45:06, 46:01:01-46:01:23, 46:02 <sup>w</sup> , 46:03-46:40:02, 46:42-46:48, 46:50-46:73, 54:01:01-54:29, 54:31-54:38, 55:01:01-55:05, 55:07-55:17, 55:19-55:77, 55:79-55:87, 56:01:01-56:16, 56:18-56:22, 56:24-56:32, 56:34-56:41, 56:43, 56:45-56:53, 56:55, 67:01:01-67:07, 73:01-73:02, 81:01-81:08, 82:01-82:03, 83:01
<b>48<sup>5,7</sup></b>	80 bp, 115 bp, 160 bp, 195 bp, 225 bp, 260 bp	1070 bp	12, 35, 37, 44, 45, 47, 48, 57	*08:49, 08:60, 08:76, 08:87, 08:129, 08:181, 27:127, 35:38, 35:45, 35:71, 35:115, 35:169, 35:260, 35:309, 37:01:01-01:37:01:07, 37:01:09, 37:01:11, 37:03N-37:06:02, 37:08, 37:10-37:38, 37:41-37:43, 37:45-37:50, 37:52-37:65, 37:67-37:70, 40:132, 40:178, 40:231, 40:279, 41:48, 42:13, 44:02:01:01-44:14, 44:16-44:17, 44:19N-44:36, 44:38-44:63, 44:65-44:134, 44:136-44:149N, 44:151-44:157, 44:159-44:165, 44:167-44:183, 44:185-44:212, 44:214-44:229, 44:231-44:235, 44:237N-44:245, 44:247-44:267N, 44:269-44:274, 44:277, 48:11, 51:42, 53:22, 57:07, 57:09, 57:24, 57:93, 83:01, <b>C*15:25</b>
<b>49</b>	130 bp, 280 bp	<b>800 bp</b>	7, 17, 18, 22, 35, 37, 40, 46, 51, 53, 60, 62, 78	*07:12, 07:14, 07:18:01-07:18:02, 07:137, 07:162-07:163, 07:199, 07:225, 07:227, 07:248, 14:10, 15:57 <sup>w</sup> , 15:289, 15:297, 15:318, 18:22, 18:69, 18:105, 35:21, 35:24:01-35:24:02, 35:81, 35:96, 35:109, 35:157, 35:188, 35:190, 35:233, 35:287, 37:04:01-37:04:02, 40:28, 40:30, 40:34, 40:59, 40:137, 40:160:01-40:160:02, 44:150, 44:190, 44:203, 44:275, 46:01:01-46:39, 46:41N-46:46, 46:48-46:71, 46:73, 48:17, 51:04, 51:46, 51:56:01-51:56:03, 51:139, 51:227, 53:02, 53:06, 53:28, 57:14:01-57:14:02, 58:09, 58:76, <b>C*01:73, C*03:260, C*15:39, C*15:130</b>

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8****Lot-specific information**

<b>50<sup>5,13</sup></b>	90 bp, 410 bp	1070 bp	7, 15, 22, 27, 2708, 35, 47, 54, 55, 56, 78, 81, 82	*07:65, 27:01 <sup>w</sup> , 27:02:01:01-27:11, 27:13-27:15, 27:17, 27:19-27:21, 27:24-27:28, 27:30-27:38, 27:40-27:58, 27:60- 27:76, 27:78-27:91, 27:93-27:118, 27:120-27:128, 27:130- 27:136, 27:138-27:152, 27:154-27:167, 35:76, 35:186, 35:229, 37:60, 44:90, 44:97, 47:01:01:01-47:03, 47:06-47:10, 54:01:01-54:29, 54:31-54:38, 55:01:01-55:05, 55:07-55:17, 55:19-55:77, 55:79-55:87, 56:01:01-56:16, 56:18-56:22, 56:24-56:32, 56:34-56:41, 56:43, 56:45-56:53, 56:55, 81:01, 82:01-82:03, 83:01, <b>C*14:79</b>
<b>51<sup>5</sup></b>	90 bp, 175 bp	1070 bp	15, 27, 35, 48, 60, 62, 75, 77, 81	*07:174, 07:202, 07:222, 07:279, 13:36, 15:02:01-15:02:11, 15:08:01-15:08:02, 15:11:01-15:11:07, 15:13:01-15:13:02, 15:15, 15:21:01:01-15:21:01:02, 15:31, 15:44, 15:55, 15:76 <sup>w</sup> , 15:88-15:89, 15:112, 15:121, 15:139, 15:144, 15:148, 15:170, 15:189, 15:191, 15:194, 15:209N, 15:213-15:215, 15:223, 15:265, 15:283-15:284, 15:291, 15:297, 15:301- 15:303, 15:305, 15:319, 15:325, 15:328, 15:330, 15:341, 15:345, 15:350, 15:357-15:358, 15:367, 15:374, 15:378, 15:384, 15:394, 15:399, 15:404, 15:418, 15:420, 15:425, 27:24, 35:46, 35:311, 40:31, 40:45, 40:80, 48:01:01- 48:01:06, 48:04:01-48:04:02, 48:06-48:07, 48:09, 48:11, 48:15-48:16, 48:18-48:20, 48:22, 48:24, 48:27-48:39, 48:41- 48:42, 56:39 <sup>w</sup> , 81:01-81:08
<b>52<sup>5</sup></b>	105 bp, 145 bp, 395 bp, 430 bp	1070 bp	40, 44, 49, 60, 61	*15:143, 40:13, 40:19, 40:61, 40:109, 40:117, 40:292, 40:340, 41:46, 44:18, 44:25, 44:50:01, 44:95, 49:01:01:01- 49:01:10, 49:04:01-49:14, 49:16-49:25, 49:27-49:48, 51:112, 53:30, 53:39, 54:12, 56:21, 56:42, 56:54, 57:45, 57:51, 57:69, 59:01:01:01-59:07, 59:09-59:10N
<b>53<sup>5</sup></b>	120 bp, 210 bp	<b>800 bp</b>	5, 13, 15, 17, 22, 35, 45, 49, 50, 51, 5102, 5103, 52, 55, 56, 62, 63, 78	*07:78, 07:84, 13:16, 13:31 <sup>w</sup> , 13:48, 13:62, 14:37, 15:04:01:01 <sup>w</sup> -15:04:04 <sup>w</sup> , 15:16:01:01-15:16:03, 15:42, 15:67, 15:95, 15:137 <sup>w</sup> , 15:254, 15:293, 15:303 <sup>w</sup> , 15:310, 15:362, 15:408, 27:153, 35:265 <sup>w</sup> , 40:95, 40:148, 40:161, 46:32 <sup>w</sup> , 49:01:01:01-49:01:01:02, 49:01:03-49:10, 49:12-49:14, 49:16-49:44, 49:46, 49:48, 50:01:01:01-50:02, 50:04-50:11, 50:13-50:16, 50:18-50:20, 50:31-50:46, 50:47 <sup>w</sup> , 50:48, 50:50, 50:52-50:54, 51:01:01:01-51:03, 51:05, 51:07:01-51:09:03, 51:11N-51:14, 51:16-51:24:05, 51:26-51:41N, 51:43-51:44N, 51:48-51:55, 51:57-51:58, 51:60-51:61:02, 51:63:01- 51:63:02, 51:65-51:80, 51:82-51:134, 51:136-51:138, 51:140- 51:147, 51:149N-51:156, 51:158:01-51:193, 51:195-51:212, 51:214-51:219, 51:221-51:226, 51:228-51:229, 52:01:01- 52:73, 54:20, 54:33 <sup>w</sup> , 55:01:01-55:01:06, 55:01:08-55:01:16, 55:03, 55:05, 55:09, 55:11, 55:15, 55:17, 55:21 <sup>w</sup> , 55:24- 55:25, 55:28-55:29, 55:31, 55:33, 55:36, 55:38, 55:40, 55:44- 55:45, 55:52-55:55N, 55:58-55:60, 55:64, 55:66, 55:68, 55:73-55:76, 55:78-55:79, 55:84-55:85, 55:87, 56:05:01- 56:06, 56:21, 56:25, 56:37, 58:08:01-58:08:02, 78:01:01:01- 78:09, <b>C*05:152, C*12:183<sup>w</sup></b>
<b>54</b>	430 bp	1070 bp	5, 17, 27, 44, 51, 5102, 5103, 52, 53, 57, 58, 61	*18:67, 18:136, 27:02:01:01-27:02:04, 27:30, 27:53, 27:57, 27:62, 27:65N, 27:75, 27:77, 27:83, 27:95, 27:102, 27:119, 27:126, 27:134, 27:157, 27:163, 37:34, 40:13, 40:19, 40:109, 40:292, 40:340 <sup>w</sup> , 44:06, 44:25, 44:50:01, 44:95, 51:01:01:01- 51:01:39, 51:01:41-51:24:05, 51:26-51:46, 51:48-51:53, 51:55-51:77, 51:79-51:229, 52:01:01:01-52:01:28, 52:02:01- 52:19, 52:21:01-52:73, 53:01:01-53:02, 53:04-53:08:02, 53:10, 53:14-53:30, 53:32-53:35, 53:37, 53:39-53:49,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

55	145 bp	1070 bp	12, 21, 35, 4005, 41, 45, 47, 50, 60, 61	57:01:01:01-57:11, 57:13-57:93, 58:01:01:01-58:02:02, 58:04-58:16:02, 58:18-58:29, 58:31N-58:63, 58:65-58:91
				*07:133, 08:155, 15:46, 15:53, 15:106, 15:143, 15:212, 18:48, 18:107, 35:19, 35:47, 35:63, 35:154, 35:217, 35:274, 35:317, 39:69, 40:01:01-40:11:02, 40:14:01-40:16, 40:18, 40:20:01:01-40:20:01:02, 40:22N-40:40, 40:42-40:45, 40:48- 40:75, 40:77-40:92, 40:94-40:95, 40:97-40:108, 40:111- 40:116, 40:118N-40:136, 40:138-40:156, 40:158-40:184, 40:186:01-40:187, 40:189-40:200, 40:202-40:207, 40:210- 40:264, 40:266-40:291N, 40:293-40:307, 40:309-40:339, 40:341-40:349, 40:351-40:364, 41:01:01-41:04, 41:05 <sup>?</sup> , 41:06-41:25, 41:27-41:45N, 41:47-41:54, 44:09, 44:46, 44:75, 44:90, 44:129, 44:131, 44:254, 44:277, 45:01:01- 45:15, 45:17-45:21, 47:02, 47:03 <sup>w</sup> , 48:41, 50:01:01:01-50:02, 50:04-50:05, 50:07-50:20, 50:31-50:54
56 <sup>8</sup>	300 bp	1070 bp	12, 17, 41, 44, 45, 47, 48, 52, 61, 70	*07:54, 07:123, 08:17, 08:38, 08:54:01-08:54:02, 08:101, 13:01:01:01-13:04, 13:06, 13:08-13:23, 13:25-13:35, 13:37- 13:108, 15:01:01:01-15:01:04, 15:01:06-15:01:18, 15:01:20- 15:01:41, 15:03:01:01-15:03:04, 15:03:06-15:07:03, 15:12, 15:14, 15:19-15:20, 15:24:01-15:27:04, 15:30:01:01- 15:30:01:02, 15:32:01-15:36, 15:38:01-15:40:02, 15:42- 15:43, 15:45-15:50, 15:53-15:54, 15:56-15:58, 15:60-15:63, 15:65-15:66, 15:68-15:71, 15:73-15:75, 15:77-15:79N, 15:81- 15:87, 15:91-15:92, 15:94N, 15:96-15:98, 15:101-15:107, 15:109-15:111N, 15:113, 15:116-15:118, 15:122-15:123, 15:125-15:129, 15:131-15:132, 15:135-15:138, 15:140- 15:142, 15:145-15:147, 15:150-15:152, 15:154-15:160, 15:163-15:167, 15:169, 15:171-15:175, 15:178-15:179:02, 15:181N-15:185, 15:187-15:188, 15:190N, 15:192-15:193, 15:195, 15:199, 15:201-15:207, 15:210-15:212, 15:217- 15:220, 15:224-15:225, 15:227-15:228, 15:231-15:237, 15:239-15:245Q, 15:247-15:251, 15:253, 15:255-15:262N, 15:264, 15:266-15:267, 15:269-15:272N, 15:274, 15:276- 15:282, 15:286-15:289, 15:295-15:296, 15:298-15:300, 15:304N, 15:309-15:310, 15:315-15:318, 15:320-15:322, 15:324, 15:326-15:327, 15:331-15:334, 15:336, 15:339- 15:340, 15:342-15:344, 15:346-15:349:02, 15:352-15:353, 15:355, 15:359-15:360, 15:363:01-15:366, 15:368-15:373, 15:375N-15:377Q, 15:379, 15:381, 15:383, 15:385-15:387, 15:389-15:391, 15:393, 15:395, 15:397-15:398, 15:400N- 15:402, 15:405-15:407, 15:409-15:410, 15:412-15:413, 15:415-15:417, 15:419, 15:421-15:422, 15:429-15:432, 18:12:01-18:12:02, 27:01-27:21, 27:24-27:91, 27:93-27:108, 27:110-27:156, 27:158-27:167, 35:10, 35:13, 35:16, 35:28, 35:63, 35:69, 35:80, 35:207, 35:226, 35:270, 35:317-35:318, 37:01:01-37:07, 37:09-37:66, 37:68-37:70, 38:03-38:04, 38:25, 39:02:01-39:02:03, 39:08, 39:13:01-39:13:02, 39:22- 39:23, 39:49, 39:101, 39:105, 39:110, 40:01:01-40:07, 40:09- 40:16, 40:18-40:24, 40:26-40:40, 40:42-40:67, 40:70:01- 40:105, 40:107-40:165, 40:167-40:231, 40:233-40:312, 40:314-40:356, 40:358-40:365, 41:01:01-41:54, 42:11, 44:02:01:01-44:02:21, 44:02:23-44:03:35, 44:03:37-44:05:04, 44:07-44:11, 44:13-44:170, 44:172-44:231, 44:233-44:245, 44:247-44:262, 44:264-44:277, 45:01:01-45:21, 47:01:01- 47:10, 48:01:01-48:05, 48:07-48:15, 48:17-48:38, 48:40- 48:42, 49:01:01-49:14, 49:16-49:25, 49:27-49:48, 50:01:01:01-50:02, 50:04-50:14, 50:16-50:20, 50:31-50:54,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8****Lot-specific information**

					52:01:01:01-52:72, 53:17:01-53:17:02, 53:28, 53:38, 54:35, 55:18, 55:34, 55:40, 78:05-78:06
57 <sup>7,11</sup>	160 bp, 370 bp	1070 bp	22, 44, 45, 47, 54		*08:87, 27:127, 44:02:01:01-44:02:48, 44:06, 44:08-44:09, 44:11-44:12, 44:16, 44:19N-44:24, 44:27:01-44:27:02, 44:33- 44:34:02, 44:41:01-44:41:02, 44:44, 44:48-44:49, 44:52N- 44:53:02, 44:55, 44:59:01-44:59:02, 44:63, 44:66-44:68, 44:71-44:74, 44:80, 44:83-44:84:02, 44:86-44:87, 44:89- 44:91, 44:93, 44:95, 44:97, 44:99-44:102, 44:104, 44:106, 44:112-44:113, 44:116, 44:118-44:119, 44:121, 44:126:01- 44:127, 44:131-44:132, 44:137-44:138Q, 44:142, 44:145, 44:148-44:149N, 44:151-44:152, 44:162, 44:168-44:173, 44:176-44:177, 44:179, 44:185, 44:187, 44:190-44:191, 44:195N-44:196, 44:200-44:201, 44:206, 44:208, 44:211- 44:212, 44:214, 44:216, 44:218-44:221, 44:225, 44:229, 44:235, 44:238, 44:240-44:244, 44:249, 44:253-44:255, 44:257, 44:260-44:262, 44:265, 44:267N, 44:269-44:270, 44:273-44:274, 54:01:01-54:38, 83:01
58	180 bp, 210 bp	1070 bp	13, 15, 18, 35, 39, 40, 54, 55, 56, 59, 78		*07:65, 07:206, 08:26:03, 13:06, 13:53, 14:37, 15:32:02, 15:42, 15:86, 15:224, 18:04:01, 18:125, 35:08:05, 35:42:02, 35:60, 35:185, 39:17, 39:63, 40:01:11, 40:58, 45:08, 46:18, 46:40:01, 50:45, 50:49, 51:157, 54:01:01-54:02, 54:05N, 54:07-54:08N, 54:10, 54:12-54:13, 54:16-54:25, 54:27-54:32, 54:34-54:38, 55:01:01-55:03, 55:05, 55:07, 55:10-55:12, 55:15-55:16, 55:18-55:19, 55:21, 55:25-55:26, 55:29-55:31, 55:33-55:45, 55:47-55:48, 55:50, 55:52-55:57, 55:59-55:67, 55:69-55:80, 55:82-55:85, 55:87, 56:05:01, 56:06, 56:10, 56:23, 56:54, 59:01:01-59:01:01:02, 59:05-59:08, 59:10N, 78:01:01-78:01:02, 78:02:02-78:03, 78:07-78:09, <b>C*01:90,</b> <b>C*07:536, C*15:02:04, C*15:91, C*15:128</b>
59	180 bp, 205 bp	1070 bp	7, 12, 15, 21, 22, 44, 45, 49, 50, 56, 61, 62, 82		*07:29, 07:186, 08:123, 08:132, 13:03, 13:48, 15:73, 15:303, 40:71, 44:10, 44:15:01:01-44:15:01:02, 44:18, 44:140, 45:01:01-45:01:03, 45:04-45:07, 45:11-45:21, 46:11, 49:01:01:01-49:01:07, 49:01:09-49:03, 49:06, 49:08-49:14, 49:16-49:17, 49:19N-49:48, 50:01:01:01-50:02, 50:04-50:08, 50:10-50:13, 50:15-50:19, 50:32, 50:34-50:38, 50:40-50:44, 50:46-50:48, 50:50-50:54, 51:15, 51:62, 51:106:01- 51:106:02, 51:223, 51:225, 52:25:01-52:25:02, 54:03, 54:33, 56:01:01:01-56:01:04, 56:01:06-56:02:02, 56:04, 56:07- 56:08, 56:13-56:14, 56:16-56:17, 56:20:01-56:20:02, 56:24- 56:30, 56:33-56:49, 56:51-56:53, 56:55, 58:73, 59:04, 82:01- 82:03, <b>C*03:19, C*03:102</b>
60 <sup>5</sup>	90 bp, 240 bp	800 bp	57		*08:181, 55:14, 57:01:01:01-57:01:22, 57:01:24-57:04:01, 57:05-57:44, 57:46-57:50, 57:52-57:68, 57:70-57:88, 57:90- 57:93, 58:36, <b>C*06:72</b>
61 <sup>5</sup>	95 bp	1070 bp	8, 18, 22, 35, 37, 38, 39, 44, 51, 5102, 5103, 53, 78		*07:65 <sup>w</sup> , 07:134 <sup>w</sup> , 08:32, 08:133, 08:180, 15:308, 18:01:01:01-18:11, 18:13-18:15, 18:17N-18:36, 18:38-18:47, 18:49-18:65, 18:67-18:106, 18:108-18:124, 18:126-18:143, 35:01:01:01-35:08:04, 35:08:06-35:09:03, 35:11:01-35:12:04, 35:14:01-35:15:02, 35:17:01-35:18, 35:20:01-35:24:02, 35:27, 35:29:01-35:45, 35:48, 35:50-35:62, 35:64:01- 35:68:02, 35:70-35:72, 35:74-35:75, 35:76 <sup>w</sup> , 35:77-35:79, 35:81-35:153, 35:155-35:185, 35:187-35:190, 35:192-35:197, 35:199-35:206, 35:208-35:209, 35:211-35:216N, 35:218- 35:225, 35:227-35:253, 35:255-35:269, 35:272-35:273, 35:275-35:310, 35:312-35:316, 35:319-35:360, 37:08, 37:67, 38:06-38:07, 39:19:01-39:19:02, 44:06, 51:01:01:01- 51:24:05, 51:26-51:46, 51:48-51:103, 51:105-51:111,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

				51:113-51:117, 51:119-51:146, 51:148-51:229, 53:01:01-53:16, 53:18-53:27, 53:29, 53:31-53:37, 53:40-53:49, 56:06 <sup>w</sup> , 56:45 <sup>w</sup> , 78:01:01:01-78:04, 78:07-78:09
<b>62<sup>7,9</sup></b>	150 bp	1070 bp	15, 18, 22, 27, 35, 39, 46, 55, 62, 72, 73, 75, 76	*07:100, 13:31, 13:41, 15:01:01:01-15:01:04, 15:01:06-15:01:16, 15:01:18-15:01:30, 15:01:32-15:01:41, 15:04:01:01-15:04:04, 15:07:01:01-15:08:02, 15:11:01-15:12, 15:14-15:15, 15:19, 15:24:01-15:24:02, 15:26N-15:28, 15:30:01:01-15:30:01:02, 15:32:01-15:32:02, 15:34-15:35, 15:38:01-15:38:02, 15:43, 15:45-15:46, 15:50, 15:53-15:54, 15:56-15:58, 15:60, 15:63, 15:66, 15:68, 15:70-15:71, 15:73, 15:75-15:77, 15:79N, 15:81-15:82, 15:85, 15:87, 15:92, 15:94N, 15:96-15:97, 15:101-15:102, 15:104-15:105, 15:109-15:111N, 15:113, 15:117-15:118, 15:120, 15:122, 15:125-15:126, 15:128-15:129, 15:135, 15:137, 15:140, 15:142-15:149N, 15:152, 15:154, 15:157, 15:159-15:160, 15:163-15:167, 15:169, 15:171-15:172, 15:174-15:175, 15:178, 15:180-15:184, 15:187, 15:189-15:193, 15:201-15:203, 15:205-15:207, 15:209N, 15:211-15:212, 15:215, 15:217, 15:225, 15:227-15:228, 15:231-15:234, 15:236, 15:239, 15:241, 15:244-15:247, 15:251, 15:256-15:262N, 15:264, 15:267, 15:269-15:270, 15:272N, 15:276-15:280, 15:284-15:286, 15:296, 15:298-15:299, 15:303-15:305, 15:309, 15:315-15:318, 15:320-15:321Q, 15:324, 15:326-15:327, 15:331, 15:333-15:334, 15:336, 15:340, 15:342-15:344, 15:346-15:347, 15:349:01-15:350, 15:353, 15:355, 15:359, 15:363:01-15:363:02, 15:365, 15:367-15:368, 15:370-15:373, 15:375N, 15:377Q, 15:381, 15:385-15:387, 15:390-15:392, 15:398, 15:400N-15:401, 15:405-15:406, 15:409-15:410, 15:412-15:413, 15:415-15:417, 15:419, 15:422, 15:428-15:432, 18:19, 27:25, 27:75, 27:115, 27:161, 35:14:01-35:14:02, 35:43:01-35:44, 35:62, 35:67, 35:79, 35:86, 35:102, 35:117, 35:135, 35:163, 35:185, 35:213, 35:265, 35:343, 37:60, 37:66, 39:18, 39:36, 44:146, 44:275, 46:01:01-46:02, 46:04-46:05, 46:07N, 46:09-46:10, 46:12, 46:14-46:17, 46:20, 46:22-46:24, 46:26-46:32, 46:34-46:42, 46:44, 46:46-46:53, 46:55N-46:57, 46:60-46:61, 46:63-46:73, 50:47, 51:61:01-51:61:02, 51:220, 52:21:01-52:21:02, 54:06, 54:33, 55:21, 56:03, 56:43, 58:78, 73:01-73:02, <b>A*26:68, A*26:100, A*68:56, C*02:56, C*06:20, C*12:50</b>
<b>63<sup>8,14</sup></b>	360 bp	1070 bp	B <sup>w</sup> 4	*07:27, 07:36, 07:38, 07:81, 07:149, 07:180, 07:219, 07:236, 07:273, 08:02-08:03, 08:52, 08:78, 08:117, 08:126, 13:01:01:01-13:04, 13:06-13:08, 13:10-13:23, 13:25-13:38, 13:40-13:66, 13:68-13:108, 15:13:01-15:13:02, 15:16:01:01-15:17:06, 15:23-15:24:02, 15:36, 15:43, 15:67, 15:87, 15:89, 15:95, 15:115, 15:157, 15:162, 15:168, 15:177, 15:196, 15:208, 15:216, 15:222, 15:230, 15:254, 15:256, 15:268, 15:273, 15:339, 15:356, 15:361-15:362, 15:396, 15:403, 15:408, 15:411, 15:418, 15:423-15:424, 18:09, 18:54, 18:67, 18:136, 27:01-27:07:06, 27:09-27:11, 27:13-27:17, 27:19-27:21, 27:23-27:25, 27:27-27:32, 27:34-27:39, 27:41, 27:43, 27:45-27:88, 27:90:01-27:152, 27:154-27:167, 35:36, 35:329, 37:01:01:01-37:04:02, 37:06:01-37:10, 37:12-37:36, 37:38-37:66, 37:68-37:70, 38:01:01:01-38:68Q, 40:13, 40:19, 40:47, 40:96, 40:109-40:110, 40:117, 40:157, 40:188, 40:201, 40:207, 40:246, 40:292, 40:340, 41:46, 44:02:01:01-44:08, 44:10-44:45, 44:47-44:74, 44:76-44:89,

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

				44:91-44:128:02, 44:130, 44:132-44:245, 44:247-44:253, 44:255-44:276, 47:01:01:01-47:01:03, 47:03-47:10, 48:18, 49:01:01:01-49:14, 49:16-49:20, 49:22-49:48, 51:01:01:01- 51:24:05, 51:26-51:46, 51:48-51:229, 52:01:01:01-52:73, 53:01:01-53:49, 54:12, 56:07, 56:21, 56:46, 57:01:01:01- 57:11, 57:13-57:93, 58:01:01:01-58:02:02, 58:04-58:29, 58:31N-58:63, 58:65-58:91, 59:01:01:01-59:10N
<b>64</b>	350 bp	1070 bp	B <sup>w</sup> 6	*07:02:01:01-07:26, 07:28-07:35, 07:37:01-07:37:02, 07:39- 07:80, 07:82-07:148, 07:150-07:179, 07:181N-07:191, 07:193-07:218, 07:220-07:235, 07:237-07:272N, 07:274- 07:305, 08:01:01:01-08:01:36, 08:04:01-08:05, 08:07-08:51, 08:53:01-08:77, 08:79-08:116, 08:118-08:125, 08:127- 08:130, 08:132-08:135, 08:137-08:138, 08:140-08:152, 08:154-08:156, 08:158-08:190, 13:09, 13:39, 13:67, 14:01:01:01-14:59, 15:01:01:01-15:01:04, 15:01:06-15:12, 15:14-15:15, 15:18:01:01-15:21:01:02, 15:25:01-15:35, 15:37-15:40:02, 15:42, 15:44-15:58, 15:60-15:66, 15:68- 15:86, 15:88, 15:90-15:94N, 15:96-15:99, 15:101-15:114, 15:116-15:129, 15:131-15:156, 15:158-15:161, 15:163- 15:167, 15:169-15:176, 15:178-15:195, 15:197:01-15:207, 15:209N-15:215, 15:217-15:221, 15:223-15:229, 15:231- 15:253, 15:255, 15:257-15:267, 15:269-15:272N, 15:274- 15:276, 15:278-15:338, 15:340-15:355, 15:357-15:360, 15:363:01-15:376, 15:378-15:395, 15:397-15:402, 15:404- 15:407, 15:409-15:410, 15:412-15:417, 15:419-15:422, 15:425-15:429, 15:431-15:435, 18:01:01:01-18:08, 18:10- 18:15, 18:17N-18:53, 18:55-18:66, 18:68-18:135, 18:137- 18:143, 27:08, 27:12:01:01-27:12:01:02, 27:18, 27:26, 27:33, 27:40, 27:42, 27:44, 27:89, 27:153, 27:165 <sup>w</sup> , 35:01:01:01- 35:01:38, 35:01:40-35:72, 35:74-35:221, 35:223-35:247, 35:249-35:292, 35:294-35:328, 35:330-35:360, 37:05, 37:11, 37:14 <sup>w</sup> , 37:37, 37:67, 39:01:01:01-39:01:01:07, 39:01:03:01- 39:01:14, 39:01:16-39:20, 39:22-39:103, 39:105-39:131, 40:01:01-40:12, 40:14:01-40:16, 40:18, 40:20:01:01-40:40, 40:42-40:46, 40:48-40:75, 40:77-40:95, 40:97-40:108, 40:111-40:116, 40:118N-40:156, 40:158-40:187, 40:189- 40:200, 40:202-40:291N, 40:293-40:339, 40:341-40:365, 41:01:01-41:25, 41:27-41:45N, 41:47-41:54, 42:01:01- 42:02:01:02, 42:04-42:21, 42:23-42:24, 44:09, 44:46, 44:75, 44:90, 44:129, 44:131, 44:254, 44:277, 45:01:01-45:15, 45:17-45:21, 46:01:01-46:73, 47:02, 47:03 <sup>w</sup> , 48:01:01:01- 48:17, 48:19-48:42, 50:01:01:01-50:02, 50:04-50:20, 50:31- 50:54, 54:01:01-54:11, 54:13-54:38, 55:01:01-55:05, 55:07- 55:87, 56:01:01:01-56:06, 56:08-56:20:02, 56:22-56:45, 56:47-56:55, 57:12, 58:64, 67:01:01-67:07, 73:01-73:02, 78:01:01:01-78:09, 81:01-81:08, 82:01-82:03, 83:01

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B low resolution SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

### Lot No.: 6G8

#### Lot-specific information

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>The serological reactivity of all HLA-B alleles is not known. The grouping of not serologically defined alleles is taken from Tissue Antigens 73, 95-170, 2009.

<sup>4</sup>For several HLA Class I alleles 1<sup>st</sup> and/or 4<sup>th</sup> exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

<sup>5</sup>HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

<sup>6</sup>Primer mix 25 may give rise to a lower yield of HLA-specific PCR product than the other HLA-B low resolution primer mixes in B\*40, B\*41, B\*45, B\*49 and B\*50 alleles.

<sup>7</sup>Primer mixes 25, 26, 30, 38, 48, 57 and 62 may give rise to a lower yield of HLA-specific PCR product than the other HLA-B low resolution primer mixes.

<sup>8</sup>Primer mixes 29, 30, 34, 38, 56 and 63 may have tendencies of unspecific amplifications, most pronounced in primer mix 30.

<sup>9</sup>Primer mixes 39, 40 and 62 have a tendency giving rise to primer oligomer formation.

<sup>10</sup>The B\*15, B\*46, B\*57, B\*58 and C\*03 alleles may be faintly amplified by primer mix 30.

<sup>11</sup>Primer mix 57 may give rise to a lower yield of B\*54 alleles than the other B low primer mixes.

<sup>12</sup>The C\*17 alleles might be faintly amplified by primer mix 45.

<sup>13</sup>Primer mix 50 might generate a false band of about 800 base pairs. This band should be disregarded when interpreting HLA-B low resolution typings.

<sup>14</sup>The Bw4-associated HLA-A specificities A23, A24, A2403, A25 and A32 are not amplified by the primer pair in primer mix 63.

‘w’, might be weakly amplified.

‘?’, nucleotide sequence information not available for the primer matching sequence.

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

Lot-specific information  
**SPECIFICITY TABLE**

**DR low resolution primer set**

**Specificities and sizes of the PCR products of the 23 primer mixes used for DR low resolution SSP typing**

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	DR serology <sup>3</sup>	Amplified HLA-DRB alleles <sup>4</sup>
65 <sup>6</sup>	210 bp, 235 bp, 260 bp	<b>515 bp</b>	1	*01:01:01-01:02:13, 01:04-01:38, 01:40N-01:84
66	200 bp	430 bp	1, 103	*01:03:01-01:03:02, 01:39N, 01:42, 01:61
67 <sup>7</sup>	200 bp, 230 bp	430 bp	2, 15	*15:01:01-01-15:147
68 <sup>7</sup>	210 bp	430 bp	11, 16	*11:30, 12:57, 16:01:01-16:05:02, 16:07-16:47
69 <sup>5,9</sup>	125 bp, 230 bp	<b>515 bp</b>	3, 11, 13, 17, 18	*03:01:01:01-03:125, 03:127-03:142, 11:07:01- 11:07:02, 11:27:02-11:27:03, 11:84:02-11:84:03, 11:103:01-11:103:02, 11:105, 11:107, 11:125, 11:136, 11:173, 13:33:01, 13:61:02, 13:94:01, 13:96:01, 14:38:02, 14:104, 14:111, 14:171, 15:25, 15:37:01, 15:100, 15:104:01
70 <sup>5,9</sup>	75 bp, 210 bp	430 bp	3, 6, 11, 13, 14, 17	*03:01:01:01-03:01:23, 03:01:25-03:01:26, 03:04:01- 03:06, 03:08-03:16, 03:18-03:20, 03:22-03:23, 03:25- 03:26, 03:28, 03:30-03:31, 03:33-03:34, 03:36-03:37, 03:43-03:48, 03:50-03:52, 03:54-03:68N, 03:70- 03:73, 03:75-03:86, 03:89, 03:91-03:93, 03:95-03:96, 03:98-03:100:02, 03:104, 03:106-03:110, 03:112- 03:114, 03:116-03:118, 03:121-03:130, 03:132- 03:142, 08:40, 11:02:01-11:03:02, 11:11:01, 11:11:03, 11:14:01-11:14:02, 11:16, 11:20-11:21, 11:36, 11:40-11:41, 11:48, 11:59, 11:63:01-11:63:02, 11:65:01-11:65:02, 11:68, 11:70, 11:73, 11:76, 11:79-11:80, 11:83, 11:85-11:87, 11:93, 11:118, 11:122, 11:124, 11:127, 11:131-11:132, 11:135, 11:138-11:139, 11:142, 11:151, 11:153, 11:161, 11:168, 11:171, 11:176, 11:182, 11:184, 11:213, 13:01:01:01-13:04, 13:08, 13:10, 13:15-13:17, 13:19- 13:20, 13:22-13:24, 13:27-13:29, 13:31-13:41, 13:43, 13:45, 13:48, 13:51-13:54, 13:57, 13:59, 13:61:01- 13:61:02, 13:63-13:66:02, 13:68-13:76, 13:78-13:81, 13:83-13:85, 13:87-13:99, 13:101-13:102, 13:104- 13:107, 13:109, 13:111-13:117, 13:120-13:131, 13:133, 13:135, 13:137N-13:145, 13:147-13:149, 13:151-13:153, 13:155, 13:159, 13:162, 13:165- 13:168, 13:170-13:180, 13:182, 13:184-13:188, 13:190-13:191, 13:193-13:194, 13:196, 13:198, 13:200N-13:202, 13:204-13:205, 13:207-13:209, 13:212-13:219, 13:221, 13:223, 13:225-13:227, 13:230, 13:233-13:234, 13:236-13:245, 13:247, 14:16, 14:19, 14:21, 14:45, 14:82, 14:95, 14:109, 14:120, 14:122, 14:132, 14:178-14:179

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8****Lot-specific information**

<b>71<sup>5</sup></b>	85 bp, 210 bp	430 bp	3, 6, 11, 13, 14, 1403, 18	*03:02:01-03:03, 03:27, 03:29, 03:38, 03:53, 03:74, 03:88, 03:90, 03:102-03:103, 03:115, 03:119, 03:126, 03:131, 11:13:01 <sup>w</sup> -11:13:02 <sup>w</sup> , 11:26, 11:34, 13:15, 13:19, 13:26:01-13:26:02, 13:44, 13:53, 13:57, 13:85-13:86, 13:104, 13:193, 13:198, 13:206, 13:235, 14:02:01:01-14:03:02, 14:06:01-14:06:03, 14:09, 14:12:01-14:13, 14:17-14:21, 14:24, 14:27:01- 14:27:02, 14:29-14:30, 14:32:01 <sup>w</sup> -14:32:02 <sup>w</sup> , 14:33, 14:40-14:41, 14:47-14:49, 14:51, 14:63, 14:65 <sup>w</sup> , 14:67, 14:77-14:78, 14:80-14:81, 14:83, 14:85, 14:89, 14:94, 14:98, 14:102, 14:106, 14:108-14:109, 14:115, 14:119, 14:121, 14:135, 14:146, 14:154, 14:156, 14:159-14:160, 14:165, 14:170, 14:174, 14:176-14:177, 14:179, 14:181, 14:183
<b>72<sup>5,6,7</sup></b>	100 bp, 175 bp	430 bp	3, 4	*04:01:01:01-04:05:11, 04:05:13-04:237
<b>73<sup>7</sup></b>	180 bp, 205 bp, 230 bp	430 bp	7, 13, 14	*07:01:01:01-07:01:22, 07:03-07:84, 08:67, 10:11, 12:22, 13:17, 13:116, 13:175, 13:214, 14:50
<b>74<sup>5</sup></b>	120 bp, 170 bp, 215 bp, 250 bp	<b>515 bp</b>	7, 8, 12, 14	*07:06, 08:01:01-08:01:02, 08:01:04-08:19, 08:21- 08:56, 08:58-08:66, 08:68:01-08:79, 08:81-08:82, 11:67, 11:193:01-11:193:02, 11:209, 12:04, 12:16:01-12:16:03, 12:22, 12:39, 12:49, 13:171:01, 13:197, 14:11, 14:15, 14:68:01-14:68:02, 14:93, 14:148
<b>75<sup>5</sup></b>	85 bp, 100 bp, 135 bp, 165 bp, 195 bp	430 bp	3, 9, 11	*03:08, 03:65, 03:140, 09:01:02:01-09:32, 11:07:01- 11:07:02, 11:103:01-11:103:02, 11:105, 11:107, 11:125, 11:173, <b>DRB3*01:42</b>
<b>76<sup>6</sup></b>	175 bp	430 bp	9, 10, 11, 13	*03:76, 03:125-03:126, 09:05, 10:01:01:01-10:24, 11:59, 11:80, 11:83, 11:87, 11:135, 11:142, 11:182, 13:27, 13:41, 13:71, 13:129, 13:176, 14:82, 14:95, 14:132, 14:179
<b>77<sup>5</sup></b>	100 bp, 170 bp	430 bp	3, 8, 11, 13, 14	*03:08, 03:65, 03:140, 08:31, 08:41, 08:63, 08:75, 11:01:01:01-11:11:01, 11:11:03-11:70, 11:72-11:220
<b>78<sup>5</sup></b>	90 bp, 110 bp	430 bp	12, 14	*08:32, 08:53, 12:01:01:01-12:56, 12:58-12:68, 14:52
<b>79<sup>6</sup></b>	210 bp, 235 bp	430 bp	6, 8, 11, 13, 14, 1403	*03:76, 03:125, 08:20-08:21, 11:01:01:01-11:01:27, 11:01:28 <sup>?</sup> , 11:01:29-11:04:15, 11:06:01-11:06:03, 11:08:01-11:11:01, 11:11:03-11:12:03, 11:14:01- 11:16, 11:18-11:21, 11:23:01-11:25, 11:27:01-11:33, 11:35-11:51, 11:54:01-11:54:02, 11:56-11:66, 11:68, 11:70, 11:72-11:81, 11:83-11:88, 11:90-11:97, 11:99- 11:102:02, 11:106, 11:108-11:124, 11:126-11:135, 11:137-11:142, 11:144-11:158, 11:160-11:172, 11:174-11:192, 11:194-11:201, 11:203-11:208, 11:210-11:220, 12:57, 13:01:01:01-13:02:01:03, 13:02:03-13:08, 13:10-13:16, 13:18-13:43, 13:45- 13:85, 13:87-13:115, 13:117-13:128, 13:130-13:145, 13:147-13:174, 13:176-13:182, 13:184-13:191, 13:194-13:205, 13:207-13:209, 13:212-13:213, 13:215-13:221, 13:223-13:247, 14:03:01-14:03:02, 14:12:01-14:12:02, 14:16, 14:19, 14:21-14:22, 14:25, 14:27:01-14:27:02, 14:40, 14:53, 14:63, 14:67, 14:69, 14:74, 14:77-14:78, 14:84-14:85, 14:98, 14:102,

101.708-24 – including *Taq* polymerase, IFU-01Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

Lot No.: 6G8

## Lot-specific information

				14:105, 14:109, 14:115-14:116, 14:128, 14:135, 14:144, 14:156, 14:173-14:174, 14:181, <b>DRB3*02:27</b>
<b>80<sup>6</sup></b>	195 bp, 225 bp	430 bp	6, 8, 11, 12, 13, 14	*03:125, 08:01:01-08:01:02, 08:01:04-08:01:05, 08:02:01:01-08:02:04, 08:04:01-08:09, 08:11, 08:16- 08:17, 08:20-08:22, 08:24:01-08:24:02, 08:26, 08:28, 08:31, 08:39, 08:41-08:44, 08:50, 08:52, 08:54- 08:55, 08:57, 08:59, 08:64, 08:67, 08:70, 08:72- 08:73, 08:75, 08:77-08:80, 08:82, 11:01:01:01- 11:01:17, 11:01:20-11:06:03, 11:09-11:11:01, 11:11:03-11:12:03, 11:14:01-11:16, 11:20-11:21, 11:23:01-11:25, 11:27:01-11:30, 11:32-11:33, 11:35- 11:41, 11:43-11:44, 11:46:01-11:51, 11:54:01-11:56, 11:58:01-11:63:02, 11:65:01-11:70, 11:72, 11:74:01- 11:78, 11:80-11:88, 11:90-11:97, 11:99-11:102:02, 11:106, 11:108-11:118, 11:120-11:124, 11:126- 11:129, 11:133-11:135, 11:137-11:142, 11:144- 11:152, 11:154-11:158, 11:160-11:172, 11:174- 11:183, 11:185-11:190, 11:192-11:201, 11:203- 11:220, 12:02:01:01-12:02:07, 12:13, 12:15- 12:16:03, 12:18-12:21, 12:23, 12:26-12:27, 12:31N- 12:33, 12:37, 12:42-12:45, 12:49-12:52, 12:55-12:57, 12:60N-12:61, 12:64-12:65, 12:67, 13:01:01:01- 13:02:01:03, 13:02:03-13:02:13, 13:04-13:05:03, 13:07:01-13:09, 13:11:01-13:11:02, 13:14:01-13:24, 13:26:01-13:29, 13:31-13:32, 13:34-13:36, 13:38- 13:43, 13:45-13:55, 13:57, 13:59, 13:61:01-13:65, 13:67-13:76, 13:78-13:80, 13:83-13:84, 13:87, 13:91- 13:93, 13:96:01-13:100, 13:102-13:109, 13:111- 13:114, 13:116-13:117, 13:121, 13:123-13:132, 13:135-13:136, 13:138-13:150, 13:153, 13:155, 13:158-13:160, 13:162, 13:164-13:166, 13:168- 13:169, 13:171:01-13:171:02, 13:173, 13:175, 13:177, 13:179, 13:182-13:187, 13:189-13:192, 13:195, 13:197-13:205, 13:207-13:215, 13:217- 13:218, 13:221-13:223, 13:225-13:226, 13:229- 13:230, 13:232-13:234, 13:236-13:247, 14:15-14:16, 14:22, 14:24-14:25, 14:27:01-14:27:02, 14:37, 14:53, 14:73, 14:105, 14:128
<b>81<sup>9</sup></b>	175 bp, 240 bp	430 bp	3, 4, 6, 8, 11, 13, 14, 1403, 17, 18	*03:01:01:01-03:01:05, 03:01:07-03:01:08, 03:01:10- 03:07, 03:09, 03:11:01-03:41:02, 03:43-03:45, 03:47- 03:63, 03:66-03:68N, 03:70-03:86, 03:88-03:91, 03:93-03:110, 03:112-03:129, 03:131-03:139, 03:141-03:142, 08:20, 11:13:01-11:13:02, 11:149, 11:202, 12:20, 13:01:01-13:16, 13:18-13:42, 13:44, 13:46-13:66:02, 13:68-13:102, 13:104-13:115, 13:117-13:121, 13:123-13:158, 13:161-13:164, 13:166-13:170, 13:171:02-13:174, 13:176-13:178, 13:180-13:190, 13:192-13:194, 13:196, 13:198- 13:213, 13:215-13:216, 13:218-13:227, 13:229- 13:247, 14:01:01, 14:01:02 <sup>2</sup> -14:01:04 <sup>2</sup> , 14:02:01:01- 14:04:01, 14:04:02 <sup>2</sup> -14:04:03 <sup>2</sup> , 14:05:01:01-14:07:01, 14:07:02 <sup>2</sup> , 14:08-14:14, 14:15 <sup>2</sup> -14:16 <sup>2</sup> , 14:17-14:21, 14:22 <sup>2</sup> , 14:23:01, 14:23:02 <sup>2</sup> , 14:23:03-14:24, 14:25 <sup>2</sup> - 14:26 <sup>2</sup> , 14:27:01-14:27:02, 14:28 <sup>2</sup> , 14:29-14:30, 14:31 <sup>2</sup> -14:32:03 <sup>2</sup> , 14:33, 14:34 <sup>2</sup> -14:35 <sup>2</sup> , 14:36-14:37, 14:38:01 <sup>2</sup> -14:39 <sup>2</sup> , 14:40-14:45, 14:47-14:48,



**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

				14:07:01-14:08, 14:10-14:12:02, 14:14-14:16, 14:18, 14:22-14:23:04, 14:25-14:28, 14:31-14:32:03, 14:34- 14:36, 14:38:01-14:40, 14:42-14:45, 14:49-14:50, 14:53-14:65, 14:67-14:79, 14:81-14:82, 14:84-14:93, 14:95-14:97, 14:99-14:105, 14:107, 14:110-14:120, 14:122-14:140, 14:142-14:158, 14:160-14:164, 14:166N-14:169, 14:171-14:175, 14:178, 14:180- 14:182, 14:184-14:190, 15:21 <sup>w</sup> , 16:04:01 <sup>w</sup> -16:04:02 <sup>w</sup> , 16:18 <sup>w</sup> , DRB4*01:31
<b>85<sup>5,6,9</sup></b>	80 bp, 160 bp, 240 bp	430 bp	52	*14:141, DRB3*01:01:02:01-01:47, DRB3*02:01- 02:68, DRB3*03:01:01-03:15
<b>86<sup>6</sup></b>	130 bp 215 bp	430 bp	53	*10:19, 15:141, DRB4*01:01:01:01-01:63, DRB4*02:01N, DRB4*03:01N
<b>87</b>	175 bp	430 bp	51	DRB5*01:01:01-01:35, DRB5*02:02:02-01-02:18

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DR low resolution SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings. Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>The serological reactivity of all DRB alleles is not known. The grouping of not serologically defined alleles is taken from Tissue Antigens 73, 95-170, 2009.

<sup>4</sup>For several DRB1 alleles 1<sup>st</sup> and/or 3<sup>rd</sup> exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

<sup>5</sup>HLA-specific PCR fragments shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR bands.

<sup>6</sup>Primer mixes 65, 72, 76, 79, 80 and 82 to 86 have a tendency giving rise to primer oligomer formation.

<sup>7</sup>Primer mix 67, 68, 72, 73 and 84 may have tendency of unspecific amplification.

<sup>8</sup>Primer mix 83 has a tendency of primer oligomer formation and also has an intense primer cloud due to the high number of primers present in the primer mix.

<sup>9</sup>Due to sharing of sequence motifs in codon 38 and 47, DRB3\*01:14 will also be amplified in primer mixes 69, 70 and 81, and DRB3\*01:23 and 02:32 in primer mix 69, in addition to primer mix 85.

'w', might be weakly amplified.

'?', nucleotide sequence information not available for the primer matching sequence.

101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

Lot-specific information  
**SPECIFICITY TABLE**

**DQ low resolution primer set**

**Specificities and sizes of the PCR products of the 8+1 primer mixes used for DQ low resolution SSP typing**

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	DQ serology <sup>3</sup>	Amplified DQB1 alleles <sup>4</sup>
<b>88</b>	135 bp, 230 bp	<b>515 bp</b>	5, 6	*05:01:01:01-05:158, 06:23, 06:156, 06:162, 06:169
<b>89<sup>5,6</sup></b>	65 bp, 110 bp, 135 bp, 160 bp, 185 bp, 220 bp, 270 bp	<b>515 bp</b>	1, 5, 6	*03:23:01, 03:259, 05:43:02 <sup>w</sup> , 05:62, 06:01:01:01-06:05:01, 06:05:02 <sup>?</sup> , 06:06-06:219, 06:221-06:249
<b>90</b>	210 bp	430 bp	2	*02:01:01-02:104
<b>91<sup>7</sup></b>	220 bp	<b>515 bp</b>	3, 7	*03:01:01:01-03:01:01:12, 03:01:01:14-03:01:39, 03:04:01-03:04:03, 03:09-03:10:02:02, 03:13-03:14:02, 03:16, 03:19:01-03:19:02, 03:21-03:22, 03:24, 03:27-03:29, 03:35-03:36, 03:42, 03:44, 03:46-03:60, 03:69, 03:71, 03:73, 03:75-03:77, 03:80, 03:82-03:84N, 03:92-03:94, 03:101-03:103, 03:108-03:109, 03:114-03:116, 03:118N-03:122, 03:127-03:131, 03:133-03:135, 03:138-03:140, 03:142-03:144, 03:147-03:148, 03:150, 03:152, 03:154, 03:157-03:160, 03:162-03:167, 03:169-03:173, 03:180, 03:182-03:183, 03:186-03:188, 03:191-03:198, 03:201-03:202, 03:206-03:208, 03:216, 03:218-03:219, 03:231-03:232, 03:235-03:236, 03:241-03:243, 03:246, 03:252-03:257, 03:260, 03:264, 03:266-03:268, 03:271, 06:209
<b>92<sup>7</sup></b>	130 bp, 220 bp	<b>515 bp</b>	6, 8	*03:02:01:01-03:02:26, 03:05:01-03:05:04, 03:07-03:08, 03:11, 03:18, 03:32, 03:37, 03:45, 03:61, 03:63-03:64, 03:66N-03:68, 03:70, 03:85, 03:104, 03:106-03:107, 03:125, 03:132, 03:146, 03:153, 03:161, 03:174-03:175, 03:178-03:179, 03:181, 03:184-03:185, 03:189-03:190, 03:199, 03:203-03:205, 03:210-03:211, 03:213N-03:215, 03:220-03:221, 03:223-03:224, 03:226, 03:228-03:229, 03:233, 03:237N, 03:240, 03:245, 03:247, 03:250-03:251, 03:261-03:263, 03:265, 03:269N, 03:273-03:274, 06:29, 06:123, 06:139
<b>93<sup>7,8</sup></b>	135 bp	<b>515 bp</b>	2, 3, 9	*02:03, 02:77, 03:03:02:01-03:03:05, 03:03:07-03:03:15, 03:12, 03:15, 03:20, 03:26, 03:30-03:31, 03:33-03:34, 03:38-03:41, 03:43, 03:65, 03:74, 03:79, 03:86-03:91Q, 03:95N-03:99Q, 03:104-03:105, 03:111-03:113, 03:117, 03:123-03:124, 03:126, 03:136-03:137, 03:141, 03:145, 03:149, 03:155-03:156, 03:168, 03:176-03:177, 03:200, 03:209, 03:212, 03:222, 03:227, 03:230, 03:234, 03:238-03:239, 03:248-03:249, 03:258,











**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
**"Instructions for Use" (IFU)**

**Lot No.: 6G8**

**Lot-specific information**

Well No.	58	59	60	61	62	63	64
Length of spec.	180	180	90	95	150	360	350
PCR product	210	205	240				
Length of int. pos. control <sup>1</sup>	1070	1070	800	1070	1070	1070	1070
5'-primer(s) <sup>2</sup>	141	97	209	206	165	1 <sup>st</sup> I	1 <sup>st</sup> I
	5' -ATT 3'	5' -TCg 3'	5' -ggC 3'	5' -gAC 3'	5' -ACC 3'	5' -CAg 3'	5' -CAg 3'
	420	420	209		463		
	5' -TTA 3'	5' -TTA 3'	5' -ggA 3'		5' -TgA 3'		
			362				
			5' -ggT 3'				
3'-primer(s) <sup>3</sup>	311	259	256	259	272	317	311
	5' -ggT 3'	5' -gTT 3'	5' -CCC 3'	5' -gTT 3'	5' -TgC 3'	5' -ggA 3'	5' -ggT 3'
	559	559	259		538	320	
	5' -CgT 3'	5' -CAg 3'	5' -CTT 3'		5' -CCA 3'	5' -AgT 3'	
			263				
			5' -gTT 3'				
			559				
			5' -CgT 3'				
Well No.	58	59	60	61	62	63	64

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 22 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>2</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

Lot No.: 6G8

Lot-specific information

## DR LOW PRIMER SPECIFICATION

Well No.	65	66	67	68	69	70	71	72	73	74	75	76
Length of spec.	210	200	200	210	125	75	85	100	180	120	85	175
PCR product	235		230		230	210	210	175	205	170	100	
	260								230	215	135	
										250	165	
											195	
Length of int. pos. control <sup>1</sup>	515	430	430	430	515	430	430	430	430	515	430	430
5'-primer(s) <sup>2</sup>	13(124) 5' -A.T 3' 14(129) 5' -gAA 3'	14(129) 5' -gAA 3' 13(126) 5' -AgA 3' 13(126) 5' -AAg 3' 13(126) 5' -Agg 3'	12(121) 5' -CTg 3' 13(126) 5' -Agg 3' 13(126) 5' -AAg 3' 13(126)	11(119) 5' -gCT 3' 47(227) 5' -gTT 3' 13(126)	13(125) 5' -gTC 3' 16(133) 5' -gTT 3'	13(125) 5' -gTC 3' 13(125) 5' -ATA 3'	13(125) 5' -gTA 3'	13(124) 5' -AAC 3' 13(125) 5' -ATA 3'	11(118) 5' -AgA 3' 13(125) 5' -gTC 3'	16(133) 5' -gTT 3' 14(127) 5' -ATA 3'	26(165) 5' -TAT 3' 37(196) 5' -AgA 3' 16(133) 5' -gTT 3'	26(164) 5' -gTA 3' 31(178) 5' -AgCg 3'
3'-primer(s) <sup>3</sup>	67(286) 5' -gAg 3' 67(286) 5' -gAg 3' 67(286) 5' -gAg 3' 67(286) 5' -gAT 3' 70(297) 5' -CTg 3' 71(299) 5' -gCg 3' 77(317) 5' -AgT 3' 86(344) 5' -CCA 3'	67(286) 5' -gAT 3' 67(286) 5' -gAT 3' 67(286) 5' -gAT 3' 67(286) 5' -gAT 3' 70(295) 5' -Tg 3' 70(295) 5' -Cgg 3' 70(295) 5' -CTg 3' 70(295) 5' -Tgg 3' 71(299) 5' -gCT 3' 75(310) 5' -CAA 3'	67(286) 5' -gAA 3' 73(305) 5' -ggC 3' 73(305) 5' -gAT 3' 73(305) 5' -gAT 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3'	26(164) 5' -ggT 3' 70(295) 5' -gAT 3' 71(299) 5' -gCT 3' 70(295) 5' -ggC 3' 70(295) 5' -gAT 3' 70(295) 5' -gCT 3' 70(295) 5' -Tgg 3' 74(308) 5' -CCC 3' 75(310) 5' -CAA 3'	28(171) 5' -CTC 3' 58(260) 5' -CTC 3' 58(260) 5' -Cgg 3' 58(260) 5' -CTg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3'	33(184) 5' -gTg 3' 58(260) 5' -CCT 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3'	71(298) 5' -CTC 3' 74(307) 5' -gAg 3' 74(307) 5' -gAg 3' 74(307) 5' -gAg 3'	58(260) 5' -CCT 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3' 73(305) 5' -gAg 3'	57(257) 5' -CgA 3' 73(305) 5' -CgC 3' 74(307) 5' -CgC 3'	57(257) 5' -gCA 3' 73(305) 5' -CgC 3' 74(307) 5' -CgC 3'	72(303)	
Well No.	65	66	67	68	69	70	71	72	73	74	75	76



101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

## Lot-specific information

## DQ LOW PRIMER SPECIFICATION

Well No.	88	89	90	91	92	93	94	95
Length of spec.	135	65	210	220	130	135	85	135
PCR product	230	110			220		185	170
		135						205
		160						
		185						
		220						
		270						
Length of int.	515	515	430	515	515	515	515	430
pos. control <sup>1</sup>								
5'-primer(s) <sup>2</sup>	25(170)	9(122)	28(178)	26(173)	28(179)	26(173)	38(210)	21(159)
	5' -gCT 3'	5' -gTT 3'	5' -TgC 3'	5' -TTA 3'	5' -gAC 3'	5' -TCT 3'	5' -gCA 3'	5' -ACC 3'
	26(172)	25(169)	30(184)		28(179)		71(309)	23(164)
	5' -ggA 3'	5' -TgT 3'	5' -gAg 3'		5' -gAC 3'		5' -ACC 3'	5' -gCT 3'
	26(173)	26(172)	30(185)		28(179)		71(309)	38(210)
	5' -ggg 3'	5' -ATC 3'	5' -AAg 3'		5' -gAC 3'		5' -ACC 3'	5' -gCg 3'
	26(173)	26(173)	30(185)				71(309)	
	5' -ggA 3'	5' -TTA 3'	5' -AAA 3'				5' -AgC 3'	
	26(173)	26(173)						
	5' -ggg 3'	5' -TCT 3'						
	48(240)							
	5' -CgC 3'							
3'-primer(s) <sup>3</sup>	57(266)	48(240)	86(353)	55(260)	57(266)	57(266)	86(353)	70(304)
	5' -CAA 3'	5' -gCg 3'	5' -gCT 3'	5' -gCg 3'	5' -Cgg 3'	5' -CgT 3'	5' -gCT 3'	5' -CTC 3'
	87(356)	57(266)			86(353)	57(266)	86(354)	77(327)
	5' -ggT 3'	5' -CAA 3'			5' -gCT 3'	5' -CAG 3'	5' -AgT 3'	5' -ACg 3'
	87(356)	86(353)			86(354)	57(266)	86(354)	
	5' -ggA 3'	5' -ACg 3'			5' -AgT 3'	5' -Cgg 3'	5' -Agg 3'	
	87(356)	86(353)				87(356)	87(355)	
	5' -ggT 3'	5' -ACC 3'				5' -ggg 3'	5' -gAC 3'	
	89(361)	86(354)					87(356)	
	5' -CCT 3'	5' -TAT 3'					5' -ggC 3'	
					86(354)		88(358)	
					5' -AAA 3'		5' -gCC 3'	
					86(354)			
					5' -AAg 3'			
					86(354)			
					5' -AAT 3'			
Well No.	88	89	90	91	92	93	94	95

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 88 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>2</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.



101.708-24 – including *Taq* polymerase, IFU-01  
 101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
 "Instructions for Use" (IFU)

Lot No.: 6G8

Lot-specific information

CELL LINE VALIDATION SHEET				Well
HLA-A low resolution primer set <sup>2</sup>				
				17 18 19 20 21
				Prod. No.:
				201785218
				201674919
				201674920
				201785221
				201779223
	IHWC cell line <sup>1</sup>	A*	A*	
1	9001 SA	*24:02		- - - - -
2	9280 LK707	*02:01		- - - - -
3	9011 E4181324	*01:01		- - - - -
4	9275 GU373	*30:01		- - - - -
5	9009 KAS011	*01:01		- - - - -
6	9353 SM	*02:01	*26:03	- - - - +
7	9020 QBL	*26:01		- - - - -
8	9025 DEU	*31:01		- - - - -
9	9026 YAR	*26:01		- - - - -
10	9107 LKT3	*24:02		- - - - -
11	9051 PITOUT	*29:02		- - - - -
12	9052 DBB	*02:01		- - - - -
13	9004 JESTHOM	*02:01		- - - - -
14	9071 OLGA	*31:01		- - - - -
15	9075 DKB	*24:02		- - - - -
16	9037 SWEIG007	*29:02		- - - - -
17	9282 CTM3953540	*03:01	*80:01	- - - - +
18	9257 32367	*33:03	*74:01	+ + - - -
19	9038 BM16	*02:01		- - - - -
20	9059 SLE005	*02:01		- - - - -
21	9064 AMALA	*02:17		- - - + -
22	9056 KOSE	*02:01		- - - - -
23	9124 IHL	*02:01	*34:01	- - - - -
24	9035 JBUSH	*32:01		- - - - -
25	9049 IBW9	*33:01		+ - - - -
26	9285 WT49	*02:05		- - - - -
27	9191 CH1007	*24:10	*29:01	- - - - -
28	9320 BEL5GB	*02:01	*29:02	- - - - -
29	9050 MOU	*29:02		- - - - -
30	9021 RSH	*30:01	*68:02	- - - - -
31	9019 DUCAF	*30:02		- - - - -
32	9297 HAG	*02:01		- - - - -
33	9098 MT14B	*31:01		- - - - -
34	9104 DHIF	*31:01		- - - - -
35	9302 SSTO	*32:01		- - - - -
36	9024 KT17	*02:06	*11:01	- - - - -
37	9065 HHKB	*03:01		- - - - -
38	9099 LZL	*02:17		- - - - -
39	9315 CML	*01:01	*03:01	- - - - -
40	9134 WHONP199	*02:07	*30:01	- - - - -
41	9055 H0301	*03:01		- - - - -
42	9066 TAB089	*02:07		- - - - -
43	9076 T7526	*02:06	*02:07	- - - - -
44	9057 TEM	*66:01		- - - - -
45	9239 SHJO	*23:01	*24:02	- - - - -
46	9013 SCHU	*03:01		- - - - -
47	9045 TUBO	*02:16	*03:01	- - - - -
48	9303 TER-ND	*02:01	*11:01	- - - - -

101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

Lot No.: 6G8

#### Lot-specific information

<sup>1</sup>The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

<sup>2</sup>The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

Additional 5'- and 3'-primers in primer solutions 4, 6, 7, 11, 13 to 16 and 19 to 21 were tested by separately adding one or more 3'-primers, respectively one, two or three 5'-primers. Additional 5'-primers in primer solution 1, 8, 12 and 18 were tested by separately adding one or two 3'-primers. Additional 3'-primers in primer solutions 3, 10 and 17 were tested by separately adding one or two 5'-primers.

In primer solutions 2, 3, 8, 10, 11 and 14 one or two 5'-primers were not possible to test, and in primer solutions 3, 5, 7, 8, 11, 12, 15 and 17 one or two 3'-primers were not possible to test.







101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

**Lot No.: 6G8**

#### **Lot-specific information**

<sup>1</sup>The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

<sup>2</sup>The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

Additional 5'-primers and 3'-primers in primer solutions 24, 27, 32, 34, 39, 48, 49, 58 and 59 were tested by separately adding one or two additional 3'-primers, respectively one or two additional 5'-primers. Additional 3'-primers in primer solutions 23, 29, 33, 35, 38 and 52 were tested by separately adding one or two additional 5'-primers. Additional 5'-primers in primer solutions 22, 41 and 45 were tested by separately adding one additional 3'-primer.

In primer mixes 32, 37, 49 and 60 one 5'-primer was not possible to test, and in primer mixes 24, 28, 42, 46, 48, 56, 57, 60 and 63 one or two 3'-primers were not possible to test.





101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

Lot No.: 6G8

#### Lot-specific information

<sup>1</sup>The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

<sup>2</sup>The DRB4\*01:03:01:02N allele is amplified by primer mix 82 in the DBB/9052 cell line.

<sup>3</sup>The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

Additional 5'- and 3'-primers in primer solutions 73, 75, 76, 79 and 82 were tested by separately adding one 3'-primer, respectively one or three 5'-primers.

Additional 5'-primers in primer solutions 68, 70 and 80 were tested by separately adding one 3'-primer. Additional 3'-primers in primer solutions 65, 67, 69, 74 and 84 were tested by separately adding one or more 5'-primers.

One or more of the 5'-primers in primer solution 65, 67, 68, 72 to 74, 77 to 81, 84 and 86 were not possible to test. One or more of the 3'-primers in primer solution 65, 67 to 70, 73, 77, 79, 86 and 87 were not possible to test.

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

**Lot No.: 6G8**

**Lot-specific information**

<b>CELL LINE VALIDATION SHEET</b>											
<b>DQ low resolution primer set<sup>2</sup></b>											
	Production No.	Well									
		88	89	90	91	92	93	94	95		
		201895401	201895402	201785503	201895404	201785505	201788306	201895407	201784808		
<b>IHWC cell line<sup>1</sup></b>			<b>DQB1</b>								
1	9001 SA	*05:01	-	-	-	-	-	-	-		
2	9280 LK707	*06:01	*02:02	-	+	+	-	-	-		
3	9011 E4181324	*06:01	-	+	-	-	-	-	-		
4	9275 GU373	*02:01	-	-	+	-	-	-	-		
5	9009 KAS011	*05:02	+	-	-	-	-	-	-		
6	9353 SM	*03:02	*06:01	-	+	-	-	+	-	+	
7	9020 QBL	*02:01	-	-	+	-	-	-	-		
8	9025 DEU	*03:01	-	-	-	+	-	-	+	-	
9	9026 YAR	*03:02	-	-	-	-	+	-	+	-	
10	9107 LKT3	*04:01	-	-	-	-	-	-	-	+	
11	9051 PTOOUT	*02:02	-	-	+	-	-	-	-		
12	9052 DBB	*03:03	-	-	-	-	-	+	+	-	
13	9004 JESTHOM	*05:01	+	-	-	-	-	-	-		
14	9071 OLGA	*04:02	-	-	-	-	-	-	+	-	
15	9075 DKB	*03:03	-	-	-	-	-	+	+	-	
16	9037 SWEIG007	*03:01	-	-	-	+	-	-	+	-	
17	9282 CTM 3953540	*02:01	*06:03	-	+	+	-	-	-		
18	9257 32367	*06:02	*02:02	-	+	+	-	-	-		
19	9038 BM16	*03:01	-	-	-	+	-	-	+	-	
20	9059 SLE005	*06:04	-	+	-	-	-	-	-		
21	9064 AMALA	*03:01	-	-	-	+	-	-	+	-	
22	9056 KOSE	*05:03	*06:04	+	+	-	-	-	-		
23	9124 IHL	*05:03	*06:01	+	+	-	-	-	-		
24	9035 JBUSH	*03:01	-	-	-	+	-	-	+	-	
25	9049 IBW9	*02:02	-	-	+	-	-	-	-		
26	9285 WT49	*02:01	-	-	+	-	-	-	-		
27	9191 CH1007	*04:01	*05:01	+	-	-	-	-	-	+	
28	9320 BEL5GB	*02:02	*03:01	-	-	+	+	-	-	+	
29	9050 MOU	*02:02	-	-	+	-	-	-	-		
30	9021 RSH	*04:02	-	-	-	-	-	-	-	+	
31	9019 DUCAF	*02:01	-	-	+	-	-	-	-		
32	9297 HAG	*03:01	-	-	-	+	-	-	+	-	
33	9098 MT14B	*03:02	-	-	-	-	+	-	+	-	
34	9104 DHIF	*03:01	-	-	-	+	-	-	+	-	
35	9302 SSTO	*03:05	-	-	-	-	+	-	+	-	
36	9024 KT17	*03:02	-	-	-	-	+	-	+	-	
37	9065 HHKB	*06:03	-	+	-	-	-	-	-		
38	9099 LZL	*03:01	-	-	-	+	-	-	+	-	
39	9315 CML	*02:01	*03:01	-	-	+	+	-	-	+	
40	9134 WHONP199	*02:02	*03:03	-	-	+	-	+	+	-	
41	9055 H0301	*06:09	-	+	-	-	-	-	-		
42	9066 TAB089	*06:01	-	+	-	-	-	-	-		
43	9076 T7526	*03:03	-	-	-	-	-	+	+	-	
44	9057 TEM	*05:03	+	-	-	-	-	-	-		
45	9239 SHJO	*02:02	-	-	+	-	-	-	-		
46	9013 SCHU	*06:02	-	+	-	-	-	-	-		
47	9045 TUBO	*03:01	-	-	-	+	+	-	+	-	
48	9303 TER-ND	*05:01	-	-	-	-	-	-	-		

101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

Lot No.: 6G8

#### Lot-specific information

<sup>1</sup>The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

<sup>2</sup>The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

Additional 5'- and 3'-primers in primer solution 89 were tested by separately adding one 3'-primer, respectively one 5'-primer.

One additional 5'-primer in primer solution 94 was tested by separately adding one additional 3'-primer and two additional 3'-primers in primer solution 88 were tested by separately adding two additional 5'-primers.

In primer mixes 88 to 90, 92 and 94 one or more 5'-primers were not possible to test, and in primer mixes 88, 89, 91, 92 and 94 one or more 3'-primers were not possible to test.

**101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

**Lot No.: 6G8**

**Lot-specific information**

**101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

**Lot No.: 6G8**

**Lot-specific information**

**101.708-24 – including *Taq* polymerase, IFU-01  
101.708-24u – without *Taq* polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

**Lot No.: 6G8**

**Lot-specific information**

**101.708-24 – including Taq polymerase, IFU-01**  
**101.708-24u – without Taq polymerase, IFU-02**

Visit [www.labproducts.caredx.com](http://www.labproducts.caredx.com) for  
“Instructions for Use” (IFU)

**Lot No.: 6G8**

**Lot-specific information**

### **ADDRESSES:**

#### **Manufacturer:**

**Caredx AB**, Franzengatan 5, SE-112 51 Stockholm, Sweden.

**Tel:** +46-8-508 939 00

**Fax:** +46-8-717 88 18

**E-mail:** [orders-se@caredx.com](mailto:orders-se@caredx.com)

**Web page:** <https://labproducts.caredx.com/>

#### **Distributed by:**

**CareDx GmbH**, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

**Tel:** +43-1-710 15 00

**Fax:** +43-1-710 15 00 10

**E-mail:** [orders-at@caredx.com](mailto:orders-at@caredx.com)

**Web page:** <https://labproducts.caredx.com/>

**CareDx Lab Solutions Inc.**, 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-653-78171

**Fax:** 610-344-7989

**E-mail:** [orders-us@caredx.com](mailto:orders-us@caredx.com)

**Web page:** <https://labproducts.caredx.com/>

For information on CareDx distributors worldwide, contact **CareDx GmbH**.