Product Insert

Visit www.olerup-ssp.com for

"Instructions for Use" (IFU)

101.331.24/06 – including Taq pol., IFU-01 **101.331.24u/06u – without Taq pol.**, IFU-02

Lot No.: 3D1

Lot-specific information Olerup SSP[®] DPA1

101.331-24/06 – including *Taq* pol. **Product number:** 101.331-24u/06u – without Tag pol. Lot number: 3D1 Expiry date: 2018-May-01 Number of tests: 24 tests - Product No. 101.331-24/24u 6 tests – Product No. 101.331-06/06u Number of wells per test: 15 + 1Storage - pre-aliquoted primers: dark at -20°C - PCR Master Mix: -20°C - Adhesive PCR seals RT - Product Insert RT

This Product Description is only valid for Lot No. 3D1.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® DPA1 LOT (40X)

A well containing Negative Control primer pairs has been added.

The format of the Product Insert and Worksheet have been changed.

The DPA1 primer set, specificity and interpretation tables have been updated for the DPA1 alleles described since the previous *Olerup* SSP[®] DPA1 lot was made **(Lot No. 40X)**. The kit design is based on IMGT/HLA database 3.21.1.

As of lot series V, the Specificity Table is included in the lot-specific Product Insert, and the Interpretation Table is included in the Worksheet.

The primers of the wells detailed below have been added, exchanged or modified.

Well	5'-primer	3'-primer	rationale
6	Added	-	5'-primer added for the DPA1*01:13 allele.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **3D1**

Lot-specific information

Well **16** contains <u>Negative Control primer pairs</u>, that will amplify more than 95% of the *Olerup* SSP[®] HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR	105	200	105	80	75	80	85
product							
5'-primer ¹	164	340	440	45	45	43	36
	^{5'} -CAC ^{3'}	^{5'} -Agg ^{3'}	^{5′} -TTA3′	^{5'} -Tgg ^{3'}	^{5'} -Tgg ^{3'}	^{5'} -Tgg ^{3'}	^{5'} -TAC ^{3'}
							36
							^{5'} -TAT ^{3'}
5'-primer ¹ 164 340 440 45 45 43 5'-CAC ³ 5'-Agg ³ 5'-Tgg ³ 5' 3'-primer ² 231 2 nd I 507 59 58 57 5' 5'-TgC ³ 5'-AAA ³ 5'-TTg ³ 5'-CTC ³ 5'-ggC ³ 5'-CTC ³ 5' 6'-TgC ³ 5'-AAA ³ 5'-TTg ³ 5'-CTC ³ 5'-ggC ³ 5'-CTC ³ 5' 6'-TgC ³ 5'-AAA ³ 5'-TTg ³ 5'-CTC ³ 5'-ggC ³ 5'-CTC ³ 5' 100 100 100 100 100 100 5' 101 100 100 100 100 5' 101 100 100 100 100 100 5' 101 100 100 100 100 100 100 100 100 100 100 101 100 100 100 100 100 <t< td=""><td>47</td></t<>	47						
	^{5′} -TgC³′	^{5'} -AAA ^{3'}	^{5'} -TTg ^{3'}	^{5'} -CTC ^{3'}	^{5'} -ggC ^{3'}	^{5'} -CTC ^{3'}	^{5'} -ACA ^{3'}
							48
							^{5'} -gCA ^{3'}
							48
							^{5'} -gCC ^{3'}
							52
							^{5′} -TgT ^{3′}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codonnumbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction.

Nucleotide and codon numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 3D1

Lot-specific information PRODUCT DESCRIPTION

DPA1 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the DPA1*01:03 to DPA1*04:01 alleles.

PLATE LAYOUT

Each test consists of 16 PCR reactions in a 16 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	NC

The 16 well cut PCR plate is marked with 'DPA1' in silver/gray ink.

Well No. 1 is marked with the Lot No. '3D1'.

Wells 1 to 15 – DPA1 high resolution primers.

Well 16 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 16 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Only DPA1 alleles will be amplified by the DPA1 typing kit. Thus, the interpretation of DPA1 typings is not influenced by the DPA2 gene. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the phenotypically different DPA1 alleles, i.e. **DPA1*01:03 to DPA1*01:13**, **DPA1*02:01 to DPA1*02:05**, **DPA1*03:01 to DPA1*03:03 and DPA1*04:01**, recognized by the HLA Nomenclature Committee in August 2015^{1,2} will give rise to unique amplification patterns by the primers in the DPA1 typing kit.

The DPA1 typing kit cannot distinguish the following silent mutations: DPA1*01:03:01:01-DPA1*01:03:02 and DPA1*01:03:04, the DPA1*01:06:01-DPA1*01:06:02, the DPA1*02:01:01-DPA1*02:01:08 and the DPA1*02:02:01 to DPA1*02:02:06 alleles.

¹DPA1 alleles listed on the IMGT/HLA web page 2015-August-11, release 3.21.1, <u>www.ebi.ac.uk/imgt/hla</u>.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <u>http://hla.alleles.org/alleles/deleted.html</u>.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **3D1**

Lot-specific information

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in DPA1 homo- and heterozygotes is available upon request.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 3D1

Lot-specific information SPECIFICITY TABLE

DPA1 SSP typing

Specificities and sizes of the PCR products of the 15+1 primer mixes used for DPA1 SSP typing

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified DPA1 ³ alleles
1 ⁴	85 bp	515 bp	*01:03:01:01-01:03:02, 01:03:04-01:05, 01:07-01:13, 04:01
2	255 bp	515 bp	*01:03:01:01-01:04, 01:06:01-01:12
3	205 bp	430 bp	*01:03:01:01-01:03:04, 01:06:01-01:07, 01:09-01:13, 03:01-03:02
4 ^{4,5}	115 bp	430 bp	*01:04, 01:08, 03:03
5 ⁴	105 bp	430 bp	*01:05, 02:01:01-02:05, 04:01
6 ⁸	160 bp 195 bp 255 bp	515 bp	*01:10, 02:04 *01:06:01-01:06:02 *01:13
7 ⁴	100 bp	430 bp	*01:06:01-01:06:02, 02:01:01-02:01:08
8 ⁴	100 bp	430 bp	*02:02:01-02:02:06, 02:04-02:05
9	205 bp	430 bp	*02:02:01-02:02:06, 02:04-02:05, 03:02
10 ⁴	85 bp	515 bp	*01:03:03, 02:03, 03:01-03:03
11 ^{4,6,7}	90 bp 135 bp	515 bp	*01:12, 03:01, 03:03 *01:07
12	205 bp	430 bp	*04:01
13 ⁴	100 bp	430 bp	*01:09
14	130 bp	515 bp	*01:07-01:08, 01:11, 02:05
15 ⁷	245 bp	430 bp	*01:03:03, 03:01-03:03
16 ⁹	-	-	Negative Control

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DPA1 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 3D1

Lot-specific information

control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several DPA1 alleles 1st and/or 3rd exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴Specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁵Primer mix 4 may faintly amplify the DPA1*04:01 allele.

⁶Primer mix 11 may have tendencies of unspecific amplifications.

⁷Primer mixes 11 and 15 may give rise to a lower yield of HLA-specific PCR product than the other DPA1 primer mixes.

⁸Primer mix 6 may give rise to a lower yield of HLA-specific PCR product than the other DPA1 primer mixes in the DPA1*01:06:01-01:06:02 and 02:04 alleles.

⁹Primer mix 16 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **3D1**

Lot-specific information

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	85	255	205	115	105	160	100	100	205	85	90	205
PCR product						195					135	
						255						
Length of int.	515	515	430	430	430	515	430	430	430	515	515	430
pos. control ¹												
5'-primer(s) ²	15(138)	11(125)	28(177)	3(103)	84(345)	11(125)	11(125)	11(125)	11(125)	15(138)	50(244)	17(145)
	5' -ACg 3'	5' -CgC 3'	^{5'} -gAA ^{3'}	5' -Cgg 3'	5' -AAT 3'	5' -CgT 3'	5' -CgC 3'	5' -CAT 3'	5' -CAT 3'	5' -ACC 3'	^{5'} -AAA ^{3'}	^{5'} -gAA ^{3'}
						31(185)					66(290)	
						5' -gCA 3'					5' -ATC 3'	
						43(222)						
						5' -TgT 3'						
3'-primer(s) ³	(s) ³ 30(184) 82(340) 82(340) 28(177) 2 nd I ^{5'} -CAT ^{3'} ^{5'} -ggT ^{3'} ^{5'} -ggT ^{3'} ^{5'} -TCg ^{3'} ^{5'} -ggC ^{3'}	2 nd I	68(298)	30(184)	30(184)	66(290)	30(184)	82(340)	72(310)			
						82(340)						
						^{5'} -ggT ^{3'}						
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15
Length of spec.	100	130	245
PCR product			
Length of int.	430	515	430
pos. control ¹			
5'-primer(s) ²	3(103)	50(242)	15(138)
	5' -Cgg 3'	^{5'} -CCg ^{3'}	5' -ACC 3'
		50(244)	
		^{5'} -AAA ^{3'}	
3'-primer(s) ³	23(161)	76(320)	82(340)
	5' -ACg 3'	^{5'} -AAT ^{3'}	^{5'} -ggT ^{3'}
		82(340)	
		^{5'} -ggT ^{3'}	
Well No.	13	14	15

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

●LERUPSSP® DPA1

Visit <u>www.olerup-ssp.com</u> for

"Instructions for Use" (IFU)

101.331.24/06 – including Taq pol., IFU-01 **101.331.24u/06u – without Taq pol.**, IFU-02

Lot No.: **3D1**

Lot-specific information

		CE		NE VA	LI	DA	١T	10	Ν	Sł	ΙE	E٦	Γ						
				DPA1	S	SF) ki	t ²											
							1	1	1		N	Nel	_						
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
					5	8	g	4	05	90	21	80	60	9	7	12	16	4	5
				Prod No.	201323201	201323202	201323203	201323204	201323205	201560606	201323207	201323208	201323209	201323210	201442411	201323212	201323216	201442414	20132321
				bo	132	132	132	132	132	156	132	132	132	132	142	132	132	142	132
				Ъ	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
	IHW	C cell line ¹	D	PA1															
1	9001	SA	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
2		LK707	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
3		E4181324	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
4		GU373	*02:01	*04:01	+	-	-	-	+	-	+	-	-	-	-	+	-	-	-
5		KAS011	*01:03	*02:01	+	+	+	-	+	-	+	-	-	-	-	-	-	-	-
6	9353		*02:02		-	-	-	-	+	-	-	+	+	-	-	-	-	-	-
7	9020		*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
8	9025		*01		+	+	+	•	•	•	•	•	-	-	-	-	•	•	-
9	9026		*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
10 11		LKT3 PITOUT	*02:02		-	-	-	-	+	-	-	+	+	-	-	-	-	-	-
12	9051		*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
12		JESTHOM	*01:03		++	++	++	•	-	-	-	-	-	-	-	-	-	-	-
14		OLGA	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
15	9075		*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
16		SWEIG007	*01:03		+	+	+	-	-	-		-	-	-	-	-	-	-	-
17		CTM3953540	*01:03	*02:01	+	+	+	-	+	-	+	-	-	-	-	-	-	-	-
18		32367	*01:03	*03:01	+	+	+	-	•	-		-	-	+	+	-	-	-	+
19		BM16	*01:03	00.01	+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
20		SLE005	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
21		AMALA	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
22		KOSE	*01:03	*02:01	+	+	+	-	+	-	+	-	-	-	-	-	-	-	-
23	9124	IHL	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
24	9035	JBUSH	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
25	9049	IBW9	*02:01		-	-	-	-	+	-	+	-	-	-	-	-	-	-	-
26	9285	WT49	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
27	9191	CH1007	*01:03	*04:01	+	+	+	-	+	-	-	-	-	-	-	+	-	-	-
28	9320	BEL5GB	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
29	9050	MOU	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
30	9021	RSH	*02:02	*03:01	-	-	+	-	+	-	-	+	+	+	+	-	-	-	+
31	9019	DUCAF	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
32		HAG	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
33	9098	MT14B	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
34	9104		*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
35		SSTO	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
36		KT17	*02:02		-	-	-	-	+	-	-	+	+	-	-	-	•	•	-
37		HHKB	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
38	9099		*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
39	9315		*01:03	*02:01	+	+	+	-	+	-	+	-	-	-	-	-	-	-	-
40		WHONP199	*02:02		-	-	-	-	+	-	-	+	+	-	-	-	-	-	-
41		H0301	*02:01		-	-	-	-	+	-	+	-	-	-	-	-	-	-	-
42		TAB089	*02:02		-	-	-	-	+	-	-	+	+	-	-	-	-	-	-
43		T7526	*04:01		+	-	-	-	+	-	-	-	-	-	-	+	-	-	-
44	9057		*01:03	*02.04	+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
45 46		SHJO SCHU	*01:03	*03:01	+	+	+	-	-	-	-	-	-	+	+	-	-	-	+
40 47		TUBO	*01:03		++	++	++	-	-	-	-	-	-	-	-	-	-	-	-
		TER-ND	*01:03		+	+	+	-	-	-	-	-	-	-	-	-	-	-	-

¹The provided cell line HLA specificities are retrieved from the <u>http://www.ihwg.org/hla</u> web site. The specificity of an individual cell line may thus be subject to change.

Product Insert

101.331.24/06 – including Taq pol., IFU-01 **101.331.24u/06u – without Taq pol.**, IFU-02

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 3D1

Lot-specific information

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the allele to be amplified by primer solutions 6, 13 and 14 were available. The specificities of the primers in primer solutions 6 and 14 were tested by separately adding one additional 5'-primer and one additional 3'-primer, respectively. In primer solution 13 it was only possible to test the 3'-primer, the 5'-primer was not possible to test. In primer solutions 6, 11 and 14 one 5'-primer was not possible to test, and in primer solutions 6 and 14 one 3'-primer was not possible to test.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **3D1**

Lot-specific information

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **3D1**

Lot-specific information

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 3D1 ADDRESSES: Lot-specific information

Manufacturer: Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden. *Tel:* +46-8-717 88 27 *Fax:* +46-8-717 88 18 *E-mail:* info-ssp@olerup.com *Web page:* http://www.olerup-ssp.com

Distributed by: Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria. *Tel:* +43-1-710 15 00 *Fax:* +43-1-710 15 00 10 *E-mail:* support-at@olerup.com *Web page:* http://www.olerup.com

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382 *Tel:* 1-877-OLERUP1 *Fax:* 610-344-7989 *E-mail:* info.us@olerup.com *Web page:* http://www.olerup.com

For information on Olerup SSP distributors worldwide, contact Olerup GmbH.