

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information
Olerup SSP® DQB1*02

Product number:	101.213-24 – including <i>Taq</i> polymerase 101.213-24u – without <i>Taq</i> polymerase
Lot number:	57V
Expiry date:	2016-September-01
Number of tests:	24
Number of wells per test:	22+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 57V.

Complete product documentation consists of generic Instructions for Use (IFU),
lot specific Product Insert, Worksheet and Certificate

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®
DQB1*02 LOT (08S)**

A well containing Negative Control primer pairs has been added.

The format of the Product Insert and Worksheet have been changed.

Eleven wells have been added to DQB1*02, wells **13 to 23**.

The DQB1*02 specificity and interpretation tables have been updated with the DQB1 alleles described since the previous *Olerup SSP®* DQB1*02 lot (Lot No. **08S**) was made.

As of lot series V, the Specificity Table is included in the lot-specific Product Insert, and the Interpretation Table is included in the Worksheet.

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information

Primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
1	-	Added	3'-primer added for the DQB1*02:01:07 allele.
5	Added	Added	Primer pair added for the DQB1*02:23 allele.
7	Added	Added	Primer pair added for the DQB1*02:19 allele.
8	Added	Added	Primer pair added for the DQB1*02:30 allele.
9	-	Added	3'-primer added for the DQB1*02:16 allele.
10	-	Added	3'-primer added for the DQB1*02:12 allele.
11	Added	Added	Primer pair added for the DQB1*02:24 allele.
12	Added		5'-primers added for the DQB1*02:13 and DQB1*02:25 alleles.
13	New	New	New primer pairs for the DQB1*02:17 and DQB1*02:32 alleles.
14	New	New	New primer pairs for the DQB1*02:18N and DQB1*02:34 alleles.
15	New	New	New primer pairs for the DQB1*02:21 and DQB1*02:35 alleles.
16	New	New	New primer pairs for the DQB1*02:20N and DQB1*02:22 alleles.
17	New	New	New primer pair for the DQB1*02:26 allele.
18	New	New	New primer pairs for the DQB1*02:15 and DQB1*02:29 alleles.
19	New	New	New primer pair for the DQB1*02:33 allele.
20	New	New	New primer pair for the DQB1*02:14 allele.
21	New	New	New primer pairs for the DQB1*02:23 and DQB1*02:31 alleles.
22	New	New	New primer pairs for the DQB1*02:27 and DQB1*02:28 alleles.
23	New	New	Negative Control.

Change in revision R01 compared to R00:

1. Primer mix 2 may have a tendency of unspecific amplifications. A footnote has been added in the Specificity Table.

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information

Well **23** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup SSP®* HLA Class I, DRB, DQB1 and DPB1 amplicons as well as amplicons generated by a control primer pair.

PCR product sizes range from 75 to 430 base pairs.
The PCR product generated by the control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80
5'-primer¹	164	340	440	45	45	43
	^{5'} -CAC ^{3'}	^{5'} -Agg ^{3'}	^{5'} -TTA ^{3'}	^{5'} -Tgg ^{3'}	^{5'} -Tgg ^{3'}	^{5'} -Tgg ^{3'}
3'-primer²	231	2nd I	507	59	58	57
	^{5'} -TgC ^{3'}	^{5'} -AAA ^{3'}	^{5'} -TTg ^{3'}	^{5'} -CTC ^{3'}	^{5'} -ggC ^{3'}	^{5'} -CTC ^{3'}
A*	+	+	+			
B*	+	+	+			
C*	+	+	+			
DRB1				+	+	
DRB3				+	+	
DRB5				+		
DQB1					+	
DPB1						+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information

PRODUCT DESCRIPTION

DQB1*02 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the DQB1*02:01 to DQB1*02:35 alleles.

Please note that DQB1 amplifications usually are somewhat less pronounced than e.g. DRB and DQA1 amplifications even when using the same DNA preparation and exactly the same experimental procedures.

PLATE LAYOUT

Each test consists of 23 PCR reactions in a 24 well PCR plate. Well 24 is empty.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	NC	empty

The 24 well PCR plate is marked with 'DQ2' in silver/gray ink.

Well No. 1 is marked with the Lot No. '57V'.

Wells 1 to 22 – DQB1*02 high resolution primers.

Well 23 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 24 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between DQB1 alleles non-DQB1*02 alleles will be amplified by primer mixes 3, 7 and 8.

The interpretation of DQB1*02 subtypings is not influenced by the DQB2 and DQB3 genes.

For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the DQB1*02 alleles, i.e. **DQB1*02:01 to DQB1*02:35**, recognized by the HLA Nomenclature Committee in January 2014^{1,2} will give rise to unique amplification patterns by the primers in the DQB1*02 subtyping kit.

The DQB1*02 kit cannot distinguish the silent mutation in the DQB1*02:01:01-02:01:14 or the DQB1*02:02:01-02:02:02 alleles.

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information

The following DQB1*02 alleles can be distinguished by the different sizes of the specific PCR product:

Alleles	Primer mix
DQB1*02:07, 02:16	9
DQB1*02:09, 02:24	11
DQB1*02:15, 02:29	18
DQB1*02:18N, 02:34	14
DQB1*02:20N, 02:22	16
DQB1*02:21, 02:35	15
DQB1*02:27, 02:28	22

¹HLA-DQB1 alleles listed on the IMGT/HLA web page 2014-January-17, release 3.15.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in DQB1*02 homo- and heterozygotes is available upon request.

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information
SPECIFICITY TABLE

DQB1*02 SSP subtyping

Specificities and sizes of the PCR products of the 22+1 primer mixes used for DQB1*02 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified DQB1*02 alleles ³	Other amplified DQB1 alleles ⁴
1 ⁵	120 bp	515 bp	*02:01:01-02:02:02, 02:04-02:16, 02:18N-02:24, 02:26-02:35	
2 ^{5,6}	85 bp	430 bp	*02:03	
3 ⁶	145 bp	515 bp	*02:01:01-02:01:14, 02:04-02:05, 02:07-02:09, 02:13-02:35	*03:01:01:01-03:23, 03:25-03:78, 03:80-03:96, 03:98-03:113, 04:01:01-04:18, 05:01:01:01-05:13, 05:15-05:55, 06:01:01-06:37, 06:39-06:85, 06:87-06:101, 06:105-06:129
4	140 bp	430 bp	*02:02:01-02:03, 02:06, 02:10-02:12	
5 ⁵	95 bp 145 bp	430 bp	*02:23 *02:04	
6	210 bp	430 bp	*02:05	
7	165 bp 245 bp	430 bp	*02:19 *02:06	*03:24, 03:79
8	160 bp	430 bp	*02:10, 02:30	*03:49
9 ⁵	95 bp 195 bp	430 bp	*02:16 *02:07	
10	180 bp 230 bp	430 bp	*02:08 *02:12	
11 ⁵	105 bp 270 bp	430 bp	*02:24 *02:09	
12 ⁵	120 bp 165 bp	430 bp	*02:11, 02:25 *02:13	
13 ⁵	120 bp	430 bp	*02:17, 02:32	
14	135 bp 230 bp	430 bp	*02:18N *02:34	
15 ⁵	105 bp 205 bp	430 bp	*02:21 *02:35	
16 ⁵	105 bp 230 bp	430 bp	*02:22 *02:20N	
17	145 bp	430 bp	*02:26	
18 ⁵	90 bp, 185 bp	430 bp	*02:15 *02:29	
19	155 bp	430 bp	*02:33	
20	155 bp	430 bp	*02:14	
21 ⁵	100 bp	430 bp	*02:23, 02:31	
22 ⁵	90 bp 175 bp	430 bp	*02:27 *02:28	
23 ⁷			Negative Control	

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DQB1*02 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several DQB1 alleles 1st and/or 3rd exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴Due to the sharing of sequence motifs, non-DQB1*02 alleles will be amplified by primer mixes 3, 7 and 8.

⁵HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁶Primer mixes 2 and 3 may have a tendency of unspecific amplifications.

⁷Primer mix 23 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by control primer pairs. PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the control primer pair is 430 base pairs.

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information
PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	120	85	145	140	95	210	165	160	95	180	105	120
					145		245		195	230	270	165
Length of int. pos. control ¹	515	430	515	430	430	430	430	430	430	430	430	430
5'-primer(s) ²	30(185) 5'-AAG 3'	57(266) 5'-TgA 3'	135(500) 5'-TgA 3'	101(400) 5'-TCT 3'	39(212) 5'-gCT 3'	21(159) 5'-ACA 3'	30(185) 5'-AAG 3'	17(147) 5'-TTA 3'	30(185) 5'-AAG 3'	30(185) 5'-AAG 3'	36(204) 5'-gAT 3'	15(142) 5'-gCA 3'
					135(502) 5'-ACg 3'		101(400) 5'-TCT 3'	101(400) 5'-TCT 3'			101(400) 5'-TCT 3'	29(184) 5'-gAg 3'
												32(193) 5'-ATg 3'
3'-primer(s) ³	57(266) 5'-Cgg 3'	71(309) 5'-CgT 3'	169(604) 5'-gAC 3'	135(500) 5'-ggC 3'	57(266) 5'-Cgg 3'	77(326) 5'-CCg 3'	72(311) 5'-CCg 3'	57(266) 5'-Cgg 3'	48(241) 5'-CgT 3'	77(326) 5'-CCT 3'	57(266) 5'-Cgg 3'	57(266) 5'-Cgg 3'
	57(266) 5'-CAg 3'				169(604) 5'-gAC 3'		169(604) 5'-gAT 3'	141(520) 5'-AAT 3'	81(338) 5'-Tgg 3'	92(372) 5'-CgA 3'	178(631) 5'-gCg 3'	
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22
Length of spec. PCR product	120	135	105	105	145	90	155	155	100	90
		230	205	230		185				175
Length of int. pos. control ¹	430	430	430	430	430	430	430	430	430	430
5'-primer(s) ²	30(185) 5'-AAG 3'	30(185) 5'-AAG 3'	30(185) 5'-AAG 3'	30(185) 5'-AAG 3'	22(163) 5'-AgT 3'	9(122) 5'-gTg 3'	19(154) 5'-ACT 3'	19(154) 5'-ACA 3'	38(209) 5'-CgC 3'	13(134) 5'-ggT 3'
						40(217) 5'-TCC 3'			39(212) 5'-gCT 3'	40(217) 5'-TCT 3'
3'-primer(s) ³	56(265) 5'-ggT 3'	61(279) 5'-TTT 3'	51(248) 5'-gCC 3'	51(248) 5'-gCA 3'	57(266) 5'-Cgg 3'	57(266) 5'-Cgg 3'	57(266) 5'-Cgg 3'	57(266) 5'-Cgg 3'	57(266) 5'-Cgg 3'	57(266) 5'-Cgg 3'
	57(268) 5'-ggT 3'	93(374) 5'-gCg 3'	84(348) 5'-AAA 3'	93(376) 5'-TCA 3'						
Well No.	13	14	15	16	17	18	19	20	21	22

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information

CELL LINE VALIDATION SHEET																					
DQB1*02 SSP subtyping kit ²																					
				Well																	
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16		
				201433001	201433002	200961703	200961704	201433005	201315806	201433007	201433008	201433009	201433010	201433011	201433012	201433013	201433014	201433015	201433016		
		Production No.																			
IHWC cell line ¹			DQB1																		
1	9001	SA	*05:01	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	9280	LK707	*06:01	*02:02	+	-	+	+	-	-	-	-	-	-	-	-	-	-	-		
3	9011	E4181324	*06:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
4	9275	GU373	*02:01		+	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
5	9009	KAS011	*05:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
6	9353	SM	*03:02	*06:01	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
7	9020	QBL	*02:01		+	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
8	9025	DEU	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
9	9026	YAR	*03:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
10	9107	LKT3	*04:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
11	9051	PITOUT	*02:02		+	-	-	+	-	-	-	-	-	-	-	-	-	-	-		
12	9052	DBB	*03:03		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
13	9004	JESTHOM	*05:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
14	9071	OLGA	*04:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
15	9075	DKB	*03:03		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
16	9037	SWEIG007	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
17	9282	CTM3953540	*02:01	*06:03	+	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
18	9257	32367	*06:02	*02:02	+	-	+	+	-	-	-	-	-	-	-	-	-	-	-		
19	9038	BM16	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
20	9059	SLE005	*06:04		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
21	9064	AMALA	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
22	9056	KOSE	*05:03	*06:04	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
23	9124	IHL	*05:03	*06:01	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
24	9035	JBUSH	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
25	9049	IBW9	*02:02		+	-	-	+	-	-	-	-	-	-	-	-	-	-	-		
26	9285	WT49	*02:01		+	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
27	9191	CH1007	*04:01	*05:01	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
28	9320	BEL5GB	*02:02	*03:01	+	-	+	+	-	-	-	-	-	-	-	-	-	-	-		
29	9050	MOU	*02:02		+	-	-	+	-	-	-	-	-	-	-	-	-	-	-		
30	9021	RSH	*04:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
31	9019	DUCAF	*02:01		+	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
32	9297	HAG	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
33	9098	MT14B	*03:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
34	9104	DHIF	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
35	9302	SSTO	*03:05		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
36	9024	KT17	*03:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
37	9065	HHKB	*06:03		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
38	9099	LZL	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
39	9315	CML	*02:01	*03:01	+	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
40	9134	WHONP199	*02:02	*03:03	+	-	+	+	-	-	-	-	-	-	-	-	-	-	-		
41	9055	H0301	*06:09		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
42	9066	TAB089	*06:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
43	9076	T7526	*03:03		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
44	9057	TEM	*05:03		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
45	9239	SHJO	*02:02		+	-	-	+	-	-	-	-	-	-	-	-	-	-	-		
46	9013	SCHU	*06:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
47	9045	TUBO	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		
48	9303	TER-ND	*05:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-		

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information

CELL LINE VALIDATION SHEET										
DQB1*02 SSP subtyping kit ²										
				Well						
				17	18	19	20	21	22	
				Production No.	201433017	201433018	201433019	201433020	201433021	201433022
	IHWC cell line ¹	DQB1								
1	9001 SA	*05:01		-	-	-	-	-	-	
2	9280 LK707	*06:01	*02:02	-	-	-	-	-	-	
3	9011 E4181324	*06:01		-	-	-	-	-	-	
4	9275 GU373	*02:01		-	-	-	-	-	-	
5	9009 KAS011	*05:02		-	-	-	-	-	-	
6	9353 SM	*03:02	*06:01	-	-	-	-	-	-	
7	9020 QBL	*02:01		-	-	-	-	-	-	
8	9025 DEU	*03:01		-	-	-	-	-	-	
9	9026 YAR	*03:02		-	-	-	-	-	-	
10	9107 LKT3	*04:01		-	-	-	-	-	-	
11	9051 PITOUT	*02:02		-	-	-	-	-	-	
12	9052 DBB	*03:03		-	-	-	-	-	-	
13	9004 JESTHOM	*05:01		-	-	-	-	-	-	
14	9071 OLGA	*04:02		-	-	-	-	-	-	
15	9075 DKB	*03:03		-	-	-	-	-	-	
16	9037 SWEIG007	*03:01		-	-	-	-	-	-	
17	9282 CTM3953540	*02:01	*06:03	-	-	-	-	-	-	
18	9257 32367	*06:02	*02:02	-	-	-	-	-	-	
19	9038 BM16	*03:01		-	-	-	-	-	-	
20	9059 SLE005	*06:04		-	-	-	-	-	-	
21	9064 AMALA	*03:01		-	-	-	-	-	-	
22	9056 KOSE	*05:03	*06:04	-	-	-	-	-	-	
23	9124 IHL	*05:03	*06:01	-	-	-	-	-	-	
24	9035 JBUSH	*03:01		-	-	-	-	-	-	
25	9049 IBW9	*02:02		-	-	-	-	-	-	
26	9285 WT49	*02:01		-	-	-	-	-	-	
27	9191 CH1007	*04:01	*05:01	-	-	-	-	-	-	
28	9320 BEL5GB	*02:02	*03:01	-	-	-	-	-	-	
29	9050 MOU	*02:02		-	-	-	-	-	-	
30	9021 RSH	*04:02		-	-	-	-	-	-	
31	9019 DUCAF	*02:01		-	-	-	-	-	-	
32	9297 HAG	*03:01		-	-	-	-	-	-	
33	9098 MT14B	*03:02		-	-	-	-	-	-	
34	9104 DHIF	*03:01		-	-	-	-	-	-	
35	9302 SSTO	*03:05		-	-	-	-	-	-	
36	9024 KT17	*03:02		-	-	-	-	-	-	
37	9065 HHKB	*06:03		-	-	-	-	-	-	
38	9099 LZL	*03:01		-	-	-	-	-	-	
39	9315 CML	*02:01	*03:01	-	-	-	-	-	-	
40	9134 WHONP199	*02:02	*03:03	-	-	-	-	-	-	
41	9055 H0301	*06:09		-	-	-	-	-	-	
42	9066 TAB089	*06:01		-	-	-	-	-	-	
43	9076 T7526	*03:03		-	-	-	-	-	-	
44	9057 TEM	*05:03		-	-	-	-	-	-	
45	9239 SHJO	*02:02		-	-	-	-	-	-	
46	9013 SCHU	*06:02		-	-	-	-	-	-	
47	9045 TUBO	*03:01		-	-	-	-	-	-	
48	9303 TER-ND	*05:01		-	-	-	-	-	-	

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.



101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: 57V

Lot-specific information

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 5 to 22 were available. The specificities of the primers in primer solutions 6, 8 and 11 were tested by separately adding one 5'-primer, respectively one 3'-primer. In primer solutions 5, 12 and 17 to 22 it was only possible to test the 3'-primer, the 5'-primer was not possible to test. In primer solutions 7, 9, 10 and 13 to 16 it was only possible to test the 5'-primer, the 3'-primer was not possible to test.

In primer solutions 8 and 11 one 5'-primer was not possible to test, and in primer solutions 1, 8, and 11 one 3'-primer was not possible to test.

101.213.24 – including *Taq* pol., IFU-01.
101.213.24u – without *Taq* pol., IFU-02.

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **57V**

Lot-specific information

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: <http://www.olerup-ssp.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.