

101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

Olerup SSP[®] DQB1*03

Product number:	101.214-24/06 – including <i>Taq</i> pol. 101.214-24u/06u – without <i>Taq</i> pol.
Lot number:	0F9
Expiry date:	2019-11-01
Number of tests:	24 test – Product No. 101.214-24/24u 6 tests – Product No. 101.214-06/06u
Number of wells per test:	62+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 0F9.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP[®]
 DQB1*03 LOT (4D9)**

The DQB1*03 kit is updated for new alleles to enable separation of:

- Confirmed¹ alleles as listed in the IMGT/HLA database.
- Polymorphisms in exons outside of the region encoding the peptide binding domain.
- Null and Alternatively expressed alleles.

The format of the Worksheet has been changed.

Three wells have been added to DQB1*03, wells **61 to 63**.

¹As described in section Uniquely Identified Alleles.

The DQB1*03 primer set, specificity and interpretation tables have been updated for the HLA-DQB1 alleles described since the previous *Olerup SSP[®] DQB1*03* lot was made (**Lot No. 4D9**). The kit design is based on IMGT/HLA database 3.26.0.



101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
1	-	Added	3'-primer added for the DQB1*03:01:34 allele.
2	-	Added	3'-primer added for the DQB1*03:01:34 allele.
5	Modified	Modified	5'-and 3'-primers modified for increased yield.
12	-	Added	3'-primer added for the DQB1*03:01:34 allele.
13	-	Added	3'-primer added for the DQB1*03:232 allele.
16	-	Added	3'-primer added for the DQB1*03:01:34 allele.
23	-	Added	3'-primer added for the DQB1*03:239 allele.
25	Added	-	5'-primer added for the DQB1*03:237N allele.
28	Added	-	5'-primer added for the DQB1*03:225 allele.
29	Added	-	5'-primer added for the DQB1*03:243 allele.
30	Added	-	5'-primer added for the DQB1*03:150 allele.
34	-	Modified, moved	3'-primer modified for decreased tendency of primer oligomer formation and improved HLA-specific amplification, 3'-primer moved well 62.
35	Added	-	5'-primer added for the DQB1*03:205 allele.
36	Added	-	5'-primer added for the DQB1*03:205 allele.
37	Added	-	5'-primer added for the DQB1*03:225 allele.
38	-	Added	3'-primer added for the DQB1*03:232 allele.
39	-	Added	3'-primers added for the DQB1*03:239 and DQB1*03:240 alleles.
40	-	Added	3'-primers added for the DQB1*03:212 and DQB1*03:228 alleles.
41	Added	-	5'-primer added for the DQB1*03:201 allele.
42	Added	-	5'-primer added for the DQB1*03:201 allele.
44	Added	-	5'-primer added for the DQB1*03:199 allele.
45	Added	-	5'-primer added for the DQB1*03:200 allele.
50	-	-	Exchange of positive control primer pair for decreased tendency of primer oligomer formation.
51	-	Added	3'-primers added for the DQB1*03:228 and DQB1*03:240 alleles.
52	Added	-	5'-primer added for the DQB1*03:200 allele.
53	Added	-	5'-primer added for the DQB1*03:199 allele.
54	Added	-	5'-primer added for the DQB1*03:207 allele.
56	Added	-	5'-primers added for the DQB1*03:150 and DQB1*03:243 alleles.
60	Added	Added	Negative Control moved to well 63, primer pair added for the DQB1*03:132 allele.
61	New	New	New primer pair added for the DQB1*03:221 allele.
62	Added	Added	Primer pair added from well 34.
63	-	-	Negative Control added from well 60.

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

Change in revision R01 compared to R00:

1. Primer mix 43 does not amplify the DQB1*03:49 and the DQB1*02:10 alleles. Thus, this lot of the DQB1*03 kit cannot distinguish the DQB1*03:49 and the DQB1*03:01:01:01-03:01:01:05, 03:01:02, 03:01:04-03:01:07, 03:01:09-03:01:12, 03:01:14, 03:01:16-03:01:24, 03:01:26-03:01:33, 03:73 and 03:92-03:93 alleles. This has been corrected in the Interpretation and Specificity Tables.

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

Well **63** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup* SSP[®] HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.
The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

PRODUCT DESCRIPTION

DQB1*03 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the DQB1*03:01 to DQB1*03:243 alleles.

Please note that DQB1 amplifications usually are somewhat less pronounced than e.g. DRB and DQA1 amplifications even when using the same DNA preparation and exactly the same experimental procedures.

PLATE LAYOUT

Each test consists of 63 PCR reactions in a 64 well PCR plate. Well 64 is empty.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32
33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56
57	58	59	60	61	62	NC	empty

The 64 well cut PCR plate is marked with 'DQB1*03' in silver/gray ink.

Well No. 1 is marked with the Lot No. '0F9'.

Wells 1 to 62 – DQB1*03 high resolution primers.

Well 63 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are covered with a PCR-compatible foil.

INTERPRETATION

Due to the sharing of sequence motifs, non-DQB1*03 alleles will be amplified by some primer mixes. The interpretation of DQB1*03 subtypings is not influenced by the DQB2 and DQB3 genes. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the DQB1*03 alleles, i.e. **DQB1*03:01 to DQB1*03:243**, recognized by the HLA Nomenclature Committee in October 2016^{1,2} will give rise to unique amplification patterns by the primers in the DQB1*03 subtyping kit³.

The DQB1*03 kit enables separation of the confirmed DQB1*03 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for DQB1*03 alleles is listed below.

101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

The DQB1*03 also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.

The following DQB1*03 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
DQB1*03:40, 03:137	9
DQB1*03:169, 03:196	57

¹HLA-DQB1 alleles listed on the IMGT/HLA web page 2016-October-14, release 3.26.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

³This lot of the DQB1*03 kit cannot distinguish the DQB1*03:49 and the DQB1*03:01:01:01-03:01:01:05, 03:01:02, 03:01:04-03:01:07, 03:01:09-03:01:12, 03:01:14, 03:01:16-03:01:24, 03:01:26-03:01:33, 03:73 and 03:92-03:93 alleles.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in DQB1*03 homo- and heterozygotes is available upon request.

101.214-24/06 – including Taq polymerase, IFU-01
101.214-24u/06u – without Taq polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 0F9

Lot-specific information

ALLELE CONFIRMATION STATUS

Allele	Status¹	Allele	Status¹	Allele	Status¹	Allele	Status¹
DQB1*03:01:01:01	Confirmed	DQB1*03:02:12	Confirmed	DQB1*03:22	Unconfirmed	DQB1*03:70	Confirmed
DQB1*03:01:01:02	Unconfirmed	DQB1*03:02:13	Confirmed	DQB1*03:23:01	Unconfirmed	DQB1*03:71	Unconfirmed
DQB1*03:01:01:03	Confirmed	DQB1*03:02:14	Unconfirmed	DQB1*03:23:02	Unconfirmed	DQB1*03:72	Confirmed
DQB1*03:01:01:04	Unconfirmed	DQB1*03:02:15	Confirmed	DQB1*03:24	Unconfirmed	DQB1*03:73	Unconfirmed
DQB1*03:01:01:05	Confirmed	DQB1*03:02:16	Confirmed	DQB1*03:25:01	Confirmed	DQB1*03:74	Unconfirmed
DQB1*03:01:02	Unconfirmed	DQB1*03:02:17	Unconfirmed	DQB1*03:25:02	Unconfirmed	DQB1*03:75	Confirmed
DQB1*03:01:03	Confirmed	DQB1*03:02:18	Unconfirmed	DQB1*03:26	Confirmed	DQB1*03:76	Unconfirmed
DQB1*03:01:04	Confirmed	DQB1*03:02:19	Confirmed	DQB1*03:27	Confirmed	DQB1*03:77	Unconfirmed
DQB1*03:01:05	Unconfirmed	DQB1*03:02:20	Unconfirmed	DQB1*03:28	Unconfirmed	DQB1*03:78	Unconfirmed
DQB1*03:01:06	Unconfirmed	DQB1*03:03:02:01	Confirmed	DQB1*03:29	Unconfirmed	DQB1*03:79	Unconfirmed
DQB1*03:01:07	Unconfirmed	DQB1*03:03:02:02	Unconfirmed	DQB1*03:30	Unconfirmed	DQB1*03:80	Unconfirmed
DQB1*03:01:08	Confirmed	DQB1*03:03:02:03	Unconfirmed	DQB1*03:31	Unconfirmed	DQB1*03:81	Confirmed
DQB1*03:01:09	Unconfirmed	DQB1*03:03:02:04	Unconfirmed	DQB1*03:32	Unconfirmed	DQB1*03:82	Unconfirmed
DQB1*03:01:10	Unconfirmed	DQB1*03:03:03	Unconfirmed	DQB1*03:33	Unconfirmed	DQB1*03:83	Unconfirmed
DQB1*03:01:11	Unconfirmed	DQB1*03:03:04	Confirmed	DQB1*03:34	Unconfirmed	DQB1*03:84N	Unconfirmed
DQB1*03:01:12	Unconfirmed	DQB1*03:03:05	Confirmed	DQB1*03:35	Unconfirmed	DQB1*03:85	Unconfirmed
DQB1*03:01:13	Unconfirmed	DQB1*03:03:06	Unconfirmed	DQB1*03:36	Unconfirmed	DQB1*03:86	Unconfirmed
DQB1*03:01:14	Confirmed	DQB1*03:03:07	Confirmed	DQB1*03:37	Confirmed	DQB1*03:87	Unconfirmed
DQB1*03:01:15	Unconfirmed	DQB1*03:03:08	Confirmed	DQB1*03:38	Unconfirmed	DQB1*03:88	Unconfirmed
DQB1*03:01:16	Unconfirmed	DQB1*03:03:09	Unconfirmed	DQB1*03:39	Unconfirmed	DQB1*03:89	Unconfirmed
DQB1*03:01:17	Confirmed	DQB1*03:03:10	Unconfirmed	DQB1*03:40	Confirmed	DQB1*03:90N	Unconfirmed
DQB1*03:01:18	Unconfirmed	DQB1*03:03:11	Confirmed	DQB1*03:41	Unconfirmed	DQB1*03:91Q	Unconfirmed
DQB1*03:01:19	Unconfirmed	DQB1*03:03:12	Unconfirmed	DQB1*03:42	Unconfirmed	DQB1*03:92	Unconfirmed
DQB1*03:01:20	Unconfirmed	DQB1*03:03:13	Unconfirmed	DQB1*03:43	Unconfirmed	DQB1*03:93	Unconfirmed
DQB1*03:01:21	Confirmed	DQB1*03:04:01	Confirmed	DQB1*03:44	Confirmed	DQB1*03:94	Unconfirmed
DQB1*03:01:22	Confirmed	DQB1*03:04:02	Unconfirmed	DQB1*03:45	Confirmed	DQB1*03:95N	Unconfirmed
DQB1*03:01:23	Unconfirmed	DQB1*03:05:01	Confirmed	DQB1*03:46	Unconfirmed	DQB1*03:96	Unconfirmed
DQB1*03:01:24	Unconfirmed	DQB1*03:05:02	Unconfirmed	DQB1*03:47	Confirmed	DQB1*03:97	Unconfirmed
DQB1*03:01:25	Unconfirmed	DQB1*03:05:03	Confirmed	DQB1*03:48	Unconfirmed	DQB1*03:98	Unconfirmed
DQB1*03:01:26	Unconfirmed	DQB1*03:05:04	Unconfirmed	DQB1*03:49	Unconfirmed	DQB1*03:99Q	Unconfirmed
DQB1*03:01:27	Confirmed	DQB1*03:06	Unconfirmed	DQB1*03:50	Unconfirmed	DQB1*03:100	Unconfirmed
DQB1*03:01:28	Unconfirmed	DQB1*03:07	Unconfirmed	DQB1*03:51	Unconfirmed	DQB1*03:101	Unconfirmed
DQB1*03:01:29	Unconfirmed	DQB1*03:08	Unconfirmed	DQB1*03:52	Confirmed	DQB1*03:102	Confirmed
DQB1*03:01:30	Unconfirmed	DQB1*03:09	Confirmed	DQB1*03:53	Confirmed	DQB1*03:103	Unconfirmed
DQB1*03:01:31	Unconfirmed	DQB1*03:10:01	Unconfirmed	DQB1*03:54	Confirmed	DQB1*03:104	Unconfirmed
DQB1*03:01:32	Unconfirmed	DQB1*03:10:02	Confirmed	DQB1*03:55	Confirmed	DQB1*03:105	Confirmed
DQB1*03:01:33	Unconfirmed	DQB1*03:11	Confirmed	DQB1*03:56	Confirmed	DQB1*03:106	Confirmed
DQB1*03:01:34	Unconfirmed	DQB1*03:12	Unconfirmed	DQB1*03:57	Unconfirmed	DQB1*03:107	Unconfirmed
DQB1*03:02:01:01	Confirmed	DQB1*03:13	Confirmed	DQB1*03:58	Confirmed	DQB1*03:108	Unconfirmed
DQB1*03:02:01:02	Confirmed	DQB1*03:14:01	Unconfirmed	DQB1*03:59	Confirmed	DQB1*03:109	Confirmed
DQB1*03:02:02	Unconfirmed	DQB1*03:14:02	Confirmed	DQB1*03:60	Unconfirmed	DQB1*03:110	Unconfirmed
DQB1*03:02:03	Unconfirmed	DQB1*03:15	Unconfirmed	DQB1*03:61	Unconfirmed	DQB1*03:111	Unconfirmed
DQB1*03:02:04	Unconfirmed	DQB1*03:16	Confirmed	DQB1*03:62	Confirmed	DQB1*03:112	Unconfirmed
DQB1*03:02:05	Unconfirmed	DQB1*03:17:01	Confirmed	DQB1*03:63	Confirmed	DQB1*03:113	Confirmed
DQB1*03:02:06	Confirmed	DQB1*03:17:02	Confirmed	DQB1*03:64	Confirmed	DQB1*03:114	Confirmed
DQB1*03:02:07	Confirmed	DQB1*03:18	Unconfirmed	DQB1*03:65	Confirmed	DQB1*03:115	Unconfirmed
DQB1*03:02:08	Unconfirmed	DQB1*03:19:01	Confirmed	DQB1*03:66N	Unconfirmed	DQB1*03:116	Unconfirmed
DQB1*03:02:09	Confirmed	DQB1*03:19:02	Unconfirmed	DQB1*03:67	Confirmed	DQB1*03:117	Unconfirmed
DQB1*03:02:10	Confirmed	DQB1*03:20	Unconfirmed	DQB1*03:68	Confirmed	DQB1*03:118N	Confirmed
DQB1*03:02:11	Confirmed	DQB1*03:21	Unconfirmed	DQB1*03:69	Unconfirmed	DQB1*03:119	Confirmed



101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
DQB1*03:120	Unconfirmed	DQB1*03:160	Unconfirmed	DQB1*03:200	Confirmed	DQB1*03:240	Confirmed
DQB1*03:121	Unconfirmed	DQB1*03:161	Unconfirmed	DQB1*03:201	Confirmed	DQB1*03:243	Confirmed
DQB1*03:122	Unconfirmed	DQB1*03:162	Confirmed	DQB1*03:202	Unconfirmed		
DQB1*03:123	Unconfirmed	DQB1*03:163	Unconfirmed	DQB1*03:203	Unconfirmed		
DQB1*03:124	Unconfirmed	DQB1*03:164	Unconfirmed	DQB1*03:204	Confirmed		
DQB1*03:125	Unconfirmed	DQB1*03:165	Unconfirmed	DQB1*03:205	Confirmed		
DQB1*03:126	Unconfirmed	DQB1*03:166	Unconfirmed	DQB1*03:206	Unconfirmed		
DQB1*03:127	Unconfirmed	DQB1*03:167	Unconfirmed	DQB1*03:207	Confirmed		
DQB1*03:128	Unconfirmed	DQB1*03:168	Unconfirmed	DQB1*03:208	Unconfirmed		
DQB1*03:129	Unconfirmed	DQB1*03:169	Unconfirmed	DQB1*03:209	Unconfirmed		
DQB1*03:130	Confirmed	DQB1*03:170	Confirmed	DQB1*03:210	Unconfirmed		
DQB1*03:131	Unconfirmed	DQB1*03:171	Unconfirmed	DQB1*03:211	Confirmed		
DQB1*03:132	Confirmed	DQB1*03:172	Unconfirmed	DQB1*03:212	Unconfirmed		
DQB1*03:133	Unconfirmed	DQB1*03:173	Unconfirmed	DQB1*03:213N	Unconfirmed		
DQB1*03:134	Unconfirmed	DQB1*03:174	Unconfirmed	DQB1*03:214	Unconfirmed		
DQB1*03:135	Unconfirmed	DQB1*03:175	Unconfirmed	DQB1*03:215	Unconfirmed		
DQB1*03:136	Unconfirmed	DQB1*03:176	Unconfirmed	DQB1*03:216	Unconfirmed		
DQB1*03:137	Unconfirmed	DQB1*03:177	Confirmed	DQB1*03:217	Unconfirmed		
DQB1*03:138	Confirmed	DQB1*03:178	Unconfirmed	DQB1*03:218	Unconfirmed		
DQB1*03:139	Confirmed	DQB1*03:179	Unconfirmed	DQB1*03:219	Unconfirmed		
DQB1*03:140	Unconfirmed	DQB1*03:180	Unconfirmed	DQB1*03:220	Unconfirmed		
DQB1*03:141	Unconfirmed	DQB1*03:181	Unconfirmed	DQB1*03:221	Confirmed		
DQB1*03:142	Unconfirmed	DQB1*03:182	Unconfirmed	DQB1*03:222	Unconfirmed		
DQB1*03:143	Unconfirmed	DQB1*03:183	Unconfirmed	DQB1*03:223	Unconfirmed		
DQB1*03:144	Unconfirmed	DQB1*03:184	Unconfirmed	DQB1*03:224	Unconfirmed		
DQB1*03:145	Unconfirmed	DQB1*03:185	Unconfirmed	DQB1*03:225	Unconfirmed		
DQB1*03:146	Unconfirmed	DQB1*03:186	Unconfirmed	DQB1*03:226	Unconfirmed		
DQB1*03:147	Unconfirmed	DQB1*03:187	Unconfirmed	DQB1*03:227	Unconfirmed		
DQB1*03:148	Unconfirmed	DQB1*03:188	Confirmed	DQB1*03:228	Confirmed		
DQB1*03:149	Unconfirmed	DQB1*03:189	Unconfirmed	DQB1*03:229	Unconfirmed		
DQB1*03:150	Confirmed	DQB1*03:190	Unconfirmed	DQB1*03:230	Unconfirmed		
DQB1*03:151	Unconfirmed	DQB1*03:191	Confirmed	DQB1*03:231	Unconfirmed		
DQB1*03:152	Unconfirmed	DQB1*03:192	Unconfirmed	DQB1*03:232	Unconfirmed		
DQB1*03:153	Unconfirmed	DQB1*03:193	Unconfirmed	DQB1*03:233	Unconfirmed		
DQB1*03:154	Unconfirmed	DQB1*03:194	Unconfirmed	DQB1*03:234	Unconfirmed		
DQB1*03:155	Unconfirmed	DQB1*03:195	Confirmed	DQB1*03:235	Unconfirmed		
DQB1*03:156	Unconfirmed	DQB1*03:196	Confirmed	DQB1*03:236	Unconfirmed		
DQB1*03:157	Unconfirmed	DQB1*03:197Q	Unconfirmed	DQB1*03:237N	Unconfirmed		
DQB1*03:158	Confirmed	DQB1*03:198	Unconfirmed	DQB1*03:238	Unconfirmed		
DQB1*03:159	Unconfirmed	DQB1*03:199	Confirmed	DQB1*03:239	Unconfirmed		

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2016-October-14, release 3.26.0, www.ebi.ac.uk/imgt/hla.

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information
SPECIFICITY TABLE

DQB1*03 SSP subtyping

Specificities and sizes of the PCR products of the 62+1 primer mixes used for DQB1*03 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified DQB1*03 alleles ³	Other amplified DQB1 alleles
1 ⁷	170 bp	515 bp	*03:01:01:01-03:01:34, 03:04:01-03:04:02, 03:09, 03:13, 03:16, 03:19:01-03:19:02, 03:21-03:22, 03:24, 03:27-03:29, 03:35-03:36, 03:42, 03:44, 03:46-03:60, 03:69, 03:71, 03:73-03:78, 03:80, 03:82-03:84N, 03:92-03:94, 03:101-03:103, 03:108, 03:113-03:116, 03:118N-03:122, 03:127-03:131, 03:134-03:135, 03:139-03:140, 03:142-03:144, 03:147-03:148, 03:150-03:152, 03:157-03:160, 03:162-03:167, 03:169-03:173, 03:182, 03:184, 03:188, 03:191-03:194, 03:196-03:198, 03:201-03:202, 03:206-03:208, 03:216, 03:218-03:219, 03:231-03:232, 03:235-03:236, 03:243	*04:09
2 ⁷	220 bp	515 bp	*03:01:01:01-03:01:07, 03:01:09-03:01:34, 03:04:01-03:04:02, 03:09-03:10:02, 03:13-03:14:02, 03:16, 03:19:01-03:19:02, 03:21-03:22, 03:24, 03:27-03:29, 03:35-03:36, 03:42, 03:44, 03:46-03:60, 03:69, 03:71, 03:73, 03:75-03:77, 03:80, 03:82-03:84N, 03:92-03:94, 03:101-03:103, 03:108, 03:114-03:116, 03:118N-03:122, 03:127-03:131, 03:133-03:135, 03:138-03:140, 03:142-03:144, 03:147-03:148, 03:150, 03:152, 03:157-03:160, 03:162-03:167, 03:169-03:173, 03:180, 03:182-03:183, 03:186-03:188, 03:191-03:198, 03:201-03:202, 03:206-03:208, 03:216, 03:218-03:219, 03:231-03:232, 03:235-03:236, 03:243	
3 ⁵	135 bp	515 bp	*03:02:01:01-03:02:20, 03:07-03:08, 03:11, 03:18, 03:32, 03:37, 03:45, 03:62-03:64, 03:66N-03:68, 03:70, 03:81, 03:85, 03:106-03:107, 03:125, 03:146, 03:153, 03:161, 03:174-03:175, 03:178-03:179, 03:184-03:185, 03:189-03:190, 03:199, 03:203-03:205, 03:210-03:211, 03:213N-03:215, 03:220-03:221, 03:223-03:225, 03:228-03:229, 03:233, 03:237N, 03:240	*02:01:01-02:01:20, 02:01:22-02:02:03, 02:04-02:16, 02:18N-02:36, 02:38-02:76, 02:78, 06:29, 06:63, 06:123, 06:139
4	220 bp	515 bp	*03:02:01:01-03:03:13, 03:06-03:08, 03:11-03:12, 03:15, 03:18, 03:20, 03:23:01-03:23:02, 03:25:01-03:26, 03:30-03:34, 03:37-03:41, 03:43, 03:45, 03:62-03:68, 03:70, 03:74, 03:79, 03:81, 03:85-03:91Q, 03:95N-03:99Q, 03:106-	*02:01:01-02:36, 02:38-02:78, 04:03:01-04:03:02

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

			03:107, 03:110-03:113, 03:117, 03:123-03:126, 03:136-03:137, 03:141, 03:145-03:146, 03:149, 03:153, 03:155-03:156, 03:161, 03:168, 03:174-03:179, 03:184-03:185, 03:190, 03:199-03:200, 03:203-03:205, 03:209-03:215, 03:217, 03:220-03:225, 03:227-03:230, 03:233-03:234, 03:237N-03:240	
5⁵	135 bp	430 bp	*03:04:01-03:04:02, 03:14:01-03:14:02, 03:80, 03:138	
6^{4,6}	95 bp 130 bp	430 bp	*03:20 *03:05:01-03:05:04, 03:17:01-03:17:02, 03:61, 03:72, 03:100, 03:132, 03:181, 03:226	*04:09, 05:131
7⁴	115 bp	430 bp	*03:03:06, 03:06, 03:25:01-03:25:02, 03:42, 03:88	*04:01:03
	150 bp		*03:84N	
8⁴	110 bp 145 bp	430 bp	*03:15 *03:07, 03:16	
9⁴	65 bp 145 bp	430 bp	*03:40 *03:08, 03:119, 03:137, 03:194	*06:02:02, 06:03:02
10	135 bp 260 bp	430 bp	*03:09 *03:11, 03:26	
11⁶	135 bp	430 bp	*03:10:01-03:10:02, 03:12, 03:14:01-03:14:02, 03:70, 03:179, 03:183, 03:195	*06:01:01-06:01:06, 06:01:08-06:01:15, 06:06 [?] , 06:43, 06:54N-06:58, 06:98, 06:99:02-06:105, 06:108, 06:120, 06:132, 06:140, 06:153, 06:157, 06:167-06:168, 06:177, 06:181, 06:194, 06:205, 06:209, 06:214
12	255 bp 260 bp	515 bp	*03:47 *03:01:01:01-03:01:07, 03:01:09-03:01:34, 03:04:01-03:04:02, 03:09-03:10:02, 03:12-03:14:02, 03:16, 03:19:01-03:19:02, 03:21-03:22, 03:24, 03:27-03:29, 03:35-03:36, 03:42, 03:44, 03:46-03:60, 03:70-03:71, 03:73-03:78, 03:80, 03:82-03:84N, 03:92-03:94, 03:101-03:103, 03:108, 03:114-03:116, 03:118N-03:122, 03:127-03:131, 03:133-03:135, 03:139-03:140, 03:143-03:144, 03:147-03:148, 03:150-03:152, 03:157-03:160, 03:162-03:167, 03:169-03:173, 03:179, 03:182-03:183, 03:186-03:188, 03:191-03:198, 03:201-03:202, 03:206, 03:208, 03:216, 03:218-03:219, 03:231-03:232, 03:235-03:236, 03:243	
13	170 bp 205 bp	430 bp	*03:13, 03:232 *03:48	
14⁶	130 bp	430 bp	*03:01:01:01-03:01:12, 03:01:14, 03:01:16-03:01:24, 03:01:26-03:01:34, 03:04:01-03:04:02, 03:09-03:10:02, 03:13-03:14:02, 03:19:01-03:19:02,	*06:209

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

			03:21-03:22, 03:24, 03:27-03:29, 03:35-03:36, 03:42, 03:44, 03:46-03:60, 03:69, 03:71, 03:73, 03:75-03:77, 03:80, 03:82-03:84N, 03:92-03:94, 03:101-03:103, 03:108-03:109, 03:114-03:116, 03:118N-03:122, 03:127-03:129, 03:131, 03:133-03:135, 03:138-03:140, 03:142-03:144, 03:147-03:148, 03:150, 03:152, 03:154, 03:157-03:160, 03:162-03:167, 03:169-03:171, 03:173, 03:180, 03:182-03:183, 03:186-03:188, 03:191-03:196, 03:198, 03:201, 03:206-03:208, 03:216, 03:218-03:219, 03:231-03:232, 03:235-03:236, 03:243	
15	135 bp	515 bp	*03:01:01:01-03:01:07, 03:01:09-03:01:33, 03:02:01:01-03:15, 03:17:01-03:22, 03:24, 03:26-03:103, 03:106-03:108, 03:110-03:152, 03:155-03:171, 03:173-03:188, 03:190-03:204, 03:206-03:213N, 03:215-03:216, 03:218-03:233, 03:235-03:240, 03:243	*04:09
16⁶	130 bp	430 bp	*03:01:01:01-03:01:02, 03:01:04-03:01:07, 03:01:09-03:01:12, 03:01:14, 03:01:16-03:01:24, 03:01:26-03:01:34, 03:03:02:01-03:03:13, 03:06, 03:09-03:10:02, 03:12-03:13, 03:15-03:17:02, 03:19:01-03:24, 03:26-03:31, 03:33-03:36, 03:38-03:44, 03:46-03:60, 03:65, 03:69, 03:71-03:79, 03:82-03:84N, 03:86-03:103, 03:108, 03:111-03:124, 03:126-03:129, 03:131, 03:133-03:137, 03:139-03:145, 03:147-03:152, 03:155-03:160, 03:162-03:171, 03:173, 03:176-03:177, 03:180, 03:182-03:183, 03:186-03:188, 03:191-03:198, 03:200-03:201, 03:206-03:209, 03:212, 03:216-03:219, 03:222, 03:227, 03:230-03:232, 03:235-03:236, 03:238, 03:243	*02:03, 02:77, 04:09-04:10
17	165 bp 225 bp	430 bp	*03:43, 03:87 *03:18, 03:85	
18⁷	175 bp	515 bp	*03:02:01:01-03:03:13, 03:05:01-03:05:04, 03:06 [?] -03:08 [?] , 03:11 [?] -03:15 [?] , 03:17:01 [?] -03:18 [?] , 03:19:01-03:19:02, 03:20 [?] , 03:23:01 [?] -03:23:02 [?] , 03:25:01, 03:25:02 [?] -03:26 [?] , 03:30-03:32, 03:33 [?] -03:34 [?] , 03:37 [?] , 03:38-03:39, 03:40 [?] , 03:41, 03:43, 03:45, 03:48 [?] , 03:52 [?] -03:71 [?] , 03:72, 03:74 [?] -03:78 [?] , 03:79, 03:81 [?] -03:82 [?] , 03:85-03:91Q, 03:95N-03:100, 03:101 [?] -03:104 [?] , 03:105, 03:106 [?] -03:112 [?] , 03:117, 03:118N [?] , 03:120 [?] -03:131 [?] , 03:132, 03:133 [?] -03:137 [?] , 03:138, 03:140 [?] -03:149 [?] , 03:150, 03:151 [?] -03:163 [?] , 03:165 [?] -03:167 [?] , 03:168, 03:170 [?] -03:179 [?] ,	*04:01:01-04:38

101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

			03:180-03:181, 03:183 [?] -03:185 [?] , 03:187 [?] - 03:189 [?] , 03:190, 03:192 [?] -03:194 [?] , 03:195, 03:199-03:200, 03:201 [?] -03:205 [?] , 03:207 [?] -03:210 [?] , 03:211, 03:212 [?] - 03:221 [?] , 03:222, 03:223 [?] -03:238 [?] , 03:239, 03:240 [?]	
19⁷	175 bp	430 bp	*03:01:01:01-03:01:34, 03:04:01- 03:04:02, 03:06 [?] -03:08 [?] , 03:09-03:10:02, 03:11 [?] -03:15 [?] , 03:16, 03:17:01 [?] -03:18 [?] , 03:20 [?] , 03:21-03:22, 03:23:01 [?] -03:23:02 [?] , 03:24, 03:25:02 [?] -03:26 [?] , 03:27-03:29, 03:33 [?] -03:34 [?] , 03:35-03:36, 03:37 [?] , 03:40 [?] , 03:42, 03:44, 03:46-03:47, 03:48 [?] , 03:49-03:51, 03:52 [?] -03:71 [?] , 03:73, 03:74 [?] -03:78 [?] , 03:80, 03:81 [?] -03:82 [?] , 03:83-03:84N, 03:92-03:94, 03:101 [?] - 03:104 [?] , 03:106 [?] -03:112 [?] , 03:113-03:116, 03:118N [?] , 03:119, 03:120 [?] -03:131 [?] , 03:133 [?] -03:137 [?] , 03:139, 03:140 [?] - 03:149 [?] , 03:151 [?] -03:163 [?] , 03:164, 03:165 [?] -03:167 [?] , 03:169, 03:170 [?] - 03:179 [?] , 03:182, 03:183 [?] -03:185 [?] , 03:186, 03:187 [?] -03:189 [?] , 03:191, 03:192 [?] -03:194 [?] , 03:196-03:198, 03:201 [?] - 03:205 [?] , 03:206, 03:207 [?] -03:210 [?] , 03:212 [?] -03:221 [?] , 03:223 [?] -03:238 [?] , 03:240 [?] , 03:243	
20	150 bp	430 bp	*03:21	*02:64, 05:35
21	160 bp	515 bp	*03:22, 03:96	*04:23, 06:04:01 ^w - 06:05:02 ^w , 06:06 [?] , 06:07:01 ^w -06:07:02 ^w , 06:08:01 [?] -06:08:03 [?] , 06:09:01 ^w -06:09:06 ^w , 06:10 [?] -06:11:03 [?] , 06:12 ^w , 06:13:01 [?] - 06:17 [?] , 06:18:01 ^w - 06:18:02 ^w , 06:19:01 [?] - 06:20 [?] , 06:21 ^w , 06:22:01 [?] -06:32:02 [?] , 06:34 ^w , 06:35 [?] , 06:36 ^w , 06:37 [?] , 06:38 ^w , 06:40 [?] , 06:41 ^w -06:42 ^w , 06:45 [?] - 06:46 [?] , 06:49 [?] -06:50 [?] , 06:51:02 [?] , 06:52 ^w , 06:53:01 [?] -06:54N [?] , 06:56 [?] -06:57 [?] , 06:58 ^w , 06:59 [?] -06:61 [?] , 06:63 [?] - 06:76 [?] , 06:79:02 [?] - 06:83 [?] , 06:84 ^w , 06:85 [?] , 06:89 [?] , 06:91 [?] -06:97 [?] , 06:118:01 ^w -06:118:02 ^w , 06:119 [?] -06:126 [?] , 06:128 [?] , 06:129 ^w , 06:131 [?] -06:147 [?] , 06:149 [?] -06:184 [?] , 06:186 ^w , 06:189 ^w ,

101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

				06:190 [?] -06:199 [?] , 06:201 [?] -06:204 [?] , 06:206 [?] -06:208 [?] , 06:210 [?] -06:215 [?]
22	160 bp	515 bp	*03:23:01	*05:03:12, 06:03:01- 06:03:03, 06:03:05- 06:03:07, 06:03:11- 06:03:22, 06:04:02, 06:07:01, 06:08:01, 06:09:02, 06:11:01- 06:11:03, 06:26N, 06:28, 06:30-06:32:01, 06:40-06:41, 06:44, 06:59-06:62, 06:64- 06:65, 06:67, 06:90- 06:92, 06:94, 06:110, 06:118:01, 06:128, 06:133-06:134, 06:141, 06:143-06:145, 06:148, 06:154, 06:165, 06:169- 06:170, 06:184-06:185, 06:187, 06:191, 06:195- 06:196, 06:199, 06:203, 06:210
23^{4,5}	95 bp 125 bp 150 bp 185 bp	430 bp	*03:41, 03:224 *03:24, 03:25:01-03:25:02, 03:79, 03:89, 03:234, 03:239 *03:84N *03:45	*04:03:01-04:03:02
24^{4,6}	120 bp 210 bp	430 bp	*03:39 *03:27, 03:48, 03:56	
25^{4,5}	105 bp 130 bp 155 bp 180 bp 240 bp	430 bp	*03:206 *03:24, 03:79 *03:80 *03:29, 03:118N, 03:237N *03:34	*02:14:01
26	180 bp	430 bp	*03:30, 03:52, 03:72, 03:100, 03:132, 03:179, 03:215	*04:09, 06:29, 06:96, 06:139, 06:209
27⁷	170 bp 225 bp 250 bp	430 bp	*03:32, 03:87 *03:85 *03:31	
28	200 bp 230 bp	430 bp	*03:37-03:38, 03:46 *03:225	
29⁴	110 bp 165 bp 255 bp	515 bp	*03:33 *03:35 *03:243	
30	135 bp 175 bp	430 bp	*03:36, 03:149 *03:150	
31	195 bp 220 bp	430 bp	*03:28 *03:56, 03:83	
32⁴	100 bp	430 bp	*03:44	
33⁴	85 bp	430 bp	*03:59	*06:37
34⁵	190bp	430 bp	*03:58, 03:82, 03:198, 03:222	

101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

35	135 bp 190 bp 235 bp	430 bp	*03:190, 03:205, 03:214 *03:51, 03:54 *03:117	*04:15, 05:102 *04:35
36	145 bp 180 bp	430 bp	*03:205, 03:214 *03:55, 03:60	*04:15
37	180 bp 230 bp	430 bp	*03:60, 03:77 *03:53, 03:62, 03:225	
38	175 bp 225 bp	430 bp	*03:58, 03:232 *03:57, 03:83	
39⁴	105 bp 140 bp 190 bp 235 bp	430 bp	*03:240 *03:25:01-03:25:02, 03:66N, 03:234, 03:239 *03:68 *03:86	*04:03:01-04:03:02, 06:193N
40	180 bp 230 bp	430 bp	*03:67-03:68, 03:228 *03:212	*06:17, 06:24, 06:30, 06:42 *02:47
41	175 bp 220 bp	430 bp	*03:63, 03:75, 03:168 *03:201	
42⁴	80 bp 165 bp 220 bp	430 bp	*03:188 *03:64, 03:76-03:77 *03:201	
43⁵	185 bp 250 bp	430 bp	*03:198, 03:222 *03:97	*06:86, 06:104
44	160 bp 220 bp 270 bp	430 bp	*03:199, 03:211 *03:78 *03:71	
45⁴	90 bp 180 bp 230 bp	430 bp	*03:65 *03:133, 03:200, 03:204 *03:81, 03:159	*04:14
46^{4,5}	115 bp 175 bp	430 bp	*03:88-03:89 *03:191	
47	175 bp	430 bp	*03:06 [?] -03:08 [?] , 03:11 [?] -03:15 [?] , 03:17:01 [?] - 03:18 [?] , 03:19:01-03:19:02, 03:20 [?] , 03:23:01 [?] -03:23:02 [?] , 03:25:02 [?] -03:26 [?] , 03:37 [?] , 03:40 [?] , 03:48 [?] , 03:52 [?] -03:71 [?] , 03:74 [?] -03:78 [?] , 03:81 [?] -03:82 [?] , 03:101 [?] - 03:104 [?] , 03:106 [?] -03:112 [?] , 03:118N [?] , 03:120 [?] -03:131 [?] , 03:133 [?] -03:137 [?] , 03:140 [?] -03:149 [?] , 03:150, 03:151 [?] - 03:163 [?] , 03:165 [?] -03:167 [?] , 03:170 [?] - 03:179 [?] , 03:183 [?] -03:185 [?] , 03:187 [?] - 03:189 [?] , 03:192 [?] -03:194 [?] , 03:201 [?] - 03:205 [?] , 03:207 [?] -03:210 [?] , 03:212 [?] - 03:221 [?] , 03:223 [?] -03:238 [?] , 03:240 [?]	
48⁴	95 bp	430 bp	*03:105-03:106, 03:109, 03:120	
49	150 bp 175 bp	430 bp	*03:94, 03:164, 03:182 *03:191	
50^{4,6}	105 bp 150 bp	515 bp	*03:206 *03:98, 03:165, 03:182	
51⁴	105 bp 165 bp	430 bp	*03:90N, 03:240 *03:115, 03:213N, 03:228	*06:17, 06:24, 06:30, 06:42, 06:109
52⁴	80 bp	430 bp	*03:188	

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

	185 bp		*03:99Q, 03:118N, 03:133, 03:162, 03:183, 03:200, 03:223, 03:233, 03:237N	*04:14
53⁴	125 bp 155 bp 190 bp	430 bp	*03:130 *03:139, 03:199 *03:162, 03:183, 03:204, 03:223, 03:233	
54⁴	95 bp 170 bp 220 bp	430 bp	*03:91Q *03:146, 03:158, 03:170, 03:207 *03:181	
55⁸	155 bp 195 bp	430 bp	*03:102 *03:114	
56⁴	120 bp 165 bp 255 bp	430 bp	*03:95N, 03:116, 03:210 *03:150, 03:170 *03:243	
57⁴	100 bp 215 bp	515 bp	*03:196 *03:169	*05:45
58⁸	155 bp 180 bp	430 bp	*03:102 *03:197Q	
59⁴	100 bp	430 bp	*03:10:01-03:10:02, 03:14:01-03:14:02, 03:138, 03:180, 03:183, 03:195	*06:01:01-06:01:15, 06:43, 06:45, 06:54N- 06:57, 06:98, 06:99:02- 06:105, 06:108, 06:120, 06:132, 06:140, 06:153, 06:157, 06:177, 06:181, 06:194, 06:205, 06:209, 06:214
60	185 bp	430 bp	*03:132, 03:215	*06:29, 06:123, 06:139
61	155 bp	430 bp	*03:221	*06:51:01-06:51:02
62	175 bp	430 bp	*03:50	
63⁹	-	-	Negative Control	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DQB1*03 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several DQB1 alleles 1st and/or 3rd exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁵Primer mixes 3, 5, 23, 25, 43 and 46 may have a tendency to giving rise to primer oligomer formation.

⁶Primer mixes 6, 11, 14, 16 and 24 may have tendencies of unspecific amplifications.

⁷Primer mixes 1, 2, 18, 19 and 27 may give rise to a lower yield of HLA-specific PCR product than the other DQB1*03 primer mixes.

⁸Primer mixes 55 and 58 may give rise to a long unspecific amplification product. This should be disregarded when interpreting the DQB1*03 typings.

⁹Primer mix 63 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

‘w’, might be weakly amplified.

‘?’, nucleotide sequence information not available for the primer matching region.

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	170	220	135	220	135	95	115	110	65	135	135	260
Length of int. pos. control ¹	515	515	515	515	430	430	430	430	430	430	430	515
5'-primer(s) ²	45(230) 5'-ggA 3'	26(173) 5'-TTA 3'	26(173) 5'-TCT 3'	26(173) 5'-TCT 3'	26(173) 5'-TTA 3'	26(173) 5'-ggg 3'	38(210) 5'-gCA 3'	49(242) 5'-ggT 3'	38(210) 5'-gCA 3'	14(136) 5'-gCC 3'	13(134) 5'-ggC 3'	13(134) 5'-ggC 3'
						38(208) 5'-ACA 3'	140(514) 5'-CAA 3'	55(260) 5'-gCA 3'		135(500) 5'-TgA 3'		
								63(285) 5'-Agg 3'				
3'-primer(s) ³	86(353) 5'-gCT 3'	86(353) 5'-gCT 3'	57(266) 5'-Cgg 3'	86(353) 5'-gCT 3'	57(266) 5'-Cgg 3'	55(260) 5'-gCg 3'	62(282) 5'-CTA 3'	86(353) 5'-gCT 3'	46(232) 5'-CAA 3'	86(353) 5'-gCT 3'	45(230) 5'-CCC 3'	86(353) 5'-gCT 3'
	86(353) 5'-gTT 3'	87(357) 5'-CgT 3'	57(266) 5'-CAg 3'				163(583) 5'-CAC 3'		70(304) 5'-CCC 3'	167(596) 5'-CAT 3'	85(349) 5'-CAT 3'	87(357) 5'-CgT 3'
	87(357) 5'-CgT 3'		57(266) 5'-Cgg 3'				165(589) 5'-ggT 3'		75(320) 5'-CCC 3'			
							176(622) 5'-CTA 3'					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23	24
Length of spec. PCR product	170	130	135	130	165	175	175	150	160	160	95	120
Length of int. pos. control ¹	430	430	515	430	430	515	430	430	515	515	430	430
5'-primer(s) ²	26(173) 5'-TTA 3'	26(173) 5'-TTA 3'	55(260) 5'-gCC 3'	57(266) 5'-TgA 3'	27(175) 5'-TTC 3'	140(514) 5'-CAA 3'	140(514) 5'-CAA 3'	133(493) 5'-TTT 3'	130(485) 5'-CCA 3'	9(122) 5'-gTA 3'	26(173) 5'-TCT 3'	26(173) 5'-TTA 3'
					123(464) 5'-CTT 3'						140(514) 5'-CAA 3'	102(400) 5'-TCT 3'
					142(520) 5'-gCC 3'							
					146(533) 5'-CCA 3'							
3'-primer(s) ³	67(296) 5'-ggT 3'	55(260) 5'-gCg 3'	86(353) 5'-gCT 3'	86(353) 5'-gCT 3'	86(353) 5'-gCT 3'	185(650) 5'-CgA 3'	185(650) 5'-Cgg 3'	170(604) 5'-gAC 3'	170(604) 5'-gAC 3'	48(240) 5'-gCg 3'	45(229) 5'-CCA 3'	81(338) 5'-TgC 3'
	71(308) 5'-ggA 3'	55(260) 5'-gCg 3'		87(357) 5'-CgT 3'	185(650) 5'-CgA 3'						56(263) 5'-CAA 3'	83(343) 5'-gTC 3'
	81(338) 5'-TgC 3'	55(260) 5'-ggg 3'									74(318) 5'-AAG 3'	83(343) 5'-gTg 3'
											167(595) 5'-ACA 3'	127(477) 5'-TTC 3'
											170(604) 5'-gAT 3'	
											176(622) 5'-CTA 3'	
Well No.	13	14	15	16	17	18	19	20	21	22	23	24

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

Well No.	25	26	27	28	29	30	31	32	33	34	35	36
Length of spec.	105	180	170	200	110	135	195	100	85	190	135	145
PCR product	130		225	230	165	175	220				190	180
	155		250		255						235	
	180											
	240											
Length of int.	430	430	430	430	515	430	430	430	430	430	430	430
pos. control ¹												
5'-primer(s) ²	20(154) 5'-ACA 3'	9(121) 5'-TgC 3'	116(442) 5'-TgA 3'	24(166) 5'-gCC 3'	99(391) 5'-CAA 3'	10(125) 5'-CCg 3'	26(173) 5'-TTA 3'	13(134) 5'-ggC 3'	62(282) 5'-AAg 3'	26(173) 5'-TTA 3'	34(197) 5'-CCA 3'	39(211) 5'-CAT 3'
	37(207) 5'-TAA 3'	9(122) 5'-gTT 3'	123(464) 5'-CTT 3'	30(184) 5'-gAC 3'	129(481) 5'-AAA 3'	24(166) 5'-gCA 3'				102(400) 5'-TCT 3'	52(251) 5'-gCT 3'	41(217) 5'-TCC 3'
	48(239) 5'-CCA 3'		141(517) 5'-CTA 3'	31(187) 5'-ACg 3'	147(535) 5'-CCT 3'						102(400) 5'-TCT 3'	52(251) 5'-gCT 3'
	140(514) 5'-CAA 3'		146(533) 5'-CCA 3'	36(204) 5'-gAC 3'								
3'-primer(s) ³	86(353) 5'-gCT 3'	55(260) 5'-gCg 3'	185(650) 5'-CgA 3'	86(353) 5'-gCT 3'	170(604) 5'-gAC 3'	55(260) 5'-gCg 3'	77(325) 5'-CgC 3'	32(191) 5'-TAC 3'	77(326) 5'-CCg 3'	71(308) 5'-ggC 3'	86(353) 5'-gCT 3'	86(353) 5'-gCT 3'
	161(577) 5'-CAT 3'	55(260) 5'-gCg 3'				55(260) 5'-gCg 3'	83(343) 5'-gTC 3'			79(332) 5'-TgT 3'	130(484) 5'-CCA 3'	
	170(604) 5'-gAT 3'						88(359) 5'-TgA 3'			150(546) 5'-CCC 3'	150(544) 5'-gTC 3'	
	182(641) 5'-ggC 3'										167(596) 5'-CAA 3'	
Well No.	25	26	27	28	29	30	31	32	33	34	35	36

Well No.	37	38	39	40	41	42	43	44	45	46	47	48
Length of spec.	180	175	105	180	175	80	160	160	90	115	175	95
PCR product	230	225	140	230	220	165	185	220	180	175		
			190			220	250	270	230			
			235									
Length of int.	430	430	430	430	430	430	430	430	430	430	430	430
pos. control ¹												
5'-primer(s) ²	23(164) 5'-gCA 3'	26(173) 5'-TTA 3'	26(173) 5'-TCT 3'	26(173) 5'-TCT 3'	27(175) 5'-ATA 3'	27(175) 5'-ATA 3'	102(400) 5'-TCT 3'	10(126) 5'-CAT 3'	23(163) 5'-AgA 3'	140(514) 5'-CAA 3'	140(516) 5'-ACC 3'	71(309) 5'-ACC 3'
	24(166) 5'-gCC 3'				38(209) 5'-CgA 3'	41(219) 5'-gAg 3'		26(173) 5'-TTT 3'	37(205) 5'-AgA 3'			
	39(211) 5'-CAT 3'				44(227) 5'-CgC 3'	47(235) 5'-TgA 3'		47(235) 5'-TgC 3'	44(226) 5'-ACA 3'			
	41(219) 5'-gAg 3'					48(239) 5'-TCC 3'		48(239) 5'-TCA 3'	70(306) 5'-AgC 3'			
						74(316) 5'-CgA 3'						
3'-primer(s) ³	86(353) 5'-gCT 3'	71(308) 5'-ggC 3'	48(238) 5'-CCA 3'	71(307) 5'-ggC 3'	86(353) 5'-gCT 3'	86(353) 5'-gCT 3'	142(520) 5'-AAT 3'	86(353) 5'-gCT 3'	86(353) 5'-gCT 3'	165(589) 5'-ggT 3'	185(650) 5'-CgA 3'	87(355) 5'-gAC 3'
		71(308) 5'-ggA 3'	56(263) 5'-CAA 3'	73(314) 5'-CCT 3'			150(546) 5'-CCC 3'			167(595) 5'-ACA 3'		88(358) 5'-gCC 3'
		88(359) 5'-TgA 3'	61(278) 5'-TCT 3'	76(324) 5'-gTT 3'			172(611) 5'-AgA 3'			184(647) 5'-Tgg 3'		93(374) 5'-gCA 3'
		89(362) 5'-TCA 3'	76(324) 5'-gTT 3'	89(361) 5'-CgC 3'								
			90(365) 5'-AgT 3'									
Well No.	37	38	39	40	41	42	43	44	45	46	47	48

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

Well No.	49	50	51	52	53	54	55	56	57	58	59	60
Length of spec.	150	105	105	80	125	95	155	120	100	155	100	185
PCR product	175	150	165	185	155	170	195	165	215	180		
					190	220		255				
Length of int. pos. control ¹	430	515	430	430	430	430	430	430	515	430	430	430
5'-primer(s) ²	140(514) 5'-CAA 3'	140(514) 5'-CAA 3'	26(173) 5'-TCT 3'	32(192) 5'-..T 3'	37(205) 5'-AgA 3'	8(119) 5'-CgC 3'	13(134) 5'-ggC 3'	10(125) 5'-CCg 3'	112(430) 5'-ACT 3'	13(134) 5'-ggC 3'	26(173) 5'-TTA 3'	9(122) 5'-gTT 3'
			135(500) 5'-TgA 3'	37(205) 5'-Agg 3'	37(205) 5'-Agg 3'	13(133) 5'-AgA 3'		16(142) 5'-gCC 3'	151(547) 5'-ACA 3'			
				37(207) 5'-TAA 3'	48(239) 5'-CCC 3'	16(142) 5'-gCC 3'		29(182) 5'-CAA 3'				
				44(226) 5'-ACA 3'	48(239) 5'-TCA 3'	125(470) 5'-Agg 3'		99(391) 5'-CAA 3'				
				74(316) 5'-CgA 3'	58(268) 5'-ACT 3'	167(595) 5'-AgA 3'		145(530) 5'-CAA 3'				
3'-primer(s) ³	170(604) 5'-gAA 3'	161(577) 5'-CAT 3'	48(238) 5'-Cg 3'	86(353) 5'-gCT 3'	86(353) 5'-gCT 3'	55(260) 5'-gCg 3'	52(250) 5'-CgC 3'	55(260) 5'-gCg 3'	170(604) 5'-gAC 3'	52(250) 5'-CgC 3'	45(230) 5'-CCC 3'	57(266) 5'-Cgg 3'
	174(617) 5'-CgC 3'	172(611) 5'-AgC 3'	48(238) 5'-CCA 3'			185(650) 5'-CgA 3'	64(287) 5'-TCC 3'	170(604) 5'-gAC 3'		60(274) 5'-gTA 3'		
	177(625) 5'-gTT 3'	177(625) 5'-gTT 3'	64(286) 5'-CTA 3'									
	184(647) 5'-Tgg 3'	179(632) 5'-ggT 3'	71(307) 5'-ggC 3'									
			175(619) 5'-CAT 3'									
Well No.	49	50	51	52	53	54	55	56	57	58	59	60

Well No.	61	62
Length of spec.	155	175
PCR product		
Length of int. pos. control ¹	430	430
5'-primer(s) ²	28(179) 5'-gAC 3'	102(400) 5'-TCT 3'
3'-primer(s) ³	66(294) 5'-ATg 3'	146(532) 5'-ggT 3'
Well No.	61	62

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.



101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

CELL LINE VALIDATION SHEET																			
DQB1*03 SSP subtyping kit ²																			
				Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				201778701	201778702	201555403	201321504	201778705	201321506	201327207	201662508	201555409	201321510	201321511	201778712	201778713	201778714	201778715	201778716
	IHWC cell line ¹	DQB1	Production No.																
1	9001 SA	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*06:01	*02:02	-	-	+	+	-	-	-	-	-	-	+	-	-	-	-	-
3	9011 E4181324	*06:01		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
4	9275 GU373	*02:01		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*05:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*03:02	*06:01	-	-	+	+	-	-	-	-	-	-	+	-	-	-	+	-
7	9020 QBL	*02:01		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*03:01		+	+	-	-	-	-	-	-	-	-	-	+	-	+	+	+
9	9026 YAR	*03:02		-	-	+	+	-	-	-	-	-	-	-	-	-	-	+	-
10	9107 LKT3	*04:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*02:02		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*03:03		-	-	-	+	-	-	-	-	-	-	-	-	-	-	+	+
13	9004 JESTHOM	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*04:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*03:03		-	-	-	+	-	-	-	-	-	-	-	-	-	-	+	+
16	9037 SWEIG007	*03:01		+	+	-	-	-	-	-	-	-	-	+	-	+	+	+	+
17	9282 CTM3953540	*02:01	*06:03	-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*06:02	*02:02	-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*03:01		+	+	-	-	-	-	-	-	-	-	+	-	+	+	+	+
20	9059 SLE005	*06:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*03:01		+	+	-	-	-	-	-	-	-	-	-	+	-	+	+	+
22	9056 KOSE	*05:03	*06:04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*05:03	*06:01	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
24	9035 JBUSH	*03:01		+	+	-	-	-	-	-	-	-	-	+	-	+	+	+	+
25	9049 IBW9	*02:02		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*02:01		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*04:01	*05:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*02:02	*03:01	+	+	+	+	-	-	-	-	-	-	+	-	+	+	+	+
29	9050 MOU	*02:02		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*04:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*02:01		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*03:01		+	+	-	-	-	-	-	-	-	-	+	-	+	+	+	+
33	9098 MT14B	*03:02		-	-	+	+	-	-	-	-	-	-	-	-	-	-	+	-
34	9104 DHIF	*03:01		+	+	-	-	-	-	-	-	-	-	+	-	+	+	+	+
35	9302 SSTO	*03:05		-	-	-	-	-	+	-	-	-	-	-	-	-	-	+	-
36	9024 KT17	*03:02		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	+
37	9065 HHKB	*06:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*03:01		+	+	-	-	-	-	-	-	-	-	+	-	+	+	+	+
39	9315 CML	*02:01	*03:01	+	+	+	+	-	-	-	-	-	-	+	-	+	+	+	+
40	9134 WHONP199	*02:02	*03:03	-	-	+	+	-	-	-	-	-	-	-	-	-	-	+	+
41	9055 H0301	*06:09		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*06:01		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
43	9076 T7526	*03:03		-	-	-	+	-	-	-	-	-	-	-	-	-	-	+	+
44	9057 TEM	*05:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*02:02		-	-	+	+	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*06:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*03:01		+	+	-	-	-	-	-	-	-	-	+	-	+	+	+	+
48	9303 TER-ND	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

CELL LINE VALIDATION SHEET																			
DQB1*03 SSP subtyping kit ²																			
				Well															
				17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
				201327217	201321518	201327219	201778720	201555421	201321522	201778723	201778724	201778725	201321526	201327227	201778728	201778729	201778730	201327231	201321532
			Production No.	IHWC cell line ¹		DQB1													
1	9001	SA	*05:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280	LK707	*06:01	*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011	E4181324	*06:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275	GU373	*02:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009	KAS011	*05:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353	SM	*03:02	*06:01		-	+	-	-	-	-	-	-	-	-	-	-	-	-
7	9020	QBL	*02:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025	DEU	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
9	9026	YAR	*03:02			-	+	-	-	-	-	-	-	-	-	-	-	-	-
10	9107	LKT3	*04:01			-	+	-	-	-	-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052	DBB	*03:03			-	+	-	-	-	-	-	-	-	-	-	-	-	-
13	9004	JESTHOM	*05:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071	OLGA	*04:02			-	+	-	-	-	-	-	-	-	-	-	-	-	-
15	9075	DKB	*03:03			-	+	-	-	-	-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
17	9282	CTM3953540	*02:01	*06:03		-	-	-	-	+	-	-	-	-	-	-	-	-	-
18	9257	32367	*06:02	*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038	BM16	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
20	9059	SLE005	*06:04			-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064	AMALA	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
22	9056	KOSE	*05:03	*06:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124	IHL	*05:03	*06:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035	JBUSH	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
25	9049	IBW9	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285	WT49	*02:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191	CH1007	*04:01	*05:01		-	+	-	-	-	-	-	-	-	-	-	-	-	-
28	9320	BEL5GB	*02:02	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-
29	9050	MOU	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021	RSH	*04:02			-	+	-	-	-	-	-	-	-	-	-	-	-	-
31	9019	DUCAF	*02:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297	HAG	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
33	9098	MT14B	*03:02			-	+	-	-	-	-	-	-	-	-	-	-	-	-
34	9104	DHIF	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
35	9302	SSTO	*03:05			-	+	-	-	-	-	-	-	-	-	-	-	-	-
36	9024	KT17	*03:02			-	+	-	-	-	-	-	-	-	-	-	-	-	-
37	9065	HHKB	*06:03			-	-	-	-	+	-	-	-	-	-	-	-	-	-
38	9099	LZL	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
39	9315	CML	*02:01	*03:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-
40	9134	WHONP199	*02:02	*03:03		-	+	-	-	-	-	-	-	-	-	-	-	-	-
41	9055	H0301	*06:09			-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066	TAB089	*06:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076	T7526	*03:03			-	+	-	-	-	-	-	-	-	-	-	-	-	-
44	9057	TEM	*05:03			-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239	SHJO	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013	SCHU	*06:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045	TUBO	*03:01			-	-	+	-	-	-	-	-	-	-	-	-	-	-
48	9303	TER-ND	*05:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

CELL LINE VALIDATION SHEET																			
DQB1*03 SSP subtyping kit²																			
				Well															
				33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
				201321533	201778734	201778735	201778736	201778737	201778738	201778739	201778740	201778741	201778742	201778743	201778744	201778745	201662546	201327247	201555448
			Production No.																
	IHWC cell line ¹		DQB1																
1	9001 SA		*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707		*06:01	*02:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324		*06:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373		*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011		*05:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM		*03:02	*06:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020 QBL		*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR		*03:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3		*04:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT		*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB		*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM		*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA		*04:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB		*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540		*02:01	*06:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367		*06:02	*02:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005		*06:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE		*05:03	*06:04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL		*05:03	*06:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9		*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49		*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007		*04:01	*05:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB		*02:02	*03:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU		*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH		*04:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF		*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B		*03:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO		*03:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17		*03:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB		*06:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML		*02:01	*03:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199		*02:02	*03:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301		*06:09		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089		*06:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526		*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM		*05:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO		*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU		*06:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO		*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND		*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

CELL LINE VALIDATION SHEET																			
DQB1*03 SSP subtyping kit ²																			
					Production No.	Well													
						49	50	51	52	53	54	55	56	57	58	59	60	61	62
						201778749	201778750	201778751	201778752	201778753	201778754	201555455	201778756	201662557	201662558	201662559	201778760	201778761	201778762
	IHWC cell line ¹	DQB1																	
1	9001 SA	*05:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*06:01	*02:02			-	-	-	-	-	-	-	-	-	-	+	-	-	-
3	9011 E4181324	*06:01				-	-	-	-	-	-	-	-	-	-	+	-	-	-
4	9275 GU373	*02:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*05:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*03:02	*06:01			-	-	-	-	-	-	-	-	-	-	+	-	-	-
7	9020 QBL	*02:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*03:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*04:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*02:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*03:03				-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*05:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*04:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*03:03				-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*02:01	*06:03			-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*06:02	*02:02			-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*06:04				-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*05:03	*06:04			-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*05:03	*06:01			-	-	-	-	-	-	-	-	-	-	+	-	-	-
24	9035 JBUSH	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*02:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*02:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*04:01	*05:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*02:02	*03:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*02:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*04:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*02:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*03:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*03:05				-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*03:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*06:03				-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*02:01	*03:01			-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*02:02	*03:03			-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*06:09				-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*06:01				-	-	-	-	-	-	-	-	-	-	+	-	-	-
43	9076 T7526	*03:03				-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*05:03				-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*02:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*06:02				-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*03:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*05:01				-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.214-24/06 – including *Taq* polymerase, IFU-01
 101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: 0F9

Lot-specific information

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 7 to 10, 13, 17, 20, 23 to 46, 48 to 58 and 60 to 62 were available.

The specificities of the primers in primer solutions 7, 9, 10, 23, 25 to 28, 35, 39, 52 to 54, 60 and 61 were tested by separately adding additional 5'-primers respectively 3'-primers.

In primer solutions 8, 17, 20, 29, 30, 33, 36, 37, 41, 42, 44, 45, 56 and 57 it was only possible to test the 3'-primers, the 5'-primers were not possible to test. In primer solutions 13, 24, 31, 32, 34, 38, 40, 43, 46, 48 to 51, 55, 58 and 62 it was only possible to test the 5'-primers, the 3'-primers were not possible to test.

In primer solutions 1 to 3, 7, 9 to 12, 14, 16, 23, 25, 35 and 39 one or more of the 3'-primers were not possible to test, and in primer solution 6, 25 to 28, 35 and 52 to 54 one or more of the 5'-primers were not possible to test.

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

101.214-24/06 – including *Taq* polymerase, IFU-01
101.214-24u/06u – without *Taq* polymerase, IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **0F9**

Lot-specific information

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: olerup-se@caredx.com

Web page: <http://www.olerup.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: olerup-at@caredx.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: olerup-us@caredx.com

Web page: <http://www.olerup.com>

For information on *Olerup* distributors worldwide, contact **Olerup GmbH**.