

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information
Olerup SSP® DQB1*04

Product number:	101.215-12 – including <i>Taq</i> polymerase 101.215-12u – without <i>Taq</i> polymerase
Lot number:	5E2
Expiry date:	2019-04-01
Number of tests:	12
Number of wells per test:	18+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 5E2.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®
DQB1*04 LOT (26Y)**

The DQB1*04 kit is updated for new alleles to enable separation of:

- Confirmed¹ alleles as listed in the IMGT/HLA database.
- Polymorphisms in exons outside of the region encoding the peptide binding domain.
- Null and Alternatively expressed alleles.

Three wells have been added to DQB1*04, wells **17 to 19**.

¹As described in section Uniquely Identified Alleles.

The DQB1*04 primer set, specificity and interpretation tables have been updated with the DQB1 alleles described since the previous *Olerup SSP®* DQB1*04 lot (**Lot No. 26Y**) was made. The kit design is based on IMGT/HLA database 3.25.0.

As of lot series V, the Specificity Table is included in the lot-specific Product Insert, and the Interpretation Table is included in the Worksheet.

101.215-12 – including Taq pol., IFU-01
101.215-12u – without Taq pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: 5E2

Lot-specific Information

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
11	Modified	-	5'-primer modified for increased yield of the DQB1*03:22 allele.
15	Modified	-	5'-primer modified for increased yield of the DQB1*03:22 allele.
16	Added	Added	Negative control moved to well 19, primer pair added for the DQB1*04:27 allele.
17	New	New	New primer pair added for the DQB1*04:33 allele.
18	New	New	New primer pair added for the DQB1*04:36N allele.
19	-	-	Negative control added from well 16.

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

Well **19** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup* SSP® HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.
The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information
PRODUCT DESCRIPTION

DQB1*04 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the DQB1*04:01 to DQB1*04:36N alleles.

Please note that DQB1 amplifications usually are somewhat less pronounced than e.g. DRB and DQA1 amplifications even when using the same DNA preparation and exactly the same experimental procedures.

PLATE LAYOUT

Each test consists of 19 PCR reactions in a 24 well PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	NC	empty	empty	empty	empty	empty

The 16 well PCR plate is marked with 'DQB1*04' in silver/gray ink.

Well No. 1 is marked with the Lot No. '5E2'.

Wells 1 to 18 – DQB1*04 high resolution primers.

Well 19 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 24 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between DQB1 alleles non-DQB1*04 alleles will be amplified by primer mixes 1, 4, 5, 7, 8, 10, 11 and 15.

Thus, the interpretation of DQB1*04 subtypings is not influenced by other groups of the DQB1 alleles or the DQB2 and DQB3 genes.

For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the DQB1*04 alleles, i.e. **DQB1*04:01 to DQB1*04:36N**, recognized by the HLA Nomenclature Committee in July 2016^{1,2} will be amplified by the primers in the DQB1*04 subtyping kit.

The DQB1*04 kit enables separation of the confirmed DQB1*04 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for DQB1*04 alleles is listed below.

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

The DQB1*04 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.

The following DQB1*04 alleles can be distinguished by the different sizes of the specific PCR product:

Alleles	Primer mix
DQB1*04:04, 04:12	5
DQB1*04:05, 04:06	5

The DQB1*04 subtyping kit cannot distinguish the silent mutations in the DQB1*04:01:01-04:01:04 alleles, the DQB1*04:02:01-04:02:07 or the DQB1*04:02:09-04:02:10 alleles.

¹HLA-DQB1 alleles listed on the IMGT/HLA web page 2016-July-14, release 3.25.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in DQB1*04 homo- and heterozygotes is available upon request.

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
DQB1*04:01:01	Confirmed	DQB1*04:08	Unconfirmed	DQB1*04:28	Unconfirmed
DQB1*04:01:02	Unconfirmed	DQB1*04:09	Unconfirmed	DQB1*04:29	Unconfirmed
DQB1*04:01:03	Unconfirmed	DQB1*04:10	Unconfirmed	DQB1*04:30	Unconfirmed
DQB1*04:01:04	Unconfirmed	DQB1*04:11	Confirmed	DQB1*04:31	Unconfirmed
DQB1*04:02:01	Confirmed	DQB1*04:12	Confirmed	DQB1*04:32	Unconfirmed
DQB1*04:02:02	Unconfirmed	DQB1*04:13	Unconfirmed	DQB1*04:33	Confirmed
DQB1*04:02:03	Confirmed	DQB1*04:14	Unconfirmed	DQB1*04:34	Unconfirmed
DQB1*04:02:04	Confirmed	DQB1*04:15	Unconfirmed	DQB1*04:35	Unconfirmed
DQB1*04:02:05	Unconfirmed	DQB1*04:16	Unconfirmed	DQB1*04:36N	Unconfirmed
DQB1*04:02:06	Unconfirmed	DQB1*04:17	Unconfirmed		
DQB1*04:02:07	Confirmed	DQB1*04:18	Confirmed		
DQB1*04:02:08	Unconfirmed	DQB1*04:19	Unconfirmed		
DQB1*04:02:09	Confirmed	DQB1*04:20	Unconfirmed		
DQB1*04:02:10	Unconfirmed	DQB1*04:21	Unconfirmed		
DQB1*04:03:01	Unconfirmed	DQB1*04:22	Unconfirmed		
DQB1*04:03:02	Unconfirmed	DQB1*04:23	Unconfirmed		
DQB1*04:04	Unconfirmed	DQB1*04:24	Unconfirmed		
DQB1*04:05	Unconfirmed	DQB1*04:25N	Unconfirmed		
DQB1*04:06	Unconfirmed	DQB1*04:26	Unconfirmed		
DQB1*04:07	Unconfirmed	DQB1*04:27	Confirmed		

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2016-July-14, release 3.25.0, www.ebi.ac.uk/imgt/hla.

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information
SPECIFICITY TABLE

DQB1*04 SSP subtyping

Specificities and sizes of the PCR products of the 18+1 primer mixes used for DQB1*04 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified DQB1*04 alleles ³	Amplified non-DQB1*04 alleles ⁴
1	160 bp	515 bp	*04:01:01-04:01:02, 04:01:04-04:02:07, 04:02:09-04:29, 04:31- 04:36N	*03:132
	205 bp		*04:01:01-04:01:04, 04:05- 04:08, 04:14-04:17	
2⁶	205 bp	515 bp	*04:01:01-04:01:04, 04:05- 04:08, 04:14-04:17	
3	180 bp	430 bp	*04:02:01-04:03:01, 04:04, 04:09-04:13, 04:18-04:19, 04:21, 04:22 ^w , 04:23, 04:24 ^w , 04:25N-04:32, 04:34-04:36N	
4	195 bp	430 bp	*04:03:01-04:03:02	*03:06, 03:25:01
5⁵	110 bp	430 bp	*04:06, 04:12	*03:06, 03:25:01
	245 bp		*04:04-04:05	
6⁵	95 bp	430 bp	*04:16	
	210 bp		*04:20	
7⁸	245 bp	430 bp	*04:02:08	*03:30, 03:72, 03:100, 03:215, 06:02:01-06:02:25, 06:05:02, 06:10, 06:13:01-06:16, 06:19:01-06:20, 06:22:01- 06:24, 06:29, 06:33, 06:37, 06:46-06:51:02, 06:68-06:84, 06:95-06:97, 06:106-06:107, 06:109, 06:111-06:117, 06:119, 06:122-06:123, 06:125-06:127, 06:130, 06:136, 06:138-06:139, 06:146:01-06:147, 06:150- 06:152, 06:156, 06:159, 06:161-06:163, 06:166, 06:173-06:175, 06:178- 06:179N, 06:182-06:183, 06:188, 06:192, 06:197- 06:198, 06:200, 06:206, 06:208
8⁵	95 bp	430 bp	*04:08	*03:06 [?] -03:08 [?] , 03:10:02 [?] - 03:15 [?] , 03:17:01 [?] -03:18 [?] , 03:19:01-03:19:02, 03:20 [?] , 03:23:01 [?] -03:23:02 [?] , 03:25:02 [?] -03:26 [?] , 03:37 [?] , 03:40 [?] , 03:48 [?] , 03:52 [?] -03:71 [?] , 03:74 [?] -03:78 [?] , 03:81 [?] -03:82 [?] ,

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

				03:101 [?] -03:112 [?] , 03:118N [?] - 03:163 [?] , 03:165 [?] -03:167 [?] , 03:170 [?] -03:179 [?] , 03:183 [?] - 03:185 [?] , 03:187 [?] -03:189 [?] , 03:192 [?] -03:194 [?] , 03:201 [?] - 03:205 [?] , 03:207 [?] -03:221 [?] , 03:223 [?] -03:230 [?]
9	140 bp	430 bp	*04:09, 04:14	
10	145 bp	430 bp	*04:10	*05:01:19 ^w , 06:03:03 ^w
11⁵	120 bp 160 bp	430 bp	*04:11, 04:15 *04:23	*03:22, 03:96, 06:04:01 ^w - 06:05:02 ^w , 06:06 [?] , 06:07:01 ^w - 06:07:02 ^w , 06:08:01 [?] - 06:08:03 [?] , 06:09:01 ^w - 06:09:06 ^w , 06:10 [?] -06:11:03 [?] , 06:12 ^w , 06:13:01 [?] -06:18:01 [?] , 06:18:02 ^w , 06:19:01 [?] -06:20 [?] , 06:21 ^w , 06:22:01 [?] -06:32:02 [?] , 06:34 ^w , 06:35 [?] , 06:36 ^w , 06:37 [?] , 06:38 ^w , 06:40 [?] , 06:41 ^w -06:42 ^w , 06:45 [?] -06:46 [?] , 06:48 [?] -06:50 [?] , 06:51:02 [?] , 06:52 ^w , 06:53:01 [?] - 06:83 [?] , 06:84 ^w , 06:85 [?] , 06:89 [?] , 06:91 [?] -06:97 [?] , 06:118:01 ^w , 06:118:02 [?] -06:126 [?] , 06:128 [?] , 06:129 ^w , 06:131 [?] -06:147 [?] , 06:149 [?] -06:184 [?] , 06:186 ^w , 06:189 ^w , 06:190 [?] -06:199 [?] , 06:201 [?] -06:204 [?] , 06:206 [?] - 06:208 [?]
12	160 bp 230 bp	430 bp	*04:07 *04:18	
13	185 bp	430 bp	*04:13	
14⁷	160 bp	430 bp	*04:17	
15	150 bp	430 bp	*04:23, 04:25N	*03:22, 03:96, 06:04:01 ^w - 06:05:02 ^w , 06:06 [?] , 06:07:01 ^w - 06:07:02 ^w , 06:08:01 [?] - 06:08:03 [?] , 06:09:01 ^w - 06:09:06 ^w , 06:10 [?] -06:11:03 [?] , 06:12 ^w , 06:13:01 [?] -06:18:01 [?] , 06:18:02 ^w , 06:19:01 [?] -06:20 [?] , 06:21 ^w , 06:22:01 [?] -06:32:02 [?] , 06:34 ^w , 06:35 [?] , 06:36 ^w , 06:37 [?] , 06:38 ^w , 06:40 [?] , 06:41 ^w -06:42 ^w , 06:45 [?] -06:46 [?] , 06:48 [?] -06:50 [?] , 06:51:02 [?] , 06:52 ^w , 06:53:01 [?] - 06:83 [?] , 06:84 ^w , 06:85 [?] , 06:89 [?] , 06:91 [?] -06:97 [?] , 06:118:01 ^w , 06:118:02 [?] -06:126 [?] , 06:128 [?] , 06:129 ^w , 06:131 [?] -06:147 [?] , 06:149 [?] -06:184 [?] , 06:186 ^w , 06:189 ^w , 06:190 [?] -06:199 [?] , 06:201 [?] -06:204 [?] , 06:206 [?] - 06:208 [?]

101.215-12 – including *Taq pol.*, IFU-01
101.215-12u – without *Taq pol.*, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

16	200 bp	430 bp	*04:27
17	195 bp	430 bp	*04:33
18	245 bp	430 bp	*04:36N
19⁹	-	-	Negative Control

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DQB1*04 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several DQB1 alleles 1st and/or 3rd exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴Due to the sharing of sequence motifs between DQB1 alleles non-DQB1*04 alleles will be amplified by primer mixes 1, 4, 5, 7, 8, 10, 11 and 15.

⁵HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁶Primer mix 2 may give rise to a lower yield of HLA-specific PCR product than the other DQB1*04 primer mixes.

⁷Primer mix 14 may have tendencies of unspecific amplifications.

⁸In primer mix 7 the positive control band may be weaker than for other DQB1*04 primer mixes.

⁹Primer mix 19 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

'w', might be weakly amplified.

'?', nucleotide sequence information not available for the primer matching sequence.

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information
PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	160 205	205	180	195	110 245	95 210	245	95	140	145	120 160	160 230
Length of int. pos. control ¹	515	515	430	430	430	430	430	430	430	430	430	430
5'-primer(s) ²	23(164) 5'-gCT 3'	23(164) 5'-gCT 3'	23(164) 5'-gCg 3'	26(173) 5'-TCT 3'	9(122) 5'-gTA 3'	21(160) 5'-CCA 3'	9(122) 5'-gTT 3'	167(596) 5'-gCA 3'	43(226) 5'-ACA 3'	23(164) 5'-gCg 3'	48(241) 5'-ggA 3'	15(140) 5'-gTA 3'
	38(210) 5'-gCg 3'		23(164) 5'-gCg 3'		54(259) 5'-ggT 3'	59(272) 5'-CgT 3'			45(230) 5'-ggA 3'		52(251) 5'-gCT 3'	144(529) 5'-CCg 3'
											130(485) 5'-CCA 3'	
3'-primer(s) ³	77(327) 5'-ACg 3'	77(327) 5'-ACg 3'	69(304) 5'-CTC 3'	77(327) 5'-ACg 3'	77(327) 5'-ACg 3'	77(327) 5'-ACg 3'	77(326) 5'-CCg 3'	185(650) 5'-CgA 3'	77(327) 5'-ACg 3'	57(267) 5'-gCA 3'	77(327) 5'-ACg 3'	77(327) 5'-ACg 3'
											169(604) 5'-gAC 3'	185(650) 5'-CgA 3'
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18
Length of spec. PCR product	185	160	150	200	195	245
Length of int. pos. control ¹	430	430	430	430	430	430
5'-primer(s) ²	139(514) 5'-CAA 3'	146(533) 5'-CCT 3'	26(173) 5'-ggg 3'	23(166) 5'-gCT 3'	23(164) 5'-gCg 3'	26(173) 5'-ggg 3'
			130(485) 5'-CCA 3'			
3'-primer(s) ³	187(656) 5'-ACA 3'	185(650) 5'-CgA 3'	58(271) 5'-CTA 3'	77(327) 5'-ACg 3'	73(316) 5'-CgC 3'	93(376) 5'-TCA 3'
			169(604) 5'-gAC 3'			
Well No.	13	14	15	16	17	18

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

CELL LINE VALIDATION SHEET																			
DQB1*04 SSP subtyping kit ²																			
				Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				201560701	201550702	201560703	201432104	201432105	201550706	201560707	201432108	201432109	201432110	201673711	201550712	201432113	201432114	201673715	201673716
	IHWC cell line ¹	DQB1	Production No.																
1	9001 SA	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*06:01	*02:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324	*06:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*05:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*03:02	*06:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020 QBL	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*03:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*04:01		+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*04:02		+	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*02:01	*06:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*06:02	*02:02	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-
19	9038 BM16	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*06:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*05:03	*06:04	-	-	-	-	-	-	-	-	-	-	W	-	-	-	W	-
23	9124 IHL	*05:03	*06:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*04:01	*05:01	+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*02:02	*03:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*04:02		+	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*03:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*03:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*03:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*06:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*02:01	*03:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*02:02	*03:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*06:09		-	-	-	-	-	-	-	-	-	-	W	-	-	-	W	-
42	9066 TAB089	*06:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*05:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*06:02		-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

CELL LINE VALIDATION SHEET							
DQB1*04 SSP subtyping kit²							
					Well		
					17 18		
					Production No.	201673717	201673718
IHC cell line¹		DQB1					
1	9001	SA	*05:01		-	-	
2	9280	LK707	*06:01	*02:02	-	-	
3	9011	E4181324	*06:01		-	-	
4	9275	GU373	*02:01		-	-	
5	9009	KAS011	*05:02		-	-	
6	9353	SM	*03:02	*06:01	-	-	
7	9020	QBL	*02:01		-	-	
8	9025	DEU	*03:01		-	-	
9	9026	YAR	*03:02		-	-	
10	9107	LKT3	*04:01		-	-	
11	9051	PITOUT	*02:02		-	-	
12	9052	DBB	*03:03		-	-	
13	9004	JESTHOM	*05:01		-	-	
14	9071	OLGA	*04:02		-	-	
15	9075	DKB	*03:03		-	-	
16	9037	SWEIG007	*03:01		-	-	
17	9282	CTM3953540	*02:01	*06:03	-	-	
18	9257	32367	*06:02	*02:02	-	-	
19	9038	BM16	*03:01		-	-	
20	9059	SLE005	*06:04		-	-	
21	9064	AMALA	*03:01		-	-	
22	9056	KOSE	*05:03	*06:04	-	-	
23	9124	IHL	*05:03	*06:01	-	-	
24	9035	JBUSH	*03:01		-	-	
25	9049	IBW9	*02:02		-	-	
26	9285	WT49	*02:01		-	-	
27	9191	CH1007	*04:01	*05:01	-	-	
28	9320	BEL5GB	*02:02	*03:01	-	-	
29	9050	MOU	*02:02		-	-	
30	9021	RSH	*04:02		-	-	
31	9019	DUCAF	*02:01		-	-	
32	9297	HAG	*03:01		-	-	
33	9098	MT14B	*03:02		-	-	
34	9104	DHIF	*03:01		-	-	
35	9302	SSTO	*03:05		-	-	
36	9024	KT17	*03:02		-	-	
37	9065	HHKB	*06:03		-	-	
38	9099	LZL	*03:01		-	-	
39	9315	CML	*02:01	*03:01	-	-	
40	9134	WHONP199	*02:02	*03:03	-	-	
41	9055	H0301	*06:09		-	-	
42	9066	TAB089	*06:01		-	-	
43	9076	T7526	*03:03		-	-	
44	9057	TEM	*05:03		-	-	
45	9239	SHJO	*02:02		-	-	
46	9013	SCHU	*06:02		-	-	
47	9045	TUBO	*03:01		-	-	
48	9303	TER-ND	*05:01		-	-	

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 4 to 6, 9, 10, 12 to 14 and 16 to 18 were available. The specificities of the primers in primer solutions 4, 5, 9 and 10 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer.

In primer solutions 6, 12, 14 and 16 it was only possible to test the 3'-primers, the 5'-primers were not possible to test. In primer solutions 13, 17 and 18 it was only possible to test the 5'-primer, the 3'-primer was not possible to test. In primer solutions 3, 5, 9, 11 and 15 one or more 5'-primers were not possible to test.

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

101.215-12 – including *Taq* pol., IFU-01
101.215-12u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **5E2**

Lot-specific Information

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup-ssp.com

Web page: <http://www.olerup.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.