

101.901-24 – including *Taq* polymerase

101.901-24u – without *Taq* polymerase

Lot No.: 3H2

Olerup SSP® DQB1*06:02,DQA1*01:02

Product number:	101.901-24 – including <i>Taq</i> polymerase 101.901-24u – without <i>Taq</i> polymerase
Lot number:	3H2
Expiry date:	2021-07-01
Number of tests:	24
Number of wells per test:	7+1

The DQB1*06:02,DQA1*01:02 kit has been redesigned and improved with regards to allelic detection and discrimination and facilitated interpretation. The kit resolution focuses on common and well documented (CWD) alleles¹.

This lot contains 7 primer mixes for the DQA1, DQB1 and DRB1 alleles and includes a negative control.

Positive and negative control DNAs are included in the kit.

The DQB1*06:02,DQA1*01:02 primer set is unchanged compared to the previous Olerup SSP® DQB1*06:02,DQA1*01:02 Lot (**Lot No. 4G6**).

THE NUMBER OF WELLS is unchanged.

¹S. J. Mack¹, P. Cano², J. A. Hollenbach¹ et al.

Common and well-documented HLA alleles: 2012 update to the CWD catalogue. Tissue Antigens, 2013, 81, 194–203

ALLELE COVERAGE:

DQA1, DQB1 and DRB1 alleles recognized by the HLA Nomenclature Committee in October 2018^{1,2} have been considered in the specificity and interpretation tables of the DQB1*06:02,DQA1*01:02 kit.

¹DQA1, DQB1 and DRB1 alleles listed on the IMGT/HLA web page 2018-October-18, release 3.34.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

RESOLUTION IN DQB1*06 AND DQA1*01 HOMO- AND HETEROZYGOTES:

Very good.

INFLUENCE ON THE INTERPRETATION OF DQB1*06:02, DQA1*01:02 SUBTYPINGS BY OTHER ALLELES:

None of importance.

MODIFICATIONS MADE DUE TO COMMENTS FROM CUSTOMERS:

No suggestions received.