

Olerup SSP[®] DR low resolution

Product number:	101.101-48u/12u – without <i>Taq</i> pol.
Lot number:	59M
Expiry date:	2014-March-01
Number of tests:	48 tests – Product No. 101.101-48u 12 tests – Product No. 101.101-12u
Number of wells per test:	23 + 1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 59M.

CHANGES COMPARED TO THE PREVIOUS *OLERUP SSP*[®] DR LOW RESOLUTION LOT

The DR low resolution specificity and interpretation tables have been updated for the HLA-DRB1 alleles described since the previous *Olerup SSP*[®] DR low resolution lot was made (**Lot No. 05L**).

The DR low primer set is unchanged compared to the previous lot.

Change in revision R01 compared to R00:

1. Primer mix 4 may have a tendency of giving rise to nonspecific amplifications.

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

Well **24** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup SSP*[®] HLA Class I, DRB, DQB1 and DPB1 amplicons as well as the amplicons generated by control primer pairs.

PCR product sizes range from 75 to 430 base pairs.

The PCR product generated by the control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80
5'-primer¹	164	340	440	45	45	43
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}
3'-primer²	231	2nd I	507	59	58	57
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}
A*	+	+	+			
B*	+	+	+			
C*	+	+	+			
DRB1				+	+	
DRB3				+	+	
DRB5				+		
DQB1					+	
DPB1						+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

PRODUCT DESCRIPTION

DR low resolution

CONTENT

The primer set contains 5'- and 3'-primers for grouping the DRB1*01:01 to DRB1*10:03 alleles into the corresponding serological groups DR1 to DR18 as well as primer pairs for recognizing the DRB3, DRB4 and DRB5 groups of alleles.

PLATE LAYOUT

Each test consists of 24 PCR reactions in a 24 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24

Wells 1 to 23 – DR low resolution primers.

Well 24 – Negative Control.

The 24 well cut PCR plate is marked with ‘DR low’ in silver/gray ink.

Well No. 1 is marked with the Lot No. ‘59M’.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 24 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Only HLA-DRB alleles will be amplified by the 23 wells of the DR low resolution primer set, **wells 1 to 23**. Thus, the interpretation of DR low resolution typings is not influenced by other HLA class II genes.

UNIQUELY IDENTIFIED ALLELES

All the HLA-DRB1, -DRB3, -DRB4¹ and -DRB5 alleles, i.e. **DRB1*01:01:01 to 10:03, DRB3*01:01:02:01 to DRB3*03:03, DRB4*01:01:01:01 to DRB4*01:08, DRB5*01:01:01 to DRB5*02:05**, recognized by the HLA Nomenclature Committee in October 2010² will be amplified by the primers in the DR low resolution SSP kit. The HLA-DRB alleles will be grouped into their corresponding serological specificities³.

¹The DRB4*02:01N and DRB4*03:01N null alleles will not be amplified by the DR low resolution primer set.

²DRB alleles listed on the IMGT/HLA web page 2010-October-15, release 3.2.0, www.ebi.ac.uk/imgt/hla.

³The DRB1*08:09 and the DRB1*14:15 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets. The DRB1*08:20 and the DRB1*13:18, 13:47 and 13:55 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*08:31, 08:41 and DRB1*11:67 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*13:13 and DRB1*14:84 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

SPECIFICITY TABLE

DR low resolution primer set

Specificities and sizes of the PCR products of the 24 primer mixes of the DR low resolution primer set

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	DR serology ³	Amplified HLA-DRB ⁴ alleles
1^{6,7}	200 bp, 255 bp	515 bp	1	*01:01:01-01:02:05, 01:04-01:34
2	200 bp	430 bp	1/103	*01:03
3⁶	200 bp, 215 bp	430 bp	2, 15	*15:01:01:01-15:51
4⁹	210 bp	430 bp	16	*16:01:01-16:05:02, 16:07-16:17
5^{5,6,11}	120 bp, 220 bp	430 bp	3, 11, 17, 18	*03:01:01:01-03:58, 11:07, 11:53, 15:25
6^{5,6,11}	80 bp, 210 bp	430 bp	3, 6, 11, 13, 14, 17	*03:01:01:01-03:01:09, 03:04-03:06, 03:08-03:16, 03:18-03:20, 03:22-03:23, 03:25-03:26, 03:28, 03:30-03:31, 03:33-03:34, 03:36-03:37, 03:43-03:48, 03:50-03:52, 03:54-03:58, 08:40, 11:02:01-11:03, 11:11:01-11:11:02, 11:14:01-11:14:02, 11:16, 11:20-11:21, 11:36, 11:40-11:41, 11:48, 11:59, 11:63, 11:65:01-11:65:02, 11:68, 11:70, 11:73, 11:76, 11:79-11:80, 11:83, 11:85-11:87, 11:93, 13:01:01-13:04, 13:08, 13:10, 13:15-13:17, 13:19-13:20, 13:22-13:24, 13:27-13:29, 13:31-13:41, 13:43, 13:45, 13:48, 13:51-13:54, 13:57, 13:59, 13:61, 13:63-13:66:02, 13:68-13:76, 13:78-13:81, 13:83-13:85, 13:87-13:99, 13:101-13:102, 14:16, 14:19, 14:21, 14:82, 14:95
7^{5,6}	85 bp, 210 bp	430 bp	3, 6, 11, 13, 14, 1403, 18	*03:02:01-03:03, 03:27, 03:29, 03:38, 03:53, 11:13:01 ^w -11:13:02 ^w , 11:26, 11:34, 13:15, 13:19, 13:26, 13:44, 13:53, 13:57, 13:85-13:86, 14:02-14:03:02, 14:06:01-14:06:02, 14:09, 14:12:01-14:13, 14:17-14:21, 14:24, 14:27, 14:29-14:30, 14:32:01 ^w -14:32:02 ^w , 14:33, 14:40-14:41, 14:47-14:49, 14:51, 14:63, 14:65 ^w , 14:67, 14:77-14:78, 14:80-14:81, 14:83, 14:85, 14:89, 14:94, 14:98
8^{5,6}	100 bp, 175 bp	430 bp	3, 4	*04:01:01-04:92

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

9⁶	210 bp, 230 bp	430 bp	7, 13, 14	*07:01:01:01-07:01:03, 07:03-07:19, 12:22, 13:17, 14:50
10⁶	170 bp, 215 bp, 250 bp	515 bp	8, 11, 12, 14	*08:01:01-08:19, 08:21-08:41, 11:67, 12:04, 12:16, 12:22, 14:11, 14:15, 14:68, 14:93
11^{5,6}	85 bp, 135 bp, 180 bp	430 bp	3, 9, 11	*03:08, 09:01:02-09:09, 11:07, 11:53
12⁷	205 bp	430 bp	10	*10:01:01-10:03
13^{5,6}	100 bp, 170 bp	430 bp	3, 8, 11, 13, 14	*03:08, 08:31, 08:41, 11:01:01-11:70, 11:72-11:98
14^{5,6}	85 bp, 105 bp	430 bp	12	*08:32, 12:01:01-12:26
15	215 bp	430 bp	6, 11, 13, 14, 1403	*08:20-08:21, 11:01:01-11:04:06, 11:06:01- 11:06:02, 11:08:01-11:12:02, 11:14:01- 11:16, 11:18-11:21, 11:23-11:25, 11:27:01- 11:33, 11:35-11:51, 11:54:01-11:54:02, 11:56-11:66, 11:68, 11:70, 11:72-11:81, 11:83-11:88, 11:90-11:97, 13:01:01-13:08, 13:10-13:16, 13:18-13:43, 13:45-13:85, 13:87-13:103, 14:03:01-14:03:02, 14:12:01-14:12:02, 14:16, 14:19, 14:21- 14:22, 14:25, 14:27, 14:40, 14:53, 14:63, 14:67, 14:69, 14:74, 14:77-14:78, 14:84- 14:85, 14:98
16⁶	195 bp, 215 bp	430 bp	6, 8, 11, 12, 13, 14	*08:01:01-08:02:03, 08:04:01-08:09, 08:11, 08:16-08:17, 08:20-08:22, 08:24, 08:26, 08:28, 08:31, 08:39, 08:41, 11:01:01- 11:06:02, 11:09-11:12:02, 11:14:01-11:16, 11:20-11:21, 11:23-11:25, 11:27:01-11:30, 11:32-11:33, 11:35-11:41, 11:43-11:44, 11:46-11:51, 11:54:01-11:56, 11:58:01- 11:63, 11:65:01-11:70, 11:72, 11:74-11:78, 11:80-11:88, 11:90-11:97, 12:02:01- 12:02:05, 12:13, 12:15-12:16, 12:18-12:21, 12:23, 12:26, 13:01:01-13:02:01, 13:02:03- 13:02:04, 13:04-13:05:02, 13:07:01-13:09, 13:11:01-13:11:02, 13:14:01-13:24, 13:26- 13:29, 13:31-13:32, 13:34-13:36, 13:38- 13:43, 13:45-13:55, 13:57, 13:59, 13:61- 13:65, 13:67-13:76, 13:78-13:80, 13:83- 13:84, 13:87, 13:91-13:93, 13:96-13:100, 13:102-13:103, 14:15-14:16, 14:22, 14:24- 14:25, 14:27, 14:37, 14:53, 14:73
17¹¹	175 bp	430 bp	3, 6, 11, 13, 14,	*03:01:01:01-03:07, 03:09, 03:11:01-03:41, 03:43-03:45, 03:47-03:58, 08:20,

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

			1403, 17, 18	13:01:01-13:16, 13:18-13:42, 13:44, 13:46-13:66:02, 13:68-13:102, 14:02-14:03:02, 14:05:01-14:06:02, 14:09, 14:12:01-14:14, 14:17-14:21, 14:23:01, 14:23:03-14:24, 14:27, 14:29-14:30, 14:33, 14:36-14:37, 14:40-14:45, 14:47-14:48, 14:51, 14:56, 14:59, 14:63-14:65, 14:67, 14:77-14:78, 14:80-14:81, 14:83-14:85, 14:89, 14:91, 14:94-14:96, 14:98, 14:100
18 ^{5,6,10}	100 bp, 140 bp, 155 bp	430 bp	4, 6, 8, 13, 14, 1404	*04:62, 04:69, 04:73, 08:08, 11:69, 11:82, 13:45, 14:01:01-14:01:02, 14:04, 14:07:01-14:07:02, 14:10, 14:16, 14:22, 14:25-14:26, 14:28, 14:31-14:32:02, 14:35, 14:37-14:39, 14:49-14:50, 14:53-14:55, 14:57-14:58, 14:60-14:62, 14:68-14:71, 14:73-14:76, 14:79, 14:82, 14:86-14:88, 14:90, 14:93, 14:99, DRB4*01:03:01:02N
19 ^{5,6,8}	110 bp, 135 bp, 170 bp	430 bp	3, 4, 6, 9, 11, 13, 14, 1404	*03:10, 09:01:02-09:01:05, 09:01:07-09:02:02, 09:04-09:09, 11:13:01-11:13:02, 11:17, 11:52, 13:43, 14:01:01-14:02, 14:04-14:11, 14:13-14:14, 14:16-14:18, 14:19 ^w , 14:20, 14:21 ^w , 14:22-14:23:03, 14:26, 14:28-14:36, 14:38-14:39, 14:41, 14:43-14:52, 14:54-14:57, 14:59-14:62, 14:64-14:65, 14:68, 14:70-14:76, 14:79-14:83, 14:86-14:88, 14:90-14:97, 14:99-14:100, 15:27, 15:34
20 ^{5,6,7}	110 bp, 175 bp, 225 bp	430 bp	2 ^w , 3, 4, 6, 8, 11, 13, 14, 1403, 1404, 16 ^w	*03:10, 08:09, 08:20-08:21, 08:32, 08:35, 11:13:01-11:13:02, 11:17, 11:23, 11:25, 11:31, 11:45, 11:52, 11:55, 11:64, 11:89, 11:96, 13:13, 13:18, 13:43, 13:45, 13:47, 13:55, 14:01:01-14:01:03, 14:03:01-14:05:03, 14:07:01-14:08, 14:10-14:12:02, 14:14-14:16, 14:18, 14:22-14:23:03, 14:25-14:28, 14:31-14:32:02, 14:34-14:36, 14:38-14:40, 14:42-14:45, 14:49-14:50, 14:53-14:65, 14:67-14:79, 14:81-14:82, 14:84-14:93, 14:95-14:97, 14:99-14:100, 15:21 ^w , 16:04 ^w
21 ^{6,11}	160 bp, 240 bp	430 bp	52	DRB3*01:01:02:01-01:14, DRB3*02:01-02:25, DRB3*03:01:01-03:03
22 ¹⁰	215 bp	430 bp	53	DRB4*01:01:01:01-01:08
23	175 bp	430 bp	51	DRB5*01:01:01-01:14, DRB5*02:02-02:05
24 ¹²	-	-		Negative control

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

¹ Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DR low resolution SSP subtypings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers, e.g. the primers in wells 3, 18, 19 and 20.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

² The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 430 base pairs, for most wells, or a band of 515 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to help in the correct orientation of the DR low resolution typing.

In addition, well number 10 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

³ The serological reactivity of all DRB alleles is not known. In this table we use the information in the HLA Dictionary 2004 on the www.ebi.ac.uk/imgt/hla web site, the information available at the www.worldmarrow.org web site and the expert-assigned serological grouping in Tissue Antigens (2009) **73**:95-170.

⁴ For several DRB alleles only partial second exon nucleotide sequences are available. In these instances it is not known whether some of the primers of the SSP set are completely matched with the target sequences or not. We assume that unknown sequences in the first hyperpolymorphic region of the second exon of DRB alleles are conserved within allelic groups and that unknown sequences of codons 87 to 92 are identical with the DRB1*0101 consensus sequence.

The DRB1*08:09 and the DRB1*14:15 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*08:20 and the DRB1*13:18, 13:47 and 13:55 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*08:31, 08:41 and DRB1*11:67 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

The DRB1*13:13 and DRB1*14:84 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁵ Specific PCR fragments shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR bands.

⁶ Individual alleles can give rise to two differently sized specific PCR fragments in primer mix 1, 3, 5 to 11, 13, 14, 16 and 18 to 21.

⁷ Primer mixes 1, 12 and 20 may have tendencies of primer oligomer formation.

⁸ Primer mix 19 has a tendency of primer oligomer formation and also has an intense primer cloud due to the high number of primers present in the primer mix.

⁹ Primer mix 4 may have tendencies of unspecific amplifications.

¹⁰ The DRB4*01:03:01:02N allele is amplified by the primer pairs in wells 18 and 22, whereas the DRB4*02:01N and DRB4*03:01N null alleles are not amplified by these primer pairs.

¹¹ Due to sharing of sequence motifs in codon 38, DRB3*01:14 will also be amplified in primer mixes 5, 6 and 17 in addition to primer mix 21.

¹² Primer mix 24 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by control primer pairs. PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the control primer pair is 430 base pairs.

‘w’, might be weakly amplified.

‘?’, nucleotide sequence information not available for the primer matching sequence.

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

INTERPRETATION TABLE													
DR low resolution SSP typing													
Amplification patterns of the DRB1*01:01 to DRB1*10:03 alleles													
	Well ⁶												
	1	2	3	4	5	6	7	8	9	10	11	12	
Length of spec.	200	200	200	210	120	80	85	100	210	170	85	205	
PCR product(s)	255		215		220	210	210	175	230	215	135		
Length of int.										250	180		
Length of int. pos. control ¹	515	430	430	430	430	430	430	430	430	515	430	430	
5'-primer(s) ²	13 (124) 5'-A.T ^{3'}	14 (129) 5'-gAA ^{3'}	13 (126) 5'-Agg ^{3'}	13 (126) 5'-Agg ^{3'}	13 (125) 5'-gTC ^{3'}	13 (125) 5'-gTC ^{3'}	13 (125) 5'-gTC ^{3'}	13 (125) 5'-ACA ^{3'}	14 (127) 5'-ATA ^{3'}	16 (133) 5'-gTT ^{3'}	26 (165) 5'-TAT ^{3'}	31 (178) 5'-gCg ^{3'}	
	14 (129) 5'-gAA ^{3'}		13 (126) 5'-Aag ^{3'}	13 (126) 5'-Aag ^{3'}	47 (227) 5'-gTT ^{3'}	16 (133) 5'-gTT ^{3'}		13 (125) 5'-ACC ^{3'}	14 (127) 5'-ATA ^{3'}	16 (133) 5'-gTT ^{3'}	58 (261) 5'-gag ^{3'}		
								13 (125) 5'-ATA ^{3'}	16 (133) 5'-gTT ^{3'}				
								13 (125) 5'-gTC ^{3'}					
3'-primer(s) ³	67 (286) 5'-gAg ^{3'}	67 (286) 5'-gAT ^{3'}	67 (286) 5'-gAT ^{3'}	67 (286) 5'-gAA ^{3'}	73 (305) 5'-ggC ^{3'}	26 (164) 5'-ggT ^{3'}	28 (171) 5'-CTC ^{3'}	33 (184) 5'-gTg ^{3'}	71 (298) 5'-CTC ^{3'}	58 (260) 5'-CCT ^{3'}	57 (257) 5'-CgA ^{3'}	86 (344) 5'-CAC ^{3'}	
	67 (286) 5'-gAg ^{3'}		70 (295) 5'-CTg ^{3'}	67 (286) 5'-gAg ^{3'}	73 (305) 5'-ggC ^{3'}	71 (299) 5'-gCT ^{3'}	70 (295) 5'-CTg ^{3'}	58 (260) 5'-Cgg ^{3'}	73 (305) 5'-ggC ^{3'}	74 (307) 5'-Cag ^{3'}	73 (305) 5'-ggC ^{3'}	86 (344) 5'-CCA ^{3'}	
	67 (286) 5'-gAT ^{3'}		70 (295) 5'-Tg ^{3'}	70 (297) 5'-CTg ^{3'}	74 (308) 5'-CCC ^{3'}				77 (317) 5'-AAT ^{3'}	86 (344) 5'-CAC ^{3'}	78 (319) 5'-CAC ^{3'}		
	71 (299) 5'-gCg ^{3'}		71 (298) 5'-CgC ^{3'}	72 (301) 5'-ggC ^{3'}					78 (319) 5'-CAC ^{3'}				
	86 (344) 5'-CCA ^{3'}		71 (299) 5'-gCT ^{3'}										
			73 (305) 5'-ggC ^{3'}										
Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

INTERPRETATION TABLE													
DR low resolution SSP typing													
Amplification patterns of the DRB1*01:01 to DRB1*10:03 alleles													
Well ⁶													
13	14	15	16	17	18	19	20	21	22	23	24		
100	85	215	195	175	100	110	110	160	215	175	Neg. Control	Length of spec. PCR product(s)	
170	105		215		140	135	175	240				Length of int. pos. control ¹	
					155	170	225					5'-primer(s) ²	
430	430	430	430	430	430	430	430	430	430	430	Negative Control	3'-primer(s) ³	
13 (125)	16 (133)	10 (116)	10 (116)	13 (125)	1 st 5'-CAA ^{3'}	26 (164)	13 (125)	10 (116)	28 (170)	13 (125)			
5'-gTC ^{3'}	5'-gTT ^{3'}	5'-gCT ^{3'}	5'-gCT ^{3'}	5'-gTC ^{3'}	5'-CAA ^{3'}	5'-gTA ^{3'}	5'-gTC ^{3'}	5'-gCT ^{3'}	5'-gAT ^{3'}	5'-gTA ^{3'}			
16 (133)		12 (122)	12 (122)		37 (197)	34 (189)	34 (189)	10 (116)					
5'-gTC ^{3'}		5'-TAT ^{3'}	5'-TAT ^{3'}		5'-gTT ^{3'}	5'-CAG ^{3'}	5'-CAG ^{3'}	5'-gCT ^{3'}					
38 (200)		13 (125)	13 (125)		37 (197)			38 (199)					
5'-CgT ^{3'}		5'-gTC ^{3'}	5'-gTC ^{3'}		5'-gTA ^{3'}			5'-TCC ^{3'}					
			16 (133)										
			5'-gTT ^{3'}										
			16 (133)										
			5'-gTC ^{3'}										
58 (260)	30 (175)	70 (295)	67 (286)	58 (260)	42 (213)	57 (257)	57 (257)	51 (239)	87 (346)	57 (258)			
5'-CCT ^{3'}	5'-gTg ^{3'}	5'-gTC ^{3'}	5'-gAA ^{3'}	5'-Cgg ^{3'}	5'-TCA ^{3'}	5'-CAG ^{3'}	5'-CAG ^{3'}	5'-CCC ^{3'}	5'-CTC ^{3'}	5'-gCg ^{3'}			
58 (260)	38 (199)	71 (299)	71 (298)	58 (260)	57 (257)	70 (295)	60 (265)	77 (317)	87 (346)	58 (260)			
5'-CCT ^{3'}	5'-CAG ^{3'}	5'-gCT ^{3'}	5'-CgC ^{3'}	5'-CAG ^{3'}	5'-CAG ^{3'}	5'-CTg ^{3'}	5'-gTg ^{3'}	5'-AAT ^{3'}	5'-CTT ^{3'}	5'-CCT ^{3'}			
58 (260)			71 (298)		71 (298)	70 (296)	70 (296)						
5'-CCT ^{3'}			5'-CTC ^{3'}		5'-CgC ^{3'}	5'-TCC ^{3'}	5'-TCC ^{3'}						
							74 (307)						
							5'-CAG ^{3'}						
13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12
DRB1 allele⁴	ser⁵												
*01:01:01-01:02:05, 01:04-01:34	DR1, Null, –	1											
*01:03	DR1, DR 103		2										
*03:01:01-01-03:01:09, 03:04-03:06, 03:09, 03:11:01-03:16, 03:18- 03:20, 03:22-03:23, 03:25- 03:26, 03:28, 03:30-03:31, 03:33-03:34, 03:36-03:37, 03:43-03:45, 03:47-03:48, 03:50-03:52, 03:54-03:58	DR17, DR3, –					5	6						
*03:02:01-03:03, 03:27, 03:29, 03:38, 03:53	DR3, DR18, –					5		7					
*03:07, 03:17, 03:21, 03:24, 03:32, 03:35, 03:39-03:41, 03:49	DR3, –					5							
*03:08	DR3					5	6					11	
*03:10	DR3					5	6						
*03:42	–					5							
*03:46	–					5	6						
*04:01:01-04:61, 04:63- 04:68, 04:70-04:72:02, 04:74-04:92	DR3, DR4, Null, –								8				
*04:62, 04:69, 04:73	DR4, –								8				
*07:01:01-01-07:01:03, 07:03-07:19	DR7, Null, –									9			
*08:01:01-08:02:03, 08:04:01-08:07, 08:11, 08:16-08:17, 08:22, 08:24, 08:26, 08:28, 08:39	DR8, –										10		
*08:03:02, 08:10, 08:12- 08:15, 08:18-08:19, 08:23, 08:25, 08:27, 08:29- 08:30:02, 08:33-08:34, 08:36-08:38	DR8, –										10		
*08:08	DR8										10		
*08:09, 14:15 ⁷	DR8										10		
Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.
												ser ⁵	DRB1 allele ⁴
												DR1, Null, -	*01:01:01-01:02:05, 01:04-01:34
												DR1, DR 103	*01:03
				17								DR17, DR3, -	*03:01:01:01-03:01:09, 03:04-03:06, 03:09, 03:11:01-03:16, 03:18-03:20, 03:22-03:23, 03:25-03:26, 03:28, 03:30-03:31, 03:33-03:34, 03:36-03:37, 03:43-03:45, 03:47-03:48, 03:50-03:52, 03:54-03:58
				17								DR3, DR18, -	*03:02:01-03:03, 03:27, 03:29, 03:38, 03:53
				17								DR3, -	*03:07, 03:17, 03:21, 03:24, 03:32, 03:35, 03:39-03:41, 03:49
13												DR3	*03:08
						19	20					DR3	*03:10
												-	*03:42
												-	*03:46
												DR3, DR4, Null, -	*04:01:01-04:61, 04:63-04:68, 04:70-04:72:02, 04:74-04:92
					18							DR4, -	*04:62, 04:69, 04:73
												DR7, Null, -	*07:01:01:01-07:01:03, 07:03-07:19
			16									DR8, -	*08:01:01-08:02:03, 08:04:01-08:07, 08:11, 08:16-08:17, 08:22, 08:24, 08:26, 08:28, 08:39
												DR8, -	*08:03:02, 08:10, 08:12-08:15, 08:18-08:19, 08:23, 08:25, 08:27, 08:29-08:30:02, 08:33-08:34, 08:36-08:38
			16		18							DR8	*08:08
			16				20					DR8	*08:09, 14:15 ⁷
13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.

Negative Control

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12
*08:20, 13:18, 13:47, 13:55 ⁸	DR13, –												
*08:21	DR8										10		
*08:31, 08:41, 11:67 ⁹	DR8, DR11, –										10		
*08:32	–										10		
*08:35	–										10		
*08:40	–						6				10		
*09:01:02-09:01:05, 09:01:07-09:02:02, 09:04- 09:09	DR9, –											11	
*09:01:06, 09:03	DR9											11	
*10:01:01-10:03	DR10, –												12
*11:01:01-11:01:12, 11:04:01-11:04:06, 11:06:01- 11:06:02, 11:09-11:10:02, 11:12:01-11:12:02, 11:15, 11:24, 11:27:01-11:30, 11:32-11:33, 11:35, 11:37- 11:39, 11:43-11:44, 11:46- 11:47, 11:49-11:51, 11:54:01-11:54:02, 11:56, 11:58:01-11:58:02, 11:60- 11:62, 11:66, 11:72, 11:74- 11:75, 11:77-11:78, 11:81, 11:84, 11:88, 11:90-11:92, 11:94-11:95, 11:97	DR11, –												
*11:02:01-11:03, 11:11:01- 11:11:02, 11:14:01- 11:14:02, 11:16, 11:20- 11:21, 11:36, 11:40-11:41, 11:48, 11:59, 11:63, 11:65:01-11:65:02, 11:68, 11:70, 11:76, 11:80, 11:83, 11:85-11:87, 11:93	DR11, DR13, –						6						
*11:05	DR11												
*11:07, 11:53	DR11					5						11	
*11:08:01-11:08:02, 11:18- 11:19:02, 11:42, 11:57	DR11												
*11:13:01-11:13:02	DR11							w					
*11:17, 11:52	DR11, DR14												
*11:22, 11:98	–												
Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.
		15	16	17			20					DR13, -	*08:20, 13:18, 13:47, 13:55 ⁸
		15	16				20					DR8	*08:21
13			16									DR8, DR11, -	*08:31, 08:41, 11:67 ⁹
	14						20					-	*08:32
							20					-	*08:35
												-	*08:40
												DR9, -	*09:01:02-09:01:05, 09:01:07-09:02:02, 09:04- 09:09
						19						DR9	*09:01:06, 09:03
												DR10, -	*10:01:01-10:03
13		15	16									DR11, -	*11:01:01-11:01:12, 11:04:01-11:04:06, 11:06:01- 11:06:02, 11:09-11:10:02, 11:12:01-11:12:02, 11:15, 11:24, 11:27:01-11:30, 11:32-11:33, 11:35, 11:37- 11:39, 11:43-11:44, 11:46- 11:47, 11:49-11:51, 11:54:01-11:54:02, 11:56, 11:58:01-11:58:02, 11:60- 11:62, 11:66, 11:72, 11:74- 11:75, 11:77-11:78, 11:81, 11:84, 11:88, 11:90-11:92, 11:94-11:95, 11:97
13		15	16									DR11, DR13, -	*11:02:01-11:03, 11:11:01- 11:11:02, 11:14:01- 11:14:02, 11:16, 11:20- 11:21, 11:36, 11:40-11:41, 11:48, 11:59, 11:63, 11:65:01-11:65:02, 11:68, 11:70, 11:76, 11:80, 11:83, 11:85-11:87, 11:93
13			16									DR11	*11:05
13												DR11	*11:07, 11:53
13		15										DR11	*11:08:01-11:08:02, 11:18- 11:19:02, 11:42, 11:57
13						19	20					DR11	*11:13:01-11:13:02
13						19	20					DR11, DR14	*11:17, 11:52
13												-	*11:22, 11:98
13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.

Negative Control

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12
*11:23, 11:25, 11:96	DR11, –												
*11:26, 11:34	DR11							7					
*11:31, 11:45, 11:64	DR11, –												
*11:55	DR11												
*11:69, 11:82	–												
*11:73, 11:79	–						6						
*11:89	–												
*12:01:01-12:01:03, 12:03:02, 12:05-12:12, 12:14, 12:17, 12:24N-12:25	DR12, Null, –												
*12:02:01-12:02:05, 12:13, 12:15, 12:18-12:21, 12:23, 12:26	DR12, –												
*12:04	DR12										10		
*12:16	–										10		
*12:22	–									9	10		
*13:01:01-13:02:01, 13:02:03-13:02:04, 13:04, 13:08, 13:16, 13:20, 13:22- 13:24, 13:27-13:29, 13:31- 13:32, 13:34-13:36, 13:38- 13:41, 13:48, 13:51-13:52, 13:54, 13:59, 13:61, 13:63- 13:65, 13:68-13:76, 13:78- 13:80, 13:83-13:84, 13:87, 13:91-13:93, 13:96-13:99, 13:102	DR11, DR13, DR14, –						6						
*13:02:02, 13:03:01- 13:03:06, 13:10, 13:33:01- 13:33:03, 13:37, 13:66:01- 13:66:02, 13:81, 13:88- 13:90, 13:94-13:95, 13:101	DR13, –						6						
*13:05:01-13:05:02, 13:07:01-13:07:02, 13:11:01- 13:11:02, 13:14:01- 13:14:03, 13:21:01- 13:21:02, 13:42, 13:46, 13:49-13:50:02, 13:62, 13:100	DR6, DR11, DR13, –												
Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.
13		15	16				20					DR11, -	*11:23, 11:25, 11:96
13												DR11	*11:26, 11:34
13		15					20					DR11, -	*11:31, 11:45, 11:64
13			16				20					DR11	*11:55
13			16		18							-	*11:69, 11:82
13		15										-	*11:73, 11:79
13							20					-	*11:89
	14											DR12, Null, -	*12:01:01-12:01:03, 12:03:02, 12:05-12:12, 12:14, 12:17, 12:24N-12:25
	14		16									DR12, -	*12:02:01-12:02:05, 12:13, 12:15, 12:18-12:21, 12:23, 12:26
	14											DR12	*12:04
	14		16									-	*12:16
	14											-	*12:22
		15	16	17								DR11, DR13, DR14, -	*13:01:01-13:02:01, 13:02:03-13:02:04, 13:04, 13:08, 13:16, 13:20, 13:22- 13:24, 13:27-13:29, 13:31- 13:32, 13:34-13:36, 13:38- 13:41, 13:48, 13:51-13:52, 13:54, 13:59, 13:61, 13:63- 13:65, 13:68-13:76, 13:78- 13:80, 13:83-13:84, 13:87, 13:91-13:93, 13:96-13:99, 13:102
		15		17								DR13, -	*13:02:02, 13:03:01- 13:03:06, 13:10, 13:33:01- 13:33:03, 13:37, 13:66:01- 13:66:02, 13:81, 13:88- 13:90, 13:94-13:95, 13:101
		15	16	17								DR6, DR11, DR13, -	*13:05:01-13:05:02, 13:07:01-13:07:02, 13:11:01- 13:11:02, 13:14:01- 13:14:03, 13:21:01- 13:21:02, 13:42, 13:46, 13:49-13:50:02, 13:62, 13:100
13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.

Negative Control

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12
*13:06, 13:12, 13:25, 13:30, 13:56, 13:58, 13:60, 13:77, 13:82	DR6, DR11, DR13, –												
*13:09	DR13												
*13:13, 14:84 ¹⁰	DR13, –												
*13:15, 13:19, 13:53, 13:57	DR13						6	7					
*13:17	DR13						6			9			
*13:26	DR14							7					
*13:43	DR13						6						
*13:44, 13:86	–							7					
*13:45	DR13						6						
*13:67, 13:103	DR13, –												
*13:85	–						6	7					
*14:01:01-14:01:02, 14:04, 14:07:01-14:07:02, 14:10, 14:26, 14:28, 14:31, 14:35, 14:38-14:39, 14:54-14:55, 14:57, 14:60-14:62, 14:70- 14:71, 14:75-14:76, 14:79, 14:86-14:88, 14:90, 14:99	DR4, DR6, DR14, DR 1404, –												
*14:01:03, 14:08, 14:23:02, 14:34, 14:72, 14:92N, 14:97	DR14, Null, –												
*14:02, 14:06:01-14:06:02, 14:09, 14:13, 14:17, 14:20, 14:29-14:30, 14:33, 14:41, 14:47-14:48, 14:51, 14:80, 14:83, 14:94	DR6, DR14, –							7					
*14:03:01-14:03:02, 14:12:01-14:12:02, 14:40, 14:63, 14:67, 14:77-14:78, 14:85	DR14, DR 1403, DR6, –							7					
*14:05:01-14:05:03, 14:14, 14:23:01, 14:23:03, 14:36, 14:43-14:45, 14:56, 14:59, 14:64, 14:91, 14:96, 14:100	DR14, –												
*14:11	DR14										10		
*14:16	DR6						6						
*14:18, 14:81	DR14, –							7					
*14:19, 14:21	DR14						6	7					
*14:22	DR14												
Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.
		15		17								DR6, DR11, DR13, –	*13:06, 13:12, 13:25, 13:30, 13:56, 13:58, 13:60, 13:77, 13:82
			16	17								DR13	*13:09
		15		17			20					DR13, –	*13:13, 14:84 ¹⁰
		15	16	17								DR13	*13:15, 13:19, 13:53, 13:57
			16									DR13	*13:17
		15	16	17								DR14	*13:26
		15	16			19	20					DR13	*13:43
				17								–	*13:44, 13:86
		15	16		18		20					DR13	*13:45
		15	16									DR13, –	*13:67, 13:103
		15		17								–	*13:85
					18	19	20					DR4, DR6, DR14, DR 1404, –	*14:01:01-14:01:02, 14:04, 14:07:01-14:07:02, 14:10, 14:26, 14:28, 14:31, 14:35, 14:38-14:39, 14:54-14:55, 14:57, 14:60-14:62, 14:70- 14:71, 14:75-14:76, 14:79, 14:86-14:88, 14:90, 14:99
						19	20					DR14, Null, –	*14:01:03, 14:08, 14:23:02, 14:34, 14:72, 14:92N, 14:97
				17		19						DR6, DR14, –	*14:02, 14:06:01-14:06:02, 14:09, 14:13, 14:17, 14:20, 14:29-14:30, 14:33, 14:41, 14:47-14:48, 14:51, 14:80, 14:83, 14:94
		15		17			20					DR14, DR 1403, DR6, –	*14:03:01-14:03:02, 14:12:01-14:12:02, 14:40, 14:63, 14:67, 14:77-14:78, 14:85
				17		19	20					DR14, –	*14:05:01-14:05:03, 14:14, 14:23:01, 14:23:03, 14:36, 14:43-14:45, 14:56, 14:59, 14:64, 14:91, 14:96, 14:100
						19	20					DR14	*14:11
		15	16		18	19	20					DR6	*14:16
				17		19	20					DR14, –	*14:18, 14:81
		15		17		w						DR14	*14:19, 14:21
		15	16		18	19	20					DR14	*14:22
13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.

Negative Control

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

Well No.	DR	1	2	3	4	5	6	7	8	9	10	11	12
*14:24	DR14							7					
*14:25, 14:53	DR6, DR13, 14												
*14:27	DR14							7					
*14:32:01-14:32:02	DR14							w					
*14:37	DR14												
*14:42	–												
*14:46, 14:52	DR14												
*14:49	DR14							7					
*14:50	DR14									9			
*14:58	DR14												
*14:65	DR6							w					
*14:68, 14:93	DR14, –										10		
*14:69	–												
*14:73	–												
*14:74	–												
*14:82	–						6						
*14:89	–							7					
*14:95	–						6						
*14:98	–							7					
*15:01:01:01-15:20, 15:22-15:24, 15:26, 15:28-15:33, 15:35-15:51	DR2,D R15, Null, –			3									
*15:21	DR2			3									
*15:25	–			3		5							
*15:27, 15:34	–			3									
*16:01:01-16:03, 16:05:01-16:05:02, 16:07-16:17	DR16, Null, –				4								
*16:04	DR16				4								
<i>DRB3*01:01:02:01-01:14, DRB3*02:01-02:25, DRB3*03:01:01-03:03</i>	DR52, –												
<i>DRB4*01:01:01:01-01:03:01:01, 01:03:02-01:08</i>	DR53, –												
<i>DRB4*01:03:01:02N</i>	Null												
<i>DRB5*01:01:01-01:14, DRB5*02:02-02:05</i>	DR51, Null, –												
Well No.	ser⁵	1	2	3	4	5	6	7	8	9	10	11	12

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

13	14	15	16	17	18	19	20	21	22	23	24	DR	Well No.
			16	17								DR14	*14:24
												DR6, DR13, 14	*14:25, 14:53
		15	16		18		20					DR14	*14:27
					18	19	20					DR14	*14:32:01-14:32:02
		15	16	17			20					DR14	*14:37
			16	17	18							-	*14:42
				17			20					DR14	*14:46, 14:52
						19						DR14	*14:49
					18	19	20					DR14	*14:50
					18	19	20					DR14	*14:58
					18		20					DR6	*14:65
				17		19	20					DR14,	*14:68, 14:93
					18	19	20					-	
		15			18		20					-	*14:69
			16		18	19	20					-	*14:73
		15			18	19	20					-	*14:74
					18	19	20					-	*14:82
				17			20					-	*14:89
				17		19	20					-	*14:95
		15		17								-	*14:98
												DR2,D R15, Null, -	*15:01:01:01-15:20, 15:22- 15:24, 15:26, 15:28-15:33, 15:35-15:51
							w					DR2	*15:21
												-	*15:25
						19						-	*15:27, 15:34
												DR16, Null, -	*16:01:01-16:03, 16:05:01- 16:05:02, 16:07-16:17
							w					DR16	*16:04
								21				DR52, -	DRB3*01:01:02:01-01:14, DRB3*02:01-02:25, DRB3*03:01:01-03:03
									22			DR53, -	DRB4*01:01:01:01- 01:03:01:01, 01:03:02- 01:08
					18				22			Null	DRB4*01:03:01:02N
										23		DR51, Null, -	DRB5*01:01:01-01:14, DRB5*02:02-02:05
13	14	15	16	17	18	19	20	21	22	23	24	ser ⁵	Well No.

Negative Control

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 430 base pairs, for most wells, or a band of 515 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to help in the correct orientation of the DR low resolution typing.

In addition, well number 10 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to allow kit identification.

²The codon, and in parenthesis the nucleotide, in the 2nd exon or the 1st intron, matching the specificity-determining 3'-end of the primer is given. Codon and nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The codon, and in parenthesis the nucleotide, in the 2nd exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Codon and nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

⁴The sequence of the DRB1*0702 allele has been shown to be identical to DRB1*07:01:01:01.

The sequence of the DRB1*08031 allele has been shown to be identical to DRB1*08:03:02.

The sequence of the DRB1*09011 allele has been shown to be identical to DRB1*09:01:02.

The sequence of the DRB1*1171 allele has been shown to be identical to DRB1*11:02:01.

The sequence of the DRB1*12031 allele has been shown to be identical to DRB1*12:01:01.

The DRB1*1466 allele has been renamed DRB1*14:32:02.

The sequence of the DRB1*1606 allele has been shown to be identical to DRB1*16:05:01.

The sequence of the DRB3*010101 allele has been shown to be identical to DRB3*01:01:02:01.

The DRB4*0101102N allele has been shown to be identical to DRB4*01:03:10:02N.

The sequence of the DRB5*0201 allele has been shown to be identical to DRB5*02:02.

Due to sharing of sequence motifs in codon 38, DRB3*01:14 will also be amplified in primer mixes 5, 6 and 17 in addition to primer mix 21.

⁵The serological reactivity of all DRB alleles is not known. In this table we use the information in the HLA Dictionary 2004 on the www.ebi.ac.uk/imgt/hla web site and the information available at the www.worldmarrow.org web site, the expert-assigned serological grouping in Tissue Antigens (2009) 73:95-170 and have also inferred the serological grouping from the naming of the sequence-defined allele.

⁶Primer mix 24 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by control primer pairs. PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the control primer pair is 430 base pairs.

⁷The DRB1*08:09 and the DRB1*14:15 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁸The DRB1*08:20 and the DRB1*13:18, 13:47 and 13:55 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

⁹The DRB1*08:31, 08:41 and DRB1*11:67 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

¹⁰The DRB1*13:13 and DRB1*14:84 alleles yield identical amplification patterns with the DR low resolution primer set. These alleles can be separated by the respective high resolution primer sets.

'ser', serological HLA specificity.

'w', may be weakly amplified.

CELL LINE VALIDATION SHEET																			
DR low resolution primer set																			
			Prod. No.:	Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				201185101	201185102	201185103	201185104	201185105	201185106	201185107	201185108	201185109	201185110	201185111	201185112	201185113	201185114	201185115	201185116
	IHWC cell line	DRB1																	
1	9001 SA	*01:01		+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*15:02	*04:05	-	-	+	-	-	-	-	+	-	-	-	-	-	-	-	-
3	9011 E4181324	*15:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*03:01		-	-	-	-	+	+	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*16:01		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*04:07	*08:03	-	-	-	-	-	-	-	+	-	+	-	-	-	-	-	-
7	9020 QBL	*03:01		-	-	-	-	+	+	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*04:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
9	9026 YAR	*04:02		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
10	9107 LKT3	*04:05		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
11	9051 PITOUT	*07:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
12	9052 DBB	*07:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
13	9004 JESTHOM	*01:01		+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLG A	*08:02		-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	+
15	9075 DKB	*09:01		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
16	9037 SWEIG007	*11:01		-	-	-	-	-	-	-	-	-	-	-	-	+	-	+	+
17	9282 CTM3953540	*03:01	*13:01	-	-	-	-	+	+	-	-	-	-	-	-	-	-	+	+
18	9257 32367	*09:01	*11:01	-	-	-	-	-	-	-	-	-	-	+	-	+	-	+	+
19	9038 BM16	*12:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
20	9059 SLE005	*13:02		-	-	-	-	-	+	-	-	-	-	-	-	-	-	+	+
21	9064 AMALA	*14:02		-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*13:02	*14:54	-	-	-	-	-	+	-	-	-	-	-	-	-	-	+	+
23	9124 IHL	*08:03	*14:14	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
24	9035 JBUSH	*11:01		-	-	-	-	-	-	-	-	-	-	-	-	+	-	+	+
25	9049 IBW9	*07:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
26	9285 WT49	*03:01		-	-	-	-	+	+	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*04:05	*10:01	-	-	-	-	-	-	-	+	-	-	-	+	-	-	-	-
28	9320 BEL5GB	*04:16	*07:01	-	-	-	-	-	-	-	+	+	-	-	-	-	-	-	-
29	9050 MOU	*07:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
30	9021 RSH	*03:02		-	-	-	-	+	-	+	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*03:01		-	-	-	-	+	+	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*13:03		-	-	-	-	-	+	-	-	-	-	-	-	-	-	+	-
33	9098 MT14B	*04:04		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
34	9104 DHIF	*11:01		-	-	-	-	-	-	-	-	-	-	-	-	+	-	+	+
35	9302 SSTO	*04:03		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
36	9024 KT17	*04:03	*04:06	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
37	9065 HHKB	*13:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	+	+
38	9099 LZL	*14:02		-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-
39	9315 CML	*03:01	*04:01	-	-	-	-	+	+	-	+	-	-	-	-	-	-	-	-
40	9134 WHONP199	*07:01	*09:01	-	-	-	-	-	-	-	-	+	-	+	-	-	-	-	-
41	9055 H0301	*13:02		-	-	-	-	-	+	-	-	-	-	-	-	-	-	+	+
42	9066 TAB089	*08:03		-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
43	9076 T7526	*09:01		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
44	9057 TEM	*14:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*07:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
46	9013 SCHU	*15:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*11:04	*12:01	-	-	-	-	-	-	-	-	-	-	-	-	+	+	+	+
48	9303 TER-ND	*01:03		-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CELL LINE VALIDATION SHEET											
DR low resolution primer set											
				Prod. No.:	Well						
					17	18	19	20	21	22	23
					201185117	201185118	201185119	201185120	201185121	201185122	201185123
	IHWC cell line	DRB1									
1	9001 SA	*01:01			-	-	-	-	-	-	-
2	9280 LK707	*15:02	*04:05		-	-	-	-	-	+	+
3	9011 E4181324	*15:02			-	-	-	-	-	-	+
4	9275 GU373	*03:01			+	-	-	-	+	-	-
5	9009 KAS011	*16:01			-	-	-	-	-	-	+
6	9353 SM	*04:07	*08:03		-	-	-	-	-	+	-
7	9020 QBL	*03:01			+	-	-	-	+	-	-
8	9025 DEU	*04:01			-	-	-	-	-	+	-
9	9026 YAR	*04:02			-	-	-	-	-	+	-
10	9107 LKT3	*04:05			-	-	-	-	-	+	-
11	9051 PITOUT	*07:01			-	-	-	-	-	+	-
12	9052 DBB	*07:01			-	+	-	-	-	+	-
13	9004 JESTHOM	*01:01			-	-	-	-	-	-	-
14	9071 OPGA	*08:02			-	-	-	-	-	-	-
15	9075 DKB	*09:01			-	-	+	-	-	+	-
16	9037 SWEIG007	*11:01			-	-	-	-	+	-	-
17	9282 CTM3953540	*03:01	*13:01		+	-	-	-	+	-	-
18	9257 32367	*09:01	*11:01		-	-	+	-	+	+	-
19	9038 BM16	*12:01			-	-	-	-	+	-	-
20	9059 SLE005	*13:02			+	-	-	-	+	-	-
21	9064 AMALA	*14:02			+	-	+	-	-	-	-
22	9056 KOSE	*13:02	*14:54		+	+	+	+	+	-	-
23	9124 IHL	*08:03	*14:14		+	-	+	+	+	-	-
24	9035 JBUSH	*11:01			-	-	-	-	+	-	-
25	9049 IBW9	*07:01			-	-	-	-	-	+	-
26	9285 WT49	*03:01			+	-	-	-	+	-	-
27	9191 CH1007	*04:05	*10:01		-	-	-	-	-	+	-
28	9320 BEL5GB	*04:16	*07:01		-	-	-	-	-	-	+
29	9050 MOU	*07:01			-	-	-	-	-	-	+
30	9021 RSH	*03:02			+	-	-	-	+	-	-
31	9019 DUCAF	*03:01			+	-	-	-	+	-	-
32	9297 HAG	*13:03			+	-	-	-	+	-	-
33	9098 MT14B	*04:04			-	-	-	-	-	+	-
34	9104 DHIF	*11:01			-	-	-	-	+	-	-
35	9302 SSTO	*04:03			-	-	-	-	-	+	-
36	9024 KT17	*04:03	*04:06		-	-	-	-	-	-	+
37	9065 HHKB	*13:01			+	-	-	-	+	-	-
38	9099 LZL	*14:02			+	-	+	-	+	-	-
39	9315 CML	*03:01	*04:01		+	-	-	-	+	+	-
40	9134 WHONP199	*07:01	*09:01		-	-	+	-	-	+	-
41	9055 H0301	*13:02			+	-	-	-	+	-	-
42	9066 TAB089	*08:03			-	-	-	-	-	-	-
43	9076 T7526	*09:01			-	-	+	-	-	+	-
44	9057 TEM	*14:01			-	+	+	+	+	-	-
45	9239 SHJO	*07:01			-	-	-	-	-	+	-
46	9013 SCHU	*15:01			-	-	-	-	-	-	+
47	9045 TUBO	*11:04	*12:01		-	-	-	-	+	-	-
48	9303 TER-ND	*01:03			-	-	-	-	-	-	-

CERTIFICATE OF ANALYSIS**Olerup SSP® DR low resolution****Product number:** 101.101-48u/12u – without *Taq* pol.**Lot number:** 59M**Expiry date:** 2014-March-01**Number of tests:** 48 tests – Product No. 101.101-48u

12 tests – Product No. 101.101-12u

Number of wells per test: 23 + 1**Well specifications:**

Well No.	Production No.	Well No.	Production No.	Well No.	Production No.
1	2011-851-01	9	2011-851-09	17	2011-851-17
2	2011-851-02	10	2011-851-10	18	2011-851-18
3	2011-851-03	11	2011-851-11	19	2011-851-19
4	2011-851-04	12	2011-851-12	20	2011-851-20
5	2011-851-05	13	2011-851-13	21	2011-851-21
6	2011-851-06	14	2011-851-14	22	2011-851-22
7	2011-851-07	15	2011-851-15	23	2011-851-23
8	2011-851-08	16	2011-851-16		

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

The reactivities of additional 3'-primers in primer solutions 1, 3, 4, 9 to 12, 18 and 20 were tested by separately adding another 5'-primer.

Additional 5'-primers in primer solutions 6, 9, 11, 15, 16 and 18 were tested by separately adding another 3'-primer.

One or more of the 5'-primers in primer solutions 1, 3, 4, 8 to 10, 13, 15 and 16 and one or two of the 3'-primers in primer solutions 1, 3, 4, 13 and 22 were not possible to test.

The negative control primer pairs, **Production No. 2010-760-01**, can detect contamination with PCR products diluted 10^{-7} .

Results: No false positive or false negative amplifications were obtained.

Date of approval: 2011-September-15

Approved by:

Quality Control Supervisor

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

Declaration of Conformity

Product name: *Olerup* SSP® DR low resolution
Product number: 101.101-48u/12u
Lot number: 59M

Intended use: DRB1 low resolution histocompatibility testing

Manufacturer: *Olerup* SSP AB
Franzengatan 5
SE-112 51 Stockholm, Sweden
Phone: +46-8-717 88 27
Fax: +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, conformity assessed using Annex IV, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

The Authorized Representative located within the Community is: *Olerup* SSP AB.

Notified Body: Lloyd’s Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Stockholm, Sweden
2011-September-15

Ann-Cathrin Jareman
Head of QA and Regulatory Affairs

Lot No.: **59M**

Lot-specific information

www.olerup-ssp.com

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: <http://www.olerup-ssp.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.