

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **0M8**

Lot-specific information

**Olerup SSP® DRB1\*09**

<b>Product number:</b>	101.120-06 – including <i>Taq</i> polymerase 101.120-06u – without <i>Taq</i> polymerase
<b>Lot number:</b>	0M8
<b>Expiry date:</b>	2025-03-01
<b>Number of tests:</b>	6
<b>Number of wells per test:</b>	15+1
<b>Storage - pre-aliquoted primers:</b>	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

**This Product Description is only valid for Lot No. 0M8.**

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®  
DRB1\*09 LOT (5K5)**

- The product documentation has been updated for new alleles of IMGT 3.43.0
- The kit resolution focuses on common and well documented (CWD) alleles<sup>1</sup>.

<sup>1</sup>As described in section Uniquely Identified Alleles.

The DRB1\*09 primer set, specificity and interpretation tables have been updated for the DRB alleles described since the previous *Olerup SSP®* DRB1\*09 lot was made (**Lot No 5K5**).

Well	5'-primer	3'-primer	rationale
11	Added	-	5'-primer added for improved resolution of the DRB1*09:07 and 09:20 alleles.

<sup>1</sup>S. J. Mack, P. Cano, J. A. Hollenbach et al.  
Common and well-documented HLA alleles: 2012 update to the CWD catalogue. *Tissue Antigens*, 2013, 81, 194–203

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **0M8**

Lot-specific information

Well **16** contains Negative Control primer pairs, that will amplify the majority of the *Olerup* SSP<sup>®</sup> HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.

The PCR product generated by the positive control primer pair is 200 base pairs.

Length of PCR product	105	200	105	80	75	80	85
<b>5'-primer<sup>1</sup></b>	<b>164</b>	<b>340</b>	<b>440</b>	<b>45</b>	<b>45</b>	<b>43</b>	<b>36</b>
	5'-CAC <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-TTA <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-TAC <sup>3'</sup>
							<b>36</b>
							5'-TAT <sup>3'</sup>
<b>3'-primer<sup>2</sup></b>	<b>231</b>	<b>2<sup>nd</sup> I</b>	<b>507</b>	<b>59</b>	<b>58</b>	<b>57</b>	<b>47</b>
	5'-TgC <sup>3'</sup>	5'-AAA <sup>3'</sup>	5'-TTg <sup>3'</sup>	5'-CTC <sup>3'</sup>	5'-ggC <sup>3'</sup>	5'-CTC <sup>3'</sup>	5'-ACA <sup>3'</sup>
							<b>48</b>
							5'-gCA <sup>3'</sup>
							<b>48</b>
							5'-gCC <sup>3'</sup>
							<b>52</b>
							5'-TgT <sup>3'</sup>
<b>A*</b>	<b>+</b>	<b>+</b>	<b>+</b>				
<b>B*</b>	<b>+</b>	<b>+</b>	<b>+</b>				
<b>C*</b>	<b>+</b>	<b>+</b>	<b>+</b>				
<b>DRB1</b>				<b>+</b>	<b>+</b>		
<b>DRB3</b>				<b>+</b>	<b>+</b>		
<b>DRB5</b>				<b>+</b>			
<b>DQB1</b>					<b>+</b>		
<b>DPB1</b>						<b>+</b>	
<b>DQA1</b>							<b>+</b>

<sup>1</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>2</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon or the 2<sup>nd</sup> intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **OM8**

Lot-specific information

## PRODUCT DESCRIPTION

### DRB1\*09 SSP subtyping

#### CONTENT

The primer set contains 5'- and 3'-primers for identifying the DRB1\*09:01 to DRB1\*09:45 alleles.

#### PLATE LAYOUT

Each test consists of 16 PCR reactions in a 16 well PCR plate.

**Note:** This lot was manufactured using white plastic trays.

<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>
<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>NC</b>

The 16 well PCR plate is marked with ‘DRB1\*09’ in silver/gray ink.

Well No. 1 is marked with the Lot No. ‘OM8’.

Wells 1 to 15 – DRB1\*09 high resolution primers.

Well 16 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

**Please note:** When removing each 16 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

#### INTERPRETATION

Due to the sharing of sequence motifs between DRB1 alleles, non-DRB1\*09 alleles will be amplified by some primer mixes. For further details see Specificity Table.

#### UNIQUELY IDENTIFIED ALLELES

All the DRB1\*09 alleles, i.e. **DRB1\*09:01 to DRB1\*09:45**, recognized by the HLA Nomenclature Committee in January 2021<sup>1,2</sup> will be amplified by the primers in the DRB1\*09 subtyping kit.

The DRB1\*09 kit enables separation of the confirmed DRB1\*09 alleles as listed in the IMGT/HLA database 3.32.0. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for DRB1\*09 alleles is listed below.

The DRB1\*09 kit also enables identification of many null and alternatively expressed alleles.

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **OM8**

Lot-specific information

The following DRB1\*09 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
DRB1*09:09, 09:13, 09:17-09:18	14

<sup>1</sup>DRB alleles listed on the IMGT/HLA web page 2021-January-18, release 3.43.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

<sup>2</sup>Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

## ALLELE CONFIRMATION STATUS

Allele	Status <sup>1</sup>	Allele	Status <sup>1</sup>	Allele	Status <sup>1</sup>
<b>DRB1*09:01:02:01</b>	<b>Confirmed</b>	DRB1*09:10	Unconfirmed	DRB1*09:30	Unconfirmed
DRB1*09:01:02:02	Unconfirmed	DRB1*09:11	Unconfirmed	DRB1*09:31	Unconfirmed
DRB1*09:01:03	Unconfirmed	DRB1*09:12	Unconfirmed	DRB1*09:32	Unconfirmed
DRB1*09:01:04	Unconfirmed	DRB1*09:13	Unconfirmed		
DRB1*09:01:05	Unconfirmed	DRB1*09:14	Unconfirmed		
<b>DRB1*09:01:06</b>	<b>Confirmed</b>	DRB1*09:15	Unconfirmed		
DRB1*09:01:07	Unconfirmed	DRB1*09:16	Unconfirmed		
DRB1*09:01:08	Unconfirmed	DRB1*09:17	Unconfirmed		
DRB1*09:01:09	Unconfirmed	DRB1*09:18	Unconfirmed		
<b>DRB1*09:01:10</b>	<b>Confirmed</b>	DRB1*09:19	Unconfirmed		
DRB1*09:01:11	Unconfirmed	DRB1*09:20	Unconfirmed		
DRB1*09:02:01	Unconfirmed	DRB1*09:21	Unconfirmed		
DRB1*09:02:02	Unconfirmed	DRB1*09:22	Unconfirmed		
DRB1*09:03	Unconfirmed	<b>DRB1*09:23</b>	<b>Confirmed</b>		
<b>DRB1*09:04</b>	<b>Confirmed</b>	DRB1*09:24	Unconfirmed		
DRB1*09:05	Unconfirmed	<b>DRB1*09:25</b>	<b>Confirmed</b>		
<b>DRB1*09:06</b>	<b>Confirmed</b>	DRB1*09:26	Unconfirmed		
DRB1*09:07	Unconfirmed	<b>DRB1*09:27</b>	<b>Confirmed</b>		
DRB1*09:08	Unconfirmed	DRB1*09:28	Unconfirmed		
DRB1*09:09	Unconfirmed	DRB1*09:29	Unconfirmed		

<sup>1</sup>Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2018-April-16, release 3.32.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

## RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in DRB1\*09 homo- and heterozygotes is available upon request.

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **0M8**

Lot-specific information  
**SPECIFICITY TABLE**

**DRB1\*09 SSP subtyping**

**Specificities and sizes of the PCR products of the 15+1 primer mixes used for DRB1\*09 SSP subtyping**

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified DRB1*09 alleles <sup>3</sup>	Other amplified DRB1 alleles
1	250 bp	515 bp	*09:01:02:01-09:04, 09:06, 09:08-09:15, 09:17-09:19, 09:21:01:01-09:45	
2	135 bp	430 bp	*09:01:02:01-09:01:11, 09:03-09:07, 09:09-09:22, 09:25-09:31, 09:33-09:41, 09:43, 09:45	
3	140 bp	430 bp	*09:02:01-09:02:02, 09:42	
4	215 bp 245 bp	430 bp	*09:03 *09:15-09:16	
5	185 bp 215 bp	430 bp	*09:08 *09:04, 09:42	*01:65:01, <b>DRB4*01:125</b>
6 <sup>4</sup>	105 bp 150 bp 250 bp	430 bp	*09:10 *09:11, 09:14 *09:05	*01:65:01, <b>DRB4*01:125</b>
7	220 bp	430 bp	*09:06	
8	150 bp 180 bp	430 bp	*09:19 *09:07, 09:12, 09:20	*07:52
9	130 bp	515 bp	*09:22	
10 <sup>4</sup>	75 bp	515 bp	*09:21:01:01-09:21:01:02	<b>DRB4*01:124</b>
11	195 bp	430 bp	*09:23	*04:90, 04:155, 04:167, 07:50, 13:220, 16:42, <b>DRB5*01:12, DRB5*01:15 DRB5*01:12, DRB5*01:15</b>
12	235 bp 235 bp	430 bp	*09:07 *09:25	
13 <sup>4</sup>	80 bp	430 bp	*09:27	
14 <sup>4</sup>	100 bp 130 bp 205 bp 275 bp	430 bp	*09:17 *09:13 *09:18 *09:09	
15 <sup>4</sup>	95 bp	430 bp	*09:31	
16 <sup>5</sup>	-	-	<b>Negative Control</b>	

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DRB1\*09 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

**Lot No.: 0M8**

#### Lot-specific information

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>For several DRB1 alleles 1st and/or 3rd exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

<sup>4</sup>HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

<sup>5</sup>Primer mix 16 contains a negative control, which will amplify the majority of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 200 base pairs.

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **0M8**

Lot-specific information

### PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	250	135	140	215	185	105	220	150	130	75	195	235
PCR product				245	215	150		180			235	
						250						
Length of int.	515	430	430	430	430	430	430	430	515	515	430	430
pos. control <sup>1</sup>												
5'-primer(s) <sup>2</sup>	9(112) 5'-TgA 3'	26(165) 5'-TAT 3'	26(165) 5'-TAT 3'	9(112) 5'-TgA 3'	9(112) 5'-TgA 3'	9(112) 5'-TgA 3'	26(165) 5'-TAT 3'	9(112) 5'-TgC 3'	9(112) 5'-TgA 3'	196(674) 5'-ACg 3'	13(125) 5'-gTA 3'	26(165) 5'-TAT 3'
								12(123) 5'-AAC 3'			26(165) 5'-TTC 3'	
								21(149) 5'-gAT 3'				
3'-primer(s) <sup>3</sup>	78(319) 5'-CAC 3'	57(257) 5'-CgA 3'	60(266) 5'-AgT 3'	67(286) 5'-gAA 3'	57(256) 5'-gCT 3'	30(176) 5'-TgT 3'	86(344) 5'-CCA 3'	57(257) 5'-CgA 3'	39(203) 5'-AgT 3'	207(706) 5'-CAC 3'	78(319) 5'-CAC 3'	91(359) 5'-gCg 3'
		58(261) 5'-TCA 3'		75(311) 5'-CCC 3'	67(286) 5'-gAg 3'	44(218) 5'-CCC 3'						
		58(261) 5'-TCC 3'		78(319) 5'-CAg 3'		48(229) 5'-CCC 3'						
						78(319) 5'-gTA 3'						
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15
Length of spec.	80	100	95
PCR product		130	
		205	
		275	
Length of int.	430	430	430
pos. control <sup>1</sup>			
5'-primer(s) <sup>2</sup>	26(165) 5'-TAT 3'	9(112) 5'-TgA 3'	-22(25) 5'-gAT 3'
3'-primer(s) <sup>3</sup>	39(202) 5'-gCT 3'	29(172) 5'-TCC 3'	-4(79) 5'-AgC 3'
		39(203) 5'-AgA 3'	
		63(276) 5'-TgT 3'	
		87(348) 5'-CAT 3'	
Well No.	13	14	15

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>2</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **0M8**

Lot-specific information

CELL LINE VALIDATION SHEET																		
DRB1*09 SSP subtyping kit <sup>2</sup>																		
			Well															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
			Production No.	202129901	202129902	202129903	202129904	202129905	202129906	202129907	202129908	202129909	202129910	202129911	202129912	202129913	202129914	202129915
	IHWC cell line <sup>1</sup>	DRB1																
1	9001 SA	*01:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*15:02	*04:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324	*15:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*16:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*04:07	*08:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020 QBL	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*04:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*04:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*04:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*07:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*07:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*01:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*08:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*09:01		+	+	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*11:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*03:01	*13:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*09:01	*11:01	+	+	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*12:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*13:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*13:02	*14:54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*08:03	*14:14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*11:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*07:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*04:05	*10:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*04:16	*07:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*07:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*03:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*13:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*04:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*11:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*04:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*04:03	*04:06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*13:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*03:01	*04:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*07:01	*09:01	+	+	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*13:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*08:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*09:01		+	+	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*14:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*07:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*11:04	*12:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*01:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **OM8**

#### Lot-specific information

<sup>1</sup>The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

<sup>2</sup>The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the allele to be amplified by primer solutions 3 to 15 were available. The specificities of the primers in primer solutions 3 to 8 and 11 were tested by separately adding one or two additional 5'-primers, and one additional 3'-primer accordingly.

In primer solutions 10 and 15 it was only possible to test the 3'-primer, the 5'-primer was not possible to be tested. In primer solutions 9 and 12 to 14 it was only possible to test the 5'-primers, the 3'-primers were not possible to be tested.

In primer mix 8, two 5'-primers were not possible to be tested, and in primer mixes 4 and 6 one or more 3'-primers could not be tested.

In addition, two 3'-primers in primer solution 2 were tested by separately adding one or more 5'-primers.

101.120-06 – including *Taq* polymerase, IFU-01  
101.120-06u – without *Taq* polymerase, IFU-02

Visit <https://labproducts.caredx.com> for  
“Instructions for Use” (IFU)

Lot No.: **0M8**

Lot-specific information

**ADDRESSES:**

**Manufacturer:**

**CareDx AB**, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-508 939 00

**Fax:** +46-8-717 88 18

**E-mail:** [orders-se@caredx.com](mailto:orders-se@caredx.com)

**Web page:** <https://labproducts.caredx.com/>

**CareDx Lab Solutions Inc.**, 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-653-78171

**Fax:** 610-344-7989

**E-mail:** [orders-us@caredx.com](mailto:orders-us@caredx.com)

**Web page:** <https://labproducts.caredx.com/>

For information on CareDx distributors worldwide, contact **CareDx AB**.