

## Olerup SSP<sup>®</sup> DRB1\*16

Product number:	101.126-12 – including <i>Taq</i> polymerase 101.126-12u – without <i>Taq</i> polymerase
Lot number:	29E
Expiry date:	2010-March-01
Number of tests:	12
Number of wells per test:	13
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

**This Product Description is only valid for Lot No. 29E.**

### CHANGES COMPARED TO THE PREVIOUS *OLERUP SSP*<sup>®</sup> DRB1\*16 LOT

The DRB1\*16 specificity and interpretation tables have been updated for the DRB1 alleles described since the previous *Olerup SSP*<sup>®</sup> DRB1\*16 lot was made (Lot No. X22).

Two wells have been added to the DRB1\*16 kit,  
wells **12 and 13**.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
12	New	New	New primer pair for the DRB1*1612 allele.
13	New	New	New primer pair for the DRB1*1613N allele.

## PRODUCT DESCRIPTION

### DRB1\*16 SSP subtyping

#### CONTENT

The primer set contains 5'- and 3'-primers for identifying the DRB1\*1601 to DRB1\*1613N alleles.

#### PLATE LAYOUT

Each test consists of 13 PCR reactions in a 16 well cut PCR plate. Wells 14 to 16 are empty.

<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>
<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	empty	empty	empty

The 16 well cut PCR plate is marked with 'DRB1\*16'.

Well No. 1 is marked with the Lot No. '29E'.

The PCR plates are covered with a PCR-compatible foil.

**Please note:** When removing each 16 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

#### INTERPRETATION

The interpretation of DRB1\*16 PCR-SSP subtypings will be influenced by the DRB1\*15, two DRB1\*11, most DRB1\*12 and two DRB1\*13 alleles, when present on the other haplotype.

#### UNIQUELY IDENTIFIED ALLELES

All the DRB1\*16 alleles, i.e. **DRB1\*1601 to DRB1\*1613N**, recognized by the HLA Nomenclature Committee in January 2008<sup>1</sup> will give rise to unique amplification patterns by the primers in the DRB1\*16 subtyping kit.

The DRB1\*16 subtyping kit cannot distinguish the DRB1\*160101 to DRB1\*160102 alleles or the DRB1\*160201 to DRB1\*160202 alleles or the DRB1\*160501 to DRB1\*160502 alleles.

<sup>1</sup>DRB1 alleles listed on the IMGT/HLA web page 2008-January-11, release 2.20.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

### RESOLUTION IN HOMO- AND HETEROZYGOTES

The 12 DRB1\*16 alleles can be combined in 78 homozygous and heterozygous combinations. Nineteen of these genotypes do not give rise to unique amplification patterns.

+++----- ++---- 1601,1610 = 1602,1609 = 1609,1610  
++----- ++---- 1602,1610 = 1610,1610  
++----- ---+-- 1602,1611 = 1611,1611  
+--+----- ----- 1601,1603 = 1603,1603  
+--+----- ----- 1601,1604 = 1604,1604  
+--+-----+ ----- 1601,1608 = 1608,1608  
+--+----- ++---- 1601,1609 = 1609,1609  
+--+----- -----+ 1601,1613N = 1613N,1613N  
+-----+- ----- 1605,1607 = 1607,1607

## SPECIFICITY TABLE

### DRB1\*16 SSP subtyping

Specificities and sizes of the PCR products of the 13 primer mixes used for DRB1\*16 SSP subtyping

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified DRB1*16 alleles <sup>3</sup>	Other amplified DRB1 Alleles <sup>4</sup>
1	260 bp	<b>515 bp</b>	160101-160502, 1607-1611, 1613N	150201-150204, 1508, 1511, 1514, 1515, 1519, 1526, 1527
2	200 bp	<b>515 bp</b>	160201-160202, 1610, 1611	
3 <sup>5</sup>	200 bp	430 bp	160101-160102, 1603, 1604, 1608, 1609, 1613N	
4	215 bp	430 bp	1603	
5	220 bp	430 bp	1604	1521
6	200 bp	430 bp	160501-160502, 1607	1510, 1521
7	160 bp	<b>515 bp</b>	1607	
8 <sup>6</sup>	110 bp	430 bp	1608	
9	140 bp	430 bp	1609, 1610	150101-1506, 1508, 1510, 1512- 1527
10 <sup>6</sup>	115 bp	430 bp	1609, 1610	110103, 111902, 120101, 120201- 120202, 120302- 1210, 1212-1215, 130202, 1377
11	215 bp	430 bp	1611	
12	220 bp	<b>515 bp</b>	1612	
13	155 bp	430 bp	1613N	

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DRB1\*16 SSP subtypings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective length of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

**Lot No.: 29E**

**Lot-specific information**

**www.olerup.com**

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 430 base pairs, for most wells, or a band of 515 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to help in the correct orientation of the DRB1\*16 subtyping.

In addition, wells number 2, 7 and 12 contain the primer pair giving rise to the longer, 515 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>For several DRB alleles only partial second exon nucleotide sequences are available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. We assume that unknown sequences in the first hyperpolymorphic region of the second exon of DRB alleles are conserved within allelic groups and that unknown sequences of codons 87 to 92 are identical with the DRB1\*0101 consensus sequence.

<sup>4</sup>Due to the sharing of sequence motifs between DRB1 alleles, primer mixes 1, 5, 6, 9 and 10 will amplify other DRB1 alleles.

<sup>5</sup>Primer mix 3 has a tendency of giving rise to primer dimer formation.

<sup>6</sup>Specific PCR fragments shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR bands.

<b>INTERPRETATION TABLE</b>								
<b>DRB1*16 SSP subtyping</b>								
<b>Amplification patterns of the DRB1*1601 to 1613N alleles</b>								
	<b>Well</b>							
	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>
Length of spec.	260	200	200	215	220	200	160	110
PCR product								
Length of int.	<b>515</b>	<b>515</b>	430	430	430	430	<b>515</b>	430
pos. control <sup>1</sup>								
5'-primer <sup>2</sup>	13	13	13	13	13	13	27	13
	5'-Agg <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-C CC <sup>3'</sup>	5'-Agg <sup>3'</sup>
3'-primer(s) <sup>3</sup>	86	67	67	72	74	67	67	37
	5'-C AC <sup>3'</sup>	5'-gAg <sup>3'</sup>	5'-gAA <sup>3'</sup>	5'-ggC <sup>3'</sup>	5'-CAg <sup>3'</sup>	5'-gAT <sup>3'</sup>	5'-gAT <sup>3'</sup>	5'-CgT <sup>3'</sup>
			67					
			5'-gAA <sup>3'</sup>					
Well No.	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>
DRB1 allele <sup>4</sup>								
*160101-160102	1		3					
*160201-160202	1	2						
*1603	1		3	4				
*1604	1		3		5			
*160501-160502	1					6		
*1607	1					6	7	
*1608	1		3					8
*1609	1		3					
*1610	1	2						
*1611	1	2						
*1612								
*1613N	1		3					
*110103, 111902, 120101, 120201-120202, 120302-1210, 1212-1215, 130202, 1377								
*150101-150106, 1503-1506, 1512, 1513, 1516-1518, 1520, 1522-1525								
*150201-150204, 1508, 1514, 1515, 1519, 1526, 1527	1							
*1510						6		
*1511	1							
*1521					5	6		
DRB1 allele <sup>4</sup>								
Well No.	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>

<b>INTERPRETATION TABLE</b>					
<b>DRB1*16 SSP subtyping</b>					
<b>Amplification patterns of the DRB1*1601 to 1613N alleles</b>					
<b>Well</b>					
<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	
<b>140</b>	<b>115</b>	<b>215</b>	<b>220</b>	<b>155</b>	<b>Length of spec. PCR product</b>
<b>430</b>	<b>430</b>	<b>430</b>	<b>515</b>	<b>430</b>	<b>Length of int. pos. control<sup>1</sup></b>
<b>13</b>	<b>47</b>	<b>14</b>	<b>13</b>	<b>13</b>	<b>5'-primer<sup>2</sup></b>
5'-Agg <sup>3'</sup>	5'-g TT <sup>3'</sup>	5'-gg A <sup>3'</sup>	5'-AAg <sup>3'</sup>	5'-Agg <sup>3'</sup>	
<b>47</b>	<b>72</b>	<b>72</b>	<b>72</b>	<b>52</b>	<b>3'-primer(s)<sup>3</sup></b>
5'-g gA <sup>3'</sup>	5'-gC g <sup>3'</sup>	5'-gC g <sup>3'</sup>	5'-gC g <sup>3'</sup>	5'-CTA <sup>3'</sup>	
<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>Well No. DRB1 allele<sup>4</sup></b>
					<b>*160101-160102</b>
					<b>*160201-160202</b>
					<b>*1603</b>
					<b>*1604</b>
					<b>*160501-160502</b>
					<b>*1607</b>
					<b>*1608</b>
<b>9</b>	<b>10</b>				<b>*1609</b>
<b>9</b>	<b>10</b>				<b>*1610</b>
		<b>11</b>			<b>*1611</b>
			<b>12</b>		<b>*1612</b>
				<b>13</b>	<b>*1613N</b>
	<b>10</b>				<b>*110103, 111902, 120101, 120201-120202, 120302-1210, 1212-1215, 130202, 1377</b>
<b>9</b>					<b>*150101-150106, 1503-1506, 1512, 1513, 1516-1518, 1520, 1522-1525</b>
<b>9</b>					<b>*150201-150204, 1508, 1514, 1515, 1519, 1526, 1527</b>
<b>9</b>					<b>*1510</b>
					<b>*1511</b>
<b>9</b>					<b>*1521</b>
					<b>DRB1 allele<sup>4</sup></b>
<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>Well No.</b>

**Lot No.: 29E**

**Lot-specific information**

**www.olerup.com**

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 430 base pairs, for most wells, or a band of 515 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the longer, 515 bp, internal positive control band in order to help in the correct orientation of the DRB1\*16 subtyping.

In addition, wells number 2, 7 and 12 contain the primer pair giving rise to the longer, 515 bp, internal positive control band in order to allow kit identification.

<sup>2</sup>The codon, in the 2<sup>nd</sup> exon, matching the specificity-determining 3'-end of the primer is given. Codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given. Empty spaces indicate codon boundaries.

<sup>3</sup>The codon, in the 2<sup>nd</sup> exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given. Empty spaces indicate codon boundaries.

<sup>4</sup>The DRB1\*1606 allele has been shown to be identical to DRB1\*1605.



CELL LINE VALIDATION SHEET																	
DRB1*16 SSP subtyping kit																	
					Well												
					1	2	3	4	5	6	7	8	9	10	11	12	13
					200321501	200321502	200321503	200321504	200321505	200413606	200413607	200321508	200616509	200616512	200843411	200843412	200843413
	IHWC cell line	DRB1	Prod. No.:														
1	9001 SA	*0101			-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*1502	*0405		+	-	-	-	-	-	-	-	+	-	-	-	-
3	9011 E4181324	*1502			+	-	-	-	-	-	-	-	+	-	-	-	-
4	9275 GU373	*0301			-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*1601			+	-	+	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*0407	*0803		-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020 QBL	*0301			-	-	-	-	-	-	-	-	-	-	-	-	-
8	9007 DEM	*0401	*1602		+	+	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*0402			-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*0405			-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*0701			-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*0701			-	-	-	-	-	-	-	-	-	-	-	-	-
13	9067 BTB	*0801			-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*0802			-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*0901			-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*1101			-	-	-	-	-	-	-	-	-	-	-	-	-
17	9008 WILJON	*1501			-	-	-	-	-	-	-	-	+	-	-	-	-
18	9257 32367	*0901	*1101		-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*1201			-	-	-	-	-	-	-	-	-	+	-	-	-
20	9059 SLE005	*1302			-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*1402			-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*1302	*1401		-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*0803	*1414		-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*1101			-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*0701			-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*0301			-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*0405	*1001		-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*0416	*0701		-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*0701			-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*0302			-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*0301			-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*1303			-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*0404			-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*1101			-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*0403			-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*0403	*0406		-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*1301			-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*1402			-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*0301	*0401		-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*0701	*0901		-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*1302			-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*0803			-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*0901			-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*1401			-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*0701			-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*1501			-	-	-	-	-	-	-	-	+	-	-	-	-
47	9045 TUBO	*1104	*1201		-	-	-	-	-	-	-	-	-	+	-	-	-
48	9303 TER-ND	*0103			-	-	-	-	-	-	-	-	-	-	-	-	-

## CERTIFICATE OF ANALYSIS

### **Olerup SSP<sup>®</sup> DRB1\*16 SSP**

**Product number:** 101.126-12 – including *Taq* polymerase  
101.126-12u – without *Taq* polymerase  
**Lot number:** 29E  
**Expiry date:** 2010-March-01  
**Number of tests:** 12  
**Number of wells per test:** 13

#### **Well specifications:**

Well No.	Production No.	Well No.	Production No.
1	2006-286-01	9	2006-286-09
2	2006-286-02	10	2006-286-10
3	2006-286-03	11	2008-434-11
4	2006-286-04	12	2008-434-12
5	2006-286-05	13	2008-434-13
6	2004-286-06		
7	2004-286-07		
8	2006-286-08		

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 4, 5, 6, 7, 8 and 11 to 13 were available. The specificities of the primers in primer solutions 5, 6 and 8 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer. In primer solutions 4 and 13 it was only possible to test the 5'-primers, the 3'-primers were not possible to test. In primer solution 7, 11 and 12 it was only possible to test the 3'-primers, the 5'-primers were not possible to test.

**Results:** No false positive or false negative amplifications were obtained.

**Date of approval:** 2008-March-28

**Approved by:**

**Quality Control, Supervisor**

Lot No.: **29E**

Lot-specific information

www.olerup.com

## Declaration of Conformity

**Product name:** *Olerup* SSP® DRB1\*16  
**Product number:** 101.126-12, 101.126-12u  
**Lot number:** 29E

**Intended use:** DRB1\*16 high resolution histocompatibility testing

**Manufacturer:** *Olerup* SSP AB  
Hasselstigen 1  
SE-133 33 Saltsjöbaden, Sweden  
**Phone:** +46-8-717 88 27  
**Fax:** +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2000 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, conformity assessed using Annex IV, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

The Authorized Representative located within the Community is: *Olerup* SSP AB.

Notified Body: Lloyd's Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Saltsjöbaden, Sweden  
2008-March-28

Olle Olerup  
Managing Director

DRB1\*16  
101.126-12 – including *Taq* polymerase  
101.126-12u – without *Taq* polymerase

Product Insert

Page 12 of 12

Lot No.: **29E**

Lot-specific information

[www.olerup.com](http://www.olerup.com)

**ADDRESSES:**

**Manufacturer:**

**Olerup SSP AB**, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

**Tel:** +46-8-717 88 27

**Fax:** +46-8-717 88 18

**E-mail:** [info-ssp@olerup.com](mailto:info-ssp@olerup.com)

**Web page:** <http://www.olerup.com>

**Distributed by:**

**Olerup GmbH**, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

**Tel:** +43-1-710 15 00

**Fax:** +43-1-710 15 00 10

**E-mail:** [support-at@olerup.com](mailto:support-at@olerup.com)

**Web page:** <http://www.olerup.com>

**Olerup Inc.**, 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-OLERUP1

**Fax:** 610-344-7989

**E-mail:** [info.us@olerup.com](mailto:info.us@olerup.com)

**Web page:** <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.