

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

Olerup SSP® DRB3

Product number: 101.121-24/04 – including *Taq* pol.
101.121-24u/04u – without *Taq* pol.
Lot number: 0V6
Expiry date: 2029-05-01
Number of tests: 24 tests – Product No. 101.121-24/24u
4 tests – Product No. 101.121-04/04u
Number of wells per test: 47+1
Storage - pre-aliquoted primers: dark, between -15°C and -25°C
- PCR Master Mix: between -15°C and -25°C
- Adhesive PCR seals RT

This Product Description is only valid for Lot No. 0V6.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® DRB3 Lot (2S6)

- The product documentation has been updated for new alleles of IMGT 3.60.0.
- The kit resolution focuses on common and well documented (CWD) alleles¹.

¹As described in section Uniquely Identified Alleles.

The DRB3 specificity and interpretation tables have been updated for the DRB alleles described since the previous *Olerup SSP®* DRB3 lot (**Lot No. 2S6**) was made.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot (**Lot No. 2S6**)

Well	5'-primer	3'-primer	rationale
5	-	Added	3'-primer added from well 7 for improve resolution.
7		Moved	3'-primer moved to well 7 due to unspecific amplification. The positive Control band has been changed.
14	Removed		5'-primer removed.
19			The positive Control band has been changed.
22	Removed	-	5'-primer removed due to unspecific amplification.



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

23	Removed	-	5'-primer removed due to unspecific amplification.
29	Modified		5'-primer modified due to unspecific amplification.

¹S. J. Mack, P. Cano, J. A. Hollenbach et al.
Common and well-documented HLA alleles: 2012 update to
the CWD catalogue. Tissue Antigens, 2013, 81, 194–203



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

Well **48** contains Negative Control primer pairs, that will amplify the majority of the Olerup SSP[®] HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.
The PCR product generated by the positive control primer pair is 200 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

PRODUCT DESCRIPTION

DRB3 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the DRB3*01:01 to DRB3*03:80 alleles.

PLATE LAYOUT

Each test consists of 48 PCR reactions in a 48 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32
33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	NC

The 48 well cut PCR plate is marked with ‘DRB3’ in silver/gray ink.

Well No. 1 is marked with Lot No. ‘0V6’.

Wells 1 to 47 – DRB3 high resolution primers.

Well 48 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 48 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between DRB3, DRB1 and DRB4 alleles some primer mixes will amplify DRB1 and DRB4 alleles. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the DRB3 alleles, i.e. **DRB3*01:01 to DRB3*01:138, DRB3*02:01 to DRB3*02:216 and DRB3*03:01 to DRB3*03:80**, recognized by the HLA Nomenclature Committee in April 2025^{1,2} will be amplified by the primers in the DRB3 subtyping kit.

The DRB3 kit enables separation of the confirmed DRB3 alleles as listed in the IMGT/HLA database 3.60.0. An HLA allele is listed as confirmed by IMGT/HLA if it



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

has been sequenced by more than a single laboratory or from multiple sources.
Current allele confirmation status for DRB3 alleles is listed below.

The DRB3 kit also enables identification of many null and alternatively expressed alleles.

The following DRB3 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
DRB3*02:12, 02:67N	22
DRB3*02:32, 02:34	38

¹DRB alleles listed on the IMGT/HLA web page 2025-April-09, release 3.60.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in DRB3 homo- and heterozygotes is available upon request.



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
DRB3*01:01:02:01	Confirmed	DRB3*01:43	Unconfirmed	DRB3*02:30	Confirmed	DRB3*02:79	Unconfirmed
DRB3*01:01:02:02	Confirmed	DRB3*01:44	Unconfirmed	DRB3*02:31:01	Unconfirmed	DRB3*02:80N	Unconfirmed
DRB3*01:01:03	Confirmed	DRB3*01:45	Confirmed	DRB3*02:31:02	Confirmed	DRB3*02:81	Unconfirmed
DRB3*01:01:04	Unconfirmed	DRB3*01:46	Unconfirmed	DRB3*02:32	Confirmed	DRB3*03:01:01	Confirmed
DRB3*01:01:05	Confirmed	DRB3*01:47	Unconfirmed	DRB3*02:33	Confirmed	DRB3*03:01:02	Unconfirmed
DRB3*01:01:06	Unconfirmed	DRB3*01:48	Unconfirmed	DRB3*02:34	Confirmed	DRB3*03:01:03	Confirmed
DRB3*01:01:07	Unconfirmed	DRB3*01:49	Unconfirmed	DRB3*02:35	Confirmed	DRB3*03:01:04	Unconfirmed
DRB3*01:01:08	Unconfirmed	DRB3*02:01	Confirmed	DRB3*02:36	Confirmed	DRB3*03:01:05	Confirmed
DRB3*01:02	Unconfirmed	DRB3*02:02:01:01	Confirmed	DRB3*02:37	Confirmed	DRB3*03:02	Unconfirmed
DRB3*01:03	Unconfirmed	DRB3*02:02:01:02	Unconfirmed	DRB3*02:38	Unconfirmed	DRB3*03:03	Confirmed
DRB3*01:04	Unconfirmed	DRB3*02:02:02	Unconfirmed	DRB3*02:39	Confirmed	DRB3*03:04	Confirmed
DRB3*01:05	Unconfirmed	DRB3*02:02:03	Unconfirmed	DRB3*02:40	Unconfirmed	DRB3*03:05	Confirmed
DRB3*01:06	Unconfirmed	DRB3*02:02:04	Unconfirmed	DRB3*02:41	Unconfirmed	DRB3*03:06	Confirmed
DRB3*01:07	Unconfirmed	DRB3*02:02:05	Unconfirmed	DRB3*02:42	Unconfirmed	DRB3*03:07	Unconfirmed
DRB3*01:08	Unconfirmed	DRB3*02:02:06	Confirmed	DRB3*02:43	Confirmed	DRB3*03:08	Confirmed
DRB3*01:09	Unconfirmed	DRB3*02:02:07	Unconfirmed	DRB3*02:44	Unconfirmed	DRB3*03:09	Unconfirmed
DRB3*01:10	Unconfirmed	DRB3*02:02:08	Confirmed	DRB3*02:45	Unconfirmed	DRB3*03:10	Unconfirmed
DRB3*01:11	Unconfirmed	DRB3*02:02:09	Confirmed	DRB3*02:46	Unconfirmed	DRB3*03:11	Unconfirmed
DRB3*01:12	Unconfirmed	DRB3*02:02:10	Confirmed	DRB3*02:47	Confirmed	DRB3*03:12	Unconfirmed
DRB3*01:13	Unconfirmed	DRB3*02:02:11	Unconfirmed	DRB3*02:48	Confirmed	DRB3*03:13	Unconfirmed
DRB3*01:14	Unconfirmed	DRB3*02:02:12	Unconfirmed	DRB3*02:49	Unconfirmed	DRB3*03:14	Unconfirmed
DRB3*01:15	Unconfirmed	DRB3*02:02:13	Unconfirmed	DRB3*02:50	Confirmed	DRB3*03:15	Confirmed
DRB3*01:16	Confirmed	DRB3*02:03	Unconfirmed	DRB3*02:51	Confirmed	DRB3*03:16	Unconfirmed
DRB3*01:17	Unconfirmed	DRB3*02:04	Unconfirmed	DRB3*02:52	Unconfirmed	DRB3*03:17	Unconfirmed
DRB3*01:18	Confirmed	DRB3*02:05	Unconfirmed	DRB3*02:53	Unconfirmed	DRB3*03:18	Unconfirmed
DRB3*01:19	Unconfirmed	DRB3*02:06	Unconfirmed	DRB3*02:54	Unconfirmed		
DRB3*01:20	Unconfirmed	DRB3*02:07	Unconfirmed	DRB3*02:55N	Confirmed		
DRB3*01:21	Unconfirmed	DRB3*02:08	Unconfirmed	DRB3*02:56	Confirmed		
DRB3*01:22	Unconfirmed	DRB3*02:09	Confirmed	DRB3*02:57	Confirmed		
DRB3*01:23	Confirmed	DRB3*02:10	Confirmed	DRB3*02:58	Unconfirmed		
DRB3*01:24	Unconfirmed	DRB3*02:11	Unconfirmed	DRB3*02:59	Unconfirmed		
DRB3*01:25	Unconfirmed	DRB3*02:12	Unconfirmed	DRB3*02:60	Confirmed		
DRB3*01:26N	Confirmed	DRB3*02:13	Unconfirmed	DRB3*02:61Q	Unconfirmed		
DRB3*01:27	Unconfirmed	DRB3*02:14	Confirmed	DRB3*02:62	Unconfirmed		
DRB3*01:28	Unconfirmed	DRB3*02:15	Confirmed	DRB3*02:63	Unconfirmed		
DRB3*01:29	Unconfirmed	DRB3*02:16	Unconfirmed	DRB3*02:64	Unconfirmed		
DRB3*01:30	Confirmed	DRB3*02:17	Confirmed	DRB3*02:65	Unconfirmed		
DRB3*01:31	Confirmed	DRB3*02:18	Unconfirmed	DRB3*02:66	Unconfirmed		
DRB3*01:32	Unconfirmed	DRB3*02:19	Unconfirmed	DRB3*02:67N	Unconfirmed		
DRB3*01:33	Unconfirmed	DRB3*02:20	Confirmed	DRB3*02:68	Unconfirmed		
DRB3*01:34	Confirmed	DRB3*02:21	Unconfirmed	DRB3*02:69	Unconfirmed		
DRB3*01:35	Confirmed	DRB3*02:22:01	Unconfirmed	DRB3*02:70	Confirmed		
DRB3*01:36	Unconfirmed	DRB3*02:22:02	Confirmed	DRB3*02:71	Unconfirmed		
DRB3*01:37	Confirmed	DRB3*02:23	Unconfirmed	DRB3*02:72	Unconfirmed		
DRB3*01:38	Unconfirmed	DRB3*02:24	Confirmed	DRB3*02:73	Confirmed		
DRB3*01:39	Unconfirmed	DRB3*02:25	Unconfirmed	DRB3*02:74	Unconfirmed		
DRB3*01:40:01N	Unconfirmed	DRB3*02:26	Unconfirmed	DRB3*02:75	Unconfirmed		
DRB3*01:40:02N	Confirmed	DRB3*02:27	Unconfirmed	DRB3*02:76	Unconfirmed		
DRB3*01:41	Unconfirmed	DRB3*02:28	Unconfirmed	DRB3*02:77	Unconfirmed		
DRB3*01:42	Unconfirmed	DRB3*02:29N	Confirmed	DRB3*02:78	Confirmed		

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2018-October-18, release 3.34.0, www.ebi.ac.uk/imgt/hla.



0197

For In Vitro Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

SPECIFICITY TABLE

DRB3 SSP subtyping

Specificities and sizes of the PCR products of the 47+1 primer mixes used for DRB3 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified DRB3 alleles ³	Amplified DRB1 alleles
1⁴	100 bp	515 bp	*01:01:02:01-01:08, 01:10-01:13, 01:15-01:21, 01:23, 01:25, 01:27-01:55, 01:57-01:134, 01:136-01:138:01:02, 02:05:01-02:05:02, 02:38, 02:112, 02:130, 02:202, 02:208, 03:01:01:01-03:01:18, 03:03-03:19, 03:21, 03:23-03:54, 03:57Q-03:80:01:02	*03:42, 03:87, 11:30 ^w , 12:57, 13:67, 13:195, 14:46, 14:247
2⁴	125 bp	430 bp	*01:01:02:01-01:01:07, 01:01:09-01:06, 01:08, 01:10-01:14, 01:16-01:36, 01:38-01:40:02N, 01:43-01:49, 01:51-01:54, 01:57-01:74, 01:77N-01:114, 01:116-01:134, 01:136-01:138:01:02, 03:01:01:01-03:01:09, 03:01:11, 03:01:13-03:01:18, 03:03-03:08, 03:10-03:17, 03:19-03:21, 03:24-03:35, 03:37-03:54, 03:57Q-03:58, 03:60-03:80:01:02	*03:38, 03:79, 03:85, 03:96, 04:82 ^w , 04:99 ^w , 04:397, *07:09 ^w , 08:07 ^w , 08:19 ^w , 08:25 ^w , 08:34 ^w , 08:52 ^w , 08:113 ^w , 12:27 ^w , 12:57, D13:31 ^w , 13:46 ^w , 13:54 ^w , 13:77 ^w , 13:100 ^w , 13:162 ^w , 13:180 ^w , 13:260 ^w , 13:330 ^w , DRB1*14:48 ^w , 14:174 ^w , 14:177 ^w , 15:135, 16:79
3⁴	95 bp	430 bp	*01:01:02:01-01:02, 01:04-01:08, 01:10-01:13, 01:15-01:21, 01:23, 01:27 ^w , 01:28-01:38, 01:40:01N-01:40:02N, 01:42-01:55, 01:57-01:66, 01:68-01:70, 01:72-01:133N	*03:42
4⁷	240 bp	430 bp		*08:09:02, 11:03:04, 11:04:17, 11:13:01-11:13:02, 11:17, 11:149, 11:202, 11:264, 13:01:27, 13:02:21, 13:08, 14:01:01:01-14:01:01:03, 14:01:02 [?] -14:01:04 [?] , 14:01:05, 14:02:02 [?] -14:02:03 [?] , 14:02:06 [?] , 14:04:01:01-14:04:01:03, 14:04:02 [?] -14:04:03 [?] , 14:04:04-14:04:06, 14:04:09-14:05:01:04, 14:05:02 [?] , 14:05:03, 14:05:04 [?] , 14:05:05, 14:06:02 [?] -14:06:03 [?] ,



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

				14:07:01-14:08, 14:10:01:01-14:11:01:02, 14:12:02 [?] , 14:14-14:16, 14:18, 14:19 [?] -14:20 [?] , 14:22 [?] , 14:23:01:01-14:23:01:03, 14:23:02 [?] -14:23:04 [?] , 14:25:01 [?] - 14:27:02 [?] , 14:28, 14:29 [?] -14:41 [?] , 14:43 [?] - 14:45 [?] , 14:48 [?] -14:52 [?] , 14:54:01:01- 14:54:06, 14:54:08-14:54:14, 14:55 [?] - 14:56 [?] , 14:57, 14:58 [?] -14:65 [?] , 14:67 [?] - 14:69 [?] , 14:70, 14:71 [?] -14:81 [?] , 14:82, 14:83 [?] , 14:84, 14:85 [?] -14:110 [?] , 14:111, 14:112 [?] -14:123 [?] , 14:124, 14:125 [?] - 14:136 [?] , 14:137N, 14:138 [?] -14:140 [?] , 14:141, 14:142 [?] -14:143 [?] , 14:145 [?] - 14:151 [?] , 14:152N, 14:153 [?] -14:161 [?] , 14:162, 14:163 [?] -14:170 [?] , 14:171, 14:172 [?] , 14:173, 14:174 [?] -14:176 [?] , 14:178 [?] -14:190 [?] , 14:191-14:193, 14:196-14:197N, 14:199, 14:201- 14:202, 14:203 [?] , 14:204-14:207, 14:210Q-14:211, 14:213-14:217, 14:219, 14:220 [?] , 14:222N [?] , 14:224, 14:225 [?] , 14:227-14:228, 14:229 [?] , 4:230- 14:238, 14:239 [?] , 14:240-14:241, 14:243- 14:247, 14:248 [?] , 14:249, 14:250 [?] - 14:251 [?] , 14:253-14:256, 14:257 [?] , 14:258, 14:259 [?] , 14:260, 14:262 [?] , 14:264, 14:266-14:271, 14:273 [?] -14:274 [?]
5⁴	95 bp 125 bp 180 bp	430 bp	*01:03, 01:07, 01:10, 01:15, 01:50, 01:71, 01:75 ^w , 01:76, 02:42	*03:42, 14:46
6	190 bp	430 bp	*01:04	
7^{2,4,6,9}	90 bp 150 bp	800 bp	*01:05, 01:23, 01:46	*03:42
8⁴	120 bp 150 bp	430 bp	*01:06, 01:08, 01:23, 01:46, 01:71	*03:42, 14:46
9⁵	165 bp	515 bp	*01:07, 01:21, 01:41, 01:50, 01:76, 02:01-02:08, 02:11- 02:37, 02:39-02:43, 02:45- 02:77, 02:79-02:80:02N, 02:82, 02:84-02:92, 02:94- 02:99, 02:101-02:103, 02:105, 02:107-02:114, 02:116-02:118, 02:120- 02:130, 02:132-02:145N, 02:147-02:170, 02:172, 02:174-02:200, 02:203- 02:216, 03:17	*14:141, 14:257, 14:262
10^{5,7}	185 bp	515 bp	*01:09, 01:135, 02:01- 02:04, 02:06-02:14, 02:16- 02:26, 02:28-02:37,	*03:101, 03:120, 12:22, 12:88, 14:141, 14:257, 14:262



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

			02:39-02:57, 02:59-02:110, 02:113-02:129, 02:132- 02:136, 02:138-02:159, 02:161-02:162, 02:164- 02:193, 02:195-02:201, 02:203-02:207, 02:209- 02:216, 03:02, 03:55-03:56	
11⁶	270 bp	515 bp	*01:34, 02:01, 02:04, 02:24, 02:48, 02:58, 02:89, 02:103-02:104, 02:141, 02:171, 02:173:01- 02:173:02, 02:175, 02:181, 02:197, 03:01:01:01-03:02, 03:04:01-03:05, 03:07- 03:21, 03:23-03:55, 03:57Q-03:80:01:02	*03:42, 03:87, 11:288, 12:57, 14:247, DRB4*01:105
12⁴	90 bp 145 bp	515 bp	*02:01, 02:04, 02:17, 02:24, 02:48, 02:58, 02:89, 02:103, 02:141, 02:175, 02:181, 02:197, 03:17	*03:37, 03:80, 03:140, 04:183, 11:43:01:01-11:43:01:02, 11:50, 11:115, 11:151, 11:171, 11:174, 12:34,13:131, 13:150, 13:262, 14:59, 14:86, 14:96, 14:145, 14:153-14:154, 14:251, 14:271, 15:65, 15:218
13⁵	270 bp	515 bp	*01:01:02:01-01:13, 01:15- 01:33, 01:35-01:138:01:02, 02:02:01:01-02:03, 02:05:01-02:13, 02:15- 02:23, 02:25-02:47, 02:49- 02:57, 02:59-02:77, 02:79- 02:88, 02:90-02:102, 02:105-02:140, 02:142- 02:170, 02:172, 02:174, 02:176-02:180, 02:182- 02:196, 02:198-02:216, 03:03, 03:06, 03:56	11:30, 13:67, 13:195, 14:46, 14:141, 14:257, 14:262
14⁸	185 bp	515 bp	*01:07, 01:09, 01:125, 01:135, 01:137, 02:02:01:01-02:02:18, 02:02:20-02:02:35, 02:05:01-02:13, 02:15- 02:19, 02:21-02:23, 02:25- 02:36, 02:39-02:47, 02:49, 02:53-02:57, 02:60, 02:62- 02:69, 02:71-02:82, 02:84- 02:88, 02:90-02:99, 02:101- 02:102, 02:105-02:106, 02:108-02:111, 02:113- 02:114, 02:116-02:118, 02:121N-02:135, 02:137N- 02:139, 02:142-02:170, 02:172, 02:174, 02:176- 02:180, 02:182-02:196, 02:198-02:201, 02:203- 02:216	*10:01:01:01, 10:01:01:03-10:01:19, 10:03-10:11, 10:13, 10:15-10:16, 10:18- 10:34, 10:36-10:46, 11:324, 13:216, 14:141, 14:257, 14:262, 15:212, 16:30



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

15^{4,6}	120 bp 180 bp 210 bp	430 bp	*02:03, 02:16-02:17, 02:38, 02:50, 02:100, 02:115, 02:119, 03:01:01:01-03:09, 03:11, 03:13-03:21, 03:23- 03:34, 03:36-03:40, 03:42- 03:45, 03:47-03:80:01:02	*12:57, 13:195, 14:247
16	150 bp	430 bp	*01:09, 01:125, 01:135, 01:137, 02:04, 02:19, 02:22:01-02:22:02, 02:56, 02:146, 02:201, 02:206N	*03:44
17⁴	120 bp 180 bp	430 bp	*01:08, 01:46, 01:71, 02:06, 02:16, 02:20, 02:23, 03:10	*03:42, 03:87, 13:67, 14:46 14:247
18⁴	100 bp	430 bp	*01:09, 01:18, 01:125, 01:137, 02:07, 02:09, 02:21, 02:44, 02:56, 02:89, 02:146, 02:171, 02:173:01- 02:173:02, 02:201, 03:41	
19^{2,6,9}	170 bp 180 bp	800 bp	*01:42, 02:08, 02:14, 02:18, 02:23, 02:131	*11:30, 11:288
20	270 bp 175 bp	430 bp	*01:01:02:01-01:06, 01:08- 01:13, 01:15-01:20, 01:22- 01:28, 01:30-01:34, 01:36- 01:40:02N, 01:42-01:49, 01:51-01:75, 01:77N- 01:138:01:02, 02:09-02:10, 02:16, 02:38, 02:44, 02:81, 02:83, 02:100, 02:104, 02:106, 02:115, 02:119, 02:131, 02:146, 02:171, 02:173:01-02:173:02, 02:201-02:202, 03:01:01:01-03:06, 03:08- 03:16, 03:18-03:21, 03:23- 03:24, 03:26-03:53, 03:55- 03:80:01:02	*03:42, 03:87, 11:30, 11:288, 12:57, 13:67, 13:195, 14:46, 14:247, DRB4*01:105
21⁴	120 bp 155 bp 210 bp	430 bp	*01:13, 01:19, 01:31, 02:11, 02:43, 02:141, 03:15, 03:67	DRB4*01:105
22^{4,6}	80 bp 185 bp 240 bp	430 bp	*01:02, 01:11, 02:12, 02:67N, 03:46	
23	195 bp 240 bp	430 bp	*01:02, 02:13, 03:46	
24	185 bp	430 bp	*01:67, 01:135- 01:138:01:02, 02:09, 02:18- 02:19, 02:21, 02:25, 02:48, 02:56, 02:89, 02:100, 02:146, 02:171,	*11:30, 11:288, 12:57



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

			02:173:01-02:173:02, 02:201, 03:01:01:01-03:15, 03:17-03:21, 03:23-03:45, 03:47-03:54, 03:56-03:78, 03:80:01:01-03:80:01:02	
25	150 bp 220 bp 260 bp	430 bp	*01:12, 01:19, 02:26, 02:31:01, 02:60, 02:143	
26	235 bp	430 bp	*01:14	*03:01:02:01-03:01:02:02, 03:02:02, 03:05:03, 03:11:03, 03:13:02, 03:17, 03:24, 03:27, 03:35, 03:81, 03:130, 03:167, 03:188, 03:213, 08:67, 11:07:02, 11:27:01, 11:27:04, 11:84:01, 11:124:01, 11:136, 11:138, 12:22, 12:88, 13:33:02-13:33:03, 13:61:01, 13:94:02, 13:96:02, 13:349, 14:38:01, 14:47, 14:50:01, 14:98, 14:127:01, 14:165, 14:244
27⁴	90 bp	430 bp	*02:01	
28⁴	110 bp 235 bp 260 bp	430 bp	*01:12, 01:40:02N, 02:27, 02:31:01, 02:36, 02:55N, 02:111, 02:160	*11:30, 11:288, 12:57, 13:67, 13:195, 14:46
29⁷	160 bp	430 bp	*02:15, 02:27, 02:58, 02:111, 02:131, 02:137N, 02:160	*10:01:01:01 ^w , 10:01:01:03 ^w -10:06 ^w , 10:08 ^w -10:10 ^w , 10:12 ^w -10:13 ^w , 10:15 ^w - 10:16 ^w , 10:18 ^w -10:46 ^w , 11:324, 13:106, 13:216, 14:221, 15:212, 16:30
30	210 bp	430 bp	*02:28	
31⁴	70 bp 95 bp	430 bp	*01:16, 01:21, 02:19, 02:21, 02:25, 02:29N, 02:48, 02:56, 02:89, 03:17	*01:77 ^w , 01:119 ^w *12:34
32⁴	85 bp 230 bp	430 bp	*01:39, 01:41, 01:67, 01:134-01:138:01:02, 02:04, 02:19, 02:22:01- 02:22:02, 02:56, 02:130, 02:146, 02:201, 02:206N, 03:03-03:04:02, 03:33	*03:87
33⁷	150 bp	430 bp	*01:20, 01:32, 01:39, 01:41, 01:50, 02:37-02:38, 02:50, 02:83, 02:100, 02:107, 02:112, 02:115, 02:119, 02:202, 03:01:01:01-03:02, 03:05-03:09, 03:11-03:21, 03:23-03:34, 03:36-03:40, 03:42-03:49, 03:51-03:61, 03:63-03:80:01:02	*03:35, 07:04, 14:38:01-14:38:02, 14:50:01-14:50:02, 14:93, 14:127:01- 14:127:02, 14:244
34⁵	180 bp 130 bp 170 bp	515 bp	*01:43, 02:139, 03:05	*04:148, 15:64



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

35⁴	115 bp 250 bp	430 bp	*01:17, 02:33, 02:51, 02:127	
36⁴	105 bp 155 bp 185 bp	430 bp	*01:22, 01:35, 02:35, 02:43, 02:141, 03:25, 03:67	DRB4*01:105
37	155 bp 215 bp	430 bp	*01:31, 01:45, 01:109, 02:11, 02:30, 02:47, 02:97, 03:15	
38^{4,5,6}	70 bp 140 bp 205 bp 275 bp	430 bp	*01:07 [?] , 02:02:02 [?] , 02:05:01 [?] , 02:07 [?] -02:08 [?] , 02:32, 02:34, 02:81, 02:146	*03:44, 10:13, 11:324, 13:106, 14:221, 15:212
39	190 bp 260 bp	430 bp	*01:40:01N, 02:39	
40	130 bp 190 bp	430 bp	*01:07, 01:15, 01:30, 01:42, 01:49-01:50, 01:76, 02:42, 03:13	*03:42, 14:46
41⁴	110 bp 140 bp	430 bp	*02:36 *02:57, 02:60	
42	165 bp 205 bp 230 bp	430 bp	*01:37, 02:61Q, 02:73, 03:08	
43⁸	140 bp	430 bp	*02:47	
44⁴	100 bp 195 bp 260 bp	430 bp	*01:26N, 01:40:02N, 02:55N, 02:80:01N	
45⁴	70 bp	430 bp	*02:31:02	
46⁶	145 bp	430 bp	*02:70, 02:175, 03:35	
47	245 bp	430 bp	*02:78	
48^{6,10}	-	-	Negative Control	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of DRB3 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, but Primers 7 and 19 contains the shorter 800 bp, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases. In the presence of a specific amplification the intensity of the control band often decreases.

³For several DRB1 alleles 1st and/or 3rd exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁵Primer mixes 9, 10, 13, 34 and 38 may have tendencies of unspecific amplifications.

⁶Primer mixes 7, 11, 15, 19, 22, 38, 46 and 48 have a tendency giving rise to primer oligomer formation.

⁷Primer mixes 4, 10, 29 and 33 may give rise to a lower yield of HLA-specific PCR product than the other DRB3 primer mixes.

⁸In primer mix 14 and 43 the positive control band may be weaker than for other DRB3 primer mixes.

⁹For primers 7 and 19, the internal positive control band is 800 bp

¹⁰Primer mix 48 contains a negative control, which will amplify the majority of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 200 base pairs.

Abbreviations

w: might be weakly amplified.

?: nucleotide sequence information not available for the primer matching sequence.



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	100	125	95	240	95	190	90	120	165	185	270	90
					125		150	150				145
					180							
Length of int. pos. control ¹	515	430	430	430	430	430	800	430	515	515	515	515
5'-primer(s) ²	10(116) 5'-gCT 3'	30(175) 5'-gAT 3'	11(119) 5'-gCg 3'	114(429) 5'-CTg 3'	11(119) 5'-gCg 3'	8(110) 5'-CTC 3'	11(119) 5'-gCg 3'	11(119) 5'-gCg 3'	10(116) 5'-gCT 3'	30(175) 5'-gAC 3'	10(116) 5'-gCT 3'	51(239) 5'-gAg 3'
		30(175) 5'-gAT 3'	11(119) 5'-gTg 3'						10(116) 5'-gCT 3'			
3'-primer(s) ³	30(175) 5'-gTA 3'	57(257) 5'-CgA 3'	28(171) 5'-CTg 3'	181(630) 5'-CTT 3'	28(171) 5'-CTT 3'	57(257) 5'-CgA 3'	28(169) 5'-gTT 3'	38(199) 5'-CAC 3'	51(239) 5'-CCC 3'	77(317) 5'-AgT 3'	86(344) 5'-CCA 3'	67(286) 5'-gAA 3'
	30(175) 5'-gTA 3'	57(257) 5'-CAA 3'	28(171) 5'-ATg 3'		39(202) 5'-gCT 3'		47(227) 5'-ggA 3'	47(227) 5'-ggA 3'		77(318) 5'-TAA 3'		86(344) 5'-CCA 3'
					57(257) 5'-CAT 3'							
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23	24
Length of spec. PCR product	270	185	120	150	120	100	180	175	120	80	195	185
			180		180	170	270		155	185	240	
			210						210	240		
Length of int. pos. control ¹	515	515	430	430	430	430	800	430	430	430	430	430
5'-primer(s) ²	10(116) 5'-gCT 3'	38(200) 5'-CgC 3'	11(119) 5'-gCT 3'	38(200) 5'-CgC 3'	10(116) 5'-gCT 3'	15(130) 5'-Agg 3'	10(116) 5'-gCT 3'	10(116) 5'-gCT 3'	10(116) 5'-gCT 3'	9(112) 5'-TgC 3'	11(118) 5'-TgT 3'	11(119) 5'-gCT 3'
	10(116) 5'-gCT 3'	38(200) 5'-CgC 3'				38(200) 5'-CgC 3'				11(118) 5'-TgT 3'	26(163) 5'-ggC 3'	
										29(173) 5'-CAT 3'		
										64(277) 5'-gCT 3'		
3'-primer(s) ³	86(344) 5'-CAC 3'	86(344) 5'-CAC 3'	37(197) 5'-Cgg 3'	74(308) 5'-CCC 3'	37(196) 5'-gTT 3'	57(257) 5'-CgA 3'	55(251) 5'-gCA 3'	51(239) 5'-CCg 3'	37(196) 5'-gAg 3'	77(318) 5'-TAA 3'	77(318) 5'-TAA 3'	58(260) 5'-CCT 3'
			37(197) 5'-CgA 3'		37(196) 5'-gTT 3'		57(256) 5'-gCT 3'	57(257) 5'-Cag 3'	48(230) 5'-CCT 3'			60(266) 5'-Agg 3'
			57(257) 5'-CAg 3'		55(251) 5'-gCA 3'		58(260) 5'-CCT 3'	58(261) 5'-TCC 3'	67(286) 5'-gAT 3'			
			67(286) 5'-gAA 3'		57(257) 5'-CAg 3'		86(344) 5'-CAg 3'		69(294) 5'-TgA 3'			
Well No.	13	14	15	16	17	18	19	20	21	22	23	24



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

Well No.	25	26	27	28	29	30	31	32	33	34	35	36
Length of spec.	150	235	90	110	160	210	70	85	150	130	115	105
PCR product	220			235			95	230	180	170	250	155
	260			260								185
Length of int.	430	430	430	430	430	430	430	430	430	515	430	430
pos. control ¹												
5'-primer(s) ²	10(116) 5'-gCT 3'	12(122) 5'-TAC 3'	164(577) 5'-CAT 3'	10(116) 5'-gCT 3'	38(200) 5'-CgC 3'	123(455) 5'-CTg 3'	51(239) 5'-gAg 3'	11(119) 5'-gCT 3'	37(197) 5'-gTT 3'	44(217) 5'-ACA 3'	10(116) 5'-gCT 3'	10(116) 5'-gCT 3'
							149(534) 5'-CAg 3'			149(534) 5'-CAg 3'		
3'-primer(s) ³	46(224) 5'-ACA 3'	77(317) 5'-AAT 3'	179(624) 5'-ACg 3'	33(186) 5'-TgC 3'	77(317) 5'-Agg 3'	179(624) 5'-ACg 3'	60(266) 5'-Agg 3'	26(164) 5'-ggT 3'	74(308) 5'-CCT 3'	86(344) 5'-CCA 3'	34(188) 5'-CCC 3'	31(180) 5'-TgC 3'
	69(294) 5'-TgA 3'			74(308) 5'-CCg 3'			166(583) 5'-CCg 3'	74(308) 5'-CCC 3'	84(338) 5'-CCA 3'	180(625) 5'-TAT 3'	77(316) 5'-ATC 3'	48(230) 5'-CCT 3'
	71(299) 5'-gCC 3'			83(336) 5'-CCC 3'			170(595) 5'-AAA 3'				81(329) 5'-Tgg 3'	55(251) 5'-gCA 3'
	84(337) 5'-CCg 3'			84(337) 5'-CCg 3'								61(270) 5'-TTA 3'
Well No.	25	26	27	28	29	30	31	32	33	34	35	36

Well No.	37	38	39	40	41	42	43	44	45	46	47
Length of spec.	155	70	190	130	110	165	140	100	70	145	245
PCR product	215	140	260	190	140	205		195			
		205				230		260			
		275									
Length of int.	430	430	430	430	430	430	430	430	430	430	430
pos. control ¹											
5'-primer(s) ²	10(116) 5'-gCT 3'	15(130) 5'-AgC 3'	10(116) 5'-gCT 3'	11(119) 5'-gCg 3'	10(116) 5'-gCT 3'	15(130) 5'-AgC 3'	38(200) 5'-CgC 3'	10(116) 5'-gCT 3'	84(337) 5'-ACA 3'	38(200) 5'-CgT 3'	9(114) 5'-gAT 3'
		38(200) 5'-CgC 3'		152(542) 5'-AgT 3'		20(146) 5'-TgA 3'					
						24(157) 5'-ggT 3'					
						37(196) 5'-...T 3'					
3'-primer(s) ³	48(230) 5'-CCg 3'	47(227) 5'-ggA 3'	60(265) 5'-gTC 3'	60(266) 5'-AgT 3'	33(186) 5'-TgC 3'	77(318) 5'-TAA 3'	72(301) 5'-CCA 3'	30(177) 5'-AAT 3'	93(364) 5'-CCg 3'	73(305) 5'-ggC 3'	77(317) 5'-AAT 3'
	64(278) 5'-TCC 3'	93(365) 5'-gCg 3'	83(336) 5'-CCT 3'	181(630) 5'-CTT 3'	40(207) 5'-TCC 3'			61(270) 5'-TTT 3'			
	67(286) 5'-gAT 3'				46(224) 5'-ACA 3'			83(336) 5'-CCC 3'			
	72(301) 5'-CCA 3'										
Well No.	37	38	39	40	41	42	43	44	45	46	47



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: 0V6

Lot-specific information

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 430 or 515 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the longer, 515 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3'-terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3'-terminal nucleotides of the primer is given.



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

CELL LINE VALIDATION SHEET																					
DRB3 SSP subtyping kit ²																					
					Prod. No.	Well ³															
						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
						202459901	202459902	202459903	202459904	202459905	202459906	202459907	202459908	202459909	202459910	202459911	202459912	202459913	202459914	202459915	202459916
	IHWC cell line ¹		DRB3																		
1	9001	SA				-	-	-	-	-	-	-	-	-	-	-	-				
2	9280	LK707				-	-	-	-	-	-	-	-	-	-	-	-				
3	9011	E4181324				-	-	-	-	-	-	-	-	-	-	-	-				
4	9275	GU373	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
5	9009	KAS011				-	-	-	-	-	-	-	-	-	-	-	-				
6	9353	SM				-	-	-	-	-	-	-	-	-	-	-	-				
7	9020	QBL	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
8	9025	DEU				-	-	-	-	-	-	-	-	-	-	-	-				
9	9026	YAR				-	-	-	-	-	-	-	-	-	-	-	-				
10	9107	LKT3				-	-	-	-	-	-	-	-	-	-	-	-				
11	9051	PITOUT				-	-	-	-	-	-	-	-	-	-	-	-				
12	9052	DBB				-	-	-	-	-	-	-	-	-	-	-	-				
13	9004	JESTHOM				-	-	-	-	-	-	-	-	-	-	-	-				
14	9071	OLGA				-	-	-	-	-	-	-	-	-	-	-	-				
15	9075	DKB				-	-	-	-	-	-	-	-	-	-	-	-				
16	9037	SWEIG007	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
17	9282	CTM3953540	*01:01			+	+	+	-	-	-	-	-	-	-	+	-				
18	9257	32367	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
19	9038	BM16	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
20	9059	SLE005	*03:01			+	+	-	-	-	-	-	-	-	-	-	-				
21	9064	AMALA	*01:01			+	+	+	-	-	-	-	-	-	-	+	-				
22	9056	KOSE	*02:02	*03:01		+	+	-	+	-	-	-	+	+	+	-	+				
23	9124	IHL	*02:02			-	-	-	+	-	-	-	+	+	-	+	-				
24	9035	JBUSH	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
25	9049	IBW9				-	-	-	-	-	-	-	-	-	-	-	-				
26	9285	WT49	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
27	9191	CH1007				-	-	-	-	-	-	-	-	-	-	W	-				
28	9320	BEL5GB				-	-	-	-	-	-	-	-	-	-	-	-				
29	9050	MOU				-	-	-	-	-	-	-	-	-	-	-	-				
30	9021	RSH	*01:01			+	+	+	-	-	-	-	-	-	-	+	-				
31	9019	DUCAF	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
32	9297	HAG	*01:01			+	+	+	-	-	-	-	-	-	-	+	-				
33	9098	MT14B				-	-	-	-	-	-	-	-	-	-	-	-				
34	9104	DHIF	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
35	9302	SSTO				-	-	-	-	-	-	-	-	-	-	-	-				
36	9024	KT17				-	-	-	-	-	-	-	-	-	-	-	-				
37	9065	HHKB	*01:01			+	+	+	-	-	-	-	-	-	-	+	-				
38	9099	LZL	*01:01			+	+	+	-	-	-	-	-	-	-	+	-				
39	9315	CML	*01:01			+	+	+	-	-	-	-	-	-	-	+	-				
40	9134	WHONP199				-	-	-	-	-	-	-	-	-	-	-	-				
41	9055	H0301	*03:01			+	+	-	-	-	-	-	-	-	+	-	-				
42	9066	TAB089				-	-	-	-	-	-	-	-	-	-	-	-				
43	9076	T7526				-	-	-	-	-	-	-	-	-	-	-	-				
44	9057	TEM	*02:24			-	-	-	+	-	-	-	+	+	+	-	-				
45	9239	SHJO				-	-	-	-	-	-	-	-	-	-	-	-				
46	9013	SCHU				-	-	-	-	-	-	-	-	-	-	-	-				
47	9045	TUBO	*02:02			-	-	-	-	-	-	-	+	+	-	+	+				
48	9303	TER-ND				-	-	-	-	-	-	-	-	-	-	-	-				

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: 0V6

Lot-specific information

CELL LINE VALIDATION SHEET																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
DRB3 SSP subtyping kit ²																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
					Prod. No.	Well ³																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
						17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
						202459917	202459918	202459919	202459920	202459921	202459922	202459923	202459924	202459925	202459926	202459927	202459928	202459929	202459930	202459931	202459932																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	IHCW cell line ¹		DRB3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: 0V6

Lot-specific information

[illegible]

0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: 0V6

Lot-specific information

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

³Cell line TEM, IHW 9057, is profiled as DRB3*02:01 by ECACC ((European Collection of Cell Cultures)). However, Olerup SSP AB has shown that this cell line includes the exon 3 polymorphism corresponding to DRB3*02:24. Primer mix 4 amplifies DRB1*14 alleles in the KOSE, IHL and TEM cell lines. The DRB1*10:01 allele is weakly amplified by primer mixes 14 and 29 in the CH1007 cell line.

No DNAs carrying the alleles to be amplified by primer solutions 5 to 8, 16 to 19, 21 to 23, 25 to 28, 30 to 32 and 34 to 47 were available. The specificities of the primers in primer solutions 5, 7, 8, 16 to 19, 21, 22, 25, 26, 28, 31, 32, 34, 36, 38 and 40 were tested by separately adding additional 5'-primers, and additional 3'-primers accordingly.

In primer solutions 6, 23, 27, 30, 42 and 45 to 47 it was only possible to test the 3'-primer, the 5'-primers were not possible to be tested. In primer solutions 35, 37, 39, 41, 43 and 44 it was only possible to test the 5'-primer, the 3'-primers were not possible to be tested.

In primer solutions 1 to 3, 5, 7, 12, 15, 17, 19, 21, 25, 28, 31, 33, 34, 36 and 38 one or more 3'-primers were not possible to be tested. In primer solutions 2, 3, 14, 18, 22, 34, 38 and 40 one or two of the 5'-primers were not possible to be tested. In addition, one or more 3'-primers in primer solutions 15, 20 and 24 were tested by separately adding one or more 5'-primers.



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00

101.121-24/04 – including *Taq* polymerase
101.121-24u/04u – without *Taq* polymerase

Visit www.caredx.com for
“Instructions for Use” (IFU)

Lot No.: **0V6**

Lot-specific information

ADDRESSES:

Manufacturer:

CareDx AB, Franzéngatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-508 939 00

Fax: +46-8-717 88 18

E-mail: orders-se@caredx.com

Web page: www.caredx.com

Distributed by:

CareDx Lab Solutions Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-653-78171

Fax: 610-344-7989

E-mail: orders-us@caredx.com

Web page: www.caredx.com

For information on CareDx distributors worldwide, contact **CareDx AB**.



0197

For *In Vitro* Diagnostic Use
MA123 v02 SSP PI Template
Date: July 2025, Rev. No: 00