

101.842-12 – including *Taq* polymerase, IFU-01  
101.842-12u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
“Instructions for Use” (IFU)

Lot No.: **43S**

Lot-specific information

## **Olerup SSP<sup>®</sup> HLA-A\*11 Add-on**

<b>Product number:</b>	<b>101.842-12 – including <i>Taq</i> polymerase</b> <b>101.842-12u – without <i>Taq</i> polymerase</b>
<b>Lot number:</b>	<b>43S</b>
<b>Expiry date:</b>	<b>2015-December-01</b>
<b>Number of tests:</b>	<b>12</b>
<b>Number of wells per test:</b>	<b>2</b>
<b>Storage - pre-aliquoted primers:</b>	<b>dark at -20°C</b>
- PCR Master Mix:	<b>-20°C</b>
- Adhesive PCR seals	<b>RT</b>
- Product Insert	<b>RT</b>

**This Product Description is only valid for Lot No. 43S.**

### **CHANGES COMPARED TO THE PREVIOUS OLERUP SSP<sup>®</sup> HLA-A11 ADD-ON LOT (21N)**

One well has been removed, well **3**

The Lot-specific information for HLA-A\*11 Add-on including and without  
*Taq* polymerase is described in one common Product Insert.

The HLA-A\*11 Add-on specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP<sup>®</sup>* HLA-A\*11 Add-on lot was made (**Lot No. 21N**).

Changes compared to the previous *Olerup SSP<sup>®</sup>* HLA-A\*11 Add-on (**Lot No. 21N**):

One well has been removed, well 3.

101.842-12 – including *Taq* polymerase, IFU-01  
 101.842-12u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **43S**

Lot-specific information

## PRODUCT DESCRIPTION

### HLA-A\*11 Add-on SSP subtyping

#### CONTENT

The primer set contains 5'- and 3'-primers for distinguishing the HLA-A\*11:02 and 11:110 alleles.

#### PLATE LAYOUT

Each test consists of 2 PCR reactions in an 8 well cut PCR plate. Wells 3 to 8 are empty.

1	2	empty	empty	empty	empty	empty	empty
---	---	-------	-------	-------	-------	-------	-------

The 8 well cut PCR plate is marked with the Lot No. '43S' in silver/gray ink.

Well No. 1 is marked with the Lot No. '43S'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

**Please note:** When removing each 8 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

#### INTERPRETATION

The interpretation of HLA-A\*11 Add-on SSP subtypings will be influenced by the A\*02:294, the A\*33:54, the A\*66:08 in addition to a few A\*11 alleles, when present on the other haplotype.

#### UNIQUELY IDENTIFIED ALLELES

The HLA-A\*11:02<sup>1</sup> and 11:110 alleles give different patterns in the HLA-A\*11 Add-on kit<sup>2</sup>.

<sup>1</sup>The HLA-A\*11 add-on kit cannot distinguish the silent mutations in the A\*11:02:01-11:02:03 alleles.

<sup>2</sup>Based on HLA-A alleles listed on the IMGT/HLA web page 2013-January-11, release 3.11.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

101.842-12 – including *Taq* polymerase, IFU-01  
 101.842-12u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **43S**

Lot-specific information

## SPECIFICITY TABLE

### HLA-A\*11 Add-on SSP subtyping

Specificities and sizes of the PCR products of the 2 primer mixes used for HLA-A\*11 Add-on SSP subtyping

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified HLA-A*11:02/11:77/11:110 alleles	Other amplified HLA-A alleles <sup>3,4</sup>
1	270 bp	800 bp	*11:02:01-11:02:03, 11:110	*11:14, 11:16, 11:38, 11:57, 11:77, 11:101, 11:113
2	210 bp	1070 bp	11:110	*02:294, 32:54, 66:08

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-A\*11 Add-on SSP typings. Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers. PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-A\*11 Add-on subtyping.

<sup>3</sup>For several HLA Class I alleles 1<sup>st</sup> and/or 4<sup>th</sup> exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. We assume that unknown sequences in these regions are conserved within allelic groups.

<sup>4</sup>Due to the sharing of sequence motifs between HLA-A alleles some non-HLA-A\*11 alleles will be amplified by primer mix 2.

101.842-12 – including *Taq* polymerase, IFU-01  
 101.842-12u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **43S**

Lot-specific information

<b>INTERPRETATION TABLE</b>		
<b>HLA-A*11 Add-on SSP typing</b>		
	<b>Well</b>	
	<b>1</b>	<b>2</b>
<b>Length of spec.</b>	<b>270</b>	<b>210</b>
<b>PCR product</b>		
<b>Length of int.</b>	<b>800</b>	<b>1070</b>
<b>pos. control<sup>1</sup></b>		
<b>5'-primer<sup>2</sup></b>	<b>28</b>	<b>831</b>
	5' -TCC 3'	5' -gAg 3'
<b>3'-primer<sup>3</sup></b>	<b>127</b>	<b>899</b>
	5' -CTT 3'	5' -ACg 3'
<b>Well No.</b>	<b>1</b>	<b>2</b>
<b>HLA-A allele</b>		
<b>*11:02:01-11:02:03, 11:14, 11:16, 11:38, 11:57, 11:77, 11:101, 11:113</b>	<b>1</b>	
<b>*11:110</b>	<b>1</b>	<b>2</b>
<b>*02:294, 32:54, 66:08</b>		<b>2</b>
<b>HLA-A allele</b>		
<b>Well No.</b>	<b>1</b>	<b>2</b>

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-A\*11 Add-on subtyping.

<sup>2</sup>The nucleotide position, in the 1<sup>st</sup> or 4<sup>th</sup> exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position, in the 2<sup>nd</sup> or 5<sup>th</sup> exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.842-12 – including *Taq* polymerase, IFU-01  
 101.842-12u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **43S**

Lot-specific information

CELL LINE VALIDATION SHEET							
HLA-A*11 Add-on SSP kit							
						Well	
						1	2
						Lot No.:	
						201295901	201295902
	IHWC cell line	A*	A*				
1	9001 SA	*24:02				-	-
2	9280 LK707	*02:01				-	-
3	9011 E4181324	*01:01				-	-
4	9275 GU373	*30:01				-	-
5	9009 KAS011	*01:01				-	-
6	9353 SM	*02:01	*26:03			-	-
7	9020 QBL	*26:01				-	-
8	9025 DEU	*31:01				-	-
9	9026 YAR	*26:01				-	-
10	9107 LKT3	*24:02				-	-
11	9051 PITOUT	*29:02				-	-
12	9052 DBB	*02:01				-	-
13	9004 JESTHOM	*02:01				-	-
14	9071 OLGA	*31:01				-	-
15	9075 DKB	*24:02				-	-
16	9037 SWEIG007	*29:02				-	-
17	9282 CTM3953540	*03:01	*80:01			-	-
18	9257 32367	*33:03	*74:01			-	-
19	9038 BM16	*02:01				-	-
20	9059 SLE005	*02:01				-	-
21	9064 AMALA	*02:17				-	-
22	9056 KOSE	*02:01				-	-
23	9124 IHL	*02:01	*34:01			-	-
24	9035 JBUSH	*32:01				-	-
25	9049 IBW9	*33:01				-	-
26	9285 WT49	*02:05				-	-
27	9191 CH1007	*24:10	*29:01			-	-
28	9320 BEL5GB	*02:01	*29:02			-	-
29	9050 MOU	*29:02				-	-
30	9021 RSH	*30:01	*68:02			-	-
31	9019 DUCAF	*30:02				-	-
32	9297 HAG	*02:01				-	-
33	9098 MT14B	*31:01				-	-
34	9104 DHIF	*31:01				-	-
35	9302 SSTO	*32:01				-	-
36	9024 KT17	*02:06	*11:01			-	-
37	9065 HHKB	*03:01				-	-
38	9099 LZL	*02:17				-	-
39	9315 CML	*01:01	*03:01			-	-
40	9134 WHONP199	*02:07	*30:01			-	-
41	9055 H0301	*03:01				-	-
42	9066 TAB089	*02:07				-	-
43	9076 T7526	*02:06	*02:07			-	-
44	9057 TEM	*66:01				-	-
45	9239 SHJO	*23:01	*24:02			-	-
46	9013 SCHU	*03:01				-	-
47	9045 TUBO	*02:16	*03:01			-	-
48	9303 TER-ND	*02:01	*11:01			-	-

101.842-12 – including *Taq* polymerase, IFU-01  
101.842-12u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
“Instructions for Use” (IFU)

Lot No.: **43S**

Lot-specific information

## CERTIFICATE OF ANALYSIS

### **Olerup SSP® HLA-A\*11 Add-on SSP**

**Product number:** 101.842-12 – including *Taq* polymerase  
101.842-12u – without *Taq* polymerase

**Lot number:** 43S

**Expiry date:** 2015-December-01

**Number of tests:** 12

**Number of wells per test:** 2

#### **Well specifications:**

Well No.	Production No.
1	2012-959-01
2	2012-959-02

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solution 2 was available. The specificities of the primers in primer solution 2 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer.

**Results:** No false positive or false negative amplifications were obtained.

**Date of approval:** 2013-July-09

**Approved by:**

**Production Quality Control**

101.842-12 – including *Taq* polymerase, IFU-01  
101.842-12u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
“Instructions for Use” (IFU)

Lot No.: **43S**

Lot-specific information

## Declaration of Conformity

**Product name:** *Olerup* SSP® HLA-A\*11 Add-on  
**Product number:** 101.842-12/12u  
**Lot number:** 43S

**Intended use:** HLA-A\*11 histocompatibility testing

**Manufacturer:** *Olerup* SSP AB  
Franzengatan 5  
SE-112 51 Stockholm, Sweden  
**Phone:** +46-8-717 88 27  
**Fax:** +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2012, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Notified Body: Lloyd's Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Stockholm, Sweden  
2013-July-09

Åsa Olausson  
Production Quality Control

101.842-12 – including *Taq* polymerase, IFU-01  
101.842-12u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
“Instructions for Use” (IFU)

Lot No.: **43S**

Lot-specific information

## ADDRESSES:

### Manufacturer:

**Olerup SSP AB**, Franzengatan 5, SE-112 51 Stockholm, Sweden.

**Tel:** +46-8-717 88 27

**Fax:** +46-8-717 88 18

**E-mail:** [info-ssp@olerup.com](mailto:info-ssp@olerup.com)

**Web page:** <http://www.olerup-ssp.com>

### Distributed by:

**Olerup GmbH**, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

**Tel:** +43-1-710 15 00

**Fax:** +43-1-710 15 00 10

**E-mail:** [support-at@olerup.com](mailto:support-at@olerup.com)

**Web page:** <http://www.olerup.com>

**Olerup Inc.**, 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-OLERUP1

**Fax:** 610-344-7989

**E-mail:** [info.us@olerup.com](mailto:info.us@olerup.com)

**Web page:** <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.