

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information
Olerup SSP® HLA-A*29

www.olerup-ssp.com

Product number:	101.428-12 – including <i>Taq</i> polymerase 101.428-12u – without <i>Taq</i> polymerase
Lot number:	66X
Expiry date:	2017-July-01
Number of tests:	12
Number of wells per test:	23+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 66X.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®
HLA-A*29 LOT (75S)**

The HLA-A*29 kit is updated for new alleles to enable separation of:

- Confirmed¹ alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

A well containing Negative Control primer pairs has been added.

The format of the Product Insert and Worksheet have been changed.

¹As described in section Uniquely Identified Alleles.

The HLA-A*29 primer set, specificity and interpretation tables have been updated for the HLA-A alleles described since the previous *Olerup SSP®* HLA-A*29 lot was made (**Lot No. 75S**). The kit design is based on IMGT/HLA database 3.18.0.

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

As of lot series V, the Specificity Table is included in the lot-specific Product Insert, and the Interpretation Table is included in the Worksheet.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
5	-	Added	3'-primer added from well 18.
10	Added	Added	3'-primer added for the A*29:51, 5'-primer added for the A*29:54 allele.
11	-	Added	3'-primer added from well 18.
13	-	Added	3'-primers added for the A*29:51 and A*29:55 alleles.
16	Added	-	5'-primer added for the A*29:53 allele.
17	Added	Added	Primer pair added for the A*29:53, 5'-primer added for the A*29:54 allele.
18	Added, removed	Added, moved	3'-primer moved to well 5 and 11, 5'-primer removed, primer pair added from well 24.
19	-	Added	3'-primer added for the A*29:55 allele.
22	Added	Added	Primer pair added from well 23, exchanged positive control primer pair.
23	Added, moved	Added, moved	Primer pair added for the A*29:32, primer pair moved to well 22, exchanged control primer pair.
24	Moved	Removed, moved	3'-primer removed for increased HLA-specific amplification, primer pairs moved to well 18, negative control.

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

Well **24** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup SSP*® HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.

The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

PRODUCT DESCRIPTION

HLA-A*29 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the A*29:01 to A*29:74 alleles.

PLATE LAYOUT

Each test consists of 24 PCR reactions in a 24 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	NC

The 24 well cut PCR plate is marked with 'HLA-A*29' in silver/gray ink.

Well No. 1 is marked with the Lot No. '66X'.

Wells 1 to 23 – HLA-A*29 high resolution primers.

Well 24 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 24 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-A alleles, non-HLA-A*29 alleles will be amplified by primer mixes 3, 4, 6 to 10, 12, 13, 15, 16, 18 and 20 to 23. In addition, a few HLA-C alleles will be amplified by primer mixes 11 and 21. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the HLA-A*29 alleles, i.e. **A*29:01 to A*29:74 alleles**, recognized by the HLA Nomenclature Committee in October 2014^{1,2} will be amplified by the primers in the HLA-A*29 subtyping kit.

The HLA-A*29 kit enables separation of the confirmed HLA-A*29 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-A*29 alleles is listed below.

The HLA-A*29 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

The following HLA-A*29 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
A*29:06, 29:34	7
A*29:07, 29:46	8

The HLA-A*29 subtyping kit cannot distinguish following silent mutations: the A*29:01:01:01 and 29:01:02-29:01:06 alleles and the A*29:02:01:01-29:02:03 and 29:02:05-29:02:14 alleles.

¹HLA-A alleles listed on the IMGT/HLA web page 2014-October-10, release 3.18.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
A*29:01:01:01	Confirmed	A*29:11	Confirmed	A*29:41	Unconfirmed	A*29:71	Unconfirmed
A*29:01:01:02N	Unconfirmed	A*29:12	Confirmed	A*29:42	Unconfirmed	A*29:72	Unconfirmed
A*29:01:02	Unconfirmed	A*29:13	Unconfirmed	A*29:43	Confirmed	A*29:73	Unconfirmed
A*29:01:03	Unconfirmed	A*29:14	Unconfirmed	A*29:44	Confirmed	A*29:74	Unconfirmed
A*29:01:04	Unconfirmed	A*29:15	Unconfirmed	A*29:45	Unconfirmed		
A*29:01:05	Unconfirmed	A*29:16	Unconfirmed	A*29:46	Unconfirmed		
A*29:01:06	Unconfirmed	A*29:17	Unconfirmed	A*29:47	Unconfirmed		
A*29:02:01:01	Confirmed	A*29:18	Unconfirmed	A*29:48	Unconfirmed		
A*29:02:01:02	Confirmed	A*29:19	Unconfirmed	A*29:49	Unconfirmed		
A*29:02:02	Confirmed	A*29:20	Confirmed	A*29:50	Unconfirmed		
A*29:02:03	Confirmed	A*29:21	Confirmed	A*29:51	Confirmed		
A*29:02:04	Confirmed	A*29:22	Confirmed	A*29:52	Unconfirmed		
A*29:02:05	Unconfirmed	A*29:23	Unconfirmed	A*29:53	Confirmed		
A*29:02:06	Confirmed	A*29:24	Unconfirmed	A*29:54	Confirmed		
A*29:02:07	Unconfirmed	A*29:25	Unconfirmed	A*29:55	Confirmed		
A*29:02:08	Unconfirmed	A*29:26	Confirmed	A*29:56	Unconfirmed		
A*29:02:09	Confirmed	A*29:27	Unconfirmed	A*29:57	Unconfirmed		
A*29:02:10	Unconfirmed	A*29:28	Unconfirmed	A*29:58	Unconfirmed		
A*29:02:11	Unconfirmed	A*29:29	Unconfirmed	A*29:59	Unconfirmed		
A*29:02:12	Unconfirmed	A*29:30	Unconfirmed	A*29:60	Unconfirmed		
A*29:02:13	Unconfirmed	A*29:31	Unconfirmed	A*29:61	Unconfirmed		
A*29:02:14	Unconfirmed	A*29:32	Confirmed	A*29:62	Unconfirmed		
A*29:03	Unconfirmed	A*29:33	Unconfirmed	A*29:63	Unconfirmed		
A*29:04	Unconfirmed	A*29:34	Confirmed	A*29:64	Unconfirmed		
A*29:05	Unconfirmed	A*29:35	Confirmed	A*29:65	Unconfirmed		
A*29:06	Unconfirmed	A*29:36	Confirmed	A*29:66	Unconfirmed		
A*29:07	Unconfirmed	A*29:37	Unconfirmed	A*29:67	Unconfirmed		
A*29:08N	Unconfirmed	A*29:38	Unconfirmed	A*29:68	Unconfirmed		
A*29:09	Confirmed	A*29:39	Unconfirmed	A*29:69	Unconfirmed		
A*29:10	Confirmed	A*29:40	Confirmed	A*29:70	Unconfirmed		

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2014-October-10, release 3.18.0, www.ebi.ac.uk/imgt/hla.

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-A*29 homo- and heterozygotes is available upon request.

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

SPECIFICITY TABLE

HLA-A*29 SSP subtyping

Specificities and sizes of the PCR products of the 23+1 primer mixes used for HLA-A*29 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-A*29 alleles ³	Other amplified HLA-A alleles ⁴
1	480 bp	800 bp	*29:01:01:01-29:01:06, 29:12, 29:15-29:17, 29:20, 29:24, 29:28, 29:33, 29:48-29:49, 29:55-29:58, 29:60-29:62, 29:67, 29:71	
2	130 bp	1070 bp	*29:01:01:02N	
3	440 bp	800 bp	*29:02:01:01-29:02:03, 29:02:05-29:11, 29:13-29:14, 29:19, 29:21-29:23, 29:26-29:27, 29:29-29:32, 29:34-29:47, 29:50-29:54, 29:59, 29:63, 29:65-29:66, 29:68-29:70, 29:72-29:74	*11:01:42
4 ⁵	120 bp 165 bp	800 bp	*29:35 *29:03, 29:33	*23:03:01, 24:208, 31:05, 32:13, 33:10
5	130 bp 185 bp	1070 bp	*29:04 *29:23	
6 ⁵	105 bp 130 bp	800 bp	*29:19 *29:05, 29:33, 29:40	*11:01:28, 24:208, 31:24, 32:02, 32:22, 33:59
7 ⁵	105 bp 210 bp	1070 bp	*29:19, 29:20, 29:34 *29:06	*31:51, 32:12
8 ⁵	85 bp 160 bp	800 bp	*29:07, 29:49 *29:46	*11:139, 23:53, 24:17, 24:41, 24:208
9 ^{5,6}	80 bp 170 bp	1070 bp	*29:16 *29:08N	*01:157, 03:27
10 ^{5,7}	90 bp 165 bp 215 bp	800 bp	*29:09, 29:33, 29:51, 29:73 *29:17, 29:43 *29:54	*02:24:02, 02:507, 03:01:18, 11:01:28, 24:208, 31:24, 32:33:01, 33:34
11 ⁵	110 bp 190 bp	800 bp	*29:14, 29:35 *29:10, 29:23	C*08:01:15
12 ^{5,6}	80 bp	800 bp	*29:02:04, 29:18, 29:48	*03:01:39, 32:01:01-32:01:07, 32:01:09-32:01:17, 32:01:19-32:03, 32:05-32:55:02, 32:57-32:68, 68:01:28, 74:01-74:13, 74:15-74:23

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: 66X	Lot-specific Information			www.olerup-ssp.com
13 ^{5,6,8}	90 bp 165 bp 260 bp	1070 bp	*29:11, 29:51, 29:73 *29:12 *29:55	*02:24:02, 02:507 *31:16, 33:58
14	200 bp	1070 bp	*29:01:01:01-29:13, 29:15- 29:17, 29:19-29:36, 29:38- 29:47, 29:49-29:55, 29:57- 29:74	
15	240 bp	1070 bp	*29:01:01:01-29:12, 29:14- 29:18, 29:20-29:36, 29:38, 29:40-29:47, 29:49-29:55, 29:57-29:74	*01:143, 31:79, 33:13, 33:48
16 ^{5,6}	95 bp 160 bp 190 bp	1070 bp	*29:15 *29:21, 29:43 *29:53	*02:221, 23:41, 31:78
17	130 bp 190 bp 215 bp	1070 bp	*29:24, 29:40 *29:27, 29:53 *29:54	
18	225 bp 260 bp	1070 bp	*29:37, 29:56 *29:36	*32:07
19 ⁷	160 bp 260 bp 505 bp	1070 bp	*29:25 *29:55 *29:26	
20 ^{5,6}	105 bp	1070 bp	*29:44, 29:64	*02:65, 11:01:28, 32:01:01- 32:01:06, 32:01:08- 32:01:11, 32:01:13-32:03, 32:05-32:27N, 32:29- 32:33:01, 32:34-32:65, 32:67-32:68, 74:01-74:23
21	185 bp	1070 bp	*29:22	*01:20, 01:66, 01:130, 02:19, 02:44, 02:149, 02:309, 02:408, 02:436, 03:95, 24:14, 24:93, 26:22, 30:47, 33:22, 66:09, C*02:74
22 ⁵	115 bp 260 bp	800 bp	*29:29 *29:13	*01:148, 11:128, 26:85, 68:58 *24:82, 31:07-31:08, 31:10, 32:42
23 ⁵	75 bp	1070 bp	*29:32	*02:24:02, 02:65, 02:152, 02:507, 23:03:01, 31:01:02-31:02, 31:05, 31:07-31:61, 31:63-31:66, 31:70-31:89, 32:01:01- 32:01:06, 32:01:08- 32:01:11, 32:01:13-32:03, 32:05-32:27N, 32:29, 32:31, 32:33:01, 32:34- 32:47, 32:49-32:65, 32:67- 32:68, 33:01:01-33:01:04, 33:01:06-33:01:07, 33:03:01-33:03:18, 33:03:20-33:03:23, 33:03:25-33:03:26, 33:04- 33:17, 33:20-33:31,

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: 66X	Lot-specific Information		www.olerup-ssp.com
			33:33-33:37, 33:39-33:94, 74:01-74:23
24⁹	-	-	Negative Control

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-A*29 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴Due to the sharing of sequence motifs between HLA-A alleles, non-HLA-A*29 alleles will be amplified by primer mixes 3, 4, 6 to 10, 12, 13, 15, 16, 18 and 20 to 23. In addition, a few HLA-C alleles will be amplified by primer mixes 11 and 21.

⁵HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁶Primer mixes 9, 12, 13, 16 and 20 may have tendencies of unspecific amplifications.

⁷Primer mixes 10 and 19 have a tendency to giving rise to primer oligomer formation.

⁸Primer mix 13 may give rise to a lower yield of HLA-specific PCR product than the other A*29 primer mixes.

⁹Primer mix 24 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	480	130	440	120	130	105	105	85	80	90	110	80
PCR product				165	185	130	210	160	170	165	190	
										215		
Length of int. pos. control ¹	800	1070	800	800	1070	800	1070	800	1070	800	800	800
5'-primer(s) ²	180	808	219	448	180	219	219	368	97	82	180	180
	5'-TTT 3'	5'-CgT 3'	5'-gCA 3'	5'-CCT 3'	5'-TTT 3'	5'-gCA 3'	5'-gCA 3'	5'-gTT 3'	5'-TCA 3'	5'-ACC 3'	5'-TTT 3'	5'-TTT 3'
						448	448	652	413	130	448	
						5'-CCT 3'	5'-CCT 3'	5'-CTg 3'	5'-CCg 3'	5'-AgA 3'	5'-CCT 3'	
										140		
										5'-CAA 3'		
										448		
										5'-CCT 3'		
3'-primer(s) ³	376	895	376	526	268	282	282	413	224	257	238	218
	5'-gTg 3'	5'-CTC 3'	5'-gTC 3'	5'-CAT 3'	5'-ATg 3'	5'-gAg 3'	5'-gAg 3'	5'-gCC 3'	5'-TCT 3'	5'-gCA 3'	5'-CCT 3'	5'-gCg 3'
				570	326	533	282	773	454	497	326	
				5'-CCg 3'	5'-TgA 3'	5'-gCC 3'	5'-gAg 3'	5'-gCT 3'	5'-CTg 3'	5'-Tgg 3'	5'-TgA 3'	
						539	616			502	526	
						5'-TCT 3'	5'-CgC 3'			5'-CTT 3'	5'-CAT 3'	
											601	
											5'-CTT 3'	
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23
Length of spec.	90	200	240	95	130	225	160	105	185	115	75
PCR product	165			160	190	260	260			260	
	260			190	215		505				
Length of int. pos. control ¹	1070	1070	1070	1070	1070	1070	1070	1070	1070	800	1070
5'-primer(s) ²	97	98	98	107	82	41	98	385	355	98	413
	5'-TCA 3'	5'-CAC 3'	5'-CAC 3'	5'-CgC 3'	5'-ACC 3'	5'-CTT 3'	5'-CAC 3'	5'-ggC 3'	5'-CCg 3'	5'-CAC 3'	5'-CCA 3'
	448			134	107		3 ^d I			355	
	5'-CCT 3'			5'-CCT 3'	5'-CgC 3'		5'-ATA 3'			5'-CCA 3'	
				140	448						
				5'-CAA 3'	5'-CCT 3'						
				484							
				5'-ACg 3'							
3'-primer(s) ³	221	257	299	257	257	97	217	448	497	317	448
	5'-ACA 3'	5'-gCA 3'	5'-TCg 3'	5'-gCA 3'	5'-gCA 3'	5'-ggA 3'	5'-TgA 3'	5'-CAA 3'	5'-TgA 3'	5'-ggA 3'	5'-CAA 3'
	316			538	533	131	316			430	
	5'-gCT 3'			5'-CAA 3'	5'-gCC 3'	5'-ggA 3'	5'-gCT 3'			5'-gCT 3'	
	494				545		667				
	5'-TCg 3'				5'-AgC 3'		5'-ggT 3'				
	497				595						
	5'-Tgg 3'				5'-CCA 3'						
Well No.	13	14	15	16	17	18	19	20	21	22	23

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.428-12 – including Taq polymerase, IFU-01
101.428-12u – without Taq polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET																			
HLA-A*29 SSP subtyping kit ²																			
				Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				201323601	201323602	201323603	201323604	201444905	201323606	201323607	201323608	201444909	201444910	201444911	201323612	201444913	201323614	201323615	201444916
			Lot No.:																
	IHWC cell line ¹	A*	A*																
1	9001 SA	*24:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324	*01:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*30:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*01:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*02:01	*26:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020 QBL	*26:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9007 DEM	*31:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*26:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*24:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*29:02		-	-	+	-	-	-	-	-	-	-	-	-	-	+	+	-
12	9052 DBB	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*31:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*24:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*29:02		-	-	+	-	-	-	-	-	-	-	-	-	-	+	+	-
17	9282 CTM3953540	*03:01	*80:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*33:03	*74:01	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
19	9038 BM16	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*02:17		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*02:01	*34:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*32:01		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
25	9049 IBW9	*33:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*02:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*24:10	*29:01	+	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-
28	9320 BEL5GB	*02:01	*29:02	-	-	+	-	-	-	-	-	-	-	-	-	-	+	+	-
29	9050 MOU	*29:02		-	-	+	-	-	-	-	-	-	-	-	-	-	+	+	-
30	9021 RSH	*30:01	*68:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*30:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*31:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*31:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*32:01		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
36	9024 KT17	*02:06	*11:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*02:17		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*01:01	*03:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*02:07	*30:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*02:07		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*02:06	*02:07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*66:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*23:01	*24:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*02:16	*03:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*02:01	*11:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET											
HLA-A*29 SSP subtyping kit ²											
				Well							
				17	18	19	20	21	22	23	
				Lot No.:	201444917	201444924	201444919	201323620	201323621	201444922	201444923
	IHWC cell line ¹	A*	A*								
1	9001 SA	*24:02		-	-	-	-	-	-	-	
2	9280 LK707	*02:01		-	-	-	-	-	-	-	
3	9011 E4181324	*01:01		-	-	-	-	-	-	-	
4	9275 GU373	*30:01		-	-	-	-	-	-	-	
5	9009 KAS011	*01:01		-	-	-	-	-	-	-	
6	9353 SM	*02:01	*26:03	-	-	-	-	-	-	-	
7	9020 QBL	*26:01		-	-	-	-	-	-	-	
8	9007 DEM	*31:01		-	-	-	-	-	-	+	
9	9026 YAR	*26:01		-	-	-	-	-	-	-	
10	9107 LKT3	*24:02		-	-	-	-	-	-	-	
11	9051 PITOUT	*29:02		-	-	-	-	-	-	-	
12	9052 DBB	*02:01		-	-	-	-	-	-	-	
13	9004 JESTHOM	*02:01		-	-	-	-	-	-	-	
14	9071 OLGA	*31:01		-	-	-	-	-	-	+	
15	9075 DKB	*24:02		-	-	-	-	-	-	-	
16	9037 SWEIG007	*29:02		-	-	-	-	-	-	-	
17	9282 CTM3953540	*03:01	*80:01	-	-	-	-	-	-	-	
18	9257 32367	*33:03	*74:01	-	-	-	+	-	-	+	
19	9038 BM16	*02:01		-	-	-	-	-	-	-	
20	9059 SLE005	*02:01		-	-	-	-	-	-	-	
21	9064 AMALA	*02:17		-	-	-	-	-	-	-	
22	9056 KOSE	*02:01		-	-	-	-	-	-	-	
23	9124 IHL	*02:01	*34:01	-	-	-	-	-	-	-	
24	9035 JBUSH	*32:01		-	-	-	+	-	-	+	
25	9049 IBW9	*33:01		-	-	-	-	-	-	+	
26	9285 WT49	*02:05		-	-	-	-	-	-	-	
27	9191 CH1007	*24:10	*29:01	-	-	-	-	-	-	-	
28	9320 BEL5GB	*02:01	*29:02	-	-	-	-	-	-	-	
29	9050 MOU	*29:02		-	-	-	-	-	-	-	
30	9021 RSH	*30:01	*68:02	-	-	-	-	-	-	-	
31	9019 DUCAF	*30:02		-	-	-	-	-	-	-	
32	9297 HAG	*02:01		-	-	-	-	-	-	-	
33	9098 MT14B	*31:01		-	-	-	-	-	-	+	
34	9104 DHIF	*31:01		-	-	-	-	-	-	+	
35	9302 SSTO	*32:01		-	-	-	+	-	-	+	
36	9024 KT17	*02:06	*11:01	-	-	-	-	-	-	-	
37	9065 HHKB	*03:01		-	-	-	-	-	-	-	
38	9099 LZL	*02:17		-	-	-	-	-	-	-	
39	9315 CML	*01:01	*03:01	-	-	-	-	-	-	-	
40	9134 WHONP199	*02:07	*30:01	-	-	-	-	-	-	-	
41	9055 H0301	*03:01		-	-	-	-	-	-	-	
42	9066 TAB089	*02:07		-	-	-	-	-	-	-	
43	9076 T7526	*02:06	*02:07	-	-	-	-	-	-	-	
44	9057 TEM	*66:01		-	-	-	-	-	-	-	
45	9239 SHJO	*23:01	*24:02	-	-	-	-	-	-	-	
46	9013 SCHU	*03:01		-	-	-	-	-	-	-	
47	9045 TUBO	*02:16	*03:01	-	-	-	-	-	-	-	
48	9303 TER-ND	*02:01	*11:01	-	-	-	-	-	-	-	

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 2, 4 to 7, 9 to 11, 13, 17 to 19, 21, 22 and 24 were available.

The specificities of the primers in primer solutions 4, 6, 7, 10, 11, 13, 17, 18, 21 and 22 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer.

In primer solutions 2, 5, 9 and 19 it was only possible to test the 5'-primers, the 3'-primers were not possible to test.

In primer solution 4, 6, 7, 8, 11, 13, 17, 18 and 22 one or two of the 3'-primers was not possible to test, and in primer solutions 10, 16 and 17 two or three of the 5'-primers was not possible to test. Additional primers in primer solutions 8 and 16 were tested by separately adding one 5'-primer respectively one 3'-primer.

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information

www.olerup-ssp.com

101.428-12 – including *Taq* polymerase, IFU-01
101.428-12u – without *Taq* polymerase, IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **66X**

Lot-specific Information
ADDRESSES:

www.olerup-ssp.com

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: <http://www.olerup-ssp.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.