

Olerup SSP® HLA-A*30

Product number:	101.429-12 – including <i>Taq</i> polymerase
Lot number:	02H
Expiry date:	2012-March-01
Number of tests:	12
Number of wells per test:	24
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 02H.

CHANGES COMPARED TO THE PREVIOUS *OLERUP SSP*® HLA-A*30 LOT

The HLA-A*30 specificity and interpretation tables have been updated for the HLA-A alleles described since the previous *Olerup SSP*® HLA-A*30 lot was made (Lot No. 78F).

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
7	Modified	-	Improved amplification of the A*3008 allele.
12	Exchanged	-	Increased yield of specific PCR product.
15	-	Added	Primer added for the A*3029 allele.
16	Added	Added	Primer pair added for the A*3033 allele.
18	-	Added	Primer added for the A*3032 allele.
19	-	Added	Primer added for the A*3031 allele.
20	-	Added	Primer added for the A*3034 allele.
21	Added	Added	Primer pair added for the A*3030 allele.

PRODUCT DESCRIPTION

HLA-A*30 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the A*3001 to A*3034 alleles.

PLATE LAYOUT

Each test consists of 24 PCR reactions in a 24 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24

The 24 well cut PCR plate is marked with 'HLA-A*30' in silver/gray ink.

Well No. 1 is marked with '02H'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 24 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

The interpretation of HLA-A*30 SSP subtypings will be influenced by three A*01, two A*02, three A*03, the A*2309, four A*24, two A*26, the A*2914, most A*31, the A*3207, two A*68 and the A*8001 alleles when present on the other haplotype.

UNIQUELY IDENTIFIED ALLELES

All the HLA-A*30 alleles, i.e. **A*3001 to A*3034 alleles**, recognized by the HLA Nomenclature Committee in January 2010¹ will give rise to unique amplification patterns by the primers in the HLA-A*30 subtyping kit.

The HLA-A*30 kit cannot distinguish the A*300101 and A*300102 alleles, the A*300201 to A*300204 or the A*301101 and A*301102 alleles.

¹HLA-A alleles listed on the IMGT/HLA web page 2010-January-15, release 2.28.0, www.ebi.ac.uk/imgt/hla.

Lot No.: 02H

Lot-specific information

www.olerup-ssp.com

RESOLUTION IN HOMO- AND HETEROZYGOTES

The 32 HLA-A*30 alleles give rise to 33 different amplification patterns. These can be combined in 561 homozygous and heterozygous combinations. 238 of these genotypes do not give rise to unique amplification patterns. The different lengths of the specific PCR products generated by primer mixes 5, 6 and 18 to 21 were not considered in these calculations.

++++-----	+++-----	+-----	3003,3018 = 3011,3012
++++-----	+++-----	+-----	3003,3016 = 3011,3013
++++-----	+++-----	+-----	3003,3015 = 3011,3033
++++-----	+++-----	+-----	3003,3020 = 3011,3032
++++-----	+++-----	+-----	3003,3023 = 3011,3034
++++-----	+++-----	+-----	3003,3024 = 3003,3030
++++-----	+++-----	+-----	3001,3003 = 3002,3011 = 300205,3011
++++-----	+++-----	+-----	3002,3019 = 300205,3019
++++-----	+++-----	+-----	3007,3024 = 3007,3030
++++-----	+++-----	+-----	3002,3008 = 300205,3008
++++-----	+++-----	+-----	3010,3024 = 3010,3030
++++-----	+++-----	+-----	3012,3016 = 3013,3018
++++-----	+++-----	+-----	3012,3015 = 3018,3033
++++-----	+++-----	+-----	3012,3020 = 3018,3032
++++-----	+++-----	+-----	3012,3023 = 3018,3034
++++-----	+++-----	+-----	3012,3024 = 3012,3030
++++-----	+++-----	+-----	3001,3012 = 3002,3018 = 300205,3018
++++-----	+++-----	+-----	3013,3015 = 3016,3033
++++-----	+++-----	+-----	3013,3020 = 3016,3032
++++-----	+++-----	+-----	3013,3031 = 3016,3022
++++-----	+++-----	+-----	3013,3023 = 3016,3034
++++-----	+++-----	+-----	3013,3024 = 3013,3030
++++-----	+++-----	+-----	3001,3013 = 3002,3016 = 300205,3016 = 3013,3016
++++-----	+++-----	+-----	3002,3014L = 300205,3014L
++++-----	+++-----	+-----	3015,3032 = 3020,3033
++++-----	+++-----	+-----	3015,3022 = 3031,3033
++++-----	+++-----	+-----	3015,3034 = 3023,3033
++++-----	+++-----	+-----	3024,3033 = 3030,3033
++++-----	+++-----	+-----	3001,3033 = 3002,3015 = 300205,3015 = 3015,3033
++++-----	+++-----	+-----	3020,3022 = 3031,3032
++++-----	+++-----	+-----	3020,3034 = 3023,3032
++++-----	+++-----	+-----	3024,3032 = 3030,3032
++++-----	+++-----	+-----	3001,3032 = 3002,3020 = 300205,3020 = 3020,3032
++++-----	+++-----	+-----	3022,3023 = 3031,3034
++++-----	+++-----	+-----	3022,3024 = 3022,3030
++++-----	+++-----	+-----	3001,3022 = 3002,3031 = 300205,3031
++++-----	+++-----	+-----	3024,3034 = 3030,3034
++++-----	+++-----	+-----	3001,3034 = 3002,3023 = 300205,3023 = 3023,3034
++++-----	+++-----	+-----	3024,3027N = 3027N,3030
++++-----	+++-----	+-----	3024,3025 = 3025,3030
++++-----	+++-----	+-----	3002,3024 = 3002,3030 = 300205,3024
++++-----	+++-----	+-----	3001,3002 = 3001,300205
++++-----	+++-----	+-----	3004,3011 = 3011,3017 = 3011,3019
++++-----	+++-----	+-----	3011,3024 = 3011,3030
++++-----	+++-----	+-----	3001,3006 = 3006,3019
++++-----	+++-----	+-----	3008,3017 = 3008,3019 = 3019,3028

Lot No.: 02H

Lot-specific information

www.olerup-ssp.com

++-+-----	+++-+-----	+-----	3004,3018 = 3017,3018 = 3018,3019
++-+-----	++-++-----	+-----	3004,3016 = 3016,3017 = 3016,3019
++-+-----	++-++-+-	+-----	3001,3029 = 3004,3014L = 3014L,3017 =
			3014L,3019 = 3014L,3029 = 3019,3029
++-+-----	++-++-++	+-----	3004,3015 = 3015,3017 = 3015,3019
++-+-----	++-++-----	++-----	3004,3020 = 3017,3020 = 3019,3020
++-+-----	++-++-----	++-+-----	3004,3031 = 3017,3031 = 3019,3031
++-+-----	++-++-----	++-+-----	3004,3023 = 3017,3023 = 3019,3023
++-+-----	++-++-----	++-+-----	3004,3024 = 3017,3024 = 3019,3024 =
			3019,3030
++-+-----	++-++-----	+-----	3001,3004 = 3001,3017 = 3001,3019 =
			3004,3019 = 3017,3019 = 3019,3019
++-+-----	+++-+-----	+-----	3008,3018 = 3018,3028
++-+-----	+++-+-----	+-----	3008,3016 = 3016,3028
++-+-----	++-++-+-	+-----	3008,3014L = 3014L,3028
++-+-----	++-++-++	+-----	3008,3015 = 3015,3028
++-+-----	++-++-----	++-----	3008,3020 = 3020,3028
++-+-----	++-++-----	++-+-----	3008,3023 = 3023,3028
++-+-----	++-++-----	++-+-----	3008,3024 = 3008,3030 = 3024,3028 =
			3028,3030
++-+-----	++-++-----	+-----+	3008,3026 = 3026,3028
++-+-----	+++-+-----	+-----	3001,3008 = 3001,3028
++-+-----	+++-+-----	++-+-----	3018,3024 = 3018,3030
++-+-----	+++-+-----	++-+-----	3009,3024 = 3009,3030
++-+-----	++-++-+-	++-+-----	3016,3024 = 3016,3030
++-+-----	++-++-+-	+-----	3001,3016 = 3016,3016
++-+-----	++-++-+-	++-+-----	3014L,3024 = 3014L,3030
++-+-----	++-++-+-	+-----	3001,3014L = 3014L,3014L
++-+-----	++-++-++	++-+-----	3015,3024 = 3015,3030
++-+-----	++-++-++	+-----	3001,3015 = 3015,3015
++-+-----	++-++-++	++-+-----	3020,3024 = 3020,3030
++-+-----	++-++-++	++-+-----	3001,3020 = 3020,3020
++-+-----	++-++-++	++-+-----	3024,3031 = 3030,3031
++-+-----	++-++-++	++-+-----	3023,3024 = 3023,3030
++-+-----	++-++-++	++-+-----	3001,3023 = 3023,3023
++-+-----	++-++-++	++-+-----	3001,3024 = 3001,3030 = 3024,3024 =
			3024,3030
++-+-----	++-++-++	-----	3002,3003 = 300205,3003
++-+-----	++-++-++	-----	3002,3006 = 3004,3007 = 3006,3007
++-+-----	++-++-++	-----	3002,3007 = 300205,3007
++-+-----	++-++-++	-----	3002,3028 = 300205,3028
++-+-----	++-++-++	-----	3002,3010 = 300205,3010 = 3010,3010
++-+-----	+++-+-----	-----	3002,3012 = 300205,3012
++-+-----	+++-+-----	-----	3002,3009 = 300205,3009
++-+-----	++-++-+-	-----	3002,3013 = 300205,3013 = 3013,3013
++-+-----	++-++-+-	-----	3002,3033 = 300205,3033 = 3033,3033
++-+-----	++-++-+-	++-+-----	3002,3032 = 300205,3032 = 3032,3032
++-+-----	++-++-+-	++-+-----	3002,3022 = 300205,3022
++-+-----	++-++-+-	++-+-----	3002,3034 = 300205,3034 = 3034,3034
++-+-----	++-++-+-	-----+	3002,3027N = 300205,3027N = 3027N,3027N
++-+-----	++-++-+-	-----+	3002,3025 = 300205,3025 = 3025,3025
++-+-----	++-++-+-	-----	3002,3002 = 3002,300205
++-+-----	++-++-+-	++-+-----	3004,3030 = 3017,3030
++-+-----	++-++-+-	++-+-----	3004,3026 = 3017,3026
++-+-----	++-++-+-	-----	3004,3006 = 3006,3006
++-+-----	++-++-+-	-----	3004,3029 = 3029,3029
++-+-----	++-++-+-	+-----	3004,3017 = 3017,3017

3001 = 300101-300102, 3002 = 300201-300204, 3011 = 301101-301102

SPECIFICITY TABLE

HLA-A*30 SSP subtyping

Specificities and sizes of the PCR products of the 24 primer mixes used for HLA-A*30 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-A*30 alleles	Other amplified HLA-A alleles ³
1	165 bp	800 bp	*300101-300204, 3003, 3007-3016, 3018-3020, 3022-3025, 3027N, 3028, 3031-3034	*0252, 0343
2	205 bp	800 bp	*300101, 300102, 3008, 301101, 301102, 3014L-3016, 3018-3020, 3023, 3024, 3026, 3030, 3031	
3	210 bp	800 bp	*300201-300204, 300205 ^w , 3003, 3007, 3010, 3012, 3013, 3022, 3025, 3027N, 3032-3034	*8001 ^w
4⁵	155 bp	1070 bp	*3003, 301101, 301102	*0102, 0120
5⁶	150 bp, 245 bp	1070 bp	*3004, 3006, 3017, 3019, 3029	*0252, 2466, 6806
6^{4,7}	80 bp, 185 bp	1070 bp	*3006, 3007	
7	200 bp	1070 bp	*3008, 3028	*9285 ^w
8⁴	85 bp	800 bp	*3010	
9	180 bp	1070 bp	*300101-300205, 3004, 3006, 3007, 3009, 3010, 3012-3020, 3023-3034	
10	150 bp	1070 bp	*3012, 3018	*0107, 2619, 2914, 310102-3107, 3109-3128, 9285
11	215 bp	800 bp	*300101-3004, 3006, 3009-3020, 3023-3030, 3032-3034	*0102 ^w , 0120 ^w , 0372, 2309 ^w , 2424, 2467, 2616, 3207, 6845
12⁵	200 bp	1070 bp	*3009	*0342, 3103, 3104
13	155 bp	1070 bp	*300101-300205, 3004, 3006-3010, 3013-3017, 3019, 3020, 3023-3034	

Lot No.: **02H**

Lot-specific information

www.olerup-ssp.com

14	210 bp	1070 bp	*3013, 3016
15	245 bp	800 bp	*3014L, 3029
16	265 bp	1070 bp	*3015, 3033
17	225 bp	1070 bp	*300101, 300102, *0372, 2419, 301101, 301102, 3014L- 6845 3020, 3023, 3024, 3026, 3030, 3031
18⁸	130 bp, 210 bp	800 bp	*3020, 3032
19⁹	160 bp, 200 bp	1070 bp	*3022, 3031
20¹⁰	210 bp, 275 bp	800 bp	*3023, 3034
21¹¹	155 bp, 185 bp	1070 bp	*3024, 3030
22	215 bp	800 bp	*3027N
23	155 bp	1070 bp	*3026
24⁵	200 bp	1070 bp	*3025

¹ Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-A*30 SSP typings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated

² The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-A*30 subtyping.

In addition, wells number 2, 3, 8, 11, 15, 18, 20 and 22 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

³ Due to the sharing of sequence motifs between HLA-A alleles non-HLA-A*30 alleles will be amplified by primer mixes 1, 3 to 5, 7, 10 to 12 and 17.

⁴ Short specific PCR fragments are less intense and not as sharp as longer specific bands.

⁵ Primer mixes 4, 12 and 24 may give rise to nonspecific amplifications.

⁶ Primer mix 5: Specific PCR fragment of 150 bp in the A*3004, A*3006, A*3017 and A*3029 and the A*0252, A*2466 and A*6806 alleles. Specific PCR fragment of 245 bp in the A*3019 allele.

⁷ Primer mix 6: Specific PCR fragment of 80 bp in the A*3006 allele. Specific PCR fragment of 185 bp in the A*3007 allele.

⁸ Primer mix 18: Specific PCR fragment of 130 bp in the A*3032 allele. Specific PCR fragment of 210 bp in the A*3020 allele.

Lot No.: **02H**

Lot-specific information

www.olerup-ssp.com

⁹Primer mix 19: Specific PCR fragment of 160 bp in the A*3022 allele. Specific PCR fragment of 200 bp in the A*3031 allele.

¹⁰Primer mix 20: Specific PCR fragment of 210 bp in the A*3023 allele. Specific PCR fragment of 275 bp in the A*3034 allele.

¹¹Primer mix 21: Specific PCR fragment of 155 bp in the A*3030 allele. Specific PCR fragment of 185 bp in the A*3024 and 3030 alleles.

'w', might be weakly amplified.

INTERPRETATION TABLE												
HLA-A*30 SSP subtyping												
Amplification patterns of the A*3001 to 3034 alleles												
	Well ⁵											
	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	165	205	210	155	150	80	200	85	180	150	215	200
Length of int. pos. control ¹	800	800	800	1070	1070	1070	1070	800	1070	1070	800	1070
5'-primer(s) ²	414	363	363	123	123	123	78	367	98	127	98	363
	5' -gAA 3'	5' -ATA 3'	5' -ATA 3'	5' -AgT 3'	5' -AgT 3'	5' -AgT 3'	5' -TCT 3'	5' -TgC 3'	5' -CTC 3'	5' -ggg 3'	5' -CTC 3'	5' -ATA 3'
					414		362					
					5' -gAA 3'		5' -ggT 3'					
3'-primer(s) ³	538	526	526	238	325	163	238	411	238	238	270	524
	5' -CAA 3'	5' -CCA 3'	5' -CCg 3'	5' -CCC 3'	5' -gTg 3'	5' -CgC 3'	5' -CCT 3'	5' -TCA 3'	5' -CCT 3'	5' -CCT 3'	5' -ACA 3'	5' -CAC 3'
			535		524	265	526					
			5' -CTA 3'		5' -CAT 3'	5' -CCC 3'	5' -CCg 3'					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12
HLA-A allele ⁴												
*300101, 300102	1	2							9		11	
*300201-300204	1		3						9		11	
*300205			w						9		11	
*3003	1		3	4							11	
*3004					5				9		11	
*3006					5	6			9		11	
*3007	1		3			6			9			
*3008	1	2					7					
*3009	1								9		11	12
*3010	1		3					8	9		11	
*301101, 301102	1	2		4							11	
*3012	1		3						9	10	11	
*3013	1		3						9		11	
*3014L	1	2							9		11	
*3015	1	2							9		11	
*3016	1	2							9		11	
*3017					5				9		11	
*3018	1	2							9	10	11	
*3019	1	2			5				9		11	
*3020	1	2							9		11	
*3022	1		3									
*3023	1	2							9		11	
*3024	1	2							9		11	
*3025	1		3						9		11	
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

INTERPRETATION TABLE												
HLA-A*30 SSP subtyping												
Amplification patterns of the A*3001 to 3034 alleles												
Well ⁵												
13	14	15	16	17	18	19	20	21	22	23	24	
155	210	245	265	225	130	160	210	155	215	155	200	Length of spec. PCR product
					210	200	275	185				
1070	1070	800	1070	1070	800	1070	800	1070	800	1070	1070	Length of int. pos. control ¹
123	123	363	363	98	123	123	363	410	363	413	123	5'-primer(s) ²
5' -AgT 3'	5' -AgT 3'	5' -ATA 3'	5' -ATA 3'	5' -CTC 3'	5' -AgT 3'	5' -AgT 3'	5' -ATA 3'	5' -gTg 3'	5' -ATA 3'	5' -CCg 3'	5' -AgT 3'	
			784					634				
			5' -ggA 3'					5' -CAg 3'				
238	292	563	586	282	212	240	530	526	535	526	282	3'-primer(s) ³
5' -CCT 3'	5' -gTg 3'	5' -Cgg 3'	5' -CAC 3'	5' -gAC 3'	5' -gCC 3'	5' -ggA 3'	5' -CCT 3'	5' -CCA 3'	5' -CTA 3'	5' -CCA 3'	5' -gAC 3'	
		572	899		294	281	595	777				
		5' -gCg 3'	5' -ACA 3'		5' -CgT 3'	5' -ACC 3'	5' -CCT 3'	5' -gCA 3'				
13	14	15	16	17	18	19	20	21	22	23	24	Well No.
												HLA-A allele ⁴
13				17								*300101, 300102
13												*300201-300204
13												*300205
												*3003
13												*3004
13												*3006
13												*3007
13												*3008
13												*3009
13												*3010
				17								*301101, 301102
												*3012
13	14											*3013
13		15		17								*3014L
13			16	17								*3015
13	14			17								*3016
13				17								*3017
				17								*3018
13				17								*3019
13				17	18							*3020
						19						*3022
13				17			20					*3023
13				17				21				*3024
13											24	*3025
13	14	15	16	17	18	19	20	21	22	23	24	Well No.

Length of spec.	165	205	210	155	150	80	200	85	180	150	215	200
PCR product					245	185						
Well No.	1	2	3	4	5	6	7	8	9	10	11	12
*3026		2							9		11	
*3027N	1		3						9		11	
*3028	1						7		9		11	
*3029					5				9		11	
*3030		2							9		11	
*3031	1	2							9			
*3032	1		3						9		11	
*3033	1		3						9		11	
*3034	1		3						9		11	
*0102, 0120				4							w	
*0107, 2619, 2914, 310102-3102, 3105- 3107, 3109-3128										10		
*0252	1				5							
*9285							w			10		
*0342												12
*0343	1											
*0372, 6845											11	
*2309											w	
*2419												
*2424, 2467, 2616, 3207											11	
*2466, 6806					5							
*3103, 3104										10		12
*8001			w									
HLA-A allele ⁴												
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-A*30 subtyping.

In addition, wells number 2, 3, 8, 11, 15, 18, 20 and 22 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

²The nucleotide position, in the 2nd, 3rd or 4th exons, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position, in the 2nd, 3rd or 4th exons, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

⁴The sequence of the A*3005 allele has been shown to be identical to A*3004.

A*3021 has been renamed to A*301102.

Lot No.: **02H**

Lot-specific information

www.olerup-ssp.com

155	210	245	265	225	130	160	210	155	215	155	200	Length of spec. PCR product
13	14	15	16	17	18	19	20	21	22	23	24	Well No.
13				17						23		*3026
13									22			*3027N
13												*3028
13		15										*3029
13				17				21				*3030
13				17		19						*3031
13					18							*3032
13			16									*3033
13							20					*3034
												*0102, 0120
												*0107, 2619, 2914, 310102-3102, 3105- 3107, 3109-3128
												*0252
												*9285
												*0342
												*0343
				17								*0372, 6845
												*2309
				17								*2419
												*2424, 2467, 2616, 3207
												*2466, 6806
												*3103, 3104
												*8001
13	14	15	16	17	18	19	20	21	22	23	24	HLA-A allele ⁴ Well No.

⁵Primer mix 5: Specific PCR fragment of 150 bp in the A*3004, A*3006, A*3017 and A*3029 and the A*0252, A*2466 and A*6806 alleles. Specific PCR fragment of 245 bp in the A*3019 alleles.

Primer mix 6: Specific PCR fragment of 80 bp in the A*3006 allele. Specific PCR fragment of 185 bp in the A*3007 allele.

Primer mix 18: Specific PCR fragment of 130 bp in the A*3032 allele. Specific PCR fragment of 210 bp in the A*3020 allele.

Primer mix 19: Specific PCR fragment of 160 bp in the A*3022 allele. Specific PCR fragment of 200 bp in the A*3031 allele.

Primer mix 20: Specific PCR fragment of 210 bp in the A*3023 allele. Specific PCR fragment of 275 bp in the A*3034 allele.

Primer mix 21: Specific PCR fragment of 155 bp in the A*3030 allele. Specific PCR fragment of 185 bp in the A*3024 and 3030 alleles.

'w', might be weakly amplified.

CELL LINE VALIDATION SHEET																				
HLA-A*30 SSP subtyping kit																				
					Well															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				Lot No.:	201070601	201070602	201070603	201070604	201070605	201070606	201070607	201070608	201070609	201070610	201070611	201070612	201070613	201070614	201070615	201070616
	IHWC cell line	A*	A*																	
1	9001 SA	*2402			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*0201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324	*0101			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*3001			+	+	-	-	-	-	-	-	+	-	+	-	+	-	-	-
5	9009 KAS011	*0101			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*0201	*2603		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020 QBL	*2601			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*3101			-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
9	9026 YAR	*2601			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*2402			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*2902			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*0201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*0201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*3101			-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
15	9075 DKB	*2402			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*2902			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*0301	*8001		-	-	w	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*3303	*7401		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*0201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*0201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*0217			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*0201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*0201	*3401		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*3201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*3301			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*0205			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*2410	*2901		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*0201	*2902		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*2902			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*3001	*6802		+	+	-	-	-	-	-	-	+	-	+	-	+	-	-	-
31	9019 DUCAF	*3002			+	-	+	-	-	-	-	-	+	-	+	-	+	-	-	-
32	9297 HAG	*0201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*3101			-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
34	9104 DHIF	*3101			-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
35	9302 SSTO	*3201			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*0206	*1101		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*0301			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*0217			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*0101	*0301		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*0207	*3001		+	+	-	-	-	-	-	-	+	-	+	-	+	-	-	-
41	9055 H0301	*0301			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*0207			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*0207			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*6601			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*2301	*2402		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*0301			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*0216	*0301		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*0201	*1101		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CELL LINE VALIDATION SHEET													
HLA-A*30 SSP subtyping kit													
					Well								
					17	18	19	20	21	22	23	24	
				Lot No.:	201070617	201070618	201070619	201070620	201070621	201070622	201070623	201070624	
	IHWC cell line		A*	A*									
1	9001	SA	*2402		-	-	-	-	-	-	-	-	-
2	9280	LK707	*0201		-	-	-	-	-	-	-	-	-
3	9011	E4181324	*0101		-	-	-	-	-	-	-	-	-
4	9275	GU373	*3001		+	-	-	-	-	-	-	-	-
5	9009	KAS011	*0101		-	-	-	-	-	-	-	-	-
6	9353	SM	*0201	*2603	-	-	-	-	-	-	-	-	-
7	9020	QBL	*2601		-	-	-	-	-	-	-	-	-
8	9025	DEU	*3101		-	-	-	-	-	-	-	-	-
9	9026	YAR	*2601		-	-	-	-	-	-	-	-	-
10	9107	LKT3	*2402		-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*2902		-	-	-	-	-	-	-	-	-
12	9052	DBB	*0201		-	-	-	-	-	-	-	-	-
13	9004	JESTHOM	*0201		-	-	-	-	-	-	-	-	-
14	9071	OLGA	*3101		-	-	-	-	-	-	-	-	-
15	9075	DKB	*2402		-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*2902		-	-	-	-	-	-	-	-	-
17	9282	CTM3953540	*0301	*8001	-	-	-	-	-	-	-	-	-
18	9257	32367	*3303	*7401	-	-	-	-	-	-	-	-	-
19	9038	BM16	*0201		-	-	-	-	-	-	-	-	-
20	9059	SLE005	*0201		-	-	-	-	-	-	-	-	-
21	9064	AMALA	*0217		-	-	-	-	-	-	-	-	-
22	9056	KOSE	*0201		-	-	-	-	-	-	-	-	-
23	9124	IHL	*0201	*3401	-	-	-	-	-	-	-	-	-
24	9035	JBUSH	*3201		-	-	-	-	-	-	-	-	-
25	9049	IBW9	*3301		-	-	-	-	-	-	-	-	-
26	9285	WT49	*0205		-	-	-	-	-	-	-	-	-
27	9191	CH1007	*2410	*2901	-	-	-	-	-	-	-	-	-
28	9320	BEL5GB	*0201	*2902	-	-	-	-	-	-	-	-	-
29	9050	MOU	*2902		-	-	-	-	-	-	-	-	-
30	9021	RSH	*3001	*6802	+	-	-	-	-	-	-	-	-
31	9019	DUCAF	*3002		-	-	-	-	-	-	-	-	-
32	9297	HAG	*0201		-	-	-	-	-	-	-	-	-
33	9098	MT14B	*3101		-	-	-	-	-	-	-	-	-
34	9104	DHIF	*3101		-	-	-	-	-	-	-	-	-
35	9302	SSTO	*3201		-	-	-	-	-	-	-	-	-
36	9024	KT17	*0206	*1101	-	-	-	-	-	-	-	-	-
37	9065	HHKB	*0301		-	-	-	-	-	-	-	-	-
38	9099	LZL	*0217		-	-	-	-	-	-	-	-	-
39	9315	CML	*0101	*0301	-	-	-	-	-	-	-	-	-
40	9134	WHONP199	*0207	*3001	+	-	-	-	-	-	-	-	-
41	9055	H0301	*0301		-	-	-	-	-	-	-	-	-
42	9066	TAB089	*0207		-	-	-	-	-	-	-	-	-
43	9076	T7526	*0207		-	-	-	-	-	-	-	-	-
44	9057	TEM	*6601		-	-	-	-	-	-	-	-	-
45	9239	SHJO	*2301	*2402	-	-	-	-	-	-	-	-	-
46	9013	SCHU	*0301		-	-	-	-	-	-	-	-	-
47	9045	TUBO	*0216	*0301	-	-	-	-	-	-	-	-	-
48	9303	TER-ND	*0201	*1101	-	-	-	-	-	-	-	-	-

CERTIFICATE OF ANALYSIS

Olerup SSP® HLA-A*30

Product number: 101.429-12 – including *Taq* polymerase
Lot number: 02H
Expiry date: 2012-March-01
Number of tests: 12
Number of wells per test: 24

Well specifications:

Well No.	Production No.	Well No.	Production No.
1	2010-706-01	13	2010-706-13
2	2010-706-02	14	2010-706-14
3	2010-706-03	15	2010-706-15
4	2010-706-04	16	2010-706-16
5	2010-706-05	17	2010-706-17
6	2010-706-06	18	2010-706-18
7	2010-706-07	19	2010-706-19
8	2010-706-08	20	2010-706-20
9	2010-706-09	21	2010-706-21
10	2010-706-10	22	2010-706-22
11	2010-706-11	23	2010-706-23
12	2010-706-12	24	2010-706-24

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 6 to 8, 14 to 16 and 18 to 24 were available. The specificities of the primers in primer 6, 14 to 16, 19, 23 and 24 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer. In primer solutions 18, 20 and 22 it was only possible to test the 5'-primer, the 3'-primers were not possible to test. In primer solution 8 and 21 it was only possible to test the 3'-primers, the 5'-primers were not possible to test. In primer solutions 16 one 5'-primer and one 3'-primer was not possible to test, and in primer solution 19 one 3'-primer was not possible to test. In addition, one 5'-primer in primer solution 5 was tested by adding an additional 3'-primer, one 3'-primer in this solution was not possible to test.

Results: No false positive or false negative amplifications were obtained.

Date of approval: 2010-April-06

Approved by:

Quality Control, Supervisor

Lot No.: **02H**

Lot-specific information

www.olerup-ssp.com

Declaration of Conformity

Product name: *Olerup SSP*® HLA-A*30
Product number: 101.429-12
Lot number: 02H

Intended use: HLA-A*30 high resolution histocompatibility testing

Manufacturer: *Olerup SSP AB*
Hasselstigen 1
SE-133 33 Saltsjöbaden, Sweden
Phone: +46-8-717 88 27
Fax: +46-8-717 88 18

We, *Olerup SSP AB*, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, conformity assessed using Annex IV, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup SSP AB*, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

The Authorized Representative located within the Community is: *Olerup SSP AB*.

Notified Body: Lloyd's Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Saltsjöbaden, Sweden
2010-April-06

Olle Olerup
Managing Director

Lot No.: **02H**

Lot-specific information

www.olerup-ssp.com

ADDRESSES:

Manufacturer:

Olerup SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: <http://www.olerup-ssp.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.