Olerup SSP[®] HLA-A*34

Product number:	101.425-06 – including <i>Taq</i> polymerase 101.425-06u – without <i>Taq</i> polymerase
Lot number:	52E
Expiry date:	2010-June-01
Number of tests:	6
Number of wells per test:	8
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 52E.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-A*34 LOT

The HLA-A*34 specificity and interpretation tables have been updated for the HLA-A alleles described since the previous *Olerup* SSP[®] HLA-A*34 lot was made **(Lot No. X41)**.

The HLA-A*34 primer set is unchanged compared to the previous lot.



PRODUCT DESCRIPTION

HLA-A*34 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the HLA-A*34 group of alleles A*3401 to A*3408.

PLATE LAYOUT

Each test consists of 8 PCR reactions in an 8 well cut PCR plate.

1	2	3	4	5	6	7	8
TI O		< D O				11 ()	*0.41

The 8 well cut PCR plate is marked with 'A*34'.

Well No. 1 is marked with the Lot No. '52E'.

The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 8 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

The interpretation of HLA-A*34 SSP subtypings will be influenced by two A*01, two A*02, the A*0324, most A*11, two A*25, seven A*26, two A*31, the A*3215 and four A*66 alleles when present on the other haplotype. In addition, the B*1582 allele will be amplified by primer mix 5.

UNIQUELY IDENTIFIED ALLELES

All the HLA-A*34 alleles, i.e. A*3401 to A*3408 alleles, recognized by the HLA Nomenclature Committee in April 2008¹ will give rise to unique amplification patterns by the primers in the HLA-A*34 subtyping kit.

¹HLA-A alleles listed on the IMGT/HLA web page 2008-April-08, release 2.21.0, www.ebi.ac.uk/imgt/hla.

RESOLUTION IN HOMO- AND HETEROZYGOTES

The 8 HLA-A*34 alleles can be combined in 36 homozygous and heterozygous combinations. Eleven of these genotypes do not give rise to unique amplification patterns.

+++	3401,3405	=	3405,3405		
+-+++-	3402,3406	=	3403,3407	=	3406,3407
+-+-+	3402,3404	=	3404,3404		
+-++	3402,3408	=	3408,3408		
+++-	3403,3406	=	3406,3406		



SPECIFICITY TABLE

HLA-A*34 SSP subtyping

Specificities and sizes of the PCR products of the 8 primer mixes used for HLA-A*34 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA- A*34 alleles	Other amplified HLA Class I alleles ³
14	100 bp	800 bp	340101-3406, 3408	0113, 0117, 110101- 1111, 1113-1116, 1120-1132, 2502, 2613, 2619, 2633, 6601, 6604, 6606, 6607
2 ⁴	110 bp	1070 bp	340101-340102, 3405	
3	195 bp	1070 bp	3402, 3404, 3407, 3408	
4 ⁴	135 bp	800 bp	3403, 3406	2614, 2618, 2628, 3103, 3104
5 ⁵	200 bp	800 bp	3404	B*1582
6 ⁶	155 bp	1070 bp	3405	0291
7 ^{4,7}	140, 215 bp	1070 bp	3406, 3407	2618, 3103, 3104
8	200 bp	1070 bp	3408	0255, 0324, 2503, 2620, 3215

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-A*34 SSP typings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective length of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-A*34 subtyping.



HLA-A*34 Product Insert 101.425-06 - including Taq polymerase 101.425-06u – without Taq polymerase Lot No.: 52E

Lot-specific information

www.olerup.com

In addition, wells number 4 and 5 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

³Due to the sharing of sequence motifs between HLA-A alleles non-HLA-A*34 alleles will be amplified by primer mixes 1 and 4 to 8. In addition, the B*1582 allele will be amplified by primer mix 5.

⁴Specific PCR fragments shorter than 150 base pairs have a lower intensity than longer PCR bands.

⁵Primer mix 5 has a tendency of giving rise to primer oligomer formation.

⁶Primer mix 6 may give rise to nonspecific amplifications.

⁷Primer mix 7: Specific PCR fragment of 140 bp in the A*3406, A*2618, 3103 and 3104 alleles. Specific PCR fragment of 215 bp in the A*3407 allele.



IN	INTERPRETATION TABLE							
	HLA-A	*34 S	SP su	ıbtypi	ng			
Amplification patterns of the HLA-A*3401 to 3408 alleles								
	Well ⁴							
	1	2	3	4	5	6	7	8
Length of spec.	100	110	195	135	200	155	140	200
PCR product							215	
Length of int.	800	1070	1070	800	800	1070	1070	1070
pos. control ¹								
5'-primer(s) ²	282	270	363	423	78	455	103	102
	^{5'} -CAg ^{3'}	^{5'} -AAA ^{3'}	^{5'} -ATA ^{3'}	^{5′} -gCT ^{3′}	5'-TCC3'	5'-TCT ^{3'}	5'-CCT3'	^{5'} -ACA ^{3'}
							423	
							^{5'} -gCT ^{3'}	
3'-primer(s) ³	341	341	517	517	238	559	277	259
	5'-CgT ^{3'}	^{5′} -CgT ^{3′}	⁵'-CgT³'	^{5′} -CgC ^{3′}	5'-CCT ^{3'}	^{5′} -CgT ^{3′}	^{5'} -ggA ^{3'}	^{5'} -gTT ^{3'}
				517			524	
				^{5′} -CgC ^{3′}			⁵ '-CAC ^{3'}	
Well No.	1	2	3	4	5	6	7	8
HLA-A allele				-				
*340101-340102	1	2						
*3402	1		3					
*3403	1			4				
*3404	1		3		5	-		
*3405	1	2				6		
*3406	1			4		_		
*3407			3				7	
*3408	1		3					8
*0113, 0117, 110101-								
1111, 1113-1116, 1120-								
1132, 2502, 2613, 2619,	1							
2633, 6601, 6604, 6606,								
6607								
*0255, 0324, 2503,								0
2620, 3215								8
*0291						6		
*2614, 2628				4				
*2618, 3103, 3104				4			7	
HLA-A allele								
Well No.	1	2	3	4	5	6	7	8
B*1582					5			
Well No.	1	2	3	4	5	6	7	8



HLA-A*34 Pro 101.425-06 – including *Taq* polymerase 101.425-06u – without *Taq* polymerase

Lot No.: **52E**

Lot-specific information

www.olerup.com

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-A*34 subtyping.

In addition, wells number 4 and 5 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

²The nucleotide position, in the 2nd or 3rd exons, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position, in the 2nd or 3rd exons, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the

www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

⁴Primer mix 7: Specific PCR fragment of 140 bp in the A*3406, A*2618, 3103 and 3104 alleles. Specific PCR fragment of 215 bp in the A*3407 allele.



101.425-06 – including *Taq* polymerase 101.425-06u – without *Taq* polymerase

Lot No.: 52E

HLA-A*34

Lot-specific information

www.olerup.com

CELL LINE VALIDATION SHEET												
HLA-A*34 SSP subtyping kit												
								W	ell			
					1	2	3	4	5	6	7	8
				Lot No.:	200730501	200419602	200730503	200506504	20730505	200419606	200730507	200620908
	IHV	VC cell line	A*	A *								
1	9001	SA	*2402		-	-	-	-	-	-	-	-
2	9280	LK707	*0201		-	-	-	-	-	-	-	-
3	9011	E4181324	*0101		-	-	-	-	-	-	-	-
4	9275	GU373	*3001		-	-	-	-	-	-	-	-
5	9009	KAS011	*0101		-	-	-	-	-	-	-	-
6	9353	SM	*0201	*2603	-	-	-	-	-	-	-	-
7	9020	QBL	*2601		-	-	-	-	-	-	-	-
8	9007	DEM	*0201	1	-	-	-	-	-	-	-	-
9	9026	YAR	*2601		-	-	-	-	-	-	-	-
10	9107		*2402	1	-	-	-	-	-	-	-	-
11		PITOUT	*2902		-	-	-	-	-	-	-	-
12	9052		*0201		-	-	-	-	-	-	-	-
13	9067		*0201		-	-	-	-	-	-	-	-
14		OLGA	*3101		-	-	-	-	-	-	-	-
15	9075		*2402		-	-	-	-	-	-	-	-
16	9037		*2902		-	-	-	-	-	-	-	-
17		WILJON	*2501		_	-	-	-	-	-	-	_
18	9008	32367	*3303	*7401	_	-	-	-	-	-	-	-
19		BM16	*0201	7401	_	-	-			-	-	-
20		SLE005	*0201		-	-	-	-	-	-	-	-
		AMALA	_		-	-	-	-	-	-	-	-
21 22			*0217		-	-	-	-	-	-	-	-
22	9056	KOSE	*0201	*2404	-	-	-	-	-	-	-	-
	-		*0201	*3401	+	+	-	-	-	-	-	-
24		JBUSH	*3201		-	-	-	-	-	-	-	-
25		IBW9	*3301		-	-	-	-	-	-	-	-
26		WT49	*0205	*0004	-	-	-	-	-	-	-	-
27		CH1007	*2410	*2901	-	-	-	-	-	-	-	-
28		BEL5GB	*0201	*2902	-	-	-	-	-	-	-	-
29	9050		*2902	+0057	-	-	-	-	-	-	-	-
30	9021		*3001	*6802	-	-	-	-	-	-	-	-
31		DUCAF	*3002		-	-	-	-	-	-	-	-
32	9297		*0201		-	-	-	-	-	-	-	-
33		MT14B	*3101		-	-	-	-	-	-	-	-
34	9104		*3101		-	-	-	-	-	-	-	-
35		SSTO	*3201		-	-	-	-	-	-	-	-
36		KT17	*0206	*1101	+	-	-	-	-	-	-	-
37		ННКВ	*0301		-	-	-	-	-	-	-	-
38	9099		*0217		-	-	-	-	-	-	-	-
39	9315		*0101	*0301	-	-	-	-	-	-	-	-
40	9134	WHONP199	*0207	*3001	-	-	-	-	-	-	-	-
41	9055	H0301	*0301		-	-	-	-	-	-	-	-
42	9066	TAB089	*0207		-	-	-	-	-	-	-	-
43	9076	T7526	*0207		-	-	-	-	-	-	-	-
44	9057	TEM	*6601		+	-	-	-	-	-	-	-
45		SHJO	*2301	*2402	-	-	-	-	-	-	-	-
46		SCHU	*0301		-	-	-	-	-	-	-	-
47		TUBO	*0216	*0301	-	-	-	-	-	-	-	-
48		TER-ND	*0201	*1101	+	-	-	-	-	-	-	-
	0000		0201	1101	<u> </u>	<u> </u>			<u> </u>		<u> </u>	

HLA-A*34	Product Insert
101.425-06 - including Taq pol	ymerase
101.425-06u - without Taq poly	ymerase
Lot No.: 52E	Lot-specific information

CERTIFICATE OF ANALYSIS

Olerup SSP[®] HLA-A*34 SSP

Product number:	101.425-06 – including <i>Taq</i> polymerase
	101.425-06u – without <i>Taq</i> polymerase
Lot number:	52E
Expiry date:	2010-June-01
Number of tests:	6
Number of wells per test:	8

Well specifications:

Well No.	Production No.			
1	2007-305-01			
2	2004-196-02			
3	2007-305-03			
4	2005-065-04			
5	2007-305-05			
6	2004-196-06			
7	2007-305-07			
8	2006-209-08			

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 4 to 8 were available. The specificities of the primers in primer solutions 4 and 8 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer. In primer solutions 5 and 7 it was only possible to test the 5'-primer, the 3-primer was not possible to test. In primer solution 6 it was only possible to test the 3'-primer, the 5'-primer was not possible to test.

Results: No false positive or false negative amplifications were obtained.

Date of approval: 2008-June-16

Approved by:

Quality Control, Supervisor



Declaration of Conformity

Product name: Product number: Lot number:	<i>Olerup</i> SSP [™] HLA-A*34 101.425-06 52E
Intended use:	HLA-A*34 high resolution histocompatibility testing
Manufacturer:	<i>Olerup</i> SSP AB Hasselstigen 1 SE-133 33 Saltsjöbaden, Sweden <i>Phone:</i> +46-8-717 88 27 <i>Fax:</i> +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2000 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

The Authorized Representative located within the Community is: *Olerup* SSP AB.

Notified Body: Lloyd's Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Saltsjöbaden, Sweden 2008-June-16

Olle Olerup Managing Director







ADDRESSES:

Manufacturer: Olerup SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden. Tel: +46-8-717 88 27 Fax: +46-8-717 88 18 E-mail: info-ssp@olerup.com Web page: http://www.olerup.com

Distributed by: Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria. *Tel:* +43-1-710 15 00 *Fax:* +43-1-710 15 00 10 *E-mail:* support-at@olerup.com *Web page:* http://www.olerup.com

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382 *Tel:* 1-877-OLERUP1 *Fax:* 610-344-7989 *E-mail:* info.us@olerup.com *Web page:* http://www.olerup.com

For information on Olerup SSP distributors worldwide, contact Olerup GmbH.

