Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 9D3

Lot-specific information Olerup SSP® HLA-A*74

Product number:	101.433-06 – including <i>Taq</i> polymerase 101.433-06u – without <i>Taq</i> polymerase
Lot number:	9D3
Expiry date:	2018-10-01
Number of tests:	6
Number of wells per test:	15+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 9D3.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-A*74 Lot (13Y)

The HLA-A*74 kit is updated for new alleles to enable separation of:

- Confirmed¹ alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

A well containing Negative Control primer pairs has been added.

The format of the Product Insert and Worksheet have been changed.

¹As described in section Uniquely Identified Alleles.

The HLA-A*74 specificity and interpretation tables have been updated for the HLA-A alleles described since the previous *Olerup* SSP[®] HLA-A*74 lot was made **(Lot No. 13Y)**. The kit design is based on IMGT/HLA database 3.23.0.

As of lot series V, the Specificity Table is included in the lot-specific Product Insert, and the Interpretation Table is included in the Worksheet.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **9D3**

Lot-specific information

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
16	-	-	Updated negative control.



Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 9D3

Lot-specific information

Well **16** contains <u>Negative Control primer pairs</u>, that will amplify more than 95% of the *Olerup* SSP[®] HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR	105	200	105	80	75	80	85
product							
5'-primer ¹	164	340	440	45	45	43	36
	tt Information Information	^{5'} -Tgg ^{3'}	^{5'} -TAC ^{3'}				
							36
							^{5'} -TAT ^{3'}
3'-primer ²	231	2 nd I	507	59	58	57	47
	⁵ '-TgC ^{3'}	^{5'} -AAA ^{3'}	^{5'} -TTg ^{3'}	^{5′} -CTC ^{3′}	^{5'} -ggC ^{3'}	5'-CTC ^{3'}	^{5'} -ACA ^{3'}
							48
							^{5'} -gCA ^{3'}
							48
							^{5'} -gCC ^{3'}
							52
							^{5'} -TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				÷	÷		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codonnumbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction.

Nucleotide and codon numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 9D3

Lot-specific information

PRODUCT DESCRIPTION

HLA-A*74 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the A*74:01 to A*74:27 alleles.

PLATE LAYOUT

Each test consists of 16 PCR reactions in a 16 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	NC

The 16 well cut PCR plate is marked with 'HLA-A*74' in silver/gray ink.

Well No. 1 is marked with the Lot No. '9D3'.

Wells 1 to 15 – HLA-A*74 high resolution primers.

Well 16 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 16 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-A alleles a non-HLA-A*74 alleles will be amplified by primer mixes 1, 3, 4, 6, 7, 10, 11 and 13 to 15. In addition, a few HLA-C alleles will be amplified by primer mix 11. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the HLA-A*74 alleles, i.e. **A*74:01 to A*74:27 alleles**, recognized by the HLA Nomenclature Committee in January 2016^{1,2} will be amplified by the primers in the HLA-A*74 subtyping kit².

The HLA-A*74 kit enables separation of the confirmed HLA-A*74 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-A*74 alleles is listed below.

The HLA-A*74 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.



Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **9D3**

Lot-specific information

The HLA-A*74 subtyping kit cannot distinguish the silent mutations in the A*74:01:01-74:01:03, the A*74:02:01:01-74:02:01:02 alleles or the A*74:16:01-74:16:02 alleles.

¹HLA-A alleles listed on the IMGT/HLA web page 2016-january-19, release 3.23.0, <u>www.ebi.ac.uk/imgt/hla</u>.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page http://hla.alleles.org/alleles/deleted.html.

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
A*74:01:01	Confirmed	A*74:08	Confirmed	A*74:17	Confirmed	A*74:27	Unconfirmed
A*74:01:02	Unconfirmed	A*74:09	Confirmed	A*74:18	Unconfirmed		
A*74:01:03	Unconfirmed	A*74:10	Unconfirmed	A*74:19	Unconfirmed		
A*74:02:01:01	Confirmed	A*74:11	Confirmed	A*74:20	Unconfirmed		
A*74:02:01:02	Unconfirmed	A*74:12N	Unconfirmed	A*74:21	Unconfirmed		
A*74:03	Confirmed	A*74:13	Confirmed	A*74:22	Unconfirmed		
A*74:04	Unconfirmed	A*74:14N	Unconfirmed	A*74:23	Unconfirmed		
A*74:05	Confirmed	A*74:15	Unconfirmed	A*74:24	Unconfirmed		
A*74:06	Confirmed	A*74:16:01	Unconfirmed	A*74:25	Unconfirmed		
A*74:07	Confirmed	A*74:16:02	Unconfirmed	A*74:26	Unconfirmed		

¹Allele status "confirmed" or "unconfirmed" as listed on the IMGT/HLA web page 2016-January-19, release 3.23.0, <u>www.ebi.ac.uk/imgt/hla</u>.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-A*74 homo- and heterozygotes is available upon request.



Lot No.: 9D3

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot-specific information SPECIFICITY TABLE

HLA-A*74 SSP subtyping

Specificities and sizes of the PCR products of the 15+1 primer mixes used for HLA-A*74 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-A*74 alleles ³	Other amplified HLA-A alleles ⁴
1	160 bp	800 bp	*74:01:01-74:09, 74:11- 74:27	*03:01:39, 29:19, 29:39, 29:48, 68:01:28
2	285 bp	1070 bp	*74:01:01-74:01:03, 74:03, 74:04 [?] -74:06 [?] , 74:08 [?] -74:10 [?] , 74:11, 74:12N [?] , 74:13, 74:14N [?] - 74:20 [?] , 74:22 [?] -74:27 [?]	
3	285 bp	1070 bp	*74:02:01:01- 74:02:01:02, 74:04 [?] - 74:06 [?] , 74:07, 74:08 [?] - 74:10 [?] , 74:12N [?] , 74:14N [?] -74:15 [?] , 74:17 [?] - 74:20 [?] , 74:21, 74:22 [?] - 74:27 [?]	*03:01:39, 29:01:01:01- 29:01:06, 29:01:08-29:03, 29:04 [?] -29:10 [?] , 29:11, 29:12 [?] - 29:38 [?] , 29:39-29:40, 29:42 [?] - 29:45 [?] , 29:46, 29:47 [?] -29:55 [?] , 29:56-29:58, 29:59 [?] -29:69 [?] , 29:70, 29:71 [?] -29:83 [?] , 32:01:01-32:01:17, 32:01:19- 32:01:21, 32:01:23-32:02, 32:03 [?] , 32:05-32:06, 32:07 [?] - 32:16 [?] , 32:17, 32:18 [?] , 32:19N, 32:20 [?] -32:60 [?] , 32:61, 32:62 [?] -32:64 [?] , 32:65, 32:66 [?] - 32:67 [?] , 32:68-32:69, 32:70 [?] - 32:84 [?] , 68:01:28 [?]
4	135 bp	1070 bp	*74:04	*01:01:68 ^w , 01:69:02 ^w , 01:83:02, 02:01:09, 02:05:05, 02:06:07, 02:11:02, 02:35:03, 02:76:02, 02:243:02, 03:01:03 ^w , 03:23:01, 03:198, 11:70:02, 11:121, 24:02:76, 24:310:02, 26:07:02, 29:48, 33:01:02, 33:08-33:09, 68:30
5	230 bp	1070 bp	*74:05	
6	155 bp	1070 bp	*74:06, 74:21	*29:19, 29:48
7	150 bp	800 bp	*74:07	*29:39
8 ⁵	115 bp 160 bp	1070 bp	*74:08 *74:16:01-74:16:02	
0	170 br	900 hr	*74.00 74.441	
9	170 bp	800 bp	*74:03, 74:14N	*02.07 00.46 00.75 00.04
10 ⁵	125 bp 225 bp	1070 bp	*74:17 *74:09	*03:27, 29:16, 32:75, 33:81



101.433-06 – including *Taq* **polymerase**, IFU-01. **101.433-06u – without** *Taq* **polymerase**, IFU-02.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.	: 9D3	Lot	-specific information	
11 ⁵	85 bp 200 bp	800 bp	*74:14N *74:10	*29:66, 32:62, C*04:01:51, C*06:02:15
12	130 bp	800 bp	*74:11	
13 ⁵	125 bp 215 bp	1070 bp	*74:17 *74:12N	*03:27, 29:16, 32:75, 33:81
14	145 bp	1070 bp	*74:13	*03:01:39, 68:01:28
15 ⁵	110 bp 185 bp	1070 bp	*74:15	*29:39
16 ⁶	-	-	Negative Control	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-A*74 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴Due to the sharing of sequence motifs between HLA-A alleles a non-HLA-A*74 alleles will be amplified by primer mixes 1, 3, 4, 6, 7, 10, 11 and 13 to 15. In addition, a few HLA-C alleles will be amplified by primer mix 11.

⁵HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁶Primer mix 16 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

"?', nucleotide sequence information not available for the primer matching sequence.

'w', may be weakly amplified.



Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 9D3 Lot-specific information PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	160	285	285	135	230	155	150	115	170	125	85	130
PCR product								160		225	200	
Length of int.	800	1070	1070	1070	1070	1070	800	1070	800	1070	800	800
pos. control ¹												
5'-primer(s) ²	180	67	67	144	98	180	180	448	180	113	180	211
	^{5'} -TTT ^{3'}	^{5'} -CCA ^{3'}	5' -CCT 3'	5' -gCC 3'	^{5'} -CTT ^{3'}	^{5'} -TTT ^{3'}	^{5'} -TTT ^{3'}	5' -CCT 3'	^{5'} -TTT ^{3'}	5' -CCC 3'	^{5'} -TTT ^{3'}	^{5'} -AgT ^{3'}
										454		
										5' -ACC 3'		
3'-primer(s) ³	299	180	180	240	289	292	290	523	308	299	225	299
	5' -CCA 3'	5' -TCA 3'	^{5'} -TCA ^{3'}	^{5'} -ggA ^{3'}	^{5'} -AgC ^{3'}	^{5'} -gTg ^{3'}	^{5'} -CAA ^{3'}	5' -ACT 3'	^{5'} -TCg ^{3'}	5' -CCA 3'	^{5'} -ATT ^{3'}	5' -CCA 3'
	299							565		538	341	
	5' -CCA 3'							5' -CAT 3'		^{5'} -CAA ^{3'}	5' -CgT 3'	
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15
Length of spec.	125	145	110
PCR product	215		185
Length of int.	1070	1070	1070
pos. control ¹			
5'-primer(s) ²	364	180	219
	^{5'} gA ^{3'}	^{5'} -TTT ^{3'}	^{5'} -gCA ^{3'}
	454		448
	5' -ACC 3'		5' -CCT 3'
3'-primer(s) ³	538	282	290
	^{5'} -CAA ^{3'}	^{5'} -gAC ^{3'}	^{5'} -CAA ^{3'}
			594
			^{5'} -CCC ^{3'}
Well No.	13	14	15

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.



Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

		CF				חו		nati TIC)N	S	HF	F	Т						
		01								-	_		•						_
			HLA-	A*74 S	52	รเ	IDT	ур	Inç	JК		N - 1							
						0	•	4	-	•	_	Vel		40		40	40		
_					1	2	3	4	5	6	7	8	9	10	11	12	13	14	Ļ
					2	02	80	6	05	90	04	80	60	9	Ξ	2	13	4	
				Ž	238	238	238	495	238	238	238	238	238	495	495	238	238	238	l
				Prod. No.:	201323801	201323802	201323803	201549504	201323805	201323806	201323807	201323808	201323809	201549510	201549511	201323812	201323813	201323814	l
_				۲ ۲	20	20	20	20	30	20	20	20	20	30	20	20	30	20	
	IHW	/C cell line ¹	A *	A*															
1	9001		*24:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ļ
2		LK707	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ŀ
3		E4181324	*01:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ŀ
4		GU373	*30:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ŀ
5 6	9009	KAS011	*01:01	*26:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ł
б 7	9353		*02:01	20.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	┝
8	9020		*31:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
9	9025		*26:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
10	9107		*24:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
11		PITOUT	*29:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	t
12	9052		*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
13		JESTHOM	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ſ
14	9071	OLGA	*31:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ſ
15	9075	DKB	*24:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ſ
16		SWEIG007	*29:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	I
17		CTM3953540	*03:01	*80:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ĺ
18		32367	*33:03	*74:01	+	+	-	-	-	-	-	-	-	-	-	-	-	-	Ļ
19		BM16	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ļ
20		SLE005	*02:01		-	-	-	-	-	-	-	-	-	-	-	-	•	-	1
21		AMALA	*02:17		-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ļ
22		KOSE	*02:01	*04.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ŀ
23	9124		*02:01	*34:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	╞
24 25	9035	JBUSH	*32:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	╞
25 26		WT49	*33:01			-	-	-	-	-	-	-	-	-	-	-	-	-	ł
20 27		CH1007	*24:10	*29:01	-	-	+	-	-	-	-	-	-	-	-	-	-	-	ł
28		BEL5GB	*02:01	*29:01	-	-	+	-	-	-	-	-	-	-	-	-	-	-	t
29	9050		*29:02	20.02	-	-	+	-	-	-	-	-	-	-	-	-	-	-	t
30	9021		*30:01	*68:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
31		DUCAF	*30:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	f
32	9297		*02:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
33		MT14B	*31:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ſ
34	9104	DHIF	*31:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ſ
35		SSTO	*32:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	ſ
36		KT17	*02:06	*11:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ſ
37		HHKB	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ĺ
38	9099		*02:17		-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ļ
39	9315		*01:01	*03:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Ļ
40		WHONP199	*02:07	*30:01	-	-	-	-	-	-	-	-	-	-	-	-	•	-	Ļ
41		H0301	*03:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	ŀ
42		TAB089	*02:07	*00:07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ŀ
43 44	9076	T7526	*02:06 *66:01	*02:07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ł
44 45		SHJO	*23:01	*24:02	-		-	-	-	-	-	-		-	-	-	-	-	ł
45 46		SCHU	*03:01	27.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
40 47		TUBO	*02:16	*03:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	t
48		TER-ND	*02:01	*11:01	-	-	-	-	-	-	-				-		-	-	ł



Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 9D3

Lot-specific information

¹The provided cell line HLA specificities are retrieved from the <u>http://www.ihwg.org/hla</u> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 4 to 8, 10 to 13 and 15 were available. The specificities of the primers in primer solutions 4, 6, 7, 11 and 15 were tested by separately adding one 5'-primer, respectively one or two 3'-primer.

In primer solutions 5 and 8 it was only possible to test the 5'-primer, the 3'-primer was not possible to test. In primer solutions 10, 12 and 13 it was only possible to test the 3'-primers, the 5'-primers were not possible to test. In primer solution 1, 11 and 15 one 3'-primer was not possible to test.



Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **9D3**

Lot-specific information



Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 9D3 ADDRESSES:

Lot-specific information

Manufacturer: Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden. *Tel:* +46-8-717 88 27 *Fax:* +46-8-717 88 18 *E-mail:* info-ssp@olerup.com *Web page:* http://www.olerup-ssp.com

Distributed by: Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria. *Tel:* +43-1-710 15 00 *Fax:* +43-1-710 15 00 10 *E-mail:* support-at@olerup.com *Web page:* http://www.olerup.com

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382 *Tel:* 1-877-OLERUP1 *Fax:* 610-344-7989 *E-mail:* info.us@olerup.com *Web page:* http://www.olerup.com

For information on Olerup SSP distributors worldwide, contact Olerup GmbH.

