

Olerup SSP[®] HLA-B*18

Product number:	101.519-12u – without <i>Taq</i> polymerase
Lot number:	33K
Expiry date:	2012-August-01
Number of tests:	12
Number of wells per test:	32
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 33K.

CHANGES COMPARED TO THE PREVIOUS *OLERUP SSP*[®] HLA-B*18 Lot

The HLA-B*18 specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP*[®] HLA-B*18 lot was made (Lot No. 87F).

Eight wells have been added to the HLA-B*18 kit, wells **25 to 32**.
The amplification patterns for some rare HLA-B*18 alleles only differ
by the length of the specific PCR products.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
4	Moved	Moved	Primer pair moved to well 32.
7	Added	Added	Primer pair added for the B*18:41 allele.
11	-	Added	Primer added for the B*18:36 allele.
12	Added	Added	Primer pair added for the B*18:41 allele.
13	Modified	-	Improved specificity.
15	Added	-	Primer added for the B*18:44 allele.
17	Added	Added	Primer pair added for the B*18:47 allele.
18	Exchanged	-	Improved specificity and yield of specific PCR product.
19	-	Added	Primer added for the B*18:39 allele.

23	Exchanged	Exchanged	New primer pair for the B*18:21 and 18:40 alleles. Exchanged positive control primer pair
25	New	New	New primer pair for the B*18:35 and 18:48 alleles.
26	New	New	New primer pair for the B*18:43 allele.
27	New	New	New primer pair for the B*18:37 and 18:46 alleles.
28	New	New	New primer pair for the B*18:38 and 18:45 alleles.
29	New	New	New primer pair for the B*18:42 allele.
30	New	New	New primer pair for the B*18:34 allele.
31	New	New	New primer pair for the B*18:49 allele.
32	Added	Added	Primer pair from well 4.

PRODUCT DESCRIPTION

HLA-B*18 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the B*18:01 to B*18:49 alleles.

PLATE LAYOUT

Each test consists of 32 PCR reactions in a 32 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32

The 32 well cut PCR plate is marked with 'HLA-B*18' in silver/gray ink.

Well No. 1 is marked with the Lot No. '33K'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 32 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

The interpretation of HLA-B*18 SSP subtypings will be influenced by most B*07, most B*08, six B*13, the B*14, several B*15, most B*27, several B*35, the B*37, most B*38, most B*39, several B*40, the B*41, the B*42, most B*44, the B*45, four B*46, the B*47, four B*48, the B*49, the B*50, most B*51, most B*52, three B*53, most B*54, most B*55, seven B*56, five B*57, three B*58, the B*59, the B*67, most B*78 and the B*8301 alleles when present on the other haplotype. In addition, the A*66:04 allele will be weakly amplified by primer mix 13, C*02:06 C*02:23 and C*02:36 will be amplified by primer mix 8, C*01:30 will be amplified by primer mixes 13 and 15, C*01:09 and C*07:22 will be amplified by primer mix 16 and the C*15:24 allele will be amplified by primer mix 24.

UNIQUELY IDENTIFIED ALLELES

All the HLA-B*18 alleles, i.e. B*18:01 to B*18:49, recognized by the HLA Nomenclature Committee in April 2010¹ will give rise to unique amplification patterns by the primers in the HLA-B*18 subtyping kit.

The HLA-B*18 kit cannot distinguish the B*18:01:01-18:01:08 or the B*18:07:01-18:07:02 alleles.

The B*18:18 and 18:47 alleles can be distinguished by the different sizes of the specific PCR products generated by primer mix 17.

The B*18:37 and 18:46 alleles can be distinguished by the different sizes of the specific PCR products generated by primer mix 27.

The B*18:38 and 18:45 alleles can be distinguished by the different sizes of the specific PCR products generated by primer mix 28.

¹HLA-B alleles listed on the IMGT/HLA web page 2010-April-01, release 3.0.0, www.ebi.ac.uk/imgt/hla.

RESOLUTION IN HOMO- AND HETEROZYGOTES

The 48 HLA-B*18 alleles will generate 45 different amplification patterns, as some alleles are only separated by the size of the specific PCR products. These can be combined in 1035 homozygous and heterozygous combinations. 476 of these genotypes do not give rise to unique amplification patterns. The different lengths of the specific PCR products generated by primer mixes 7, 11, 12, 14 to 19, 22, 25, 27 and 28 were not considered in these calculations.

+++-----	--+-----	-----+---	-----	18:02,18:09 = 18:02,18:36
+++-----	-----	-+---+---	-----	18:02,18:29 = 18:02,18:32
++-+-----	+-----	-----+---	-----	18:03,18:08 = 18:03,18:27
++-+-----	--+-----	-----+---	-----	18:03,18:11 = 18:03,18:36
+++++-----	-----	---+--+---	-----	18:03,18:06 = 18:03,18:39
+++++-----	-----	-----+---	-----	18:03,18:22 = 18:03,18:33
+++++-----	+-----+---	-----+---	-+-----	18:04,18:08 = 18:04,18:27
++-+-----	+-----	-----+---	-----	18:08,18:24 = 18:24,18:27
++-+-----	--+-----	-----+---	-+-----	18:04,18:09 = 18:04,18:11 = 18:04,18:36
++-+-----	--+-----	-----+---	-----	18:09,18:24 = 18:11,18:24 = 18:24,18:36
++-+-----	-----+---	-+--+---	-+-----	18:04,18:29 = 18:04,18:32
++-+-----	-----+---	---+--+---	-+-----	18:04,18:06 = 18:04,18:39
+++++-----	-----+---	-----+---	-+-----	18:04,18:22 = 18:04,18:33
+++++-----	-----+---	-----+---	-+-----	18:01,18:04 = 18:04,18:04 = 18:04,18:14 = 18:04,18:24 = 18:04,18:25 = 18:04,18:43 = 18:24,18:25
++-+-----	-----	-+---+---	-----	18:24,18:29 = 18:24,18:32
++-+-----	-----	---+--+---	-----	18:06,18:24 = 18:24,18:39
++-+-----	-----	-----+---	-----	18:22,18:24 = 18:24,18:33
++-+-----	-----	-----+---	-----	18:01,18:24 = 18:24,18:24
++-+-----	+-----	-----+---	-----	18:05,18:08 = 18:05,18:27
+++++-----	--+-----	-----+---	-----	18:05,18:09 = 18:05,18:11 = 18:05,18:36
+++++-----	-----	-+---+---	-----	18:05,18:29 = 18:05,18:32
+++++-----	-----	---+--+---	-----	18:05,18:06 = 18:05,18:39
+++++-----	-----	-----+---	-----	18:05,18:22 = 18:05,18:33
++-+-----	-----	-----+---	-----	18:01,18:05 = 18:05,18:05
++-+-----	+-----	-----+---	-----	18:08,18:41 = 18:27,18:41
++-+-----	+-----	-----+---	-----	18:07,18:08 = 18:07,18:27
++-+-----	--+-----	-----+---	-----	18:09,18:41 = 18:11,18:41 = 18:36,18:41
++-+-----	--+-----	-----+---	-----	18:07,18:09 = 18:07,18:11 = 18:07,18:36
+++++-----	---+-----	-+---+---	-----	18:29,18:41 = 18:32,18:41

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

++-----	--+----+	----+---	-----	18:09,18:44 = 18:36,18:44
++-----	--+----+	----+---	-----	18:09,18:17N = 18:11,18:17N = 18:17N,18:36
++-----	--+----+	+---+---	-----	18:09,18:18 = 18:11,18:18 = 18:18,18:36
++-----	--+----+	+---+---	-----	18:09,18:32 = 18:11,18:29 = 18:11,18:32 = 18:29,18:36 = 18:32,18:36
++-----	--+----+	--+----	-----	18:06,18:09 = 18:06,18:11 = 18:06,18:36 = 18:09,18:39 = 18:36,18:39
++-----	--+----+	----+---	-----	18:09,18:20 = 18:20,18:36
++-----	--+----+	----+---	-----	18:09,18:22 = 18:09,18:33 = 18:11,18:33 = 18:22,18:36 = 18:33,18:36
++-----	--+----+	----+---	-----	18:09,18:40 = 18:11,18:40 = 18:36,18:40
++-----	--+----+	----+---	-----	18:09,18:26 = 18:11,18:26 = 18:26,18:36
++-----	--+----+	----+---	+-----	18:09,18:48 = 18:11,18:48 = 18:36,18:48
++-----	--+----+	----+---	+-----	18:09,18:43 = 18:11,18:43 = 18:36,18:43
++-----	--+----+	----+---	--+---	18:09,18:37 = 18:11,18:37 = 18:36,18:37
++-----	--+----+	----+---	--+---	18:09,18:38 = 18:11,18:38 = 18:36,18:38
++-----	--+----+	----+---	----+---	18:09,18:42 = 18:11,18:42 = 18:36,18:42
++-----	--+----+	----+---	-----+---	18:09,18:34 = 18:11,18:34 = 18:34,18:36
++-----	--+----+	----+---	-----+---	18:09,18:49 = 18:11,18:49 = 18:36,18:49
++-----	--+----+	----+---	-----+---	18:09,18:28 = 18:11,18:28 = 18:28,18:36
++-----	--+----+	----+---	-----	18:01,18:09 = 18:01,18:11 = 18:01,18:36 = 18:09,18:11 = 18:09,18:36 = 18:11,18:36 = 18:36,18:36
++-----	---+---	+---+---	-----	18:12,18:29 = 18:12,18:32
++-----	---+---	--+---	-----	18:06,18:12 = 18:12,18:39
++-----	---+---	----+---	-----	18:12,18:22 = 18:12,18:33
++-----	---+---	----+---	-----	18:01,18:12 = 18:12,18:12
++-----	---+---	+---+---	-----	18:18,18:19 = 18:19,18:31
++-----	---+---	+---+---	-----	18:15,18:19 = 18:17N,18:30 = 18:19,18:29 = 18:19,18:30 = 18:19,18:32
++-----	---+---	--+---	-----	18:06,18:19 = 18:19,18:39
++-----	---+---	----+---	-----	18:19,18:22 = 18:19,18:33
++-----	---+---	----+---	-----	18:01,18:19 = 18:13,18:19 = 18:17N,18:19 = 18:19,18:19 = 18:19,18:44
++-----	---+---	+---+---	-----	18:18,18:30 = 18:30,18:31
++-----	---+---	--+---	-----	18:06,18:30 = 18:30,18:39
++-----	---+---	+---+---	-----	18:22,18:30 = 18:30,18:33
++-----	---+---	+---+---	-----	18:01,18:30 = 18:13,18:15 = 18:13,18:30 = 18:15,18:30 = 18:29,18:30 = 18:30,18:30 = 18:30,18:32 = 18:30,18:44
++-----	---+---	+---+---	-----	18:13,18:29 = 18:13,18:32
++-----	---+---	--+---	-----	18:06,18:13 = 18:13,18:39
++-----	---+---	----+---	-----	18:13,18:22 = 18:13,18:33
++-----	---+---	----+---	-----	18:01,18:13 = 18:13,18:13
++-----	---+---	+---+---	+-----	18:25,18:29 = 18:25,18:32
++-----	---+---	+---+---	-----	18:14,18:29 = 18:14,18:32
++-----	---+---	--+---	+-----	18:06,18:25 = 18:25,18:39
++-----	---+---	----+---	+-----	18:22,18:25 = 18:25,18:33
++-----	---+---	----+---	+-----	18:01,18:25 = 18:14,18:25 = 18:14,18:43 = 18:25,18:25 = 18:25,18:43
++-----	---+---	+---+---	-----	18:15,18:18 = 18:15,18:31 = 18:29,18:31 = 18:31,18:32
++-----	---+---	+---+---	-----	18:06,18:31 = 18:31,18:39
++-----	---+---	+---+---	-----	18:22,18:31 = 18:31,18:33
++-----	---+---	+---+---	-----	18:01,18:31 = 18:18,18:31 = 18:18,18:44 = 18:31,18:31 = 18:31,18:44
++-----	---+---	+---+---	-----	18:06,18:15 = 18:15,18:39

Lot No.: 33K

Lot-specific information

www.olerup-ssp.com

++-----	-----+-	-+---+--	-----	18:15,18:22 = 18:15,18:33
++-----	-----+-	-+---+--	-----	18:01,18:15 = 18:15,18:15 = 18:15,18:29 = 18:15,18:32 = 18:15,18:44 = 18:29,18:44 = 18:32,18:44
++-----	-----+	-+---+--	-----	18:17N,18:29 = 18:17N,18:32
++-----	-----+	-+---+--	-----	18:06,18:17N = 18:17N,18:39
++-----	-----+	-+---+--	-----	18:17N,18:22 = 18:17N,18:33
++-----	-----+	-+---+--	-----	18:01,18:17N = 18:17N,18:17N
++-----	-----	++---+--	-----	18:18,18:29 = 18:18,18:32
++-----	-----	++---+--	-----	18:06,18:18 = 18:18,18:39
++-----	-----	++---+--	-----	18:18,18:22 = 18:18,18:33
++-----	-----	++---+--	-----	18:01,18:18 = 18:18,18:18
++-----	-----	++---+--	-----	18:06,18:29 = 18:06,18:32 = 18:29,18:39 = 18:32,18:39
++-----	-----	-+---+--	-----	18:20,18:29 = 18:20,18:32
++-----	-----	-+---+--	-----	18:22,18:29 = 18:22,18:32 = 18:29,18:33 = 18:32,18:33
++-----	-----	-+---+--	-----	18:29,18:40 = 18:32,18:40
++-----	-----	-+---+--	-----	18:26,18:29 = 18:26,18:32
++-----	-----	-+---+--	+-----	18:29,18:48 = 18:32,18:48
++-----	-----	-+---+--	-+-----	18:29,18:43 = 18:32,18:43
++-----	-----	-+---+--	--+-----	18:29,18:37 = 18:32,18:37
++-----	-----	-+---+--	---+-----	18:29,18:38 = 18:32,18:38
++-----	-----	-+---+--	----+-----	18:29,18:42 = 18:32,18:42
++-----	-----	-+---+--	-----+--	18:29,18:34 = 18:32,18:34
++-----	-----	-+---+--	-----+--	18:29,18:49 = 18:32,18:49
++-----	-----	-+---+--	-----+--	18:28,18:29 = 18:28,18:32
++-----	-----	-+---+--	-----+--	18:01,18:29 = 18:01,18:32 = 18:29,18:32 = 18:32,18:32
++-----	-----	--+++--	-----	18:06,18:20 = 18:20,18:39
++-----	-----	--+++--	-----	18:06,18:22 = 18:06,18:33 = 18:33,18:39
++-----	-----	--+++--	-----	18:06,18:40 = 18:39,18:40
++-----	-----	--+++--	-----	18:06,18:26 = 18:26,18:39
++-----	-----	--+++--	+-----	18:06,18:48 = 18:39,18:48
++-----	-----	--+++--	-+-----	18:06,18:43 = 18:39,18:43
++-----	-----	--+++--	--+-----	18:06,18:37 = 18:37,18:39
++-----	-----	--+++--	---+-----	18:06,18:38 = 18:38,18:39
++-----	-----	--+++--	----+-----	18:06,18:42 = 18:39,18:42
++-----	-----	--+++--	-----+--	18:06,18:34 = 18:34,18:39
++-----	-----	--+++--	-----+--	18:06,18:49 = 18:39,18:49
++-----	-----	--+++--	-----+--	18:06,18:28 = 18:28,18:39
++-----	-----	--+++--	-----+--	18:01,18:06 = 18:01,18:39 = 18:06,18:06 = 18:06,18:39
++-----	-----	---+++--	-----	18:20,18:22 = 18:20,18:33
++-----	-----	---+++--	-----	18:22,18:40 = 18:33,18:40
++-----	-----	---+++--	-----	18:22,18:26 = 18:26,18:33
++-----	-----	---+++--	+-----	18:22,18:48 = 18:33,18:48
++-----	-----	---+++--	-+-----	18:22,18:43 = 18:33,18:43
++-----	-----	---+++--	--+-----	18:22,18:37 = 18:33,18:37
++-----	-----	---+++--	---+-----	18:22,18:38 = 18:33,18:38
++-----	-----	---+++--	----+-----	18:22,18:42 = 18:33,18:42
++-----	-----	---+++--	-----+--	18:22,18:34 = 18:33,18:34
++-----	-----	---+++--	-----+--	18:22,18:49 = 18:33,18:49
++-----	-----	---+++--	-----+--	18:22,18:28 = 18:28,18:33
++-----	-----	---+++--	-----+--	18:01,18:22 = 18:01,18:33 = 18:22,18:33 = 18:33,18:33
++-----	-----	---+++--	-----	18:01,18:40 = 18:40,18:40
++-----	-----	---+++--	-----	18:01,18:26 = 18:26,18:26
++-----	-----	---+++--	+-----	18:01,18:48 = 18:48,18:48

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

++-----	-----	----+---	-+-----	18:01,18:43 = 18:43,18:43
++-----	-----	----+---	--+-----	18:01,18:37 = 18:37,18:37
++-----	-----	----+---	---+-----	18:01,18:38 = 18:38,18:38
++-----	-----	----+---	----+---	18:01,18:42 = 18:42,18:42
++-----	-----	----+---	-----+--	18:01,18:34 = 18:34,18:34
++-----	-----	----+---	-----+-	18:01,18:49 = 18:49,18:49
++-----	-----	----+---	-----++	18:01,18:28 = 18:28,18:28
+-----+	--+-----	-+-----+	-----	18:10,18:21 = 18:11,18:21 = 18:21,18:21
+-----+	--+-----	-----	+-----	18:10,18:35 = 18:11,18:35 = 18:35,18:35
+-----+	--+-----	-----	-----	18:10,18:10 = 18:10,18:11

18:01 = 18:01:01-18:01:08

18:07 = 18:07:01-18:07:02

18:18 = 18:18 and 18:47

18:37 = 18:37 and 18:46

18:38 = 18:38 and 18:45

SPECIFICITY TABLE

HLA-B*18 SSP subtyping

Specificities and sizes of the PCR products of the 32 primer mixes used for HLA-B*18 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-B*18 alleles ³	Other amplified HLA Class I alleles ⁴
1	170 bp	800 bp	*18:01:01-18:02, 18:04-18:08, 18:10-18:15, 18:17N-18:28, 18:30-18:49	
2	260 bp	800 bp	*18:01:01-18:01:08, 18:03-18:09, 18:12-18:13, 18:15, 18:17N-18:20, 18:23N-18:26, 18:28-18:34, 18:36-18:38, 18:40-18:43, 18:45-18:49	*14:06:01-14:06:02, 14:08, 15:37-15:38:02, 15:185, 39:32, 39:43, 39:48, 40:51, 51:06, 51:45, 51:62
3	260 bp	800 bp	*18:02	*27:28, 27:62
4⁵	100 bp	800 bp	*18:03	
5⁵	140 bp	1070 bp	*18:04, 18:24	
6⁵	130 bp	1070 bp	*18:05	
7^{5,8}	90 bp, 150 bp	1070 bp	*18:07:01-18:07:02, 18:41	
8	190 bp	1070 bp	*18:10, 18:21, 18:35	*07:02:01-07:04, 07:07-07:13, 07:15-07:16, 07:18:01-07:18:02, 07:21-07:23, 07:25-07:27, 07:29-07:30, 07:33, 07:35-07:39, 07:41-07:42, 07:44-07:52, 07:54-07:59, 07:61-07:68, 07:70-07:77, 07:79, 07:81-07:89, 07:91-07:95, 07:98-07:99, 13:26, 13:35, 15:40, 15:47, 15:49, 15:52, 15:114, 15:117, 15:124, 15:138, 27:34, 27:41, 35:15, 35:33, 35:66, 35:86, 37:07, 40:03, 40:18, 40:20, 40:24, 40:31-40:33, 40:44, 40:52, 40:59, 40:98, 46:06, 48:08, 57:13, 57:25, C*02:06, C*02:23, C*02:36

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

9	255 bp	1070 bp	*18:08, 18:27	
10⁵	85 bp	800 bp	*18:23N	
11^{5,9}	125 bp, 610 bp, 635 bp	1070 bp	*18:09-18:11, 18:21, 18:35-18:36	*35:02:02, 35:20:02
12^{5,10}	90 bp, 140 bp	1070 bp	*18:12, 18:41	
13⁵	85 bp	1070 bp	*18:13, 18:19, 18:30	*14:03, 15:38:01-15:38:02, 51:29, 51:61, 51:82, A*66:04^W, C*01:30
14¹¹	170 bp, 260 bp	1070 bp	*18:04, 18:14, 18:25	*14:05, 14:13, 35:02:02, 35:20:02, 51:64
15^{5,12}	100 bp, 265 bp	1070 bp	*18:15, 18:19, 18:30-18:31, 18:44	*14:01-14:18, 15:37- 15:38:02, 35:21, 35:96, 40:28, 40:51, 49:09, 51:01:01-51:01:17, 51:03- 51:04, 51:06-51:07:02, 51:11N-51:14, 51:16-51:18, 51:21-51:22, 51:24:01- 51:24:03, 51:26-51:30, 51:32- 51:33, 51:35, 51:37-51:39, 51:41N, 51:43, 51:45-51:46, 51:48-51:52, 51:55-51:58, 51:60-51:72, 51:74-51:80, 51:82-51:92, 51:94-51:95, 52:01:01-52:02, 52:04-52:09, 52:12-52:18, 52:20, 53:06, 56:05:01-56:06, 56:21, 58:08, 78:01-78:03, 78:05-78:07, C*01:30
16^{5,13}	95 bp, 360 bp	1070 bp	*18:17N, 18:19	*13:31, 15:27:03, 15:38:02, 35:14:01, 35:62, 39:36, 46:01:03, 55:21, C*01:09, C*07:22
17^{5,14}	110 bp, 255 bp	1070 bp	*18:18, 18:31, 18:47	
18^{5,15}	85 bp, 555 bp, 580 bp	1070 bp	*18:15, 18:21 ^W , 18:29, 18:30 ^W , 18:32	*15:71, 15:175, 35:50, 37:22, 41:12, 46:14, 49:03, 54:02, 55:16
19^{5,16}	105 bp, 405 bp	1070 bp	*18:06, 18:39	
20⁶	290 bp	1070 bp	*18:20	*07:14, 07:17, 07:28, 07:96, 08:14, 08:28, 08:49, 13:10, 14:01-14:12, 14:14-14:18, 15:02:01-15:02:04, 15:06, 15:13, 15:17:01:01-15:17:02, 15:21, 15:25:01-15:25:02,

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

				15:31, 15:36, 15:44, 15:55, 15:77, 15:88-15:89, 15:106, 15:112, 15:121, 15:128, 15:137, 15:139, 15:144, 15:156, 15:162, 15:168, 15:170, 15:177, 27:01-27:06, 27:08-27:10, 27:12-27:19, 27:21, 27:23, 27:25-27:26, 27:28-27:32, 27:35-27:40, 27:42, 27:44-27:65N, 37:01:01-37:06, 37:08, 37:10- 37:11, 37:13-37:22, 38:22, 39:17, 40:09, 40:42, 40:60, 40:89, 44:02:01:01-44:09, 44:11-44:13, 44:15-44:16, 44:18-44:30, 44:32-44:42, 44:44, 44:46-44:50, 44:52N- 44:61N, 44:63-44:76, 44:78- 44:81, 44:83-44:99, 45:01- 45:08, 45:10-45:11, 47:01:01:01-47:07, 48:17, 49:01:01-49:03, 49:05-49:10, 50:01:01-50:02, 50:04-50:09, 51:42, 51:85, 53:07, 54:15, 57:04-57:05, 83:01
21	215 bp	1070 bp	*18:01:01-18:09, 18:12-18:15, 18:17N-18:19, 18:22-18:34, 18:36- 18:49	*13:15, 14:13, 15:37- 15:38:02, 15:185, 35:21, 35:24:01-35:24:02, 35:81, 35:96, 39:32, 39:43, 39:48, 40:28, 40:51, 51:01:01- 51:01:17, 51:03-51:04, 51:06- 51:09:02, 51:11N-51:14, 51:16, 51:19-51:22, 51:24:01- 51:24:03, 51:26-51:33, 51:35, 51:37-51:39, 51:41N, 51:43- 51:46, 51:48-51:53, 51:55- 51:58, 51:60-51:80, 51:82- 51:84, 51:86-51:92, 51:94- 51:95, 52:01:01-52:02, 52:04- 52:10, 52:12-52:20, 53:02, 53:06, 56:05:01-56:06, 56:21, 57:14, 58:08-58:09, 78:01- 78:03, 78:05-78:07
22¹⁷	150 bp, 270 bp	800 bp	*18:22, 18:33	*14:10, 35:21, 35:24:01- 35:24:02, 35:81, 35:96, 37:04:01-37:04:02, 40:28, 51:04, 51:46, 51:56, 53:02, 53:06, 57:14, 58:09

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

23	515 bp	1070 bp	*18:21, 18:40	
24	190 bp	1070 bp	*18:26	*07:34, 08:01:01-08:06, 08:08N-08:10, 08:12:01-08:13, 08:15-08:20, 08:22-08:24, 08:26-08:27, 08:29-08:36, 08:38-08:39, 08:41-08:48, 08:50-08:61, 13:06, 14:13, 15:42, 15:83, 15:86, 15:188, 35:60, 35:87, 37:12, 38:01:01, 38:01:03-38:07, 38:09-38:21, 39:01:01:01-39:01:01:02L, 39:01:03-39:06:02, 39:08-39:14, 39:16, 39:18-39:20, 39:22-39:24, 39:26-39:28, 39:30-39:31, 39:34-39:37, 39:39, 39:41-39:42, 39:44-39:46, 39:48, 39:51-39:54, 39:56-39:57, 40:39, 40:51, 41:01-41:03:02, 41:05-41:09, 41:11-41:12, 42:01:01-42:02, 42:04-42:08, 42:10-42:13, 46:18, 51:21, 51:36, 54:01-54:02, 54:04-54:05N, 54:07-54:08N, 54:10-54:13, 54:17-54:22, 55:01:01-55:05, 55:07, 55:10-55:13, 55:15-55:21, 55:25-55:26, 55:28-55:40, 56:10, 56:12, 56:23, 58:20, 59:01-59:03, 59:05, 67:01:01-67:02, 78:07, C*15:24
25^{5,18}	75 bp, 185 bp	1070 bp	*18:35, 18:48	*07:68, 15:138, 35:66, 40:77, 40:87, 48:12, 48:14
26	180 bp	1070 bp	*18:04, 18:25, 18:43	*35:02:02, 35:20:02
27^{5,19}	85 bp, 140 bp	800 bp	*18:37, 18:46	
28^{5,20}	100 bp, 175 bp	800 bp	*18:38, 18:45	
29⁵	90 bp	1070 bp	*18:42	
30⁵	145 bp	1070 bp	*18:34	
31⁵	135 bp	1070 bp	*18:49	*35:27, 35:56, 37:05, 78:06
32^{5,7}	100 bp	1070 bp	*18:28	

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B*18 SSP typings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-B*18 subtyping.

In addition, wells number 2 to 4, 10, 22, 27 and 28 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

³The B*18:18 and 18:47 alleles may be distinguished by the different sizes of the specific PCR products generated by primer mix 17. The B*18:37 and 18:46 alleles may be distinguished by the different sizes of the specific PCR products generated by primer mix 27. The B*18:38 and 18:45 alleles may be distinguished by the different sizes of the specific PCR products generated by primer mix 28.

⁴Due to the sharing of sequence motifs between HLA-B alleles non-HLA-B*18 alleles will be amplified by primer mixes 2, 3, 8, 11, 13 to 16, 18, 20 to 22, 24 to 26 and 31. In addition, the A*66:04 allele will be weakly amplified by primer mix 13, C*02:06 C*02:23 and C*02:36 will be amplified by primer mix 8, C*01:30 will be amplified by primer mixes 13 and 15, C*01:09 and C*07:22 will be amplified by primer mix 16 and the C*15:24 allele will be amplified by primer mix 24

⁵Short specific PCR fragments are less intense and not as sharp as longer specific bands.

⁶Primer mix 20 may have a tendency of giving rise to non-specific amplifications.

⁷Primer mix 32 may give rise to primer oligomer formation.

⁸Primer mix 7: Specific PCR fragment of 90 bp in the B*18:41 allele. Specific PCR fragment of 150 bp in the B*18:07:01-18:07:02 alleles.

⁹Primer mix 11: Specific PCR fragment of 125 bp in the B*18:09 allele. Specific PCR fragment of 610 bp in the B*18:36 allele. Specific PCR fragment of 635 bp in the B*18:10-18:11, 18:21 and 18:35 alleles. Specific PCR fragment of 610 and 635 bp in the B*35:02:02 and 35:20:02 alleles.

¹⁰Primer mix 12: Specific PCR fragment of 90 bp in the B* 18:41 allele. Specific PCR fragment of 140 bp in the B*18:12 allele.

¹¹Primer mix 14: Specific PCR fragment of 170 bp in the B*18:04 and 18:25 and in the B*35:02:02 and 35:20:02 alleles. Specific PCR fragment of 260 bp in the B*18:14 and in the B*14:05, 14:13 and 51:64 alleles.

¹²Primer mix 15: Specific PCR fragment of 100 bp in the B*18:15, 18:19, 18:30 and 18:31 and in the B*14:05-14:06:02, 14:08, 14:10, 14:13, 15:37-15:38:02, 35:21, 35:96, 40:28, 40:51, 49:09, 51:01:01-51:01:17, 51:03-51:04, 51:06-51:07:02, 51:11N-51:14, 51:16-51:18, 51:21-51:22, 51:24:01-51:24:03, 51:26-51:30, 51:32-51:33, 51:35, 51:37-51:39, 51:41N, 51:43, 51:45-51:46, 51:48-51:52, 51:55-51:58, 51:60-51:72, 51:74-51:80, 51:82-51:92, 51:94-51:95, 52:01:01-52:02, 52:04-52:09, 52:12-52:18, 52:20, 53:06, 56:05:01-56:06, 56:21, 58:08, 78:01-78:03 and 78:05-78:07 and in the C*01:30 alleles. Specific PCR fragment of 265 bp in the B*18:44 and in the C*01:30 alleles. Specific PCR fragments of 100 and 265 bp in the B*14:01-14:04, 14:07N, 14:09, 14:11-14:12 and 14:14-14:18 alleles. Both specific fragments may not always be visible.

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

¹³Primer mix 16: Specific PCR fragment of 95 bp in the B*18:19 and in the B*13:31, 15:27:03, 15:38:02, 35:14:01, 35:62, 39:36, 46:01:03 and 55:21 and in the C*01:09 and C*07:22 alleles. Specific PCR fragment of 360 bp in the B*18:17N allele.

¹⁴Primer mix 17: Specific PCR fragment of 110 bp in the B*18:31 and 18:47 alleles. Specific PCR fragment of 255 bp in the B*18:18 allele.

¹⁵Primer mix 18: Specific PCR fragment of 85 bp in the B*18:29 and in the B*15:71, 15:175, 35:50, 37:22, 41:12, 46:14, 49:03, 54:02 and 55:16 alleles. Specific PCR fragment of 555 bp in the B*18:32 allele. Specific PCR fragment of 580 bp in the B*18:15, 18:21^w and 18:30^w alleles.

¹⁶Primer mix 19: Specific PCR fragment of 105 bp in the B*18:06 allele. Specific PCR fragment of 405 bp in the B*18:39 allele.

¹⁷Primer mix 22: Specific PCR fragment of 150 bp in the B*18:33 allele. Specific PCR fragment of 270 bp in the B*18:22 and in the B*14:10 and in the B*35:21, 35:24:01-35:24:02, 35:81, 35:96, 37:04:01-37:04:02, 40:28, 51:04, 51:46, 51:56, 53:02, 53:06, 57:14 and 58:09 alleles.

¹⁸Primer mix 25: Specific PCR fragment of 75 bp in the B*18:48 allele. Specific PCR fragment of 185 bp in the B*18:35 and in the B*07:68, 15:138, 35:66, 40:77, 40:87, 48:12 and 48:14 alleles.

¹⁹Primer mix 27: Specific PCR fragment of 85 bp in the B*18:37 allele. Specific PCR fragment of 140 bp in the B*18:46 allele.

²⁰Primer mix 28: Specific PCR fragment of 100 bp in the B*18:45 allele. Specific PCR fragment of 175 bp in the B*18:38 allele.

'w', might be weakly amplified.

INTERPRETATION TABLE																
HLA-B*18 SSP subtyping																
Amplification patterns of the B*18:01 to B*18:49 alleles																
	Well ⁸															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Length of spec.	170	260	260	100	140	130	90	190	255	85	125	90	85	170	100	95
PCR product(s)							150				610	140		260	265	360
											635					
Length of int.	800	800	800	800	1070	1070	1070	1070	1070	800	1070	1070	1070	1070	1070	1070
pos. control ¹																
5'-primer(s) ²	161	363	363	234	130	363	161	412	368	610	234	161	539	106	361	41
	5' -Cgg 3'	5' -Agg 3'	5' -AAT 3'	5' -CAA 3'	5' -AgT 3'	5' -Agg 3'	5' -Cgg 3'	5' -ATg 3'	5' -gTg 3'	5' -TgT 3'	5' -CAA 3'	5' -Cgg 3'	5' -gCg 3'	5' -CCA 3'	5' -AgT 3'	5' -CTA 3'
					141		363		368			363	539	363	523	486
					5' -ATT 3'		5' -Agg 3'		5' -gTT 3'			5' -Agg 3'	5' -gTg 3'	5' -AgC 3'	5' -CCg 3'	5' -ACC 3'
															527	
															5' -TgA 3'	
3'-primer(s) ³	292	583	583	292	234	453	272	559	583	3 rd I	317	259	583	234	583	234
	5' -gTA 3'	5' -gTg 3'	5' -gTg 3'	5' -gTC 3'	5' -TCT 3'	5' -TCC 3'	5' -TgA 3'	5' -CTC 3'	5' -gTg 3'	5' -TAT 3'	5' -ggA 3'	5' -CTC 3'	5' -gTg 3'	5' -TCT 3'	5' -gTg 3'	5' -TCT 3'
	292						414				559	414		583		538
	5' -gTA 3'						5' -TgC 3'				5' -CAG 3'	5' -TgC 3'		5' -gTg 3'		5' -CCA 3'
											583					
											5' -gTA 3'					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
HLA-B allele ⁴																
*18:01:01-18:01:08	1	2														
*18:02	1		3													
*18:03		2		4												
*18:04	1	2			5									14		
*18:05	1	2				6										
*18:06	1	2														
*18:07:01-18:07:02	1	2					7									
*18:08	1	2							9							
*18:09		2									11					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

INTERPRETATION TABLE																
HLA-B*18 SSP subtyping																
Amplification patterns of the B*18:01 to B*18:49 alleles																
Well⁸																
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
110	85	105	290	215	150	515	190	75	180	85	100	90	145	135	100	Length of spec. PCR product(s)
255	555	405			270			185		140	175					
1070	1070	1070	1070	1070	800	1070	1070	1070	1070	800	800	1070	1070	1070	1070	Length of int. pos. control ¹
103	97	234	409	409	161	234	412	161	97	161	161	186	478	206	523	5'-primer(s) ²
5'-CCT ^{3'}	5'-TCC ^{3'}	5'-CAA ^{3'}	5'-ggT ^{3'}	5'-ggC ^{3'}	5'-Cgg ^{3'}	5'-CAA ^{3'}	5'-ATA ^{3'}	5'-Cgg ^{3'}	5'-TCT ^{3'}	5'-Cgg ^{3'}	5'-Cgg ^{3'}	5'-AgA ^{3'}	5'-CgA ^{3'}	5'-gAC ^{3'}	5'-CCA ^{3'}	
368	234				355			463		419	369					3'-primer(s) ³
5'-gTC ^{3'}	5'-CAA ^{3'}				5'-TCA ^{3'}			5'-TgA ^{3'}		5'-gTC ^{3'}	5'-TAC ^{3'}					
523																Well No. HLA-B allele ⁴
5'-CCg ^{3'}																
181	142	299	3 ^d I	583	272	463	559	193	234	204	218	234	583	302	583	
5'-gTA ^{3'}	5'-TgC ^{3'}	5'-TCA ^{3'}	5'-TAT ^{3'}	5'-gTg ^{3'}	5'-TgC ^{3'}	5'-gCg ^{3'}	5'-CgT ^{3'}	5'-CgT ^{3'}	5'-TCT ^{3'}	5'-TCT ^{3'}	5'-gCT ^{3'}	5'-TCT ^{3'}	5'-gTg ^{3'}	5'-ggT ^{3'}	5'-gTg ^{3'}	
583	505	353			583			605		518	502					
5'-gTg ^{3'}	5'-gCT ^{3'}	5'-ggC ^{3'}			5'-gTg ^{3'}			5'-gCT ^{3'}		5'-CCT ^{3'}	5'-CTT ^{3'}					
	527															
	5'-CCT ^{3'}															
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
				21												*18:01:01-18:01:08
				21												*18:02
				21												*18:03
				21					26							*18:04
				21												*18:05
		19		21												*18:06
				21												*18:07:01-18:07:02
				21												*18:08
				21												*18:09
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

Length of spec.	170	260	260	100	140	130	90	190	255	85	125	90	85	170	100	95
PCR product(s)							150				610	140		260	265	360
											635					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
*18:10	1							8			11					
*18:11	1										11					
*18:12	1	2										12				
*18:13	1	2											13			
*18:14	1													14		
*18:15	1	2													15	
*18:17N	1	2														16
*18:18, 18:47 ⁵	1	2														
*18:19	1	2											13		15	16
*18:20	1	2														
*18:21	1							8			11					
*18:22	1															
*18:23N	1	2								10						
*18:24	1	2			5											
*18:25	1	2												14		
*18:26	1	2														
*18:27	1								9							
*18:28	1	2														
*18:29		2														
*18:30	1	2											13		15	
*18:31	1	2													15	
*18:32	1	2														
*18:33	1	2														
*18:34	1	2														
*18:35	1							8			11					
*18:36	1	2									11					
*18:37, 18:46 ⁶	1	2														
*18:38, 18:45 ⁷	1	2														
*18:39	1															
*18:40	1	2														
*18:41	1	2					7					12				
*18:42	1	2														
*18:43	1	2														
*18:44	1														15	
*18:48	1	2														
*18:49	1	2														
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

110	85	105	290	215	150	515	190	75	180	85	100	90	145	135	100	Length of spec. PCR product(s)
255	555	405			270			185		140	175					
	580															
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.
																*18:10
																*18:11
				21												*18:12
				21												*18:13
				21												*18:14
	18			21												*18:15
				21												*18:17N
17				21												*18:18, 18:47 ⁵
				21												*18:19
			20													*18:20
	w					23										*18:21
				21	22											*18:22
				21												*18:23N
				21												*18:24
				21					26							*18:25
				21			24									*18:26
				21												*18:27
				21											32	*18:28
	18			21												*18:29
	w			21												*18:30
17				21												*18:31
	18			21												*18:32
				21	22											*18:33
				21												*18:34
								25								*18:35
				21												*18:36
				21						27						*18:37, 18:46 ⁶
				21							28					*18:38, 18:45 ⁷
		19		21												*18:39
				21		23										*18:40
				21												*18:41
				21								29				*18:42
				21					26							*18:43
				21												*18:44
				21				25								*18:48
				21											31	*18:49
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

Length of spec.	170	260	260	100	140	130	90	190	255	85	125	90	85	170	100	95
PCR product(s)							150				610	140		260	265	360
											635					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
*07:02:01-07:04, 07:07-07:13, 07:15-07:16, 07:18:01-07:18:02, 07:21-07:23, 07:25-07:27, 07:29- 07:30, 07:33, 07:35-07:39, 07:41- 07:42, 07:44-07:52, 07:54-07:59, 07:61-07:67N, 07:70-07:77, 07:79, 07:81-07:89, 07:91-07:95, 07:98-07:99, 13:26, 13:35, 15:40, 15:47, 15:49, 15:52, 15:114, 15:117, 15:124, 27:34, 27:41, 35:15, 35:33, 35:86, 37:07, 40:03, 40:18, 40:20, 40:24, 40:31-40:33, 40:44, 40:52, 40:59, 40:98, 46:06, 48:08, 57:13, 57:25, C*02:06, C*02:23, C*02:36								8								
*07:14, 07:17, 07:28, 07:96, 08:14, 08:28, 08:49, 13:10, 15:02:01-15:02:04, 15:06, 15:13, 15:17:01:01-15:17:02, 15:21, 15:25:01-15:25:02, 15:31, 15:36, 15:44, 15:55, 15:77, 15:88- 15:89, 15:106, 15:112, 15:121, 15:128, 15:137, 15:139, 15:144, 15:156, 15:162, 15:168, 15:170, 15:177, 27:01-27:06, 27:08- 27:10, 27:12-27:19, 27:21, 27:23, 27:25-27:26, 27:29-27:32, 27:35-27:40, 27:42, 27:44-27:61, 27:63-27:65N, 37:01:01-37:03N, 37:06, 37:08, 37:10-37:11, 37:13- 37:21, 38:22, 39:17, 40:09, 40:42, 40:60, 40:89, 44:02:01:01- 44:09, 44:11-44:13, 44:15-44:16, 44:18-44:30, 44:32-44:42, 44:44, 44:46-44:50, 44:52N-44:61N, 44:63-44:76, 44:78-44:81, 44:83- 44:99, 45:01-45:08, 45:10-45:11, 47:01:01:01-47:07, 48:17, 49:01:01-49:02, 49:05-49:08, 49:10, 50:01:01-50:02, 50:04- 50:09, 51:42, 53:07, 54:15, 57:04-57:05, 83:01																
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

110	85	105	290	215	150	515	190	75	180	85	100	90	145	135	100	Length of spec. PCR product(s)
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.
																*07:02:01-07:04, 07:07-07:13, 07:15-07:16, 07:18:01-07:18:02, 07:21-07:23, 07:25-07:27, 07:29- 07:30, 07:33, 07:35-07:39, 07:41- 07:42, 07:44-07:52, 07:54-07:59, 07:61-07:67N, 07:70-07:77, 07:79, 07:81-07:89, 07:91-07:95, 07:98-07:99, 13:26, 13:35, 15:40, 15:47, 15:49, 15:52, 15:114, 15:117, 15:124, 27:34, 27:41, 35:15, 35:33, 35:86, 37:07, 40:03, 40:18, 40:20, 40:24, 40:31-40:33, 40:44, 40:52, 40:59, 40:98, 46:06, 48:08, 57:13, 57:25, C*02:06, C*02:23, C*02:36
			20													*07:14, 07:17, 07:28, 07:96, 08:14, 08:28, 08:49, 13:10, 15:02:01-15:02:04, 15:06, 15:13, 15:17:01:01-15:17:02, 15:21, 15:25:01-15:25:02, 15:31, 15:36, 15:44, 15:55, 15:77, 15:88- 15:89, 15:106, 15:112, 15:121, 15:128, 15:137, 15:139, 15:144, 15:156, 15:162, 15:168, 15:170, 15:177, 27:01-27:06, 27:08- 27:10, 27:12-27:19, 27:21, 27:23, 27:25-27:26, 27:29-27:32, 27:35-27:40, 27:42, 27:44-27:61, 27:63-27:65N, 37:01:01-37:03N, 37:06, 37:08, 37:10-37:11, 37:13- 37:21, 38:22, 39:17, 40:09, 40:42, 40:60, 40:89, 44:02:01:01- 44:09, 44:11-44:13, 44:15-44:16, 44:18-44:30, 44:32-44:42, 44:44, 44:46-44:50, 44:52N-44:61N, 44:63-44:76, 44:78-44:81, 44:83- 44:99, 45:01-45:08, 45:10-45:11, 47:01:01:01-47:07, 48:17, 49:01:01-49:02, 49:05-49:08, 49:10, 50:01:01-50:02, 50:04- 50:09, 51:42, 53:07, 54:15, 57:04-57:05, 83:01
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

Length of spec.	170	260	260	100	140	130	90	190	255	85	125	90	85	170	100	95
PCR product(s)							150				610	140		260	265	360
											635					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
*07:34, 08:01:01-08:06, 08:08N-08:10, 08:12:01-08:13, 08:15-08:20, 08:22-08:24, 08:26-08:27, 08:29-08:36, 08:38-08:39, 08:41-08:48, 08:50-08:61, 13:06, 15:42, 15:83, 15:86, 15:188, 35:60, 35:87, 37:12, 38:01:01, 38:01:03-38:07, 38:09-38:21, 39:01:01:01-39:01:01:02L, 39:01:03-39:06:02, 39:08-39:14, 39:16, 39:18-39:20, 39:22-39:24, 39:26-39:28, 39:30-39:31, 39:34-39:35, 39:37, 39:39, 39:41-39:42, 39:44-39:46, 39:51-39:54, 39:56-39:57, 40:39, 41:01-41:03:02, 41:05-41:09, 41:11, 42:01:01-42:02, 42:04-42:08, 42:10-42:13, 46:18, 51:36, 54:01, 54:04-54:05N, 54:07-54:08N, 54:10-54:13, 54:17-54:22, 55:01:01-55:05, 55:07, 55:10-55:13, 55:15, 55:17-55:20, 55:25-55:26, 55:28-55:40, 56:10, 56:12, 56:23, 58:20, 59:01-59:03, 59:05, 67:01:01-67:02, C*15:24																
*07:68, 15:138, 35:66								8								
*13:15, 51:08-51:09:02, 51:19-51:20, 51:31, 51:44N, 51:53, 51:73, 52:10, 52:19																
*13:31, 15:27:03, 35:14:01, 35:62, 46:01:03, C*01:09, C*07:22																16
*14:01-14:02:05, 14:04, 14:07N, 14:09, 14:11-14:12, 14:14-14:18, 49:09, 51:85																15
*14:03													13		15	
*14:05														14	15	
*14:06:01-14:06:02, 14:08		2													15	
*14:10															15	
*14:13														14	15	
*15:37, 51:06, 51:45, 51:62		2													15	
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

110	85	105	290	215	150	515	190	75	180	85	100	90	145	135	100	Length of spec. PCR product(s)
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.
																*07:34, 08:01:01-08:06, 08:08N-08:10, 08:12:01-08:13, 08:15-08:20, 08:22-08:24, 08:26-08:27, 08:29-08:36, 08:38-08:39, 08:41-08:48, 08:50-08:61, 13:06, 15:42, 15:83, 15:86, 15:188, 35:60, 35:87, 37:12, 38:01:01, 38:01:03-38:07, 38:09-38:21, 39:01:01:01-39:01:01:02L, 39:01:03-39:06:02, 39:08-39:14, 39:16, 39:18-39:20, 39:22-39:24, 39:26-39:28, 39:30-39:31, 39:34-39:35, 39:37, 39:39, 39:41-39:42, 39:44-39:46, 39:51-39:54, 39:56-39:57, 40:39, 41:01-41:03:02, 41:05-41:09, 41:11, 42:01:01-42:02, 42:04-42:08, 42:10-42:13, 46:18, 51:36, 54:01, 54:04-54:05N, 54:07-54:08N, 54:10-54:13, 54:17-54:22, 55:01:01-55:05, 55:07, 55:10-55:13, 55:15, 55:17-55:20, 55:25-55:26, 55:28-55:40, 56:10, 56:12, 56:23, 58:20, 59:01-59:03, 59:05, 67:01:01-67:02, C*15:24
							24									
								25								*07:68, 15:138, 35:66
				21												*13:15, 51:08-51:09:02, 51:19-51:20, 51:31, 51:44N, 51:53, 51:73, 52:10, 52:19
																*13:31, 15:27:03, 35:14:01, 35:62, 46:01:03, C*01:09, C*07:22
			20													*14:01-14:02:05, 14:04, 14:07N, 14:09, 14:11-14:12, 14:14-14:18, 49:09, 51:85
			20													*14:03
			20													*14:05
			20													*14:06:01-14:06:02, 14:08
			20		22											*14:10
				21			24									*14:13
				21												*15:37, 51:06, 51:45, 51:62
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

Length of spec.	170	260	260	100	140	130	90	190	255	85	125	90	85	170	100	95
PCR product(s)							150				610	140		260	265	360
											635					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
*15:38:01		2											13		15	
*15:38:02		2											13		15	16
*15:71, 15:175, 35:50, 46:14																
*15:185, 39:32, 39:43		2														
*27:28, 27:62			3													
*35:02:02, 35:20:02											11			14		
*35:21, 35:96, 40:28, 51:04, 51:46, 51:56, 53:06															15	
*35:24:01-35:24:02, 35:81, 53:02, 57:14, 58:09																
*35:27, 35:56																
*37:04:01-37:04:02																
*37:05																
*37:22, 49:03																
*39:36, 55:21																16
*39:48		2														
*40:51		2													15	
*40:77, 40:87, 48:12, 48:14																
*41:12, 54:02, 55:16																
*51:01:01-51:01:17, 51:03, 51:07:01-51:07:02, 51:11N- 51:14, 51:16, 51:22, 51:24:01-51:24:03, 51:26- 51:28, 51:30, 51:32-51:33, 51:35, 51:37-51:39, 51:41N, 51:43, 51:48-51:52, 51:55, 51:57-51:58, 51:60, 51:63, 51:65-51:72, 51:74-51:80, 51:83-51:84, 51:86-51:92, 51:94-51:95, 52:01:01- 52:02, 52:04-52:09, 52:12- 52:18, 52:20, 56:05:01- 56:06, 56:21, 58:08, 78:01- 78:03, 78:05															15	
*51:17-51:18																15
*51:21, 78:07																15
*51:29, 51:61, 51:82													13		15	
*51:64														14	15	
*78:06															15	
A*66:04													w			
C*01:30													13		15	
Well No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

110	85	105	290	215	150	515	190	75	180	85	100	90	145	135	100	Length of spec. PCR product(s)
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.
255	555	405			270			185		140	175					
	580															
	18			21												*15:38:01
				21												*15:38:02
																*15:71, 15:175, 35:50, 46:14
				21												*15:185, 39:32, 39:43
			20													*27:28, 27:62
								26								*35:02:02, 35:20:02
				21	22											*35:21, 35:96, 40:28, 51:04, 51:46, 51:56, 53:06
				21	22											*35:24:01-35:24:02, 35:81, 53:02, 57:14, 58:09
														31		*35:27, 35:56
			20		22											*37:04:01-37:04:02
			20											31		*37:05
	18		20													*37:22, 49:03
							24									*39:36, 55:21
				21			24									*39:48
				21			24									*40:51
								25								*40:77, 40:87, 48:12, 48:14
	18						24									*41:12, 54:02, 55:16
				21												*51:01:01-51:01:17, 51:03, 51:07:01-51:07:02, 51:11N- 51:14, 51:16, 51:22, 51:24:01-51:24:03, 51:26- 51:28, 51:30, 51:32-51:33, 51:35, 51:37-51:39, 51:41N, 51:43, 51:48-51:52, 51:55, 51:57-51:58, 51:60, 51:63, 51:65-51:72, 51:74-51:80, 51:83-51:84, 51:86-51:92, 51:94-51:95, 52:01:01- 52:02, 52:04-52:09, 52:12- 52:18, 52:20, 56:05:01- 56:06, 56:21, 58:08, 78:01- 78:03, 78:05
																*51:17-51:18
				21			24									*51:21, 78:07
				21												*51:29, 51:61, 51:82
				21												*51:64
				21										31		*78:06
																A*66:04
																C*01:30
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	Well No.

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-B*18 subtyping.

In addition, wells number 2 to 4, 10, 22, 27 and 28 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

²The nucleotide position, in the 1st, 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position, in 2nd or 3rd exon or 3rd intron matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

⁴The sequence of the B*18:16 allele has been found to be identical to B*18:14.

⁵The B*18:18 and 18:47 alleles may can be distinguished by the different sizes of the specific PCR products generated by primer mix 17.

⁶The B*18:37 and 18:46 alleles may can be distinguished by the different sizes of the specific PCR products generated by primer mix 27.

⁷The B*18:38 and 18:45 alleles may can be distinguished by the different sizes of the specific PCR products generated by primer mix 28.

⁸Primer mix 7: Specific PCR fragment of 90 bp in the B*18:41 allele. Specific PCR fragment of 150 bp in the B*18:07:01-18:07:02 alleles.

Primer mix 11: Specific PCR fragment of 125 bp in the B*18:09 allele. Specific PCR fragment of 610 bp in the B*18:36 allele. Specific PCR fragment of 635 bp in the B*18:10-18:11, 18:21 and 18:35 alleles. Specific PCR fragment of 610 and 635 bp in the B*35:02:02 and 35:20:02 alleles.

Primer mix 12: Specific PCR fragment of 90 bp in the B* 18:41 allele. Specific PCR fragment of 140 bp in the B*18:12 allele.

Primer mix 14: Specific PCR fragment of 170 bp in the B*18:04 and 18:25 and in the B*35:02:02 and 35:20:02 alleles. Specific PCR fragment of 260 bp in the B*18:14 and in the B*14:05, 14:13 and 51:64 alleles.

Primer mix 15: Specific PCR fragment of 100 bp in the B*18:15, 18:19, 18:30 and 18:31 and in the B*14:05-14:06:02, 14:08, 14:10, 14:13, 15:37-15:38:02, 35:21, 35:96, 40:28, 40:51, 49:09, 51:01:01-51:01:17, 51:03-51:04, 51:06-51:07:02, 51:11N-51:14, 51:16-51:18, 51:21-51:22, 51:24:01-51:24:03, 51:26-51:30, 51:32-51:33, 51:35, 51:37-51:39, 51:41N, 51:43, 51:45-51:46, 51:48-51:52, 51:55-51:58, 51:60-51:72, 51:74-51:80, 51:82-51:92, 51:94-51:95, 52:01:01-52:02, 52:04-52:09, 52:12-52:18, 52:20, 53:06, 56:05:01-56:06, 56:21, 58:08, 78:01-78:03 and 78:05-78:07 and in the C*01:30 alleles. Specific PCR fragment of 265 bp in the B*18:44 and in the C*01:30 alleles. Specific PCR fragments of 100 and 265 bp in the B*14:01-14:04, 14:07N, 14:09, 14:11-14:12 and 14:14-14:18 alleles. Both specific fragments may not always be visible.

Primer mix 16: Specific PCR fragment of 95 bp in the B*18:19 and in the B*13:31, 15:27:03, 15:38:02, 35:14:01, 35:62, 39:36, 46:01:03 and 55:21 and in the C*01:09 and C*07:22 alleles. Specific PCR fragment of 360 bp in the B*18:17N allele.

Primer mix 17: Specific PCR fragment of 110 bp in the B*18:31 and 18:47 alleles. Specific PCR fragment of 255 bp in the B*18:18 allele.

Primer mix 18: Specific PCR fragment of 85 bp in the B*18:29 and in the B*15:71, 15:175, 35:50, 37:22, 41:12, 46:14, 49:03, 54:02 and 55:16 alleles. Specific PCR fragment of 555 bp in the B*18:32 allele. Specific PCR fragment of 580 bp in the B*18:15, 18:21^w and 18:30^w alleles.

Primer mix 19: Specific PCR fragment of 105 bp in the B*18:06 allele. Specific PCR fragment of 405 bp in the B*18:39 allele.

Primer mix 22: Specific PCR fragment of 150 bp in the B*18:33 allele. Specific PCR fragment of 270 bp in the B*18:22 and in the B*14:10 and in the B*35:21, 35:24:01-35:24:02, 35:81, 35:96, 37:04:01-37:04:02, 40:28, 51:04, 51:46, 51:56, 53:02, 53:06, 57:14 and 58:09 alleles.

Primer mix 25: Specific PCR fragment of 75 bp in the B*18:48 allele. Specific PCR fragment of 185 bp in the B*18:35 and in the B*07:68, 15:138, 35:66, 40:77, 40:87, 48:12 and 48:14 alleles.

Primer mix 27: Specific PCR fragment of 85 bp in the B*18:37 allele. Specific PCR fragment of 140 bp in the B*18:46 allele.

Primer mix 28: Specific PCR fragment of 100 bp in the B*18:45 allele. Specific PCR fragment of 175 bp in the B*18:38 allele.

'w', might be weakly amplified.

CELL LINE VALIDATION SHEET																			
HLA-B*18 SSP subtyping kit																			
			Prod. No.:	Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				201076901	201076902	201076903	201076904	201076905	201076906	201076907	201076908	201076909	201076910	201076911	201076912	201076913	201076914	201076915	201076916
	IHWC cell line	B*																	
1	9001 SA	*07:02		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
4	9275 GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*37:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
7	9020 QBL	*18:01		+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*14:01	*56:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
19	9038 BM16	*18:01		+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		+	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*42:01	*50:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

				Well															
				17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Prod. No.:				201076917	201076918	201076919	201076920	201076921	201076922	201076923	201076924	201076925	201076926	201076927	201076928	201076929	201076930	201076931	201076932
	IHWC cell line	B*																	
1	9001 SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324	*52:01		-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*37:01		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	-	-	-	-	+	-	-	+	-	-	-	-	-	-	-	-
7	9020 QBL	*18:01		-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
10	9107 LKT3	*54:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*27:05		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
18	9257 32367	*14:01	*56:01	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*18:01		-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*38:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
25	9049 IBW9	*14:02		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
35	9302 SSTO	*44:02		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	+	-	-	-	-	+	-	-	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*14:02		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
45	9239 SHJO	*42:01	*50:01	-	-	-	+	-	-	-	+	-	-	-	-	-	-	-	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-

CERTIFICATE OF ANALYSIS

Olerup SSP® HLA-B*18 SSP

Product number: 101.519-12u – without *Taq* polymerase
Lot number: 33K
Expiry date: 2012-August-01
Number of tests: 12
Number of wells per test: 32

Well specifications:

Well No.	Production No.	Well No.	Production No.	Well No.	Production No.
1	2010-769-01	13	2010-769-13	25	2010-769-25
2	2010-769-02	14	2010-769-14	26	2010-769-26
3	2010-769-03	15	2010-769-15	27	2010-769-27
4	2010-769-04	16	2010-769-16	28	2010-769-28
5	2010-769-05	17	2010-769-17	29	2010-769-29
6	2010-769-06	18	2010-769-18	30	2010-769-30
7	2010-769-07	19	2010-769-19	31	2010-769-31
8	2010-769-08	20	2010-769-20	32	2010-769-32
9	2010-769-09	21	2010-769-21		
10	2010-769-10	22	2010-769-22		
11	2010-769-11	23	2010-769-23		
12	2010-769-12	24	2010-769-24		

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 5 to 7, 9 to 14, 16 to 19, 22, 23 and 25 to 32 were available. The specificities of the primers in primer solutions 5, 7, 9, 11-14, 16 to 19, 22, 23 and 25 to 28 were tested by separately adding one additional 5'-primer, respectively one or two additional 3'-primer. In primer solutions 6 and 31 only the 5'-primer was possible to test, the 3'-primer was not possible to test. In primer solutions 10, 29, 30 and 32 only the 3'-primer was possible to test, the 5'-primer was not possible to test. In primer solutions 5, 9 and 15 to 17 one 5'-primer was not possible to test, and in primer solutions 1, 7, 12, 17 to 19, 27 and 28 one 3'-primer was not possible to test.

Results: No false positive or false negative amplifications were obtained.

Date of approval: 2010-August-31

Approved by:

Quality Control, Supervisor

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

Declaration of Conformity

Product name: *Olerup* SSP® HLA-B*18
Product number: 101.519-12u
Lot number: 33K

Intended use: HLA-B*18 high resolution histocompatibility testing

Manufacturer: *Olerup* SSP AB
Hasselstigen 1
SE-133 33 Saltsjöbaden, Sweden
Phone: +46-8-717 88 27
Fax: +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, conformity assessed using Annex IV, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

The Authorized Representative located within the Community is: *Olerup* SSP AB.

Notified Body: Lloyd's Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Saltsjöbaden, Sweden
2010-August-31

Olle Olerup
Managing Director

Lot No.: **33K**

Lot-specific information

www.olerup-ssp.com

ADDRESSES:

Manufacturer:

Olerup SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: <http://www.olerup-ssp.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.