

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information  
**Olerup SSP® HLA-B\*38**

Product number:	101.565-12 – including <i>Taq</i> polymerase 101.565-12u – without <i>Taq</i> polymerase
Lot number:	6F7
Expiry date:	2020-04-01
Number of tests:	12
Number of wells per test:	29+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

**This Product Description is only valid for Lot No. 6F7.**

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®  
HLA-B\*38 LOT (5E3)**

The HLA-B\*38 kit is updated for new alleles to enable separation of:

- Confirmed<sup>1</sup> alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

Three wells have been added to HLA-B\*38, wells **28 to 30**.

<sup>1</sup>As described in section Uniquely Identified Alleles.

The HLA-B\*38 primer set, specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP®* HLA-B\*38 lot was made (**Lot No. 5E3**). The kit design is based on IMGT/HLA database 3.29.0.

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

**Lot-specific information**

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
25	Exchanged	-	5'-primer exchanged for decreased tendency of primer oligomer formation.
27	Added	Added	Negative control moved to well 30, primer pair added for improved resolution of the B*38:01 allele.
28	New	New	New primer pairs added for the B*38:61 and B*38:64 alleles.
29	New	New	New primer pair added for the B*38:68Q allele.
30	-	-	Negative control added from well 27.

Change in revision R01 compared to R00:

1. Primer mixes 6 and 7 weakly amplifies the B\*38:34N allele. This has been corrected in the Specificity and Interpretation Tables.

Change in revision R02 compared to R01:

1. Primer mix 27 may give rise to a lower yield of HLA-specific PCR product than the other HLA-B\*38 primer mixes. A footnote has been added in the Specificity Table.

101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

Well **30** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup* SSP<sup>®</sup> HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.  
 The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
<b>5'-primer<sup>1</sup></b>	<b>164</b>	<b>340</b>	<b>440</b>	<b>45</b>	<b>45</b>	<b>43</b>	<b>36</b>
	5'-CAC <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-TTA <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-TAC <sup>3'</sup>
							<b>36</b>
							5'-TAT <sup>3'</sup>
<b>3'-primer<sup>2</sup></b>	<b>231</b>	<b>2<sup>nd</sup> I</b>	<b>507</b>	<b>59</b>	<b>58</b>	<b>57</b>	<b>47</b>
	5'-TgC <sup>3'</sup>	5'-AAA <sup>3'</sup>	5'-TTg <sup>3'</sup>	5'-CTC <sup>3'</sup>	5'-ggC <sup>3'</sup>	5'-CTC <sup>3'</sup>	5'-ACA <sup>3'</sup>
							<b>48</b>
							5'-gCA <sup>3'</sup>
							<b>48</b>
							5'-gCC <sup>3'</sup>
							<b>52</b>
							5'-TgT <sup>3'</sup>
<b>A*</b>	<b>+</b>	<b>+</b>	<b>+</b>				
<b>B*</b>	<b>+</b>	<b>+</b>	<b>+</b>				
<b>C*</b>	<b>+</b>	<b>+</b>	<b>+</b>				
<b>DRB1</b>				<b>+</b>	<b>+</b>		
<b>DRB3</b>				<b>+</b>	<b>+</b>		
<b>DRB5</b>				<b>+</b>			
<b>DQB1</b>					<b>+</b>		
<b>DPB1</b>						<b>+</b>	
<b>DQA1</b>							<b>+</b>

<sup>1</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>2</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon or the 2<sup>nd</sup> intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

## PRODUCT DESCRIPTION

### HLA-B\*38 SSP subtyping

#### CONTENT

The primer set contains 5'- and 3'-primers for identifying the B\*38:01 to B\*38:68Q alleles.

#### PLATE LAYOUT

Each test consists of 30 PCR reactions in a 32 well cut PCR plate. Wells 31 and 32 are empty.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	NC	empty	empty

The 32 well cut PCR plate is marked with ‘HLA-B\*38’ in silver/gray ink.

Well No. 1 is marked with the Lot No. ‘6F7’.

Wells 1 to 29 – HLA-B\*38 high resolution primers.

Well 30 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are covered with a PCR-compatible foil.

**Please note:** When removing each 32 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

#### INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles, non-HLA-B\*38 alleles will be amplified by some primer mixes. For further details see Specificity Table.

#### UNIQUELY IDENTIFIED ALLELES

All the HLA-B\*38 alleles, i.e. **B\*38:01 to B\*38:68Q**, recognized by the HLA Nomenclature Committee in August 2017<sup>1,2</sup> are amplified by the primers in the HLA-B\*38 subtyping kit.

The HLA-B\*38 kit enables separation of the confirmed HLA-B\*38 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-B\*38 alleles is listed below.

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

**Lot-specific information**

The HLA-B\*38 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.

The following HLA-B\*38 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
B*38:11, 38:19	16

<sup>1</sup>HLA-B alleles listed on the IMGT/HLA web page 2017-August-10, release 3.29.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

<sup>2</sup>Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

**ALLELES CONFIRMATION STATUS**

Allele	Status <sup>1</sup>	Allele	Status <sup>1</sup>	Allele	Status <sup>1</sup>
<b>B*38:01:01</b>	<b>Confirmed</b>	B*38:14	Unconfirmed	B*38:44	Unconfirmed
B*38:01:02	Unconfirmed	<b>B*38:15</b>	<b>Confirmed</b>	B*38:45	Unconfirmed
B*38:01:03	Unconfirmed	B*38:16	Unconfirmed	B*38:46	Unconfirmed
<b>B*38:01:04</b>	<b>Confirmed</b>	B*38:17	Unconfirmed	B*38:47	Unconfirmed
<b>B*38:01:05</b>	<b>Confirmed</b>	B*38:18	Unconfirmed	B*38:48	Unconfirmed
<b>B*38:01:06</b>	<b>Confirmed</b>	B*38:19	Unconfirmed	B*38:49	Unconfirmed
B*38:01:07	Unconfirmed	<b>B*38:20</b>	<b>Confirmed</b>	B*38:50	Unconfirmed
<b>B*38:01:08</b>	<b>Confirmed</b>	B*38:21	Unconfirmed	B*38:51	Unconfirmed
B*38:01:09	Unconfirmed	B*38:22	Unconfirmed	B*38:52	Unconfirmed
B*38:01:10	Unconfirmed	B*38:23	Unconfirmed	B*38:53	Unconfirmed
B*38:01:11	Unconfirmed	<b>B*38:24</b>	<b>Confirmed</b>	B*38:54	Unconfirmed
B*38:01:12	Unconfirmed	B*38:25	Unconfirmed	B*38:55Q	Unconfirmed
<b>B*38:02:01</b>	<b>Confirmed</b>	B*38:26	Unconfirmed	B*38:56	Unconfirmed
<b>B*38:02:02</b>	<b>Confirmed</b>	<b>B*38:27</b>	<b>Confirmed</b>	B*38:57	Unconfirmed
B*38:02:03	Unconfirmed	<b>B*38:28</b>	<b>Confirmed</b>	B*38:58	Unconfirmed
B*38:02:04	Unconfirmed	<b>B*38:29</b>	<b>Confirmed</b>	B*38:59	Unconfirmed
<b>B*38:02:05</b>	<b>Confirmed</b>	B*38:30	Unconfirmed	B*38:60	Unconfirmed
B*38:02:06	Unconfirmed	<b>B*38:31</b>	<b>Confirmed</b>	<b>B*38:61</b>	<b>Confirmed</b>
B*38:02:07	Unconfirmed	<b>B*38:32</b>	<b>Confirmed</b>	B*38:62	Unconfirmed
B*38:03	Unconfirmed	<b>B*38:33</b>	<b>Confirmed</b>	B*38:63	Unconfirmed
B*38:04	Unconfirmed	B*38:34N	Unconfirmed	<b>B*38:64</b>	<b>Confirmed</b>
B*38:05	Unconfirmed	<b>B*38:35</b>	<b>Confirmed</b>	B*38:65	Unconfirmed
<b>B*38:06</b>	<b>Confirmed</b>	<b>B*38:36</b>	<b>Confirmed</b>	B*38:66	Unconfirmed
B*38:07	Unconfirmed	<b>B*38:37</b>	<b>Confirmed</b>	B*38:67	Unconfirmed
B*38:08	Unconfirmed	B*38:38	Unconfirmed	B*38:68Q	Unconfirmed
<b>B*38:09</b>	<b>Confirmed</b>	B*38:39	Unconfirmed		
B*38:10	Unconfirmed	B*38:40	Unconfirmed		
<b>B*38:11</b>	<b>Confirmed</b>	B*38:41	Unconfirmed		
<b>B*38:12</b>	<b>Confirmed</b>	B*38:42	Unconfirmed		
<b>B*38:13</b>	<b>Confirmed</b>	B*38:43	Unconfirmed		

<sup>1</sup>Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2017-August-10, release 3.29.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

### RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-B\*38 homo- and heterozygotes is available upon request.

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information  
**SPECIFICITY TABLE**

**HLA-B\*38 SSP subtyping**

Specificities and sizes of the PCR products of the 29+1 primer mixes used for  
HLA-B\*38 SSP subtyping

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified HLA-B*38 alleles <sup>3</sup>	Other amplified HLA-B alleles
1	185 bp	800 bp	*38:01:01-38:01:07, 38:01:09-38:02:02, 38:02:04-38:03, 38:07-38:24, 38:26- 38:32, 38:34N- 38:68Q	*07:02:32, 14:01:01:01-14:01:05, 14:07N- 14:08:02, 14:10, 14:12, 14:14, 14:19, 14:26, 14:32, 14:40, 14:46-14:47, 14:49, 14:53-14:55, 27:07:04 <sup>w</sup> , 39:01:01:01-39:01:01:07, 39:01:03:01- 39:01:08, 39:01:10-39:02:01, 39:03:01:01- 39:03:01:02, 39:05:01-39:06:02:04, 39:06:04- 39:09:03, 39:11, 39:14-39:15, 39:18, 39:19:02, 39:22, 39:24:01-39:30, 39:31 <sup>w</sup> , 39:32-39:39:01, 39:40:01N-39:44, 39:46-39:48, 39:50-39:62, 39:64-39:71, 39:73-39:75, 39:77, 39:79-39:82, 39:84-39:88, 39:90-39:91, 39:93-39:95N, 39:97N- 39:98, 39:100, 39:102-39:104, 39:106-39:109, 39:111-39:125, 39:127-39:128, 67:01:01, 67:03- 67:04, 67:06-67:07
2	190 bp	800 bp	*38:01:01-38:02:07, 38:04-38:12, 38:15, 38:17-38:25, 38:27, 38:29-38:40, 38:42- 38:45, 38:47-38:68Q	*07:16, 07:27, 07:37-07:38, 07:50, 07:75:01:01- 07:75:01:02, 07:91, 07:180, 07:207, 07:219, 07:228:01-07:228:02, 08:03, 08:23, 08:54:01- 08:54:02, 08:110, 08:133, 08:139, 14:14, 14:18, 15:03:01:01-15:03:06, 15:09:01-15:10:04, 15:18:01:01-15:18:06, 15:23, 15:29, 15:37, 15:47:01-15:47:02, 15:49, 15:51-15:52, 15:54, 15:62, 15:64:01-15:64:02, 15:68-15:69, 15:72, 15:74, 15:80, 15:90-15:91, 15:93, 15:98-15:99, 15:103, 15:108, 15:114-15:115, 15:119, 15:123- 15:124, 15:127, 15:131-15:134, 15:151, 15:153, 15:156, 15:158, 15:161, 15:173, 15:176, 15:186, 15:197:01-15:198, 15:200, 15:210, 15:220- 15:221, 15:226N, 15:229, 15:235, 15:238, 15:242:01-15:243, 15:251-15:253, 15:263, 15:266, 15:274-15:275:02, 15:281-15:282, 15:290, 15:292-15:293, 15:306-15:307, 15:311- 15:314, 15:323, 15:329, 15:335, 15:337-15:338, 15:351, 15:354, 15:369, 15:376, 15:379-15:380N, 15:382, 15:388-15:389, 15:414, 15:426-15:427, 15:429, 18:01:01:01-18:01:01:07, 18:01:03- 18:01:22, 18:01:24-18:02, 18:05-18:15, 18:17N- 18:28, 18:30-18:79, 18:81-18:93, 18:95-18:97, 18:99-18:101, 18:103-18:106, 18:108-18:124, 18:126-18:131, 18:133-18:139, 35:25, 35:124- 35:125, 35:142, 35:162, 35:267, 35:320, 37:01:01- 37:21, 37:23-37:36, 37:38-37:59, 37:61-37:68, 39:05:01-39:05:02, 39:07-39:08, 39:11, 39:13:01- 39:13:02, 39:20, 39:37, 39:49, 39:55-39:56, 39:113, 39:118, 40:12, 40:149, 41:22, 42:11, 44:130, 44:156, 44:221, 44:224, 44:258,

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

Lot No.: <b>6F7</b>		Lot-specific information	
<b>3</b>	170 bp	<b>800 bp</b>	<p>*38:01:01-38:02:07, 38:04-38:05, 38:08-38:15, 38:17-38:25, 38:27, 38:29-38:45, 38:47-38:53, 38:55Q-38:68Q</p> <p>*48:01:01:01-48:02:01, 48:02:03-48:41, 49:25, 51:116, 51:176, 51:179, 51:218, 52:16, 52:27, 53:43, 57:58, 57:80, 58:12, 81:08, <b>C*06:147</b></p> <p>*07:69, 07:85, 07:180, 08:65, 14:01:01:01-14:20, 14:22-14:35, 14:37-14:41N, 14:43-14:47, 14:50-14:53, 14:55-14:56, 15:09:01-15:10:04, 15:18:01:01-15:18:06, 15:23, 15:37, 15:51-15:52, 15:72, 15:80, 15:90, 15:93, 15:99, 15:108, 15:114-15:115, 15:119, 15:124, 15:133-15:134, 15:153, 15:161, 15:176, 15:186, 15:197:01-15:198, 15:200, 15:221, 15:226N, 15:229, 15:238, 15:243, 15:252, 15:263, 15:275:01-15:275:02, 15:290, 15:292-15:294N, 15:306-15:307, 15:311-15:314, 15:323, 15:329, 15:335, 15:337-15:338, 15:351, 15:354, 15:376, 15:380N, 15:382, 15:388, 15:414, 15:426-15:427, 18:33, 37:57, 39:01:01:01-39:01:01:07, 39:01:03:01-39:01:24, 39:03:01:01-39:07, 39:09:01:01-39:09:03, 39:11-39:12, 39:14-39:15, 39:18-39:19:02, 39:22, 39:24:01-39:38Q, 39:40:01N-39:48, 39:50-39:51, 39:53, 39:55-39:57, 39:59-39:62, 39:64-39:82, 39:84-39:87N, 39:90-39:95N, 39:97N-39:98, 39:100, 39:102-39:104, 39:106-39:109, 39:111-39:125, 39:127-39:128</p>
<b>4<sup>4</sup></b>	105 bp	1070 bp	<p>*38:01:01-38:01:07, 38:01:09-38:01:12, 38:05, 38:09-38:14, 38:16, 38:19-38:22, 38:24, 38:26-38:28, 38:30-38:34N, 38:36-38:42, 38:51-38:61, 38:63, 38:65-38:68Q</p> <p>*49:26, 52:01:10, <b>A*23:01:18, A*25:01:08</b></p>
<b>5</b>	210 bp	1070 bp	<p>*38:02:01-38:04, 38:08, 38:15, 38:18, 38:23, 38:29, 38:35, 38:43-38:45, 38:47-38:50, 38:62, 38:64</p> <p>*07:149, 08:02, 08:117, 15:115, 18:09, 37:01:02, 37:10, 44:130, 44:156, 44:221, 44:224, 44:258</p>
<b>6<sup>5</sup></b>	140 bp 175 bp	<b>800 bp</b>	<p>*38:35 *38:03, 38:34N<sup>w</sup></p> <p>*07:27, 07:50, 08:04:01-08:04:02, 08:17, 08:54:01-08:54:02, 08:110, 15:03:01:01-15:03:06, 15:47:01-15:47:02, 15:54, 15:61-15:62, 15:64:01-15:64:02, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220, 15:235, 15:242:01-15:242:02, 15:251, 15:253, 15:266, 15:274, 15:281-15:282, 15:369, 15:379, 15:389, 15:397, 15:429, 18:01:01:01-18:03, 18:05-18:06, 18:08-18:15, 18:17N-18:28, 18:30-18:32, 18:34-18:78, 18:81-18:97, 18:99-18:101, 18:103-18:106, 18:108-18:124, 18:126-18:135, 18:137-18:139, 37:01:01-37:20, 37:23-37:25, 37:27-37:56, 37:58-37:59, 37:61-37:66, 37:68, 39:02:01-39:02:03, 39:08, 39:13:01-39:13:02, 39:23, 39:39:01-39:39:02, 39:49, 39:88, 39:101, 39:105, 39:110, 40:12, 40:149, 41:22, 42:11, 44:130, 44:156,</p>



101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

				44:221, 44:224, 44:258, 48:01:01:01-48:02:01, 48:02:03-48:05, 48:07-48:30, 48:32-48:41, 49:25, 52:16, 52:27
<b>7<sup>5</sup></b>	160 bp	<b>800 bp</b>	*38:03-38:04, 38:25	*08:17, 08:38, 08:54:01-08:54:02, 08:101, 15:03:01:01-15:03:04, 15:03:06, 15:47:01-15:47:02, 15:49, 15:54, 15:61-15:62, 15:68-15:69, 15:74, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220, 15:235, 15:242:01-15:243, 15:251, 15:253, 15:266, 15:274, 15:281-15:282, 15:369, 15:376, 15:379, 15:389, 15:397, 15:429, 18:12:01-18:12:02, 37:01:01-37:07, 37:09-37:21, 37:23-37:59, 37:61-37:66, 37:68, 39:02:01-39:02:03, 39:08, 39:13:01-39:13:02, 39:22-39:23, 39:49, 39:101, 39:105, 39:110, 40:12, 40:149, 41:22, 42:11, 44:130, 44:156, 44:221, 44:224, 44:258, 48:01:01:01-48:02:01, 48:02:03-48:05, 48:07-48:15, 48:17-48:38, 48:40-48:41, 49:25, 52:16, 52:27
<b>8</b>	195 bp 185 bp	<b>800 bp</b>	*38:21, 38:34N <sup>w</sup> *38:05, 38:33	*14:02:01:01-14:02:02, 14:02:04-14:02:05, 14:02:07-14:03, 14:04 <sup>w</sup> , 14:05-14:06:02, 14:09, 14:11, 14:13, 14:15-14:18, 14:20, 14:22-14:23, 14:25, 14:27, 14:29-14:31, 14:33-14:39, 14:41N, 14:43-14:45, 14:48, 14:50-14:52, 14:56-14:57, 15:189, 35:03:17, 35:26, 39:04, <b>C*02:02:07</b> , <b>C*05:01:06</b>
	230 bp		*38:15, 38:20, 38:22	*15:265, 35:35, 37:40, 39:42, 58:84, <b>C*15:51</b>
<b>9</b>	145 bp	1070 bp	*38:06-38:07	*18:67, 18:136, 37:34, 44:06, 49:03, 51:01:01:01-51:01:39, 51:01:41-51:24:05, 51:26-51:46, 51:48-51:53, 51:55-51:77, 51:79-51:103, 51:105-51:111, 51:113-51:146, 51:148-51:226, 52:01:01:01-52:01:28, 52:03-52:15, 52:17-52:19, 52:21-52:31:02, 52:33-52:71, 53:01:01-53:02, 53:04-53:08:02, 53:10, 53:14-53:29, 53:32-53:35, 53:37, 53:40-53:48N, 58:01:01:01-58:02:02, 58:04-58:16:02, 58:18-58:29, 58:31N-58:35, 58:37-58:43, 58:45:01-58:63, 58:65-58:91
<b>10<sup>4</sup></b>	205 bp 85 bp 145 bp 180 bp	1070 bp	*38:21 *38:07, 38:12 *38:16, 38:46 *38:33	*35:03:17, 39:19:02 *14:48, 49:26 *08:01:24, 14:11, 14:28, 15:189, 35:03:17, 35:26, 39:04, 49:26
<b>11<sup>4</sup></b>	90 bp 145 bp	1070 bp	*38:13 *38:08, 38:18, 38:27	*18:86, 39:102
<b>12<sup>4</sup></b>	90 bp	<b>800 bp</b>	*38:09, 38:14, 38:26, 38:41	*07:02:32, 08:01:24, 14:01:01:01-14:01:04, 14:01:05 <sup>w</sup> , 14:01:06-14:02:02, 14:02:04-14:02:05, 14:02:07, 14:02:08 <sup>w</sup> , 14:02:09-14:13, 14:15-14:17, 14:19-14:20, 14:22-14:41N, 14:43-14:57, 15:189, 39:01:01:01-39:01:01:07, 39:01:03:01-39:01:03:02, 39:01:05-39:01:08, 39:01:10-39:02:01, 39:03:01:01-39:04, 39:06:01-39:06:02:04, 39:06:04-39:06:05, 39:09:01:01-39:09:03, 39:12, 39:14-39:15, 39:18, 39:19:02, 39:22, 39:24:01, 39:24:02 <sup>w</sup> , 39:25N-39:26, 39:27 <sup>w</sup> ,

101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

				39:28-39:36, 39:38Q-39:39:01, 39:40:01N-39:48, 39:50-39:54, 39:57-39:62, 39:64-39:82, 39:84-39:88, 39:90-39:95N, 39:97N-39:98, 39:100, 39:102-39:104, 39:106-39:109, 39:111-39:112, 39:114-39:117, 39:119-39:125, 39:127-39:128, 67:01:01, 67:03-67:04, 67:06-67:07, <b>A*23:01:18, A*25:01:08, C*04:01:80, C*07:01:59</b>
<b>13</b>	175 bp	<b>800 bp</b>	*38:01:01-38:07, 38:09, 38:11-38:21, 38:23-38:28, 38:31-38:35, 38:38-38:44, 38:46-38:49, 38:51, 38:53-38:62, 38:64, 38:66-38:68Q	*08:55, 35:276, 39:01:01:01-39:01:01:07, 39:01:03:01-39:06:05, 39:08-39:14, 39:16, 39:18-39:20, 39:22-39:24:02, 39:26-39:28, 39:31, 39:35, 39:37-39:42, 39:44-39:46, 39:48, 39:51-39:54, 39:56-39:73, 39:75-39:81, 39:83-39:90, 39:92-39:95N, 39:97N, 39:98 <sup>w</sup> , 39:99-39:101, 39:103-39:106, 39:108, 39:109 <sup>w</sup> , 39:110-39:111, 39:113-39:127, 40:184, 51:101, 52:71, 58:20, 67:01:01-67:07
<b>14<sup>s</sup></b>	170 bp	1070 bp	*38:10, 38:32	*07:02:01:01-07:24, 07:26-07:47, 07:49N-07:50, 07:52-07:154, 07:156-07:163, 07:165-07:201N, 07:203-07:208, 07:210-07:219, 07:221-07:222, 07:224-07:225, 07:227-07:234, 07:236-07:260, 07:262-07:296, 08:20, 08:53:01-08:53:02, 08:79, 08:156, 13:16, 13:20, 13:31, 13:48, 13:62, 14:01:01:01-14:40, 14:42, 14:44-14:55, 14:57, 15:01:01:01-15:01:04, 15:01:06-15:04:04, 15:06-15:17:04, 15:17:06-15:19, 15:21, 15:23-15:30, 15:32:01-15:40:02, 15:42-15:47:02, 15:49-15:50, 15:53-15:54, 15:56-15:58, 15:60-15:74, 15:76-15:82, 15:85, 15:87, 15:89-15:90, 15:92-15:99, 15:101-15:104, 15:106, 15:108-15:110, 15:112-15:113, 15:115-15:122, 15:125-15:129, 15:131-15:135, 15:137-15:144, 15:146-15:150, 15:152-15:154, 15:156-15:161, 15:163-15:175, 15:177-15:178, 15:180-15:184, 15:187, 15:189-15:199, 15:201-15:217, 15:219-15:221, 15:223, 15:225-15:234, 15:236, 15:238-15:249, 15:251-15:274, 15:276-15:282, 15:284-15:311, 15:313-15:331, 15:333-15:347, 15:349:01-15:382, 15:384-15:392, 15:394-15:395, 15:397-15:406, 15:408-15:410, 15:412-15:414, 15:416-15:420, 15:422-15:429, 18:15, 18:19, 18:21, 18:30, 18:57, 18:101, 27:04:01-27:04:06, 27:06, 27:10, 27:15, 27:18, 27:20-27:21, 27:24-27:25, 27:40, 27:54, 27:63, 27:66N, 27:68-27:69, 27:79, 27:86, 27:91-27:92, 27:100, 27:103, 27:105-27:109, 27:112-27:115, 27:120, 27:138, 27:149, 27:153, 35:11:01-35:11:03, 35:14:01-35:14:02, 35:21, 35:43:01-35:44, 35:58, 35:67, 35:79, 35:86, 35:96, 35:99, 35:102, 35:117-35:118, 35:135, 35:167, 35:185, 35:188, 35:213, 35:232, 35:265, 35:277, 35:337, 35:343, 37:07, 37:13, 39:18, 39:35-39:36, 39:107, 40:05:01:01-40:05:01:02, 40:15-40:16, 40:23, 40:26, 40:28, 40:32, 40:51, 40:95, 40:98, 40:148, 40:158, 40:161, 40:174, 40:183, 40:198, 40:309, 40:355, 42:19, 44:76, 44:79:01-44:79:02, 44:146, 44:150, 46:01:01-46:05, 46:07N-46:08, 46:10, 46:12, 46:14-46:17, 46:20, 46:22-46:24, 46:26-

101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

				46:32, 46:34-46:42, 46:44-46:72, 47:10, 48:05, 48:08, 48:15, 48:25, 49:01:01:01-49:10, 49:12-49:14, 49:16-49:44, 49:46-49:48, 50:01:01:01-50:02, 50:04-50:20, 50:31-50:48, 50:50-50:53, 51:01:01:01-51:04, 51:06:01-51:07:02, 51:11N-51:14, 51:16-51:18, 51:21-51:24:05, 51:26-51:30, 51:32-51:39, 51:41N, 51:43, 51:45-51:46, 51:48-51:52, 51:55-51:72, 51:74-51:80, 51:82-51:92:02, 51:94-51:96, 51:98N-51:107, 51:109-51:114, 51:116-51:119, 51:121, 51:123-51:138, 51:140, 51:142-51:147, 51:149N-51:152, 51:154-51:156, 51:158:01-51:180, 51:182-51:193, 51:195-51:216, 51:218-51:226, 52:01:01:01-52:02:02, 52:04-52:09, 52:11-52:18, 52:20-52:27, 52:30-52:70, 53:06, 53:08:01-53:08:02, 53:28, 54:06, 54:20, 54:33, 55:01:01-55:01:16, 55:03, 55:05, 55:09, 55:11, 55:14-55:15, 55:17, 55:21, 55:24-55:25, 55:28-55:29, 55:31, 55:33, 55:36, 55:38, 55:40, 55:44-55:45, 55:52-55:53, 55:55N-55:56, 55:58-55:60, 55:64, 55:66, 55:68, 55:73-55:76, 55:78-55:79, 55:84-55:85, 56:03, 56:05:01-56:06, 56:21, 56:25, 56:32, 56:37, 57:09, 57:13, 57:22, 57:57, 57:63, 58:06, 58:08:01-58:08:02, 58:19, 58:46, 58:78, 58:91, 78:01:01:01-78:03, 78:05-78:07, 78:09
15	230 bp	1070 bp	*38:01:01-38:02:07, 38:04, 38:06-38:12, 38:15-38:25, 38:27-38:32, 38:34N-38:40, 38:42-38:68Q	*07:16, 07:27, 07:37-07:38, 07:50, 07:75:01:01-07:75:01:02, 07:91, 07:180, 07:207, 07:219, 07:228:01-07:228:02, 13:14, 13:83, 14:14, 15:68, 15:71, 15:175, 15:381, 18:01:01-18:01:01:07, 18:01:03-18:01:12, 18:01:14-18:01:22, 18:01:24-18:02, 18:05-18:15, 18:17N-18:24, 18:26-18:67, 18:69, 18:71-18:93, 18:95-18:106, 18:108-18:124, 18:126-18:131, 18:133-18:139, 27:01, 27:18, 27:23, 27:29, 27:44, 27:92, 27:119, 27:131, 35:50, 35:84, 35:162, 35:197, 35:231, 35:267, 35:269, 37:01:01-37:36, 37:38-37:54, 37:56-37:59, 37:61-37:68, 39:05:01-39:05:02, 39:07-39:08, 39:11, 39:13:01-39:13:02, 39:20, 39:37, 39:49, 39:55-39:56, 39:113, 39:118, 40:02:01:01-40:06:14, 40:06:16, 40:08-40:09, 40:11:01-40:11:02, 40:13, 40:18-40:20, 40:24, 40:26-40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:44, 40:56, 40:64, 40:68, 40:70:01-40:71, 40:74-40:75, 40:78, 40:82-40:83, 40:85-40:86, 40:89-40:91, 40:93-40:99, 40:103-40:105, 40:107, 40:109, 40:111, 40:115, 40:119-40:120, 40:122, 40:127, 40:131, 40:133Q, 40:142N-40:145, 40:148-40:149, 40:157, 40:159, 40:161-40:162, 40:165, 40:167, 40:169, 40:173-40:174, 40:176-40:177, 40:180-40:181, 40:184, 40:189-40:190, 40:200-40:203, 40:205-40:206, 40:209-40:211, 40:214, 40:220, 40:224-40:226, 40:229, 40:232, 40:243-40:244, 40:246, 40:248, 40:254-40:255, 40:266-40:271, 40:274-40:276, 40:283-40:284, 40:287, 40:289-40:297, 40:302-40:307, 40:309, 40:311, 40:313-40:314, 40:317, 40:320, 40:322, 40:330-40:331, 40:334-40:335,

101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

				40:337N, 40:340-40:341, 40:343, 40:345N, 40:347-40:351, 40:354, 40:356, 40:359, 42:11, 44:103, 44:130-44:131, 44:212, 44:224, 48:01:01:01-48:21, 48:23-48:41, 49:31, 50:43, 51:57, 51:103, 51:116, 51:218, 53:21, 57:10, 81:08
<b>16</b>	220 bp	1070 bp	*38:19	*08:55, 39:03:01:01-39:03:01:02, 39:14, 39:24:01-39:24:02, 39:29, 39:37, 39:76, 39:120
	350 bp		*38:11	*07:13, 07:110, 08:101, 48:36, 67:02, <b>C*16:112</b>
	425 bp		*38:17	*07:27, 07:236, 07:240, 08:126, 08:131, 08:139, 40:188 <sup>?</sup>
<b>17</b>	150 bp	<b>800 bp</b>	*38:23	*39:73
<b>18<sup>6</sup></b>	160 bp	1070 bp	*38:24, 38:37	
<b>19</b>	175 bp	1070 bp	*38:10, 38:30, 38:36, 38:50, 38:63	*07:05:01:01-07:06:02, 07:32, 07:34, 07:40, 07:53, 07:69, 07:78, 07:80, 07:90, 07:97, 07:105, 07:112, 07:123, 07:137-07:138, 07:140, 07:176, 07:182N, 07:201N, 07:206-07:207, 07:209-07:210, 07:213-07:214, 07:222, 07:249, 07:258, 07:262, 07:264, 07:270, 07:278, 07:283, 07:287, 07:293, 08:01:01:01-08:01:22, 08:01:24-08:05, 08:08N-08:13, 08:15-08:27, 08:29-08:36, 08:38-08:48, 08:50-08:54:02, 08:56:01-08:73, 08:75-08:86N, 08:88, 08:90-08:106, 08:108 <sup>w</sup> , 08:109-08:110, 08:112-08:155, 08:157-08:184, 13:01:01:01-13:01:02, 13:01:04-13:02:16, 13:02:18-13:03, 13:06-13:07N, 13:09, 13:11-13:23, 13:25, 13:27-13:33, 13:36-13:45, 13:47-13:50, 13:52-13:71, 13:73-13:78, 13:80-13:85, 13:86 <sup>w</sup> , 13:87-13:88, 13:90-13:103N, 14:13, 14:53, 15:09:01-15:09:02, 15:30, 15:42, 15:58, 15:73, 15:83, 15:86, 15:150, 15:188, 15:224, 15:229, 15:243, 15:252, 15:303, 15:324, 15:329, 15:361, 18:26, 18:61, 18:97, 27:07:01-27:07:06, 27:11, 27:20, 27:24, 27:27, 27:33, 27:43, 27:125, 27:130, 27:153, 27:164, 35:02:01:01 <sup>w</sup> , 35:02:01:02, 35:02:02 <sup>w</sup> -35:02:08 <sup>w</sup> , 35:04:01-35:04:03, 35:06, 35:09:01-35:09:03, 35:12:01-35:12:04, 35:18, 35:22, 35:31, 35:44, 35:59:01-35:60, 35:81 <sup>w</sup> , 35:83 <sup>w</sup> , 35:87-35:88, 35:95 <sup>w</sup> , 35:129N <sup>w</sup> , 35:149, 35:154 <sup>w</sup> , 35:157 <sup>w</sup> , 35:162 <sup>w</sup> , 35:172 <sup>w</sup> , 35:182 <sup>w</sup> -35:184 <sup>w</sup> , 35:201, 35:211 <sup>w</sup> , 35:220 <sup>w</sup> , 35:230, 35:233, 35:251, 35:258 <sup>w</sup> , 35:266, 35:270 <sup>w</sup> , 35:273 <sup>w</sup> , 35:285 <sup>w</sup> , 35:292, 35:309 <sup>w</sup> , 35:311 <sup>w</sup> , 35:316, 35:321, 35:323 <sup>w</sup> , 35:335, 35:339, 37:12, 39:30, 39:33-39:34, 39:36, 39:82, 39:107, 39:112, 39:128, 40:01:01-40:01:07, 40:01:09-40:01:25, 40:01:27, 40:01:28 <sup>w</sup> , 40:01:29-40:01:31, 40:01:33-40:02:09, 40:02:11-40:02:17, 40:02:19-40:02:25, 40:04-40:06:09, 40:06:11-40:08, 40:10:01:01-40:16, 40:19, 40:21-40:23, 40:25-40:30, 40:34-40:40, 40:43, 40:45-40:51, 40:53-40:58, 40:61-40:88, 40:91-40:97, 40:99-40:119, 40:121-40:123, 40:125-40:130:02, 40:132-40:158, 40:160:01-40:171, 40:173-40:179, 40:181-40:183, 40:185-40:186:02, 40:188-40:266,

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

				40:268-40:279, 40:281-40:283, 40:285-40:304, 40:305 <sup>w</sup> , 40:306, 40:308-40:314, 40:316-40:329, 40:331-40:340, 40:342-40:351, 40:353-40:360, 41:01:01-41:03:02, 41:05-41:09, 41:11-41:17, 41:19-41:20, 41:22-41:48, 41:49 <sup>w</sup> , 41:50, 42:01:01-42:02:01:02, 42:04-42:08, 42:10-42:15, 42:17-42:19, 42:21-42:24, 44:10, 44:14, 44:31, 44:62, 44:77, 44:82, 44:166, 44:184, 44:213, 45:14, 46:11, 46:18, 46:61, 48:01:01:01-48:01:06, 48:03:01-48:07, 48:09-48:16, 48:18-48:22, 48:24, 48:27-48:41, 51:01:01:01-51:01:18, 51:01:19 <sup>w</sup> , 51:01:20-51:01:30, 51:01:32-51:01:38, 51:01:40-51:01:49, 51:01:51-51:02:02, 51:02:04-51:16, 51:20-51:24:05, 51:26-51:36, 51:38-51:41N, 51:43-51:44N, 51:46, 51:48-51:84, 51:86-51:89, 51:91, 51:93, 51:95-51:100, 51:102-51:134, 51:136-51:145, 51:147-51:171, 51:173Q-51:196, 51:198-51:203, 51:205, 51:206 <sup>w</sup> , 51:207-51:215, 51:217-51:219, 51:221-51:222, 51:224-51:226, 52:01:01:01-52:01:10, 52:01:12-52:11, 52:13-52:25:02, 52:27-52:56, 52:57 <sup>w</sup> , 52:58-52:62, 52:64-52:70, 53:19 <sup>w</sup> , 53:36 <sup>w</sup> , 54:01:01-54:05N, 54:07-54:08N, 54:10-54:13, 54:17-54:38, 55:01:01-55:05, 55:07-55:13, 55:15-55:22, 55:24-55:26, 55:28-55:40, 55:42-55:45, 55:47-55:54, 55:56-55:57, 55:59-55:67, 55:69-55:85, 56:01:01:01-56:02:02, 56:04-56:08, 56:10, 56:12-56:17, 56:19N-56:30, 56:33-56:49, 56:51-56:53, 57:02:01-57:03:03, 57:07, 57:09, 57:12, 57:17, 57:28N, 57:39, 57:42, 57:46, 57:57, 57:63, 57:66, 57:70, 57:80, 57:82, 57:84, 58:08:01-58:08:02, 58:27-58:28:02, 58:65 <sup>w</sup> , 58:73, 59:01:01:01-59:10N, 78:01:01:01-78:09, 81:01-81:08, 82:01-82:03, <b>C*01:90, C*01:116, C*02:68, C*03:317, C*15:24, C*15:128</b>
<b>20</b>	265 bp	1070 bp	*38:28	*07:56:01-07:56:02, 07:72, 07:206, 08:26:01-08:26:03, 08:56:01-08:56:02, 08:180, 14:54, 39:63, 40:21 <sup>?</sup> , 40:58 <sup>?</sup> , 40:137 <sup>?</sup> , 40:248 <sup>?</sup> , 40:282 <sup>?</sup> , 40:325 <sup>?</sup> , 40:351, 41:12, 41:36, 42:21, 49:03, 49:48, <b>C*16:112</b>
<b>21<sup>4</sup></b>	115 bp	1070 bp	*38:30	*08:49, 08:71, 13:46, 15:51, 15:83, 15:179:01-15:179:02, 15:199, 15:218Q, 18:56, 18:113, 27:47, 27:127, 35:38, 35:115, 35:169, 37:01:01-37:01:11, 37:03N-37:06:02, 37:08, 37:10-37:11, 37:13-37:38, 37:41-37:65, 37:67-37:68, 41:24, 42:10, 42:17, 44:02:01:01-44:02:47, 44:05:01-44:06, 44:08-44:09, 44:11-44:12, 44:14-44:25, 44:27:01-44:27:02, 44:33-44:34:02, 44:41:01-44:42, 44:44, 44:48-44:49, 44:51-44:52N, 44:55, 44:58N-44:59:02, 44:62-44:63, 44:66-44:68, 44:70-44:73, 44:75, 44:78, 44:80, 44:83-44:84:02, 44:86-44:91, 44:93, 44:95, 44:97, 44:99-44:102, 44:104, 44:106, 44:112-44:113, 44:116-44:119, 44:123, 44:126:01-44:127, 44:131-44:134, 44:136-44:140, 44:142, 44:145, 44:148-44:149N, 44:151-44:152, 44:158, 44:162, 44:168-44:173,

101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

				44:176-44:177, 44:179, 44:185, 44:187, 44:190-44:191, 44:195N-44:196, 44:200-44:201, 44:206, 44:208, 44:211-44:214, 44:216-44:221, 44:225-44:226, 44:229-44:230, 44:235-44:236, 44:238, 44:240-44:244, 44:249, 44:253-44:255, 44:257, 44:260-44:265, 44:267N, 44:269-44:270, 45:01:01-45:20, 51:08:01-51:08:02, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 52:19, 53:22, 55:56, 56:13, 57:09, 57:24, 82:01-82:03, 83:01
<b>22</b>	175 bp	1070 bp	*38:29	*15:69, 15:186, 35:35, 39:07, 39:15, 39:29, 39:49, 39:55, 39:91, 58:84, <b>C*15:51</b>
	210 bp		*38:55Q	
<b>23<sup>5</sup></b>	155 bp	1070 bp	*38:10, 38:32	*07:05:01:01-07:06:02, 07:32, 07:34, 07:40, 07:53, 07:69, 07:78, 07:80, 07:90, 07:97, 07:105, 07:112, 07:123, 07:137-07:138, 07:140, 07:176, 07:182N, 07:201N, 07:206-07:207, 07:210, 07:213-07:214, 07:222, 07:249, 07:258, 07:262, 07:264, 07:269-07:270, 07:278, 07:283, 07:287, 07:293, 08:20, 08:79, 13:16, 13:20, 13:31 <sup>w</sup> , 13:48, 13:62, 14:13, 14:53, 15:09:01-15:09:02, 15:30 <sup>w</sup> , 15:42, 15:58 <sup>w</sup> , 15:73 <sup>w</sup> , 15:150 <sup>w</sup> , 15:229, 15:243, 15:252, 15:303 <sup>w</sup> , 15:324 <sup>w</sup> , 15:329, 15:361, 27:20, 27:24, 27:153, 35:44 <sup>w</sup> , 39:35, 39:36 <sup>w</sup> , 39:107, 40:05:01:01-40:05:01:02, 40:15-40:16, 40:23, 40:26, 40:28, 40:51, 40:95, 40:148, 40:158, 40:161, 40:174, 40:183, 40:198, 40:309, 40:355, 42:19, 46:61 <sup>w</sup> , 48:05, 48:15, 51:01:01:01-51:01:18, 51:01:19 <sup>w</sup> , 51:01:20-51:01:30, 51:01:32-51:01:49, 51:01:51-51:02:02, 51:02:04-51:04, 51:06:01-51:07:02, 51:11N-51:14, 51:16, 51:21-51:24:05, 51:26-51:30, 51:32-51:35, 51:38-51:39, 51:41N, 51:43, 51:46, 51:48-51:53, 51:55-51:60, 51:61:01 <sup>w</sup> -51:61:02 <sup>w</sup> , 51:62-51:71, 51:74-51:80, 51:82-51:84, 51:86, 51:88-51:89, 51:95-51:96, 51:98N-51:107, 51:109-51:114, 51:116-51:121, 51:123-51:134, 51:136-51:138, 51:140, 51:142-51:145, 51:147, 51:149N-51:152, 51:154-51:156, 51:158:01-51:171, 51:173Q-51:180, 51:182-51:193, 51:195-51:196, 51:198-51:205, 51:206 <sup>w</sup> , 51:207-51:210, 51:212-51:215, 51:218-51:219, 51:221-51:222, 51:224-51:226, 52:01:01:01-52:01:10, 52:01:12-52:02:02, 52:04-52:09, 52:11, 52:13-52:18, 52:20, 52:21 <sup>w</sup> , 52:22-52:25:02, 52:27-52:43, 52:44 <sup>w</sup> , 52:45-52:56, 52:57 <sup>w</sup> , 52:58-52:62, 52:64-52:70, 54:20, 54:33 <sup>w</sup> , 55:01:01-55:01:16, 55:03, 55:05, 55:09, 55:11, 55:15, 55:17, 55:21 <sup>w</sup> , 55:24-55:25, 55:28-55:29, 55:31, 55:33, 55:36, 55:38, 55:40, 55:44-55:45, 55:52-55:55N, 55:59-55:60, 55:64, 55:66, 55:73-55:76, 55:78-55:79, 55:84-55:85, 56:05:01-56:06, 56:21, 56:25, 56:37, 57:57, 57:63, 58:08:01-58:08:02, 78:01:01:01-78:03, 78:05-78:07, 78:09, <b>C*01:90, C*01:116, C*02:68<sup>w</sup>, C*03:317, C*15:24, C*15:128</b>
<b>24<sup>4</sup></b>	95 bp	1070 bp	*38:17	*27:07:04

101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

Lot No.: <b>6F7</b>		Lot-specific information		
<b>25</b>	215 bp	1070 bp	*38:31	
<b>26<sup>4</sup></b>	80 bp	1070 bp	*38:06-38:07	*08:32, 15:376, 18:72:02-18:72:03, 35:01:46, 39:19:01, 51:01:53, 56:45, <b>A*03:67, C*07:209</b>
<b>27<sup>7</sup></b>	460 bp	1070 bp	*38:01:01-38:01:02, 38:01:04-38:01:12, 38:05-38:07, 38:10-38:14, 38:16, 38:19-38:22, 38:24-38:28, 38:30-38:34N, 38:36-38:40, 38:42, 38:51-38:61, 38:65-38:66, 38:68Q	*08:03, 08:78, 15:13:02, 18:136, 37:34, 41:46, 44:06, 44:18, 44:25, 44:50:01, 44:95, 49:01:01:01-49:01:10, 49:03-49:14, 49:16-49:21, 49:23-49:48, 51:01:01:01-51:01:24, 51:01:26-51:01:36, 51:01:38-51:01:51, 51:01:53-51:02:04, 51:03-51:09:02, 51:11N-51:24:01, 51:24:04-51:24:05, 51:26-51:39, 51:41N-51:46, 51:48, 51:50-51:53, 51:55-51:60, 51:61:02-51:77, 51:79-51:80, 51:82-51:85, 51:87-51:108, 51:110N-51:122, 51:124-51:125, 51:128-51:184N, 51:186-51:200, 51:202-51:219, 51:221, 51:223-51:226, 52:01:01:01-52:01:03, 52:01:05-52:01:06, 52:01:08-52:01:14, 52:01:16-52:01:27, 52:01:29-52:08, 52:10:01, 52:10:03-52:19, 52:21-52:53, 52:55-52:67, 52:69-52:71, 53:01:01-53:01:02, 53:01:04-53:02, 53:04, 53:06-53:08:01, 53:10, 53:14-53:15, 53:17:01-53:30, 53:32, 53:34-53:35, 53:37, 53:39-53:48N, 54:12, 56:21, 57:01:19, 57:14:01, 58:01:01:01-58:01:04, 58:01:06-58:01:11, 58:01:13-58:02:02, 58:04-58:16:02, 58:18-58:26, 58:28:01-58:29, 58:31N-58:63, 58:65-58:74, 58:76-58:81, 58:83-58:91, 59:01:01:01-59:07, 59:09-59:10N, <b>A*24:172:02</b>
<b>28<sup>4</sup></b>	120 bp	1070 bp	*38:61, 38:64	
<b>29</b>	280 bp	1070 bp	*38:68Q	
<b>30<sup>8</sup></b>	-	-	<b>Negative Control</b>	

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B\*38 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched

101.565-12 – including *Taq* pol., IFU-01

101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

**Lot No.: 6F7**

**Lot-specific information**

with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

<sup>4</sup>HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

<sup>5</sup>Primer mixes 6, 7, 14 and 23 have a tendency giving rise to primer oligomer formation.

<sup>6</sup>Primer mix 18 may have a tendency of unspecific amplification.

<sup>7</sup>Primer mix 27 may give rise to a lower yield of HLA-specific PCR product than the other HLA-B\*38 primer mixes.

<sup>8</sup>Primer mix 30 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

‘w’, might be weakly amplified.

‘?’ , nucleotide sequence information not available for the primer matching sequence.



101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information  
**PRIMER SPECIFICATION**

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	185	190	170	105	210	140	160	185	145	85	90	90
						175	195	230	205	145	145	
										180		
Length of int. pos. control <sup>1</sup>	<b>800</b>	<b>800</b>	<b>800</b>	1070	1070	<b>800</b>	<b>800</b>	<b>800</b>	1070	1070	1070	<b>800</b>
5'-primer(s) <sup>2</sup>	103	142	142	246	142	142	142	103	206	106	246	246
	5'-CCT 3'	5'-TCT 3'	5'-TCT 3'	5'-gAA 3'	5'-TCT 3'	5'-TCT 3'	5'-TCT 3'	5'-CCg 3'	5'-gAC 3'	5'-CCA 3'	5'-gAA 3'	5'-gAA 3'
							382	346	382	142	463	483
							5'-TgC 3'	5'-ggC 3'	5'-TgC 3'	5'-TCA 3'	5'-TgA 3'	5'-gAg 3'
								355		193	660	
								5'-TCA 3'		5'-CCA 3'	5'-gAA 3'	
								363		206		
								5'-AAT 3'		5'-gAC 3'		
3'-primer(s) <sup>3</sup>	246	292	272	309	309	242	259	246	309	246	296	292
	5'-TAT 3'	5'-gTA 3'	5'-TgC 3'	5'-ATC 3'	5'-gTg 3'	5'-CCC 3'	5'-CTC 3'	5'-TAT 3'	5'-ATC 3'	5'-TAT 3'	5'-CTA 3'	5'-gTC 3'
	246	292			315	272	286	544	544		343	292
	5'-TAT 3'	5'-gTA 3'			5'-AgT 3'	5'-Tgg 3'	5'-CTA 3'	5'-ggT 3'	5'-ggT 3'		5'-T 3'	5'-gTC 3'
		292				286	544				559	544
		5'-gTA 3'				5'-CTA 3'	5'-ggT 3'				5'-CAT 3'	5'-ggT 3'
											774	
											5'-ggT 3'	
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23	24
Length of spec. PCR product	175	170	230	220	150	160	175	265	115	175	155	95
				350						210		
				425								
Length of int. pos. control <sup>1</sup>	<b>800</b>	1070	1070	1070	<b>800</b>	1070	1070	1070	1070	1070	1070	1070
5'-primer(s) <sup>2</sup>	405	527	103	44	355	533	412	44	463	373	412	246
	5'-CgT 3'	5'-TgA 3'	5'-CCT 3'	5'-ggC 3'	5'-CCT 3'	5'-ggg 3'	5'-ATA 3'	5'-ggC 3'	5'-TgA 3'	5'-gCC 3'	5'-ATA 3'	5'-gAA 3'
	411		103	363		547				412		
	5'-CAC 3'		5'-CCT 3'	5'-AgC 3'		5'-CCC 3'				5'-ATg 3'		
	412											
	5'-ATA 3'											
3'-primer(s) <sup>3</sup>	544	3 <sup>rd</sup> I	292	226	463	3 <sup>rd</sup> I	544	142	538	544	527	301
	5'-ggT 3'	5'-TAT 3'	5'-gTA 3'	5'-CAC 3'	5'-gCT 3'	5'-TAT 3'	5'-ggC 3'	5'-TgC 3'	5'-gTC 3'	5'-ggT 3'	5'-CCT 3'	5'-gTC 3'
			292	301								
			5'-gTA 3'	5'-gTC 3'								
			292	544								
			5'-gTA 3'	5'-ggT 3'								
Well No.	13	14	15	16	17	18	19	20	21	22	23	24

101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

Well No.	25	26	27	28	29
Length of spec. PCR product	215	80	460	120	280
Length of int. pos. control <sup>1</sup>	1070	1070	1070	1070	1070
5'-primer(s) <sup>2</sup>	409	167	311	246	769
	5'-ggC 3'	5'-gCA 3'	5'-gAT 3'	5'-gAA 3'	5'-.A 3'
3'-primer(s) <sup>3</sup>	581	206	483	320	916
	5'-ATg 3'	5'-CCg 3'	5'-gTg 3'	5'-AgT 3'	5'-gAC 3'
				337	
				5'-CTT 3'	
Well No.	25	26	27	28	29

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>2</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

<b>CELL LINE VALIDATION SHEET</b>																				
<b>HLA-B*38 SSP subtyping kit<sup>2</sup></b>																				
				Well																
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
				Prod. No.:	201444001	201444002	201444003	201444004	201673805	201673806	201444007	201444008	201444009	201444010	201444011	201444012	201673813	201444014	201444015	201444016
IHCW cell line <sup>1</sup>		B*																		
1	9001 SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	-	-	-	-	-	+	-	-	-	-	+	-	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	-	-	-	+	-	-	-	-	+	-	-
4	9275 GU373	*15:10	*53:01	-	+	+	-	-	-	-	-	-	+	-	-	-	-	+	-	-
5	9009 KAS011	*37:01		-	+	-	-	-	+	+	-	-	-	-	-	-	-	-	+	-
6	9353 SM	*39:01	*51:01	+	-	+	-	-	-	-	-	+	-	-	+	+	+	-	-	-
7	9020 QBL	*18:01		-	+	-	-	-	+	-	-	-	-	-	-	-	-	-	+	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		+	+	+	+	-	-	-	-	-	-	-	-	-	+	-	+	-
10	9107 LKT3	*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
18	9257 32367	*14:01	*56:01	+	-	+	-	-	-	-	-	-	-	-	+	-	+	-	-	-
19	9038 BM16	*18:01		-	+	-	-	-	+	-	-	-	-	-	-	-	-	-	+	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
24	9035 JBUSH	*38:01		+	+	+	+	-	-	-	-	-	-	-	-	+	-	+	-	-
25	9049 IBW9	*14:02		-	-	+	-	-	-	-	+	-	-	-	+	-	+	-	-	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	-	-	-	-	+	-	-	-	-	+	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		-	+	-	-	-	+	-	-	-	-	-	-	-	-	-	+	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01		+	+	+	+	-	-	-	-	-	-	-	-	+	-	+	-	-
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
41	9055 H0301	*14:02		-	-	+	-	-	-	-	+	-	-	-	+	-	+	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
44	9057 TEM	*38:01		+	+	+	+	-	-	-	-	-	-	-	-	+	-	+	-	-
45	9239 SHJO	*42:01	*50:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	-	-	+	-	-	-	-	+	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

CELL LINE VALIDATION SHEET																	
HLA-B*38 SSP subtyping kit <sup>2</sup>																	
				Well													
				17	18	19	20	21	22	23	24	25	26	27	28	29	
				Prod. No.:	201444017	201444018	201673819	201444020	201444021	201673822	201673823	201673827	201785025	201673826	201785027	201785028	201785029
IHCW cell line <sup>1</sup>			B*														
1	9001	SA	*07:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280	LK707	*52:01	*73:01	-	-	+	-	-	-	+	-	-	-	+	-	-
3	9011	E4181324	*52:01		-	-	+	-	-	-	+	-	-	-	+	-	-
4	9275	GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009	KAS011	*37:01		-	-	-	-	+	-	-	-	-	-	-	-	-
6	9353	SM	*39:01	*51:01	-	-	+	-	-	-	+	-	-	-	+	-	-
7	9020	QBL	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025	DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026	YAR	*38:01		-	-	-	-	-	-	-	-	-	-	+	-	-
10	9107	LKT3	*54:01		-	-	+	-	-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052	DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004	JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071	OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075	DKB	*40:01		-	-	+	-	-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*40:02		-	-	+	-	-	-	-	-	-	-	-	-	-
17	9282	CTM3953540	*08:01	*55:01	-	-	+	-	-	-	+	-	-	-	-	-	-
18	9257	32367	*14:01	*56:01	-	-	+	-	-	-	-	-	-	-	-	-	-
19	9038	BM16	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059	SLE005	*40:01		-	-	+	-	-	-	-	-	-	-	-	-	-
21	9064	AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056	KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124	IHL	*40:02	*56:02	-	-	+	-	-	-	-	-	-	-	-	-	-
24	9035	JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049	IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285	WT49	*58:01		-	-	-	-	-	-	-	-	-	-	+	-	-
27	9191	CH1007	*07:05	*51:01	-	-	+	-	-	-	+	-	-	-	+	-	-
28	9320	BEL5GB	*44:02	*44:03	-	-	-	-	+	-	-	-	-	-	-	-	-
29	9050	MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021	RSH	*42:01		-	-	+	-	-	-	-	-	-	-	-	-	-
31	9019	DUCAF	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297	HAG	*41:02		-	-	+	-	-	-	-	-	-	-	-	-	-
33	9098	MT14B	*40:01		-	-	+	-	-	-	-	-	-	-	-	-	-
34	9104	DHIF	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302	SSTO	*44:02		-	-	-	-	+	-	-	-	-	-	-	-	-
36	9024	KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065	HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099	LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315	CML	*08:01	*27:05	-	-	+	-	-	-	-	-	-	-	-	-	-
40	9134	WHONP199	*13:02	*46:01	-	-	+	-	-	-	-	-	-	-	-	-	-
41	9055	H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066	TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076	T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057	TEM	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239	SHJO	*42:01	*50:01	-	-	+	-	-	-	-	-	-	-	-	-	-
46	9013	SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045	TUBO	*51:01		-	-	+	-	-	-	+	-	-	-	+	-	-
48	9303	TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-

101.565-12 – including *Taq* pol., IFU-01  
 101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
 “Instructions for Use” (IFU)

Lot No.: **6F7**

**Lot-specific information**

<sup>1</sup>The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

<sup>2</sup>The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs

No DNAs carrying the alleles to be amplified by primer solutions 10, 11, 16 to 18, 20, 24 to 26 and 28 to 29 were available. The specificities of the primers in primer solutions 10, 11, 16, 17, 20, 24 and 26 were tested by separately adding one or more additional 5'-primers, respectively one or more additional 3'-primers. In primer solutions 18 and 29 it was only possible to test the 3'-primer, the 5'-primers were not possible to test. In primer solutions 25 and 28 it was only possible to test the 5'-primer, the 3'-primers were not possible to test. In primer solutions 7, 8, 9, 11, 13 and 22 one or two of the 5'-primers were not possible to test, and in primer solutions 5 to 7 and 11 one or two of the 3'-primers were not possible to test. Additional primers in primer solutions 8 and 9 were tested by separately adding one or two 5'-primers and/or 3'-primers.

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

101.565-12 – including *Taq* pol., IFU-01  
101.565-12u – without *Taq* pol., IFU-02

Visit [www.olerup.com](http://www.olerup.com) for  
“Instructions for Use” (IFU)

Lot No.: **6F7**

Lot-specific information

**ADDRESSES:**

**Manufacturer:**

**Olerup SSP AB**, Franzengatan 5, SE-112 51 Stockholm, Sweden.

**Tel:** +46-8-717 88 27

**Fax:** +46-8-717 88 18

**E-mail:** [olerup-se@caredx.com](mailto:olerup-se@caredx.com)

**Web page:** <http://www.olerup.com>

**Distributed by:**

**Olerup GmbH**, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

**Tel:** +43-1-710 15 00

**Fax:** +43-1-710 15 00 10

**E-mail:** [olerup-at@caredx.com](mailto:olerup-at@caredx.com)

**Web page:** <http://www.olerup.com>

**Olerup Inc.**, 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-OLERUP1

**Fax:** 610-344-7989

**E-mail:** [olerup-us@caredx.com](mailto:olerup-us@caredx.com)

**Web page:** <http://www.olerup.com>

For information on *Olerup* distributors worldwide, contact **Olerup GmbH**.