**OLERUP SSP** 

HLA-B\*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 1 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 1H0 Lot-specific information

Olerup SSP® HLA-B\*42

Product number: 101.543-06 – including *Taq* pol.

101.543-06u - without *Taq* pol.

Lot number: 1H0

Expiry date: 2021-05-01

Number of tests: 6 Number of wells per test: 15+1

Storage - pre-aliquoted primers: dark at -20°C

PCR Master Mix: -20°C
 Adhesive PCR seals
 Product Insert
 RT

## This Product Description is only valid for Lot No. 1H0.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

# CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-B\*42 Lot (4G2).

The HLA-B\*42 kit is updated for new alleles to enable separation of:

- Confirmed<sup>1</sup> alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

The format of the Worksheet has been changed.

The HLA-B\*42 specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup* SSP® HLA-B\*42 lot was made **(Lot No. 4G2)**. The kit design is based on IMGT/HLA database 3.33.0.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
15	Added	Added	Primer pair added for the B*42:25 allele.



<sup>&</sup>lt;sup>1</sup>As described in section Uniquely Identified Alleles.

Page 2 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 1H0 Lot-specific information

Well **16** contains Negative Control primer pairs, that will amplify more than 95% of the Olerup SSP® HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR	105	200	105	80	75	80	85
product							
5'-primer <sup>1</sup>	164	340	440	45	45	5'-Tgg3' 5'-Tgg3' 5'-T 3 5'-T 58 57 4 5'-ggC3' 5'-CTC3' 5'-A	
	5'-CAC3'	<sup>5'</sup> -Agg <sup>3'</sup>	<sup>5'</sup> -TTA3'	<sup>5</sup> '-Tgg <sup>3</sup> '	<sup>5'</sup> -Tgg <sup>3'</sup>	<sup>5'</sup> -Tgg <sup>3'</sup>	<sup>5'</sup> -TAC <sup>3'</sup>
							36
							<sup>5'</sup> -TAT <sup>3'</sup>
3'-primer <sup>2</sup>	231	2 <sup>nd</sup> I	507	59	58	57	47
•	<sup>5</sup> '-TgC <sup>3</sup> '	<sup>5'</sup> -AAA <sup>3'</sup>	<sup>5'</sup> -TTg <sup>3'</sup>	5'-CTC3'	<sup>5'</sup> -ggC <sup>3'</sup>	<sup>5'</sup> -CTC <sup>3'</sup>	5'-ACA3'
							48
							<sup>5'</sup> -gCA <sup>3'</sup>
							48
							<sup>5'</sup> -gCC <sup>3'</sup>
							52
							<sup>5'</sup> -TgT <sup>3'</sup>
<b>A</b> *	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the <a href="https://www.ebi.ac.uk/imgt/hla">www.ebi.ac.uk/imgt/hla</a> web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>&</sup>lt;sup>2</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon or the 2<sup>nd</sup> intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the <a href="www.ebi.ac.uk/imgt/hla">www.ebi.ac.uk/imgt/hla</a> web site. The sequence of the 3 terminal nucleotides of the primer is given.

Lot No.: 1H0

HLA-B\*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 3 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot-specific information

## PRODUCT DESCRIPTION

# HLA-B\*42 SSP typing

#### CONTENT

The primer set contains 5'- and 3'-primers for identifying the B\*42:01 to B\*42:25 alleles.

#### PLATE LAYOUT

Each HLA-B\*42 test consists of 16 PCR reactions in a 16 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	NC

The 16 well PCR plate is marked with 'HLA-B\*42' in silver/gray ink.

Well No. 1 is marked with the Lot No. '1H0'.

Wells 1 to 15 – HLA-B\*42 high resolution primers.

Well 16 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are covered with a PCR-compatible foil.

**Please note:** When removing each 16 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

#### INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles, non-HLA-B\*42 alleles will be amplified by some primer mixes. For further details see Specificity Table.

### **UNIQUELY IDENTIFIED ALLELES**

All the HLA-B\*42, i.e. **B\*42:01 to B\*42:25**, recognized by the HLA Nomenclature Committee in July 2018<sup>1,2</sup> will be amplified by the primers in the HLA-B\*42 SSP kit<sup>3</sup>.

The HLA-B\*42 kit enables separation of the confirmed HLA-B\*42 alleles as listed in the IMGT/HLA database 3.33.0. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-B\*42 alleles is listed below.

The HLA-B\*42 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.



Page 4 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 1H0 Lot-specific information

The following HLA-B\*42 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
B*42:14, 42:25	15

<sup>&</sup>lt;sup>1</sup>HLA-B alleles listed on the IMGT/HLA web page 2018-July-11, release 3.33.0, www.ebi.ac.uk/imgt/hla.

#### **ALLELE CONFIRMATION STATUS**

Allele	Status <sup>1</sup>	Allele	Status <sup>1</sup>	Allele	Status <sup>1</sup>
B*42:01:01	Confirmed	B*42:08	Unconfirmed	B*42:18	Confirmed
B*42:01:02	Unconfirmed	B*42:09	Confirmed	B*42:19	Unconfirmed
B*42:01:03	Unconfirmed	B*42:10	Confirmed	B*42:20	Unconfirmed
B*42:02:01:01	Confirmed	B*42:11	Unconfirmed	B*42:21	Unconfirmed
B*42:02:01:02	Confirmed	B*42:12	Unconfirmed	B*42:22	Unconfirmed
B*42:04	Unconfirmed	B*42:13	Unconfirmed	B*42:23	Unconfirmed
B*42:05:01	Confirmed	B*42:14	Unconfirmed	B*42:24	Unconfirmed
B*42:05:02	Unconfirmed	B*42:15	Unconfirmed	B*42:25	Confirmed
B*42:06	Unconfirmed	B*42:16	Unconfirmed		
B*42:07	Unconfirmed	B*42:17	Unconfirmed		

<sup>&</sup>lt;sup>1</sup>Allele status "confirmed" or "unconfirmed" as listed on the IMGT/HLA web page 2018-July-11, release 3.33.0, www.ebi.ac.uk/imgt/hla.

#### **RESOLUTION IN HOMO- AND HETEROZYGOTES**

Results file with resolution in HLA-B\*42 homo- and heterozygotes is available upon request.

<sup>&</sup>lt;sup>2</sup>Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <a href="http://hla.alleles.org/alleles/deleted.html">http://hla.alleles.org/alleles/deleted.html</a>.

<sup>&</sup>lt;sup>3</sup>The HLA-B\*42 primer set cannot separate the B\*42:07 and the B\*08:94 alleles. These alleles can be distinguished by the HLA-B low resolution kit and/or the HLA-B\*08 high resolution kit.

Lot No.: 1H0

HLA-B\*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 5 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot-specific information

# **SPECIFICITY TABLE**

# **HLA-B\*42 SSP subtyping**

Specificities and sizes of the PCR products of the 15+1 primer mixes used for HLA-B\*42 SSP subtyping

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified HLA-B*42 alleles <sup>3</sup>	Other amplified HLA Class I alleles
1	215 bp	800 bp	*42:01:01- 42:01:03, 42:04- 42:06, 42:08, 42:10, 42:12- 42:16, 42:19- 42:25	*07:02:01:01-07:02:27, 07:02:29- 07:02:55, 07:04:01-07:07, 07:09, 07:11- 07:12, 07:14-07:15, 07:17-07:26, 07:28, 07:30-07:31, 07:33:01-07:36, 07:39- 07:49N, 07:51-07:68:03, 07:70, 07:72- 07:82, 07:84, 07:86-07:115, 07:117- 07:124, 07:126-07:142, 07:144-07:179, 07:181N-07:182N, 07:184-07:185, 07:187-07:206, 07:208-07:218, 07:220- 07:227, 07:229-07:258, 07:260-07:291, 07:293-07:305, 07:307-07:312, 07:314- 07:316N, 14:21, 15:76, 15:101, 15:255, 35:76, 38:26, 44:90, 54:01:01-54:01:07, 54:03-54:06, 54:08N-54:23, 54:25-54:29, 54:31-54:38, 55:01:01-55:05, 55:07- 55:15, 55:17, 55:19-55:24, 55:26-55:33, 55:35-55:46, 55:48-55:63, 55:65-55:77, 55:79-55:89N, 56:01:01:01-56:07, 56:09- 56:13, 56:15-56:16, 56:18-56:22, 56:24- 56:32, 56:34, 56:36-56:41, 56:43, 56:45- 56:53, 56:55:01:01-56:57, 67:01:01- 67:01:03, 67:03-67:07, 81:01:01-81:04N, 81:06-81:08, 82:01:01:01-82:03, 83:01,  C*14:62
2	215 bp	1070 bp	*42:01:01- 42:02:01:02, 42:05:01-42:12, 42:14-42:18, 42:20-42:25	*07:04:01-07:04:02, 07:19, 07:25, 07:146, 08:01:01:01-08:05, 08:07-08:08N, 08:10-08:11, 08:14-08:15, 08:17-08:19N, 08:21-08:24, 08:26:01-08:39, 08:41-08:48, 08:50-08:54:02, 08:56:01-08:59:02, 08:61-08:69, 08:71-08:78, 08:80-08:83, 08:85-08:88, 08:90-08:106, 08:108-08:128, 08:130-08:142, 08:144-08:155, 08:157-08:170, 08:172-08:180, 08:182-08:183, 08:185-08:196, 35:87, 37:09, 41:02:01:01-41:02:07, 41:04, 41:10-41:11, 41:13, 41:15, 41:18-41:19, 41:23-41:24, 41:27, 41:31, 41:36, 41:38-41:43, 41:45N-41:47, 41:49, 41:51-41:52, 41:55, 44:106, 44:158, 44:166, 44:213
3	215 bp	1070 bp	*42:02:01:01- 42:02:01:02, 42:09, 42:17- 42:18	*07:143, 27:157, 40:166, 45:06, 54:02, 55:16, 56:35

Product Insert Page 6 of 16

Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot N	o.: 1H0		Lot-specific inform	nation
4	220 bp	1070 bp	*42:04	*08:09, 08:84, 13:46, 15:83, 41:01:01:01-41:01:05, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 41:20-41:22, 41:25-41:26, 41:28-41:30, 41:32-41:35, 41:37, 41:44, 41:50, 41:53-41:54, 44:15:01:01-44:15:01:02, 44:18, 44:20, 44:100, 45:01:01-45:23, 51:08:01:01-51:08:02, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 52:19, 55:20, 55:56, 56:13
5 <sup>4</sup>	105 bp	800 bp	*42:05:01- 42:05:02	*07:04:01-07:04:02, 07:25, 07:146, 08:187, 40:136, 40:231, 40:279, 41:08
6	165 bp	1070 bp	*42:01:01- 42:02:01:02, 42:04-42:08, 42:10-42:15, 42:17-42:18, 42:21-42:25	*08:01:01:01-08:01:22, 08:01:24-08:05, 08:08N-08:12:03, 08:15-08:19N, 08:21-08:24, 08:26:01-08:27, 08:29-08:36, 08:38:01-08:39, 08:41-08:48, 08:50-08:54:02, 08:56:01-08:69, 08:71-08:73, 08:75-08:76, 08:78, 08:80-08:86N, 08:88, 08:90-08:106, 08:109-08:110, 08:112-08:142, 08:144-08:155, 08:157-08:163, 08:165-08:170, 08:172-08:196, 15:83, 35:87, 37:12, 38:30, 40:136, 40:231, 40:279, 41:01:01-41:03:02, 41:05-41:09, 41:11-41:17, 41:19-41:20, 41:22-41:48, 41:50, 41:53-41:55, 44:14, 44:62, 44:166, 44:213, 45:14, 51:08:01:01-51:08:02, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 52:19, 55:20, 55:56, 56:13, 57:09, 82:01:01:01-82:03
7	165 bp	1070 bp	*42:06, 42:09, 42:16, 42:20	*07:04:01-07:04:02, 07:19, 07:25, 07:146, 08:07, 08:37, 08:49, 08:69, 08:89, 08:107, 13:46, 15:51, 15:179:01-15:179:02, 15:199, 15:218Q, 18:56, 18:113, 35:38, 35:115, 35:169, 35:260, 37:01:01:01-37:01:13, 37:03N-37:06:02, 37:08-37:11, 37:13-37:24, 37:26-37:38, 37:41-37:65, 37:67-37:71, 38:30, 41:04, 41:18, 41:21, 41:50-41:51, 44:15:01:01-44:15:01:02, 44:17-44:18, 44:51, 44:117w, 44:123, 44:140, 44:226w, 44:230, 45:01:01-45:02, 45:04-45:23, 53:22, 55:56, 56:13, 57:24, 82:01:01:01-82:03, C*05:62, 05:146, 05:163, C*07:04:01:01w-07:04:13w, 07:11w-07:12w, 07:45w, 07:63w, 07:101w, 07:139w, 07:142w, 07:181w, 07:199:01w-07:199:02w, 07:272w, 07:323w-07:324w, 07:328w-07:329Nw, 07:336w, 07:338w, 07:354w-07:355w, 07:357w-07:358w, 07:361w, 07:364w-07:365w, 07:378w, 07:394w-07:395w, 07:403w, 07:459w, 07:466w-07:466w, 07:428w, 07:426w, 07:428w, 07:459w, 07:562w-07:563w, 07:534w-07:535w, 07:562w-07:563w, 07:569w, 07:585w-07:586w, 07:600:01Nw-07:600:02Nw, 07:586w, 07:600:01Nw-07:600:02Nw, 07:622w, 07:626, <b>C*08:142, C*15:25</b>

Product Insert Page 7 of 16

1 Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

8 215 bp 1070 bp "42:07, 42:11		1 NO 1110		Lot-specific inion	
40:85-40:86, 40:89-40:91, 40:93-40:99, 40:104-40:105, 40:107, 40:109, 40:111, 40:115, 40:119-40:120, 40:127, 40:131, 40:1330, 40:142N-40:145, 40:148-40:149, 40:157, 40:169, 40:161-40:162, 40:165, 40:167, 40:169, 40:161-40:162, 40:165, 40:167, 40:180-40:181, 40:184, 40:189-40:190, 40:201-40:203, 40:205-40:206, 40:209-40:211, 40:214, 40:220, 40:224-40:225, 40:229-40:230, 40:232, 40:234-40:225, 40:229-40:330, 40:254-40:256N, 40:266-40:271, 40:274-40:276, 40:283-40:284, 40:287, 40:289-40:297, 40:302-40:307, 40:309, 40:311, 40:313-40:314, 40:317, 40:320, 40:322, 40:330-40:331, 40:334-40:335, 40:337N, 40:340-40:341, 40:341, 40:345, 40:359, 40:361, 40:364, 40:356, 40:359, 40:361, 40:364, 40:356, 40:357, 40:310-44:131, 44:212, 44:224, 48:01:01:01-48:21, 48:23-48:46, 49:31, 50:43, 51:57, 51:103, 51:116, 51:218, 53:21		215 bp	1070 bp	*42:07, 42:11	*07:03, 07:08:01-07:08:02, 07:16, 07:27, 07:32, 07:38, 07:50, 07:69, 07:85, 07:180, 07:207, 07:228:01-07:228:02, 07:306, 08:94, 08:190*, 13:14, 13:83, 14:01:01-14:01:05, 14:01:07, 14:07N-14:08:02, 14:10, 14:12, 14:14, 14:19, 14:26, 14:32, 14:40, 14:46-14:47, 14:49, 14:53-14:55, 15:68, 15:71, 15:175, 15:381, 18:01:01-01-18:01:12, 18:01:14-18:03:02, 18:05:01:01-18:15, 18:17N-18:24, 18:26-18:67, 18:69, 18:71-18:106, 18:108-18:124, 18:126-18:149, 27:12:01:01-27:12:01:02, 27:16, 27:18, 27:23, 27:29, 27:92, 27:119, 27:153, 35:50, 35:84, 35:162, 35:197, 35:231, 35:267, 35:269, 37:01:01:01-37:54, 37:56-37:59, 37:61, 37:62*, 37:63-37:71, 38:01:01:01-38:04, 38:06-38:25, 38:27-38:32, 38:35-38:53, 38:55Q-38:71, 39:01:01:01-39:01:01:07, 39:01:03:01-39:03:01:02, 39:05:01:01-39:11, 39:13:01-39:20, 39:22-39:51, 39:53-39:62, 39:64-39:71, 39:73-39:75, 39:77-39:98, 39:99*, 39:100-39:128, 39:130-39:136, 40:02:01:01-40:06:14, 40:06:16, 40:08-40:20:01:02, 40:24, 40:26-40:27:01, 40:28-40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:44, 40:50, 40:56, 40:64:01:01-40:64:01:02, 40:68, 40:70:01-
<b>9</b> 170 bp 1070 bp *42:01:01- *07:02:01:01-07:02:27, 07:02:29-					38:01:01:01-38:04, 38:06-38:25, 38:27-38:32, 38:35-38:53, 38:55Q-38:71, 39:01:01:01-39:01:01:07, 39:01:03:01-39:03:01:02, 39:05:01:01-39:11, 39:13:01-39:20, 39:22-39:51, 39:53-39:62, 39:64-39:71, 39:73-39:75, 39:77-39:98, 39:99w, 39:100-39:128, 39:130-39:136, 40:02:01:01-40:06:14, 40:06:16, 40:08-40:09, 40:11:01-40:11:02, 40:13, 40:18-40:20:01:02, 40:24, 40:26-40:27:01, 40:28-40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:44, 40:50, 40:56, 40:64:01:01-40:64:01:02, 40:68, 40:70:01-40:71, 40:74-40:75, 40:78, 40:82-40:83, 40:85-40:86, 40:89-40:91, 40:93-40:99, 40:104-40:105, 40:107, 40:109, 40:111, 40:115, 40:119-40:120, 40:122, 40:127, 40:131, 40:133Q, 40:142N-40:145, 40:148-40:149, 40:157, 40:169, 40:173-40:174, 40:165, 40:167, 40:169, 40:173-40:174, 40:176-40:177, 40:180-40:181, 40:205-40:206, 40:209-40:211, 40:214, 40:220, 40:224-40:225, 40:229-40:230, 40:232, 40:243-40:244, 40:246, 40:248, 40:254-40:256N, 40:266-40:271, 40:274-40:276, 40:283-40:244, 40:229-40:230, 40:313-40:314, 40:313-40:314, 40:335, 40:335N, 40:337N, 40:340-40:331, 40:334-40:335, 40:337N, 40:340-40:341, 40:343, 40:345N, 40:347-40:351, 40:354, 40:356, 40:359, 40:361N-40:364, 40:369, 40:371, 44:103, 44:130-44:131, 44:212, 44:224, 48:01:01:01-48:21, 48:23-48:46, 49:31, 50:43, 51:57,
42:02:01:02, 07:02:55, 07:04:01-07:07, 07:09,	9	170 bp	1070 bp		· ·



Page 8 of 16
Visit <u>www.olerup.com</u> for 
"Instructions for Use" (IFU)

Lot No.: 1H0 Lot-specific information 42:04-42:06, 07:11-07:12, 07:14-07:15, 07:17-07:26, 42:08-42:10. 07:28-07:31, 07:33:01-07:36, 07:39-42:12-42:20, 07:49N, 07:51-07:55, 07:57-07:64, 07:66-42:22-42:25 07:68:03, 07:70-07:71, 07:73-07:82, 07:84, 07:86-07:124, 07:126-07:176, 07:178-07:179, 07:181N-07:182N, 07:184-07:205, 07:208-07:218, 07:220-07:227, 07:229-07:258, 07:260-07:262, 07:264-07:291, 07:293-07:305, 07:307-07:316N, 08:123, 08:132, 14:21, 15:255, 38:26, 54:21, 55:10, 56:16, 67:01:01-67:01:03, 67:03-67:07, 81:01:01-81:04N, 81:06-81:08, 82:01:01:01-82:03, 83:01, C\*07:335 280 bp 900 bp \*42:08 \*07:19, 07:33:01-07:33:03, 07:53, 07:60, 10 07:100, 08:103, 08:134, 08:175, 13:71, 13:108, 14:05, 14:13, 14:53, 15:07:01:01-15:07:03, 15:45, 15:55, 15:68, 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 15:421, 15:431, 15:450, 18:14, 27:07:01-27:07:06, 27:11, 27:24, 27:32-27:34, 27:43, 27:138, 35:05:01:01-35:05:03, 35:22, 35:31, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114, 35:199, 35:232, 35:368, 37:09, 38:19, 39:03:01:01-39:03:01:02, 39:14:01:01-39:14:01:02, 39:24:01-39:24:02, 39:29, 39:37, 39:76, 39:120, 40:02:01:01-40:03:01:02, 40:05:01:01-40:05:01:02, 40:08-40:09, 40:13, 40:18-40:19, 40:24, 40:27:01-40:27:02, 40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:50, 40:56-40:58, 40:71, 40:78, 40:82, 40:85, 40:89-40:91, 40:94, 40:97, 40:104-40:105, 40:107, 40:111, 40:115, 40:119, 40:122, 40:133Q, 40:142N-40:145, 40:157, 40:164, 40:169, 40:173-40:174, 40:176, 40:180-40:181, 40:189, 40:200-40:203, 40:205-40:206, 40:209, 40:211, 40:214, 40:219-40:220, 40:224, 40:226, 40:229, 40:232, 40:246, 40:248, 40:254-40:255, 40:266-40:267, 40:271, 40:274, 40:276, 40:283-40:284, 40:287, 40:289-40:293, 40:296-40:297, 40:302-40:305, 40:309, 40:314, 40:320, 40:322, 40:331, 40:334-40:335, 40:337N, 40:345N, 40:347, 40:356, 40:359, 40:369, 40:371, 44:54, 44:106, 44:135, 44:158, 44:184, 44:213, 46:12, 48:04:01-48:04:02, 48:13, 48:24, 51:64, 51:81, 51:148, 53:14, 55:04, 55:49, 55:51, 55:86, 58:18, 58:27, C\*02:60, C\*03:05, C\*03:25, C\*03:27, C\*03:167, C\*03:296:01-03:296:02, C\*03:335, C\*03:386, C\*07:294, C\*07:526, C\*07:530, C\*08:08:01-08:08:02 **11**<sup>4</sup> 115 bp 1070 bp \*42:19 \*08:20:01-08:20:02, 08:53:01-08:53:02



Page 9 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 1H0 Lot-specific information

	J 1110		Lot-specific informa	u.i.o.i.
	180 bp		*42:10, 42:17	*08:49, 08:71, 27:83, 41:24, 53:15
124	105 bp	1070 bp	*42:11	*07:27, 07:50, 08:04:01-08:04:02, 08:17, 08:54:01-08:54:02, 08:110, 13:97, 15:03:01:01-15:03:07, 15:47:01-15:47:02, 15:54, 15:61-15:62, 15:64:01-15:64:02, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220, 15:235, 15:242:01-15:242:02, 15:253, 15:259, 15:266, 15:274, 15:281-15:282, 15:369, 15:379, 15:389, 15:397, 15:444, 15:448, 18:37:01-18:37:02, 18:125, 27:18, 27:29, 35:361, 37:28, 38:03, 39:02:01-39:02:03, 39:08, 39:13:01-39:13:02, 39:23, 39:39:01-39:39:02, 39:49, 39:88, 39:101, 39:105, 39:110, 40:12, 40:46, 40:93, 44:40, 44:44, 44:130, 44:156, 44:210:01-44:210:02, 48:01:01:01-48:05, 48:07-48:30, 48:32-48:40, 48:42-48:46, 52:16, 55:18, 56:44
13 <sup>4</sup>	65 bp	1070 bp	*42:12	
14	195 bp 290 bp	1070 bp	*42:15, 42:18 *42:13	*07:11, 07:57, 07:75:01:01-07:75:01:02, 07:160, 07:240, 07:253, 08:16-08:17, 08:47, 08:123, 08:145, 18:49, 18:79, 18:108, 18:132, 18:142, 37:05, 39:20, 39:124, C*01:59, C*01:118, C*06:82, C*06:210, C*07:49, C*07:124, C*07:155, C*07:210, C*07:238, C*07:247, C*07:403 *08:49, 08:60, 08:76, 08:129, 08:181, 41:48, 53:15
15	165 bp	1070 bp	*42:25	*13:61
4.05	230 bp		*42:14	*08:116, 41:06, 41:15
16 <sup>5</sup>	-	-	Negative Control	

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B\*42 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.



•LERUP SSP

HLA-B\*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 10 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 1H0 Lot-specific information

<sup>3</sup>For several HLA Class I alleles 1<sup>st</sup> and/or 4<sup>th</sup> exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

<sup>4</sup>HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

<sup>5</sup>Primer mix 16 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs. 'w', might be weakly amplified.

Product Insert
1 Vi:

Page 11 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

# Lot No.: 1H0 Lot-specific information

## PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	215	215	215	220	105	165	165	215	170	280	115	105
PCR product											180	
Length of int.	800	1070	1070	1070	800	1070	1070	1070	1070	800	1070	1070
pos. control <sup>1</sup>												
5'-primer(s) <sup>2</sup>	97	363	97	357	540	412	412	103	142	363	463	206
	5' -TCT 3'	<sup>5'</sup> -AgC <sup>3'</sup>	<sup>5'</sup> -TCC <sup>3'</sup>	<sup>5'</sup> -Tgg <sup>3'</sup>	<sup>5'</sup> -gAC <sup>3'</sup>	<sup>5'</sup> -ATA <sup>3'</sup>	<sup>5'</sup> -ATg <sup>3'</sup>	5' -CCT 3'	<sup>5'</sup> -TCT <sup>3'</sup>	<sup>5'</sup> -AgC <sup>3'</sup>	<sup>5'</sup> -TgA <sup>3'</sup>	<sup>5'</sup> -AgA <sup>3'</sup>
							419	103			527	
							<sup>5'</sup> -gTT <sup>3'</sup>	5' -CCT 3'			<sup>5'</sup> -TgA <sup>3'</sup>	
							419					
							<sup>5'</sup> -gTT <sup>3'</sup>					
3'-primer(s) <sup>3</sup>	272	538	272	538	605	538	538	277	272	603	603	272
	<sup>5'</sup> -TgT <sup>3'</sup>	<sup>5'</sup> -gTC <sup>3'</sup>	<sup>5'</sup> -TgT <sup>3'</sup>	<sup>5'</sup> -gTC <sup>3'</sup>	<sup>5'</sup> -gCT <sup>3'</sup>	<sup>5'</sup> -gTC <sup>3'</sup>	<sup>5'</sup> -gTC <sup>3'</sup>	<sup>5'</sup> -ggT <sup>3'</sup>	<sup>5'</sup> -TgT <sup>3'</sup>	<sup>5'</sup> -gTC <sup>3'</sup>	<sup>5'</sup> -gTg <sup>3'</sup>	<sup>5'</sup> -Tgg <sup>3'</sup>
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15
Length of spec.	65	195	165
PCR product		290	230
Length of int.	1070	1070	1070
pos. control <sup>1</sup>			
5'-primer(s) <sup>2</sup>	540	142	412
	<sup>5'</sup> -gAC <sup>3'</sup>	<sup>5'</sup> -TCT <sup>3'</sup>	<sup>5'</sup> -ATA <sup>3'</sup>
		355	649
		5' -TCA 3'	5' -ACT 3'
3'-primer(s) <sup>3</sup>	566	289	603
	5' -CCC 3'	<sup>5'</sup> -AgC <sup>3'</sup>	<sup>5'</sup> -gTg <sup>3'</sup>
		302	774
		<sup>5'</sup> -ggT <sup>3'</sup>	<sup>5'</sup> -ggT <sup>3'</sup>
		603	
		<sup>5'</sup> -gTg <sup>3'</sup>	
Well No.	13	14	15

<sup>&</sup>lt;sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>&</sup>lt;sup>2</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the <a href="www.ebi.ac.uk/imgt/hla">www.ebi.ac.uk/imgt/hla</a> web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>&</sup>lt;sup>3</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given in the antisense direction. Nucleotide numbering as on the <a href="https://www.ebi.ac.uk/imgt/hla">www.ebi.ac.uk/imgt/hla</a> web site. The sequence of the 3 terminal nucleotides of the primer is given.

Page 12 of 16
Visit <u>www.olerup.com</u> for 
"Instructions for Use" (IFU)

		CE	LL LII	NE VA	LI	D/	١T	10	N	Sŀ	ΙE	E	Γ						
			HLA	-B*42 \$	SS	Pβ	rir	ne	r s	et <sup>2</sup>									
											١	Vе	II						
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
				Prod. No.:	201548801	201548802	201548803	201548804	201548805	201548806	201548807	201548808	201548809	201548810	201548811	201548812	201548813	201548814	201899315
	IHW	C cell line <sup>1</sup>		B*															
1	9001		*07:02		+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
2		LK707	*52:01	*73:01	Ė	-	-	-	-	-	-	-	Ė	-	-	-	-	-	-
3		E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4		GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5		KAS011	*37:01		-	-	-	-	-	-	+	+	-	-	-	-	-	-	-
6	9353	SM	*39:01	*51:01	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
7	9020		*18:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
8	9025		*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026		*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
10	9107		*54:01		+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11		PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052		*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9025	JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071	OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075	DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*40:02		-	-	-	-	-	-	-	+	-	+	-	-	-	-	-
17	9282	CTM3953540	*08:01	*55:01	+	+	-	-	-	+	-	-	-	-	-	-	-	-	-
18		32367	*14:01	*56:01	+	-	-	-	-	-	-	+	-	-	-	-	-	-	-
19		BM16	*18:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
20		SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21		AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056	KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124		*40:02	*56:02	+	-	-	-	-	-	-	+	-	+	-	-	-	-	-
24		JBUSH	*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
25		IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26		WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27		CH1007 <sup>1</sup>	*07:05	*51:01	+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
28		BEL5GB	*44:02	*44:03	Ė	-	-	-	-	-	-	-	Ė	-	-	-	-	-	-
29	9050		*44:03	14.00	-	-	-	-	-	-	-		-	-	-	-	-	-	-
30	9021		*42:01		+	+				+	-		+	-	-	-	Ė	-	Ė
31		DUCAF	*18:01		-	<u> </u>	1	1	1	<u> </u>	-	+	-	<del>-</del>	<del>-</del>	<del>-</del>	<del>-</del>	<del>-</del>	-
32	9297		*41:02		-	+	-	-	-	+	-	-	-	-	-	-	Ė	-	1
33		MT14B	*40:01		-	-	-	-	-	-	-	Ė	-	-	-	-	-	-	-
34	9104		*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
35		SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36		KT17	*15:01	*35:01	-		-	-	-	-	-	E	-	-	-	-	-	-	
37		HHKB	*07:02	33.01	+		-	-	-	-	-	E	+	-	-	-	-	-	
38	9099		*15:01		Ι.		-	-	-	-	-	E	_	-	-	-	-	-	-
39	9315		*08:01	*27:05	-	+	-	-	-	+	-	E	H	-	-	-	-	-	-
40		WHONP199	*13:02	*46:01	H	_	-	-	-	-	-	E	H	-	-	-	-	-	-
41		H0301	*14:02	70.01	-	-	-	-	=	-	-	÷	-	-	-	-	-	-	-
42		TAB089	*46:01		-	-	-	-	-	-	-	÷	-	-	-	-	-	-	-
42		T7526	*46:01		-		-	-	-	-	-	-	-	-	-			-	
43	9076		*38:01		-	H	-	-	-	-	-	-	-	-	-	-	-	-	-
44		SHJO	*42:01	*50:01	+	-						+		-	-	-		-	-
45				50.01		+	-	-	-	+	-	-	+				-		
46		SCHU	*07:02 *51:01		+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
		TUBO <sup>1</sup>		*44.00	-	-	-	-	-	_	-	Ŀ	-	-	-	-	Ē	-	-
48	9303	TER-ND	*35:01	*44:03	-	_		-	-				L <u>-</u>	-	-	-	_		_

**■LERUP SSP** 

HLA-B\*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 13 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 1H0 Lot-specific information

<sup>1</sup>The provided cell line HLA specificities are retrieved from the <a href="http://www.ihwg.org/hla">http://www.ihwg.org/hla</a> web site. The specificity of an individual cell line may thus be subject to change.

<sup>2</sup>The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solution 5, 11 and 13 to 15 were available. The specificities of the primers in primer solution 5, 11, 14 and 15 were tested by separately adding one or two additional 3'-primers, respectively one additional 5'-primer. In primer solution 13 it was only possible to test the 5'-primers, the 3'-primers were not possible to test. In primer solutions 14 and 15 one or two 3'-primers were not possible to test. One additional 5'-primer in primer solution 7 was tested by separately adding one additional 3'-primer.

•LERUP SSP\*

HLA-B\*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 14 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

•LERUP SSP\*

HLA-B\*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 15 of 16
Visit <u>www.olerup.com</u> for 
"Instructions for Use" (IFU)

•LERUP SSP

HLA-B\*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 16 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 1H0 Lot-specific information

Addresses:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

**Tel:** +46-8-717 88 27 **Fax:** +46-8-717 88 18

**E-mail:** olerup-se@caredx.com **Web page:** http://www.olerup.com

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00
Fax: +43-1-710 15 00 10
E-mail: olerup-at@caredx.com
Web page: http://www.olerup.com

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-OLERUP1 **Fax:** 610-344-7989

**E-mail:** olerup-us@caredx.com **Web page:** http://www.olerup.com

For information on Olerup SSP distributors worldwide, contact Olerup GmbH.

