OLERUP SSP

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 1 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 4G2 Lot-specific information

Olerup SSP® HLA-B*42

Product number: 101.543-06 – including *Taq* pol.

101.543-06u - without *Taq* pol.

Lot number: 4G2

Expiry date: 2021-01-01

Number of tests: 6 Number of wells per test: 15+1

Storage - pre-aliquoted primers: dark at -20°C

PCR Master Mix: -20°C
 Adhesive PCR seals
 Product Insert
 RT

This Product Description is only valid for Lot No. 4G2.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

Changes compared to the previous *OLERUP* SSP® HLA-B*42 Lot (3E7).

The HLA-B*42 kit is updated for new alleles to enable separation of:

- Confirmed¹ alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

The format of the Worksheet has been changed.

The HLA-B*42 specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup* SSP® HLA-B*42 lot was made **(Lot No. 3E7)**. The kit design is based on IMGT/HLA database 3.31.0.

The HLA-B*42 primer set is unchanged compared to the previous *Olerup* SSP® HLA-B*42 (Lot No. 3E7).



¹As described in section Uniquely Identified Alleles.

Page 2 of 16
Visit <u>www.olerup.com</u> for
"Instructions for Use" (IFU)

Lot No.: 4G2 Lot-specific information

Well **16** contains Negative Control primer pairs, that will amplify more than 95% of the Olerup SSP® HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR	105	200	105	80	75	80	85
product							
5'-primer ¹	164	340	440	45	45	43	36
•	5'-CAC3'	^{5'} -Agg ^{3'}	^{5'} -TTA3'	⁵ '-Tgg ³ '	^{5'} -Tgg ^{3'}	^{5'} -Tgg ^{3'}	^{5'} -TAC ^{3'}
							36
							^{5'} -TAT ^{3'}
3'-primer ²	231	2 nd I	507	59	58	57	47
	⁵ '-TgC ³ '	^{5'} -AAA ^{3'}	^{5'} -TTg ^{3'}	^{5'} -CTC ^{3'}	5'-ggC ^{3'}	^{5'} -CTC ^{3'}	5'-ACA3'
							48
							^{5'} -gCA ^{3'}
							48
							^{5'} -gCC ^{3'}
							52
							^{5'} -TgT ^{3'}
A *	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

 $^{^2\}text{The}$ nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2^{nd} or 3^{rd} exon or the 2^{nd} intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

Lot No.: 4G2

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 3 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot-specific information

PRODUCT DESCRIPTION

HLA-B*42 SSP typing

CONTENT

The primer set contains 5'- and 3'-primers for identifying the B*42:01 to B*42:24 alleles.

PLATE LAYOUT

Each HLA-B*42 test consists of 16 PCR reactions in a 16 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	NC

The 16 well PCR plate is marked with 'HLA-B*42' in silver/gray ink.

Well No. 1 is marked with the Lot No. '4G2'.

Wells 1 to 15 – HLA-B*42 high resolution primers.

Well 16 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 16 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles, non-HLA-B*42 alleles will be amplified by some primer mixes. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the HLA-B*42, i.e. **B*42:01 to B*42:24**, recognized by the HLA Nomenclature Committee in January 2018^{1,2} will be amplified by the primers in the HLA-B*42 SSP kit³.

The HLA-B*42 kit enables separation of the confirmed HLA-B*42 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-B*42 alleles is listed below.

The HLA-B*42 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles

Page 4 of 16
Visit <u>www.olerup.com</u> for
"Instructions for Use" (IFU)

Lot No.: 4G2 Lot-specific information

¹HLA-B alleles listed on the IMGT/HLA web page 2018-January-19, release 3.31.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page http://hla.alleles.org/alleles/deleted.html.

³The HLA-B*42 primer set cannot separate the B*42:07 and the B*08:94 alleles. These alleles can be distinguished by the HLA-B low resolution kit and/or the HLA-B*08 high resolution kit.

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
B*42:01:01	Confirmed	B*42:08	Unconfirmed	B*42:18	Confirmed
B*42:01:02	Unconfirmed	B*42:09	Confirmed	B*42:19	Unconfirmed
B*42:01:03	Unconfirmed	B*42:10	Confirmed	B*42:20	Unconfirmed
B*42:02:01:01	Confirmed	B*42:11	Unconfirmed	B*42:21	Unconfirmed
B*42:02:01:02	Confirmed	B*42:12	Unconfirmed	B*42:22	Unconfirmed
B*42:04	Unconfirmed	B*42:13	Unconfirmed	B*42:23	Unconfirmed
B*42:05:01	Confirmed	B*42:14	Unconfirmed	B*42:24	Unconfirmed
B*42:05:02	Unconfirmed	B*42:15	Unconfirmed		
B*42:06	Unconfirmed	B*42:16	Unconfirmed		
B*42:07	Unconfirmed	B*42:17	Unconfirmed		

¹Allele status "confirmed" or "unconfirmed" as listed on the IMGT/HLA web page 2018-January-19, release 3.31.0, <u>www.ebi.ac.uk/imgt/hla</u>.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-B*42 homo- and heterozygotes is available upon request.

Lot No.: 4G2

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 5 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot-specific information

SPECIFICITY TABLE

HLA-B*42 SSP subtyping

Specificities and sizes of the PCR products of the 15+1 primer mixes used for HLA-B*42 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-B*42 alleles ³	Other amplified HLA Class I alleles
1	215 bp	800 bp	*42:01:01- 42:01:03, 42:04- 42:06, 42:08, 42:10, 42:12- 42:16, 42:19- 42:24	*07:02:01:01-07:02:27, 07:02:29- 07:02:52, 07:04-07:07, 07:09, 07:11- 07:12, 07:14-07:15, 07:17-07:26, 07:28, 07:30-07:31, 07:33:01-07:36, 07:39- 07:49N, 07:51-07:68:03, 07:70, 07:72- 07:82, 07:84, 07:86-07:115, 07:117- 07:124, 07:126-07:142, 07:144-07:179, 07:181N-07:182N, 07:184-07:185, 07:187-07:206, 07:208-07:218, 07:220- 07:227, 07:229-07:258, 07:260-07:291, 07:293-07:305, 14:21, 15:76, 15:101, 15:255, 35:76, 38:26, 44:90, 54:01:01- 54:01:07, 54:03-54:06, 54:08N-54:23, 54:25-54:29, 54:31-54:38, 55:01:01- 55:05, 55:07-55:15, 55:17, 55:19-55:24, 55:26-55:33, 55:35-55:46, 55:48-55:63, 55:65-55:77, 55:79-55:87, 56:01:01:01- 56:07, 56:09-56:13, 56:15-56:16, 56:18- 56:22, 56:24-56:32, 56:34, 56:36-56:41, 56:43, 56:45-56:53, 56:55, 67:01:01- 67:01:03, 67:03-67:07, 81:01-81:04N, 81:06-81:08, 82:01-82:03, 83:01, C*14:62
2	215 bp	1070 bp	*42:01:01- 42:02:01:02, 42:05:01-42:12, 42:14-42:18, 42:20-42:24	*07:04, 07:19, 07:25, 07:146, 08:01:01:01-08:05, 08:07-08:08N, 08:10-08:11, 08:14-08:15, 08:17-08:19N, 08:21-08:24, 08:26:01-08:39, 08:41-08:48, 08:50-08:54:02, 08:56:01-08:59:02, 08:61-08:69, 08:71-08:78, 08:80-08:83, 08:85-08:88, 08:90-08:106, 08:108-08:128, 08:130-08:142, 08:144-08:155, 08:157-08:170, 08:172-08:180, 08:182-08:183, 08:185-08:190, 35:87, 37:09, 41:02:01-41:02:07, 41:04, 41:10-41:11, 41:13, 41:15, 41:18-41:19, 41:23-41:24, 41:27, 41:31, 41:36, 41:38-41:43, 41:45N-41:47, 41:49, 41:51-41:52, 44:106, 44:158, 44:166, 44:213
3	215 bp	1070 bp	*42:02:01:01- 42:02:01:02, 42:09, 42:17- 42:18	*07:143, 27:157, 40:166, 45:06, 54:02, 55:16, 56:35
4	220 bp	1070 bp	*42:04	*08:09, 08:84, 13:46, 15:83, 41:01:01- 41:01:05, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 41:20-41:22,



Page 6 of 16
Visit <u>www.olerup.com</u> for
"Instructions for Use" (IFU)

Lo	t No.: 4G2		ot-specific information									
				41:25-41:26, 41:28-41:30, 41:32-41:35, 41:37, 41:44, 41:50, 41:53-41:54, 44:15:01:01-44:15:01:02, 44:18, 44:20, 44:100, 45:01:01-45:21, 51:08:01-51:08:02, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 52:19, 55:20, 55:56, 56:13								
5 ⁴	105 bp	800 bp	*42:05:01- 42:05:02	*07:04, 07:25, 07:146, 08:187, 40:136, 40:231, 40:279, 41:08								
6	165 bp	1070 bp	*42:01:01- 42:02:01:02, 42:04-42:08, 42:10-42:15, 42:17-42:18, 42:21-42:24	*08:01:01:01-08:01:22, 08:01:24-08:05, 08:08N-08:12:03, 08:15-08:19N, 08:21-08:24, 08:26:01-08:27, 08:29-08:36, 08:38-08:39, 08:41-08:48, 08:50-08:54:02, 08:56:01-08:69, 08:71-08:73, 08:75-08:76, 08:78, 08:80-08:86N, 08:88, 08:90-08:106, 08:109-08:110, 08:112-08:142, 08:144-08:155, 08:157-08:163, 08:165-08:170, 08:172-08:190, 15:83, 35:87, 37:12, 38:30, 40:136, 40:231, 40:279, 41:01:01-41:03:02, 41:05-41:09, 41:11-41:17, 41:19-41:20, 41:22-41:48, 41:50, 41:53-41:54, 44:14, 44:62, 44:166, 44:213, 45:14, 51:08:01-51:08:02, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 52:19, 55:20, 55:56, 56:13, 57:09, 82:01-82:03								
7	165 bp	1070 bp	*42:06, 42:09, 42:16, 42:20	*07:04, 07:19, 07:25, 07:146, 08:07, 08:37, 08:49, 08:69, 08:89, 08:107, 13:46, 15:51, 15:179:01-15:179:02, 15:199, 15:218Q, 18:56, 18:113, 35:38, 35:115, 35:169, 35:260, 37:01:01:01-37:01:11, 37:03N-37:06:02, 37:08-37:11, 37:13-37:24, 37:26-37:38, 37:41-37:65, 37:67-37:70, 38:30, 41:04, 41:18, 41:21, 41:50-41:51, 44:15:01:01-44:15:01:02, 44:17-44:18, 44:51, 44:117*, 44:123, 44:140, 44:226*, 44:230, 45:01:01-45:02, 45:04-45:21, 53:22, 55:56, 56:13, 57:24, 82:01-82:03, C*05:62, C*05:146, C*07:04:01:01*-07:04:11*, C*07:101*, C*07:139*, C*07:142*, C*07:328*-07:329*, C*07:324*, C*07:328*-07:329*, C*07:354*-07:355*, C*07:357*-07:358*, C*07:361*, C*07:364*-07:365*, C*07:378*, C*07:394*-07:395*, C*07:403*, C*07:426*, C*07:426*, C*07:426*, C*07:426*, C*07:426*, C*07:426*, C*07:428*, C*07:459*, C*07:466*-07:467*, C*07:480*, C*07:534*-07:535*, C*07:459*, C*07:466*-07:467*, C*07:562*-07:563*, C*07:534*-07:535*, C*07:562*-07:563*, C*07:534*-07:535*, C*07:562*-07:563*, C*07:569*, C*07:5585*-07:586*, C*07:569*, C*07:5585*-07:586*, C*07:5600:01N*-07:600:02N*, C*08:142, C*15:25								

Product Insert Page 7 of 16 1 Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

	ot No.: 4GZ		Lot-specific infor	
8	215 bp	1070 bp	*42:07, 42:11	*07:03, 07:08:01-07:08:02, 07:16, 07:27, 07:32, 07:38, 07:50, 07:69, 07:85, 07:180, 07:207, 07:228:01-07:228:02, 08:94, 08:190*, 13:14, 13:83, 14:01:01:01-14:01:05, 14:07N-14:08:02, 14:10, 14:12, 14:14, 14:19, 14:26, 14:32, 14:40, 14:46-14:47, 14:49, 14:53-14:55, 15:68, 15:71, 15:175, 15:381, 18:01:01:01-18:01:12, 18:01:14-18:03, 18:05:01:01-18:01:12, 18:01:14-18:03, 18:05:01:01-18:15, 18:17N-18:24, 18:26-18:67, 18:69, 18:71-18:106, 18:108-18:124, 18:126-18:143, 27:12:01:01-27:12:01:02, 27:16, 27:18, 27:23, 27:29, 27:92, 27:119, 27:153, 35:50, 35:84, 35:162, 35:197, 35:231, 35:267, 35:269, 37:01:01:01-37:54, 37:56-37:59, 37:61, 37:62*, 37:63-37:70, 38:01:01:01-38:04, 38:06-38:25, 38:27-38:32, 38:35-38:53, 38:55Q-38:68Q, 39:01:01:01-39:01:01:07, 39:01:03:01-39:03:01:02, 39:05:01:01-39:11, 39:13:01-39:20, 39:22-39:51, 39:53-39:62, 39:64-39:71, 39:73-39:75, 39:77-39:98, 39:99*, 39:100-39:128, 39:130-39:131, 40:02:01:01-40:06:14, 40:06:16, 40:08-40:09, 40:11:01-40:11:02, 40:13, 40:18-40:20:01:02, 40:24, 40:26-40:27:01, 40:28-40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:44, 40:50, 40:56, 40:64, 40:68, 40:70:01-40:71, 40:74-40:75, 40:19, 40:112, 40:114, 40:115, 40:119-40:120, 40:122, 40:127, 40:131, 40:130, 40:142N-40:145, 40:148-40:149, 40:157, 40:159, 40:161-40:162, 40:165, 40:167, 40:169, 40:173-40:174, 40:115, 40:119-40:120, 40:122, 40:127, 40:131, 40:130, 40:142N-40:145, 40:148-40:149, 40:157, 40:159, 40:161-40:162, 40:165, 40:167, 40:169, 40:173-40:174, 40:176-40:177, 40:180-40:181, 40:184, 40:189-40:190, 40:201-40:203, 40:224-40:226, 40:229-40:230, 40:331, 40:334-40:244, 40:246, 40:248, 40:244, 40:246, 40:248, 40:244, 40:246, 40:248, 40:244, 40:246, 40:248, 40:331, 40:331, 40:331, 40:331, 40:331, 40:331, 40:331, 40:331, 40:331, 40:331, 40:331, 40:331, 40:335, 40:337N, 40:340-40:341, 40:343, 40:345N, 40:3345N, 40:334-40:351, 40:345, 40:345, 40:345, 40:345, 40:345, 40:345, 40:345, 40:345, 40:345, 40:345, 40:345, 40:345, 40:345, 40:351, 40:351, 50:35, 51:103, 51:116, 51:218, 53:21
9	170 bp	1070 bp	*42:01:01- 42:02:01:02, 42:04-42:06, 42:08-42:10,	*07:02:01:01-07:02:27, 07:02:29- 07:02:52, 07:04-07:07, 07:09, 07:11- 07:12, 07:14-07:15, 07:17-07:26, 07:28- 07:31, 07:33:01-07:36, 07:39-07:49N,

Page 8 of 16
Visit <u>www.olerup.com</u> for
"Instructions for Use" (IFU)

Lot No.: 4G2		Lot-specific inform	ation
		42:12-42:20, 42:22-42:24	07:51-07:55, 07:57-07:64, 07:66- 07:68:03, 07:70-07:71, 07:73-07:82, 07:84, 07:86-07:124, 07:126-07:176, 07:178-07:179, 07:181N-07:182N, 07:184-07:205, 07:208-07:218, 07:220- 07:227, 07:229-07:258, 07:260-07:262, 07:264-07:291, 07:293-07:305, 08:123, 08:132, 14:21, 15:255, 38:26, 54:21, 55:10, 56:16, 67:01:01-67:01:03, 67:03- 67:07, 81:01-81:04N, 81:06-81:08, 82:01- 82:03, 83:01, C*07:335
10 280 bp	800 bp	*42:08	*07:19, 07:33:01-07:33:03, 07:53, 07:60, 07:100, 08:103, 08:134, 08:175, 13:71, 13:108, 14:05, 14:13, 14:53, 15:07:01:01-15:07:03, 15:45, 15:55, 15:68, 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 15:421, 15:431, 18:14, 27:07:01-27:07:06, 27:11, 27:24, 27:32-27:34, 27:43, 27:138, 35:05:01:01-35:05:03, 35:22, 35:31, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114, 35:199, 35:232, 37:09, 38:19, 39:03:01:01-39:03:01:02, 39:14:01:01-39:14:01:02, 39:24:01-39:24:02, 39:29, 39:37, 39:76, 39:120, 40:02:01:01-40:03:01:02, 40:05:01:01-40:05:01:02, 40:08-40:09, 40:13, 40:18-40:19, 40:24, 40:27:01-40:27:02, 40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:50, 40:56-40:58, 40:71, 40:78, 40:82, 40:85, 40:89-40:91, 40:94, 40:97, 40:104-40:105, 40:107, 40:111, 40:115, 40:119, 40:122, 40:133Q, 40:142N-40:145, 40:157, 40:164, 40:169, 40:173-40:174, 40:176, 40:180-40:181, 40:189, 40:200-40:203, 40:205-40:206, 40:209, 40:211, 40:214, 40:219-40:220, 40:224, 40:226, 40:229, 40:232, 40:246, 40:248, 40:254-40:255, 40:266-40:267, 40:271, 40:274, 40:276, 40:283-40:284, 40:287, 40:289-40:293, 40:356, 40:337, 40:302-40:305, 40:309, 40:314, 40:320, 40:322, 40:331, 40:334-40:335, 40:337, 40:335, 40:337, 40:335, 40:337, 40:335, 40:337, 40:345N, 40:347, 40:356, 40:359, 44:54, 44:106, 44:135, 44:158, 44:184, 44:213, 46:12, 48:04:01-48:04:02, 48:13, 48:24, 51:64, 51:81, 51:148, 53:14, 55:04, 55:49, 55:51, 55:86, 58:18, 58:27, C*02:60, C*03:05, C*03:25, C*07:294, C*07:526, C*07:530, C*08:08:01-08:08:02
11 ⁴ 115 bp 180 bp	1070 bp	*42:19 *42:10, 42:17	*08:20, 08:53:01-08:53:02 *08:49, 08:71, 27:83, 41:24, 53:15
12 ⁴ 105 bp	1070 bp	*42:11	*07:27, 07:50, 08:04:01-08:04:02, 08:17, 08:54:01-08:54:02, 08:110, 13:97, 15:03:01:01-15:03:06, 15:47:01-15:47:02,

Page 9 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 4G2 Lot-specific information

			-	
		4070	*40.40	15:54, 15:61-15:62, 15:64:01-15:64:02, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220, 15:235, 15:242:01-15:242:02, 15:253, 15:259, 15:266, 15:274, 15:281-15:282, 15:369, 15:379, 15:389, 15:397, 18:37, 18:125, 27:18, 27:29, 37:28, 38:03, 39:02:01-39:02:03, 39:08, 39:13:01-39:13:02, 39:23, 39:39:01-39:39:02, 39:49, 39:88, 39:101, 39:105, 39:110, 40:12, 40:46, 40:93, 44:40, 44:44, 44:130, 44:156, 44:210:01-44:210:02, 48:01:01:01-48:05, 48:07-48:30, 48:32-48:40, 48:42, 52:16, 55:18, 56:44
13 ⁴ 14	65 bp 195 bp 290 bp	1070 bp 1070 bp	*42:12 *42:15, 42:18 *42:13	07:11, 07:57, 07:75:01:01-07:75:01:02, 07:160, 07:240, 07:253, 08:16-08:17, 08:47, 08:123, 08:145, 18:49, 18:79, 18:108, 18:132, 18:142, 37:05, 39:20, 39:124, C*01:59, C*01:118, C*06:82, C*06:210, C*07:238, C*07:247, C*07:403 *08:49, 08:60, 08:76, 08:129, 08:181, 41:48, 53:15
15	230 bp	1070 bp	*42:14	*08:116, 41:06, 41:15
16 ⁵	-	-	Negative Control	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B*42 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.



OLERUP SSP

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 10 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 4G2 Lot-specific information

⁵Primer mix 16 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs. 'w', might be weakly amplified.

Lot No.: 4G2

HLA-B*42 Pro 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Product Insert
Page 11 of 16
Visit www.olerup.com for "Instructions for Use" (IFU)

Lot-specific information

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	215	215	215	220	105	165	165	215	170	280	115	105
PCR product											180	
Length of int.	800	1070	1070	1070	800	1070	1070	1070	1070	800	1070	1070
pos. control ¹												
5'-primer(s) ²	97	363	97	357	540	412	412	103	142	363	463	206
	5' -TCT 3'	^{5'} -AgC ^{3'}	5' -TCC 3'	^{5'} -Tgg ^{3'}	^{5'} -gAC ^{3'}	^{5'} -ATA ^{3'}	^{5'} -ATg ^{3'}	5' -CCT 3'	5' -TCT 3'	^{5'} -AgC ^{3'}	^{5'} -TgA ^{3'}	^{5'} -AgA ^{3'}
							419	103			527	
							^{5'} -gTT ^{3'}	5' -CCT 3'			^{5'} -TgA ^{3'}	
							419					
							^{5'} -gTT ^{3'}					
3'-primer(s) ³	272	538	272	538	605	538	538	277	272	603	603	272
, ,	^{5'} -TgT ^{3'}	^{5'} -gTC ^{3'}	^{5'} -TgT ^{3'}	^{5'} -gTC ^{3'}	^{5'} -gCT ^{3'}	^{5'} -gTC ^{3'}	^{5'} -gTC ^{3'}	^{5'} -ggT ^{3'}	^{5'} -TgT ^{3'}	^{5'} -gTC ^{3'}	^{5'} -gTg ^{3'}	^{5'} -Tgg ^{3'}
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

13	14	15
65	195	230
	290	
1070	1070	1070
540	142	412
^{5'} -gAC ^{3'}	^{5'} -TCT ^{3'}	^{5'} -ATA ^{3'}
	355	
	5' -TCA 3'	
566	289	603
5' -CCC 3'	^{5'} -AgC ^{3'}	^{5'} -gTg ^{3'}
	302	
	^{5'} -ggT ^{3'}	
	603	
	^{5'} -gTg ^{3'}	
13	14	15
	540 5' -gAC 3' 566 5' -CCC 3'	65 195 290 1070 1070 540 142 5' -gAC 3' 5' -TCT 3' 355 5' -TCA 3' 566 289 5' -CCC 3' 5' -AgC 3' 302 5' -ggT 3' 603 5' -gTg 3'

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the antisense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

Page 12 of 16
Visit <u>www.olerup.com</u> for
"Instructions for Use" (IFU)

		CE	LL LII	NE VA	LI	D/	١T	10	N	Sł	ΙE	E	Γ						
			HLA	-B*42 \$	SS	Ρŗ	rir	ne	r s	et ²									
						•						Nе	II						
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
				Prod. No.:	201548801	201548802	201548803	201548804	201548805	201548806	201548807	201548808	201548809	201548810	201548811	201548812	201548813	201548814	201548815
	IHV	/C cell line ¹		B*									.,						- 1
1	9001		*07:02		+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
2		LK707	*52:01	*73:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275	GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009	KAS011	*37:01		-	-	-	-	-	-	+	+	-	-	-	-	-	-	-
6	9353		*39:01	*51:01	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
7	9020	QBL	*18:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
8	9025	DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026	YAR	*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
10	9107	LKT3	*54:01		+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052		*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13		JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14		OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075		*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16		SWEIG007	*40:02		-	-	-	-	-	-	-	+	-	+	-	-	-	-	-
17		CTM3953540	*08:01	*55:01	+	+	-	-	-	+	-	-	-	-	-	-	-	-	-
18	9257	32367	*14:01	*56:01	+	-	-	-	-	-	-	+	-	-	-	-	-	-	-
19		BM16	*18:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
20	9059	SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21		AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22		KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124		*40:02	*56:02	+	-	-	-	-	-	-	+	-	+	-	-	-	-	-
24		JBUSH	*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
25		IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285	WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27		CH1007 ¹	*07:05	*51:01	+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
28		BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050		*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021		*42:01		+	+	-	-	-	+	-	-	+	-	-	-	-	-	-
31		DUCAF	*18:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
32	9297		*41:02		-	+	-	-	-	+	-	-	-	-	-	-	-	-	-
33		MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104		*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
35		SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36		KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37		HHKB	*07:02		+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
38	9099		*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315		*08:01	*27:05	-	+	-	-	-	+	-	-	-	-	-	-	-	-	-
40		WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41		H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42		TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43		T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057		*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
45		SHJO	*42:01	*50:01	+	+	-	-	-	+	-	-	+	-	-	-	-	-	-
46		SCHU	*07:02		+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
47		TUBO ¹	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303	TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Page 13 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 4G2 Lot-specific information

¹The provided cell line HLA specificities are retrieved from the http://www.ihwg.org/hla web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solution 5, 11 and 13 to 15 were available. The specificities of the primers in primer solution 5, 11 and 14 were tested by separately adding one or two additional 3'-primers, respectively one additional 5'-primer. In primer solutions 13 and 15 it was only possible to test the 5'-primers, the 3'-primers were not possible to test. In primer solution 14 two 3'-primers were not possible to test. One additional 5'-primer in primer solution 7 was tested by separately adding one additional 3'-primer.

OLERUP SSP*

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 14 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

■LERUP SSP*

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 15 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

OLERUP SSP*

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 16 of 16
Visit <u>www.olerup.com</u> for "Instructions for Use" (IFU)

Lot No.: 4G2 Lot-specific information

Addresses:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27 **Fax:** +46-8-717 88 18

E-mail: olerup-se@caredx.com **Web page:** http://www.olerup.com

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00
Fax: +43-1-710 15 00 10
E-mail: olerup-at@caredx.com
Web page: http://www.olerup.com

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1 **Fax:** 610-344-7989

E-mail: olerup-us@caredx.com **Web page:** http://www.olerup.com

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.

