OLERUP SSP

HLA-B*42 Product Insert

101.543-06 – including *Taq* **pol.**, IFU-01 **101.543-06u – without** *Taq* **pol.**, IFU-02

Page 1 of 15
Visit <u>www.labproducts.caredx.com</u> for "Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

Olerup SSP® HLA-B*42

Product number: 101.543-06 – including *Taq* pol.

101.543-06u – without *Taq* pol.

Lot number: 3L3

Expiry date: 2024-07-01

Number of tests: 6

Number of wells per test: 15+1

Storage - pre-aliquoted primers: dark at -20°C

PCR Master Mix: -20°C
 Adhesive PCR seals RT
 Product Insert RT

This Product Description is only valid for Lot No. 3L3.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

CHANGES COMPARED TO THE PREVIOUS *OLERUP* SSP® HLA-B*42 Lot (7H8).

- The product documentation has been updated for new alleles of IMGT 3.40.0.
- The kit resolution focuses on common and well documented (CWD) alleles¹.

The HLA-B*42 specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup* SSP® HLA-B*42 lot was made **(Lot No. 7H8)**.

The HLA-B*42 primer set is unchanged compared to the previous *Olerup* SSP® HLA-B*42 (Lot No. 7H8).

¹S. J. Mack, P. Cano, J. A. Hollenbach et al. Common and well-documented HLA alleles: 2012 update to the CWD catalogue. Tissue Antigens, 2013, 81, 194–203



¹As described in section Uniquely Identified Alleles.

HLA-B*42

Lot No.: 3L3 Lot-specific information

Well **16** contains <u>Negative Control primer pairs</u>, that will amplify the majority of the *Olerup* SSP® HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the positive control primer pair is 200 base pairs.

Length of PCR	105	200	105	80	75	80	85
product							
5'-primer ¹	164	340	440	45	45	43	36
•	5'-CAC3'	^{5'} -Agg ^{3'}	^{5'} -TTA3'	⁵ '-Tgg ³ '	⁵ '-Tgg ³ '	⁵ '-Tgg ³ '	5'-TAC3'
							36
							^{5'} -TAT ^{3'}
3'-primer ²	231	2 nd I	507	59	58	57	47
	⁵ '-TgC ³ '	^{5'} -AAA ^{3'}	^{5'} -TTg ^{3'}	5'-CTC3'	^{5'} -ggC ^{3'}	5'-CTC3'	5'-ACA3'
							48
							^{5'} -gCA ^{3'}
							48
							^{5'} -gCC ^{3'}
							52
							^{5'} -TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

Lot No.: **3L3**

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 3 of 15
Visit <u>www.labproducts.caredx.com</u> for "Instructions for Use" (IFU)

Lot-specific information

PRODUCT DESCRIPTION

HLA-B*42 SSP typing

CONTENT

The primer set contains 5'- and 3'-primers for identifying the B*42:01 to B*42:28 alleles.

PLATE LAYOUT

Each HLA-B*42 test consists of 16 PCR reactions in a 16 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	NC

The 16 well PCR plate is marked with 'HLA-B*42' in silver/gray ink.

Well No. 1 is marked with the Lot No. '3L3'.

Wells 1 to 15 – HLA-B*42 high resolution primers.

Well 16 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are covered with a PCR-compatible foil.

Please note: When removing each 16 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles, non-HLA-B*42 alleles will be amplified by some primer mixes. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the HLA-B*42, i.e. **B*42:01 to B*42:28**, recognized by the HLA Nomenclature Committee in April 2020^{1,2} will be amplified by the primers in the HLA-B*42 SSP kit³.

The HLA-B*42 kit enables separation of the confirmed HLA-B*42 alleles as listed in the IMGT/HLA database 3.34.0. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-B*42 alleles is listed below.

The HLA-B*42 kit also enables identification of many null and alternatively expressed alleles.

HLA-B*42 Product Insert

101.543-06 – including *Taq* **pol.**, IFU-01 **101.543-06u – without** *Taq* **pol.**, IFU-02

Page 4 of 15
Visit <u>www.labproducts.caredx.com</u> for "Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

The following HLA-B*42 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
B*42:14, 42:25	15

¹HLA-B alleles listed on the IMGT/HLA web page 2020-April-20, release 3.40.0, www.ebi.ac.uk/imgt/hla.

Alleles

B*42:05:01-42:05:02, 07:349 B*42:07, 42:26, 08:94, 08:226 B*42:19, 07:388

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
B*42:01:01	Confirmed	B*42:08	Unconfirmed	B*42:18	Confirmed
B*42:01:02	Unconfirmed	B*42:09	Confirmed	B*42:19	Unconfirmed
B*42:01:03	Unconfirmed	B*42:10	Confirmed	B*42:20	Unconfirmed
B*42:02:01:01	Confirmed	B*42:11	Unconfirmed	B*42:21	Unconfirmed
B*42:02:01:02	Confirmed	B*42:12	Unconfirmed	B*42:22	Unconfirmed
B*42:04	Unconfirmed	B*42:13	Unconfirmed	B*42:23	Unconfirmed
B*42:05:01	Confirmed	B*42:14	Unconfirmed	B*42:24	Unconfirmed
B*42:05:02	Unconfirmed	B*42:15	Unconfirmed	B*42:25	Confirmed
B*42:06	Unconfirmed	B*42:16	Unconfirmed		
B*42:07	Unconfirmed	B*42:17	Unconfirmed		

¹Allele status "confirmed" or "unconfirmed" as listed on the IMGT/HLA web page 2018-October-18, release 3.34.0, www.ebi.ac.uk/imgt/hla.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-B*42 homo- and heterozygotes is available upon request.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page http://hla.alleles.org/alleles/deleted.html.

³The following alleles give rise to identical amplification patterns with the HLA-B*42 high resolution kit. These alleles can be distinguished by the HLA-B low resolution and/or the respective kits.

HLA-B*42 P 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 5 of 15
Visit <u>www.labproducts.caredx.com</u> for "Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

SPECIFICITY TABLE

HLA-B*42 SSP subtyping

Specificities and sizes of the PCR products of the 15+1 primer mixes used for HLA-B*42 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-B*42 alleles ³	Other amplified HLA Class I alleles
15	215 bp	800 bp	*42:01:01:01- 42:01:04, 42:04- 42:06, 42:08, 42:10, 42:12- 42:16, 42:19- 42:25, 42:28	*07:02:01:01-07:02:27, 07:02:29- 07:02:81, 07:04:01-07:07:03, 07:09:01- 07:09:02, 07:11-07:12, 07:14:01-07:15, 07:17-07:26, 07:28, 07:30-07:31, 07:33:01-07:36, 07:39-07:49N, 07:51- 07:68:03, 07:70, 07:72-07:82, 07:84, 07:86-07:115, 07:117-07:124, 07:126- 07:142, 07:144-07:179, 07:181N- 07:182N, 07:184-07:185, 07:187-07:206, 07:208-07:218, 07:220-07:227, 07:229:01-07:258, 07:260-07:291, 07:293-07:305, 07:307-07:312, 07:314- 07:367, 07:369-07:382, 07:384-07:399, 07:401, 14:21, 15:76, 15:101, 15:255, 15:509, 35:76, 38:26, 44:90, 54:01:01:01- 54:01:08, 54:03-54:06, 54:08N-54:23, 54:25-54:29, 54:31-54:41, 55:01:01:01- 55:05, 55:07-55:15, 55:17, 55:19-55:24, 55:26-55:33, 55:35-55:46, 55:48-55:63, 55:65-55:77, 55:79-55:107, 56:01:01:01- 56:07, 56:09-56:13, 56:15-56:16, 56:18- 56:22, 56:24-56:32, 56:34, 56:36-56:41, 56:43, 56:45-56:52, 56:55:01:02-56:66, 56:68-56:73, 67:01:01-67:01:03, 67:03- 67:07, 81:01:01-01-81:04N, 81:06-81:09, 82:01:01:01-82:03, 83:01, C*14:62
2	215 bp	1070 bp	*42:01:01:01- 42:02:02, 42:05:01-42:12, 42:14-42:18, 42:20-42:28	*07:04:01-07:04:02, 07:19, 07:25, 07:146, 07:349, 08:01:01:01-08:05, 08:07-08:08N, 08:10-08:11, 08:14-08:15, 08:17-08:19N, 08:21-08:24, 08:26:01-08:39, 08:41-08:48, 08:50-08:54:02, 08:56:01-08:59:02, 08:61-08:69, 08:71-08:78, 08:80-08:83, 08:85-08:88, 08:90-08:106, 08:108-08:128, 08:130-08:142, 08:144-08:155, 08:157-08:170, 08:172-08:180, 08:182-08:183, 08:185-08:204, 08:206-08:231, 08:233-08:253, 35:87, 37:09, 41:02:01:01-41:02:09, 41:04, 41:10-41:11, 41:13, 41:15, 41:18-41:19, 41:23-41:24, 41:27, 41:31, 41:36, 41:38-41:43, 41:45N-41:47, 41:49, 41:51-41:52, 41:55, 41:58, 44:106, 44:158, 44:166, 44:213
3 ⁵	215 bp	1070 bp	*42:02:01:01- 42:02:02, 42:09,	*07:143, 27:157, 40:166, 45:06, 54:02, 55:16, 56:35

HLA-B*42 Pt 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02 Page 6 of 15
Visit <u>www.labproducts.caredx.com</u> for "Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

L	_ot No.: 3L3		Lot-specific inform	nation
			42:17-42:18, 42:27	
4	220 bp	1070 bp	*42:04	*08:09, 08:84, 08:254, 13:46, 15:83:01:01-15:83:01:02, 41:01:01-01-41:01:07, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 41:20-41:22, 41:25-41:26, 41:28-41:30, 41:32-41:35, 41:37, 41:44, 41:50, 41:53-41:54, 41:56Q-41:57, 41:59-41:61, 41:64, 44:15:01:01-44:15:01:02, 44:18, 44:20, 44:100, 45:01:01-45:25, 51:08:01:01-51:08:04, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 51:263, 51:274-51:275, 52:19, 55:20, 55:56, 56:13
54	105 bp	800 bp	*42:05:01- 42:05:02	*07:04:01-07:04:02, 07:25, 07:146, 07:349, 08:187, 40:136, 40:231, 40:279, 41:08
6	165 bp	1070 bp	*42:01:01- 42:02:02, 42:04- 42:08, 42:10- 42:15, 42:17- 42:18, 42:21- 42:28	*07:349, 08:01:01:01-08:01:22, 08:01:24-08:05, 08:08N-08:12:03, 08:15-08:19N, 08:21-08:24, 08:26:01-08:27, 08:29-08:36, 08:38:01-08:39, 08:41-08:48, 08:50-08:54:02, 08:56:01-08:69, 08:71-08:73, 08:75-08:76, 08:78, 08:80-08:86N, 08:88, 08:90-08:106, 08:109-08:110, 08:112-08:142, 08:144-08:155, 08:157-08:163, 08:165-08:170, 08:172-08:199, 08:201-08:204, 08:206-08:226, 08:228-08:244, 08:246-08:250, 08:252N-08:254, 15:83:01:01-15:83:01:02, 35:87, 37:12, 37:84, 38:30, 39:156, 40:136, 40:231, 40:279, 41:01:01:01-41:03:02, 41:05-41:09, 41:11-41:17, 41:19-41:20, 41:22-41:48, 41:50, 41:53-41:61, 41:64, 44:14, 44:62, 44:166, 44:213, 45:14, 51:08:01:01-51:08:03, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 51:263, 51:275, 52:19, 55:20, 55:56, 56:13, 57:09, 82:01:01:01-82:03
7	165 bp	1070 bp	*42:06, 42:09, 42:16, 42:20	*07:04:01-07:04:02, 07:19, 07:25, 07:146, 08:07, 08:37, 08:49, 08:69, 08:89, 08:107, 08:200, 13:46, 15:51, 15:179:01-15:179:02, 15:199, 15:218Q, 15:518, 18:56, 18:113, 35:38, 35:115, 35:169, 35:260, 37:01:01:01-37:01:22, 37:03N-37:06:02, 37:08-37:11, 37:13-37:24, 37:26-37:38, 37:41-37:65, 37:67-37:82N, 37:85-37:91, 38:30, 39:156, 41:04, 41:18, 41:21, 41:50-41:51, 41:63, 44:15:01:01-44:15:01:02, 44:17-44:18, 44:51, 44:117w, 44:123, 44:140, 44:226w, 44:230, 45:01:01:01-45:02, 45:04-45:25, 53:22, 55:56, 56:13, 57:24, 57:119, 82:01:01:01-82:03, C*05:62, C*05:146, C*05:163, C*07:04:01:01"-07:04:16w, C*07:04:19w-07:04:20w, C*07:11w-07:12w, C*07:45w, C*07:63w, C*07:101w, C*07:139w,

HLA-B*42 **Product Insert 101.543-06 – including Taq pol.**, IFU-01 101.543-06u - without Tag pol., IFU-02

Page 7 of 15 Visit www.labproducts.caredx.com for "Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

C*07:142w, C*07:181w, C*07:199:01w-07:199:02w, C*07:272w, C*07:323w-07:324w, C*07:328w-07:329Nw, C*07:336w, C*07:338w, C*07:354w-07:355^w, C*07:357^w-07:358^w, C*07:361^w, C*07:364w-07:365w, C*07:378w, C*07:394w-07:395w, C*07:403w C*07:406^w, C*07:420^w, C*07:426^w C*07:428w, C*07:459w, C*07:466w-07:467w, C*07:480w, C*07:487w, C*07:501w, C*07:523w, C*07:534w-07:535^w, C*07:562^w-07:563^w, C*07:569^w, C*07:585w-07:586w, C*07:600:01Nw-07:600:02Nw, C*07:622w, C*07:626, C*07:651w, C*07:655w-07:656w, C*07:664w, C*07:672Nw, C*07:674w, C*07:693w, C*07:698w, C*07:751Nw, C*07:780^w, C*07:797N^w, C*07:831^w, C*07:838w-07:839Nw, C*08:142, C*15:25 215 bp 1070 bp *42:07, 42:11, *07:03, 07:08:01-07:08:02, 07:16, 07:27, 8 42:26 07:32, 07:38, 07:50, 07:69, 07:85:01-07:85:02, 07:180, 07:207, 07:228:01-07:228:02, 07:306, 07:400, 08:94, 08:190w, 08:226, 13:14, 13:83, 14:01:01:01-14:01:05, 14:01:07-14:01:09, 14:07N-14:08:02, 14:10, 14:12, 14:14, 14:19, 14:26, 14:32, 14:40, 14:46-14:47, 14:49, 14:53-14:55, 14:65, 14:71, 14:77-14:78N, 14:80-14:83, 14:86-14:87, 15:68, 15:71, 15:175, 15:381, 15:556, 18:01:01:01-18:01:12, 18:01:14-18:03:02, 18:05:01:01-18:15, 18:17N-18:24, 18:26-18:67, 18:69, 18:71-18:106Q, 18:108-18:124, 18:126-18:154N, 18:156:01:01-18:181, 18:183-18:192, 27:12:01:01-27:12:01:03, 27:16, 27:18, 27:23, 27:29, 27:92, 27:119, 27:153, 35:50, 35:84, 35:162, 35:197, 35:231, 35:267, 35:269, 35:411, 35:423, 37:01:01:01-37:54, 37:56-37:59, 37:61, 37:62^w, 37:63-37:78, 37:80-37:84, 37:86N-37:91, 38:01:01:01-38:04, 38:06-38:25, 38:27-38:32, 38:35-38:53, 38:55Q-38:83N, 38:84^w, 38:85-38:86, 38:156-38:167, 39:01:01:01-39:01:01:12, 39:01:03:01-39:03:01:03, 39:05:01:01-39:11, 39:13:01-39:20, 39:22-39:51, 39:53-39:62, 39:64-39:71, 39:73-39:75, 39:77-39:98, 39:99w, 39:100-39:128, 39:130-39:153, 39:155-39:164, 40:02:01:01-40:06:14, 40:06:16-40:06:22, 40:08-40:09, 40:11:01:01-40:11:02, 40:13, 40:18-40:20:01:02, 40:24, 40:26-40:27:01, 40:27:03-40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:44, 40:50:01:01-40:50:01:02, 40:56, 40:64:01:01-40:64:02, 40:68, 40:70:01-40:71, 40:74-40:75,

HLA-B*42 Product Insert

101.543-06 – including *Taq* **pol.**, IFU-01 **101.543-06u – without** *Taq* **pol.**, IFU-02

Page 8 of 15
Visit <u>www.labproducts.caredx.com</u> for "Instructions for Use" (IFU)

Lot No.: **3L3** Lot-specific information

LOT IN	o.: 3L3		Lot-specific inform	auvii
			Lot-specific informa-	40:78, 40:82-40:83, 40:85-40:86, 40:89-40:91, 40:93-40:99, 40:104-40:105, 40:107, 40:109, 40:111, 40:115, 40:119-40:120, 40:122, 40:127, 40:131, 40:133Q, 40:142N-40:145, 40:148-40:149, 40:157, 40:159, 40:161-40:162, 40:165, 40:167, 40:169, 40:173-40:174, 40:189-40:190, 40:201-40:203, 40:205-40:206, 40:209-40:211, 40:214, 40:220, 40:224-40:225:02, 40:229-40:230, 40:232, 40:243-40:244, 40:246, 40:248, 40:254-40:256N, 40:266-40:271, 40:274-40:276, 40:331-40:314, 40:317, 40:320, 40:322, 40:331-40:314, 40:334-40:335, 40:337N, 40:340-40:341, 40:343, 40:345N, 40:347-40:351, 40:354, 40:356, 40:359, 40:361N-40:364, 40:366, 40:369, 40:371, 40:373-40:376, 40:378, 40:384, 40:387, 40:389-40:390, 40:399N, 40:405, 40:408-40:415, 40:423, 40:425, 40:427, 40:429, 40:432, 40:434-40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:445, 40:451, 44:103, 44:130-44:131, 44:212, 44:224, 48:01:01:01-48:21, 48:23-48:50, 49:31, 50:43, 51:57, 51:103, 51:116, 51:218, 53:21
9	170 bp	1070 bp	*42:01:01:01- 42:02:02, 42:04- 42:06, 42:08- 42:10, 42:12- 42:20, 42:22- 42:25, 42:28	*07:02:01:01-07:02:27, 07:02:29- 07:02:81, 07:04:01-07:07:03, 07:09:01- 07:09:02, 07:11-07:12, 07:14:01-07:15, 07:17-07:26, 07:28-07:31, 07:33:01- 07:36, 07:39-07:49N, 07:51-07:55, 07:57- 07:64, 07:66-07:68:03, 07:70-07:71, 07:73-07:82, 07:84, 07:86-07:124, 07:126-07:176, 07:178-07:179, 07:181N- 07:182N, 07:184-07:205, 07:208-07:218, 07:220-07:227, 07:229:01-07:258, 07:260-07:262, 07:264-07:291, 07:293- 07:305, 07:307-07:367, 07:369-07:399, 07:401, 08:123, 08:132, 14:21, 15:255, 15:509, 38:26, 54:21, 55:10, 56:16, 67:01:01-67:01:03, 67:03-67:07, 81:01:01:01-81:04N, 81:06-81:09, 82:01:01:01-82:03, 83:01, C*07:335
10	280 bp	800 bp	*42:08	*07:19, 07:33:01-07:33:03, 07:53, 07:60, 07:100, 08:103, 08:134, 08:175, 13:71, 13:108, 14:05, 14:13, 14:53, 15:07:01:01-15:07:03, 15:45, 15:55, 15:68, 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 15:421, 15:431, 15:450, 15:524, 18:14, 27:07:01-27:07:06, 27:11, 27:24, 27:32-27:34, 27:43, 27:138, 27:180, 27:219, 35:05:01:01-35:05:03,

HLA-B*42 Product Insert 101.543-06 – including *Taq* pol., IFU-01 101.543-06u – without *Taq* pol., IFU-02

Page 9 of 15
Visit <u>www.labproducts.caredx.com</u> for "Instructions for Use" (IFU)

Lot No.: **3L3** Lot-specific information

	o.: JLJ		Lot-specific info	
				35:22:01:01-35:22:01:02, 35:31, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114, 35:199, 35:232, 35:368, 35:389, 35:416, 35:427N, 35:440, 35:459N, 35:472, 37:09, 38:19, 39:03:01:01-39:03:01:03, 39:14:01:01-39:14:01:03, 39:24:01-39:24:02, 39:29, 39:37:01:01-39:37:01:02, 39:76, 39:120, 39:144, 39:152, 40:02:01:01-40:03:02, 40:05:01:01-40:05:01:03, 40:08-40:09, 40:13, 40:18-40:19, 40:24, 40:27:01-40:27:02, 40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:50:01:01-40:50:01:02, 40:56-40:58, 40:71, 40:78, 40:82, 40:85, 40:89-40:91, 40:94, 40:97, 40:104-40:105, 40:107, 40:111, 40:115, 40:119, 40:122, 40:133Q, 40:142N-40:145, 40:157, 40:164, 40:169, 40:173-40:174, 40:176, 40:180-40:181, 40:189, 40:200-40:203, 40:205-40:206, 40:209, 40:211, 40:214, 40:219-40:220, 40:224, 40:226, 40:229, 40:232, 40:246, 40:2248, 40:255-40:255, 40:266-40:267, 40:271, 40:274, 40:276, 40:283-40:284, 40:287, 40:289-40:293, 40:335, 40:337N, 40:345N, 40:347, 40:356, 40:359, 40:369, 40:371, 40:375, 40:378, 40:384, 40:390, 40:314, 40:300, 40:399N, 40:405, 40:409-40:410, 40:412-40:415, 40:420, 40:432, 40:444, 41:62, 44:54, 44:106, 44:135, 44:158, 44:184, 44:213, 46:12, 48:04:01:01-48:04:02, 48:13, 48:24, 51:64, 51:81, 51:148, 53:14, 55:04, 55:49, 55:51, 55:86, 58:18, 58:27, C*02:60, C*03:05, C*03:25, C*03:27, C*03:482, C*03:494, C*06:264, C*07:294, C*07:526:01, C*07:530, C*07:681, C*07:580, C*08:08:01-08:08:02
114	115 bp 180 bp	1070 bp	*42:19 *42:10, 42:17	*07:388, 08:20:01-08:20:02, 08:53:01- 08:53:02, 15:516 *08:49, 08:71, 15:516, 27:83, 41:24,
124,5	105 bp	1070 bp	*42:11	44:342, 53:15 *07:27, 07:50, 08:04:01-08:04:02, 08:17, 08:54:01-08:54:02, 08:110, 13:97, 14:73, 15:03:01:01-15:03:09, 15:03:11, 15:47:01-15:47:02, 15:54, 15:61-15:62, 15:64:01-15:64:02, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220:01:01-15:220:02, 15:235, 15:242:01-15:242:02, 15:281, 15:282, 15:369,

HLA-B*42 Product Insert

101.543-06 – including *Taq* **pol.**, IFU-01 **101.543-06u – without** *Taq* **pol.**, IFU-02

Page 10 of 15
Visit <u>www.labproducts.caredx.com</u> for "Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

LOUIN	0 JLJ		Lot-specific inform	ation
				15:379, 15:389, 15:397, 15:444, 15:448, 15:475, 15:502, 15:511, 15:517, 15:527, 15:539, 15:560, 18:37:01-18:37:02, 18:125, 27:18, 27:29, 35:361, 37:28, 38:03, 39:02:01-39:02:03, 39:08, 39:13:01-39:13:02, 39:23, 39:39:01-39:39:02, 39:49, 39:88, 39:101, 39:105, 39:110, 39:162, 39:164, 40:12:01-40:12:02, 40:46, 40:93, 40:430, 44:40, 44:44, 44:130, 44:156, 44:210:01-44:210:02, 48:01:01:01-48:05, 48:07-48:30, 48:32-48:40, 48:42-48:50, 52:16, 55:18, 56:44
13 ⁴	65 bp	1070 bp	*42:12	
14	195 bp 290 bp	1070 bp	*42:15, 42:18 *42:13	*07:11, 07:57, 07:75:01:01-07:75:01:02, 07:160, 07:240, 07:253, 07:340, 08:16-08:17, 08:47, 08:123, 08:145,15:530, 18:49, 18:79, 18:108, 18:132, 18:142, 37:05, 39:20, 39:124, C*01:59, C*01:118, C*01:157, C*06:82, C*06:210, C*07:49, C*07:124, C*07:25, C*07:210, C*07:238, C*07:247, C*07:403 *08:49, 08:60, 08:76, 08:129, 08:181, 41:48, 44:342, 53:15
15	165 bp	1070 bp	*42:25	*13:61
	230 bp	1070 bp	*42:14	*08:116, 41:06, 41:15, 52:92
16 ⁶	=	-	Negative Control	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B*42 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

OLERUP SSP

HLA-B*42 Product Insert Page 11 of 15
101.543-06 – including *Taq* pol., IFU-01 Visit <u>www.labproducts.caredx.com</u> for 101.543-06u – without *Taq* pol., IFU-02 "Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

⁵Primer mixes 1, 3 and 12 may give rise to a lower yield of HLA-specific PCR product than the other B*42 primer mixes.

⁶Primer mix 16 contains a negative control, which will amplify the majority of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 200 base pairs.

Abbreviations

w: might be weakly amplified.

Lot No.: 3L3

HLA-B*42 101.543-06 - including Taq pol., IFU-01

Page 12 of 15 Visit www.labproducts.caredx.com for "Instructions for Use" (IFU)

101.543-06u – without *Taq* **pol.**, IFU-02

Lot-specific information

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	215	215	215	220	105	165	165	215	170	280	115	105
PCR product											180	
Length of int.	800	1070	1070	1070	800	1070	1070	1070	1070	800	1070	1070
pos. control ¹												
5'-primer(s) ²	97	363	97	357	540	412	412	103	142	363	463	206
	5' -TCT 3'	^{5'} -AgC ^{3'}	^{5'} -TCC ^{3'}	^{5'} -Tgg ^{3'}	^{5'} -gAC ^{3'}	^{5'} -ATA ^{3'}	^{5'} -ATg ^{3'}	5' -CCT 3'	^{5'} -TCT ^{3'}	^{5'} -AgC ^{3'}	^{5'} -TgA ^{3'}	^{5'} -AgA ^{3'}
							419	103			527	
							^{5'} -gTT ^{3'}	5' -CCT 3'			^{5'} -TgA ^{3'}	
							419					
							^{5'} -gTT ^{3'}					
3'-primer(s) ³	272	538	272	538	605	538	538	277	272	603	603	272
. (,	^{5'} -TgT ^{3'}	^{5'} -gTC ^{3'}	^{5'} -TgT ^{3'}	^{5'} -gTC ^{3'}	^{5'} -gCT ^{3'}	^{5'} -gTC ^{3'}	^{5'} -gTC ^{3'}	^{5'} -ggT ^{3'}	^{5'} -TgT ^{3'}	^{5'} -gTC ^{3'}	^{5'} -gTg ^{3'}	^{5'} -Tgg ^{3'}
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15
Length of spec.	65	195	165
PCR product		290	230
<u>.</u>			
Length of int.	1070	1070	1070
pos. control ¹			
5'-primer(s) ²	540	142	412
	^{5'} -gAC ^{3'}	5' -TCT 3'	^{5'} -ATA ^{3'}
		355	649
		5' -TCA 3'	^{5'} -ACT ^{3'}
3'-primer(s) ³	566	289	603
	5' -CCC 3'	^{5'} -AgC ^{3'}	^{5'} -gTg ^{3'}
		302	774
		^{5'} -ggT ^{3'}	^{5'} -ggT ^{3'}
		603	
		^{5'} -gTg ^{3'}	
Well No.	13	14	15

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the antisense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

Page 13 of 15 Visit www.labproducts.caredx.com for "Instructions for Use" (IFU)

Lot No.: 3L3**Lot-specific information**

		CE	LL LI	NE VA	LI	D/	١T	10	N	Sł	ΙE	E.	Γ						
			HLA	-B*42 \$	SS	Pβ	rir	ne	r s	et ²									
											١	Nе	II						
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
				Prod. No.:	202021501	201548802	201548803	201548804	201548805	201548806	201548807	201548808	201548809	201548810	201548811	201548812	201548813	201548814	201899315
	IHW	/C cell line ¹		B*	<u> </u>	<u> </u>	•	•	•							<u> </u>	<u> </u>	•	•
1	9001	_	*07:02		+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
2		LK707	*52:01	*73:01	Ė	-	-	-	-	-	-	-	Ė	-	-	-	-	-	-
3		E4181324	*52:01	70.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4		GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5		KAS011	*37:01		-	-	-	-	-	-	+	+	-	-	-	-	-	-	-
6	9353		*39:01	*51:01	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
7	9020		*18:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
8	9025		*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026	YAR	*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
10	9107	LKT3	*54:01		+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052	DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9025	JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071	OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075	DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*40:02		-	-	-	-	-	-	-	+	-	+	-	-	-	-	-
17	9282	CTM3953540	*08:01	*55:01	+	+	-	-	-	+	-	-	-	-	-	-	-	-	-
18	9257	32367	*14:01	*56:01	+	-	-	-	-	-	-	+	-	-	-	-	-	-	-
19	9038	BM16	*18:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
20	9059	SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064	AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056	KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124	IHL	*40:02	*56:02	+	-	-	-	-	-	-	+	-	+	-	-	-	-	-
24		JBUSH	*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
25		IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285	WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191	CH1007 ¹	*07:05	*51:01	+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
28	9320	BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050	MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021	RSH	*42:01		+	+	-	-	-	+	-	-	+	-	-	-	-	-	-
31		DUCAF	*18:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
32		HAG	*41:02		-	+	-	-	-	+	-	-	-	-	-	-	-	-	-
33		MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104		*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
35		SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36		KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37		HHKB	*07:02		+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
38	9099		*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315		*08:01	*27:05	-	+	-	-	-	+	-	-	-	-	-	-	-	-	-
40		WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41		H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42		TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43		T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057		*38:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
45	9239	SHJO	*42:01	*50:01	+	+	-	-	-	+	-	-	+	-	-	-	-	-	-
46	9013	SCHU	*07:02		+	-	-	-	-	-	-	-	+	-	-	-	-	-	-
47		TUBO ¹	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48		TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



HLA-B*42 Product Insert Page 14 of 15
101.543-06 – including *Taq* pol., IFU-01 Visit www.labproducts.caredx.com for 101.543-06u – without *Taq* pol., IFU-02 "Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

¹The provided cell line HLA specificities are retrieved from the http://www.ihwg.org/hla web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solution 5, 11 and 13 to 15 were available. The specificities of the primers in primer solutions 5, 11, 14 and 15 were tested by separately adding one or two additional 3'-primers, or one additional 5'-primer accordingly. In primer solution 13 it was only possible to test the 5'-primers, the 3'-primers were not possible to be tested. In primer solution 15 one 5'-primer was not possible to be tested. In primer solutions 14 and 15 one or two 3'-primers were not possible to be tested. In addition, one 5'-primer in primer solution 7 was tested by separately adding one 3'-primer.

•LERUP SSP*

HLA-B*42Product InsertPage 15 of 15101.543-06 - including Taq pol., IFU-01Visit www.labproducts.caredx.com for 101.543-06u - without Taq pol., IFU-02"Instructions for Use" (IFU)

Lot No.: 3L3 Lot-specific information

ADDRESSES:

Manufacturer:

CareDx AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-508 939 00 Fax: +46-8-717 88 18

E-mail: orders-se@caredx.com

Web page: https://labproducts.caredx.com/

Distributed by:

CareDx GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00 **Fax:** +43-1-710 15 00 10 **E-mail:** orders-at@caredx.com

Web page: https://labproducts.caredx.com/

CareDx Lab Solutions Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-653-78171 **Fax:** 610-344-7989

E-mail: orders-us@caredx.com

Web page: https://labproducts.caredx.com/

For information on CareDx distributors worldwide, contact CareDx GmbH.