

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

Olerup SSP® HLA-B*49

Product number:	101.547-06 – including <i>Taq</i> polymerase 101.547-06u – without <i>Taq</i> polymerase
Lot number:	4E8
Expiry date:	2019-04-01
Number of tests:	6
Number of wells per test:	20+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 4E8.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-B*49 LOT (3D2).

The HLA-B*49 kit is updated for new alleles to enable separation of:

- Confirmed¹ alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

One well has been added to HLA-B*49, well **21**.

¹As described in section Uniquely Identified Alleles.

The HLA-B*49 primer set, specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP®* HLA-B*49 lot was made (**Lot No. 3D2**). The kit design is based on IMGT/HLA database 3.25.0.

As of lot series V, the Specificity Table is included in the lot-specific Product Insert, and the Interpretation Table is included in the Worksheet.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
16	Moved, exchanged	Moved, exchanged	Primer pair moved to well 20 and exchanged for improved allelic resolution of the B*49:18:01-49:18:02 alleles.
20	Added, exchanged	Added, exchanged	Primer pair added from well 16 and exchanged for improved allelic resolution of the B*49:18:01-49:18:02 alleles. Negative control moved to well 21.
21	-	-	Negative control added from well 20.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

Well **21** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup* SSP® HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.
The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

PRODUCT DESCRIPTION

HLA-B*49 SSP typing

CONTENT

The primer set contains 5'- and 3'-primers for identifying the B*49:01 to B*49:43 alleles.

PLATE LAYOUT

Each HLA-B*49 test consists of 21 PCR reactions in a 24 well cut PCR plate. Wells 22 to 24 are empty.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	NC	empty	empty	empty

The 24 well PCR plate is marked with 'HLA-B*49' in silver/gray ink.

Well No. 1 is marked with the Lot No. '4E8'.

Wells 1 to 20 – HLA-B*49 high resolution primers.

Well 21 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded. The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 24 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles, non-HLA-B*49 alleles will be amplified by primer mixes 1 to 16, 19 and 20. In addition, a few HLA-C alleles will be amplified by primer mixes 3, 6, 7 and 12.

For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the HLA-B*49 alleles, i.e. **B*49:01 to B*49:43**, recognized by the HLA Nomenclature Committee in July 2016^{1,2} will be amplified by the primers in the HLA-B*49 SSP kit.

The HLA-B*49 kit enables separation of the confirmed HLA-B*49 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-B*49 alleles is listed below.

The HLA-B*49 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

The HLA-B*49 subtyping kit cannot distinguish the silent mutations in the B*49:01:01-49:01:08 or the B*49:18:01-49:18:02 alleles.

The following HLA-B*49 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix
B*49:07, B*49:21	9
B*49:08, B*49:16	10
B*49:13, B*49:14	15

¹HLA-B alleles listed on the IMGT/HLA web page 2016-July-14, release 3.25.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
B*49:01:01	Confirmed	B*49:13	Unconfirmed	B*49:33	Unconfirmed
B*49:01:02	Unconfirmed	B*49:14	Unconfirmed	B*49:34	Unconfirmed
B*49:01:03	Unconfirmed	B*49:16	Unconfirmed	B*49:35	Unconfirmed
B*49:01:04	Unconfirmed	B*49:17	Confirmed	B*49:36	Unconfirmed
B*49:01:05	Unconfirmed	B*49:18:01	Confirmed	B*49:37	Unconfirmed
B*49:01:06	Unconfirmed	B*49:18:02	Unconfirmed	B*49:38	Unconfirmed
B*49:01:07	Unconfirmed	B*49:19N	Confirmed	B*49:39	Unconfirmed
B*49:01:08	Unconfirmed	B*49:20	Unconfirmed	B*49:40	Unconfirmed
B*49:02	Confirmed	B*49:21	Confirmed	B*49:41	Unconfirmed
B*49:03	Unconfirmed	B*49:22	Unconfirmed	B*49:42	Unconfirmed
B*49:04:01	Unconfirmed	B*49:23	Confirmed	B*49:43	Unconfirmed
B*49:04:02	Unconfirmed	B*49:24	Unconfirmed		
B*49:05	Unconfirmed	B*49:25	Unconfirmed		
B*49:06	Unconfirmed	B*49:26	Unconfirmed		
B*49:07	Unconfirmed	B*49:27	Confirmed		
B*49:08	Unconfirmed	B*49:28	Unconfirmed		
B*49:09	Confirmed	B*49:29	Unconfirmed		
B*49:10	Unconfirmed	B*49:30	Unconfirmed		
B*49:11	Confirmed	B*49:31	Unconfirmed		
B*49:12	Unconfirmed	B*49:32	Unconfirmed		

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2016-July-14, release 3.25.0, www.ebi.ac.uk/imgt/hla.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-B*49 homo- and heterozygotes is available upon request.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information
SPECIFICITY TABLE

www.olerup-ssp.com

HLA-B*49 SSP subtyping

Specificities and sizes of the PCR products of the 20+1 primer mixes used for HLA-B*49 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-B*49 alleles ³	Other amplified HLA-B alleles ⁴
1	145 bp	800 bp	*49:01:01-49:01:08, 49:04:01-49:14, 49:16-49:25, 49:27- 49:43	*40:13, 40:19, 40:109, 40:117, 40:292, 41:46, 44:18, 44:25, 44:50:01, 44:95, 51:112, 53:30, 53:39, 57:45, 57:51, 57:69
2	145 bp 190 bp 255 bp	800 bp	*49:06 *49:26 *49:02	*58:13 *39:31 *13:23, 13:55, 18:09, 27:01, 27:142, 37:10, 40:47, 40:96, 40:157, 40:201, 44:15, 44:55, 44:103, 44:188, 44:212
3⁵	115 bp 145 bp	800 bp	*49:22 *49:02	*15:33, 15:248, 51:126, 57:54, C*03:87:01- 03:87:02, C*05:27, C*05:39, C*08:115 *40:47, 40:96, 40:110, 40:157, 40:201, 44:02:01:01-44:02:12, 44:02:14-44:02:18, 44:02:20-44:05:02, 44:05:04, 44:07, 44:10, 44:12- 44:17, 44:19N-44:24, 44:26-44:39, 44:41:01- 44:43:02, 44:45, 44:47-44:49, 44:51-44:56N, 44:58N-44:59:02, 44:61N-44:74, 44:76-44:82, 44:84:01-44:89, 44:91-44:94, 44:96-44:128:02, 44:132-44:133, 44:135-44:151, 44:153-44:155, 44:157-44:169, 44:171N-44:195N, 44:197-44:200, 44:202-44:209, 44:211-44:245, 44:247-44:249, 47:04, C*16:85
4	170 bp 205 bp	1070 bp	*49:03 *49:09	*15:32:02, 18:04, 18:125, 40:01:11, 40:58, 44:02:10, 44:34:01, 51:07:01, 52:01:02, 52:01:04, 52:01:09, 52:02:01, 52:03, 52:09, 52:10:03, 52:21, 52:31:02 *13:15, 14:37, 51:62, 51:106, 52:25:01-52:25:02, 56:34
5⁵	105 bp	1070 bp	*49:01:01-49:03, 49:06-49:14, 49:16- 49:17, 49:19N- 49:43	*07:78, 13:02:01-13:02:14, 13:02:16-13:03, 13:08- 13:09, 13:14-13:16, 13:18-13:19, 13:27, 13:30- 13:34, 13:37-13:38, 13:40-13:42, 13:44-13:45, 13:48-13:49N, 13:53-13:56:02N, 13:58, 13:65- 13:70, 13:74-13:75, 13:81-13:82, 13:84-13:85, 13:88-13:89, 13:91, 13:93, 14:37, 15:42, 15:303, 35:60, 44:15, 44:18, 45:01:01-45:01:02, 45:03- 45:08, 45:10-45:19, 46:11, 46:18, 50:01:01-50:02, 50:04-50:08, 50:10-50:11, 50:13, 50:15, 50:18- 50:19, 50:31-50:32, 50:34-50:40, 50:43-50:47, 51:15, 51:157, 52:25:01, 54:01:01-54:03, 54:05N, 54:07-54:08N, 54:10, 54:12-54:13, 54:16-54:30, 54:32-54:35, 55:01:01-55:01:06, 55:01:08-55:03, 55:05, 55:07, 55:09-55:12, 55:15-55:16, 55:18- 55:19, 55:21-55:22, 55:24-55:26, 55:29-55:31, 55:33-55:38, 55:40-55:41, 55:43, 55:45-55:48, 55:50, 55:52, 55:54-55:57, 55:59-55:60,

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

Lot No.: 4E8		Lot-specific information		www.olerup-ssp.com
				55:62-55:67, 55:69-55:78, 56:01:01:01-56:01:08, 56:07-56:08, 56:13-56:14, 56:16-56:17, 56:19N-56:20:02, 56:23-56:30, 56:33-56:49, 59:01:01:01-59:01:01:02, 59:04-59:09
6⁶	160 bp	1070 bp	*49:01:01-49:03, 49:06-49:14, 49:16-49:17, 49:19N-49:36, 49:38-49:40, 49:42-49:43	*13:01:01-13:03, 13:06-13:09, 13:11-13:12:02, 13:14-13:17, 13:19-13:20, 13:22:01-13:23, 13:25, 13:27-13:30, 13:32-13:34, 13:36-13:40, 13:42-13:45, 13:47-13:50, 13:52-13:58, 13:60-13:61, 13:63N-13:70, 13:74-13:78, 13:80-13:85, 13:87-13:93, 14:37, 15:42, 15:86, 15:224, 35:60, 39:17, 40:48, 40:71, 44:10, 46:11, 46:18, 50:01:01-50:02, 50:04-50:08, 50:10-50:13, 50:15-50:19, 50:31-50:32, 50:34-50:38, 50:40-50:46, 51:15, 51:62, 51:106, 51:157, 52:25:01-52:25:02, 54:01:01-54:03, 54:05N, 54:07-54:08N, 54:12-54:13, 54:17-54:19, 54:21-54:32, 54:34-54:35, 55:01:01-55:03, 55:05, 55:07, 55:10-55:12, 55:15-55:16, 55:18-55:19, 55:22, 55:24-55:26, 55:29-55:31, 55:33-55:36, 55:38-55:45, 55:47-55:48, 55:50, 55:53-55:55N, 55:57, 55:59-55:67, 55:69-55:78, 56:01:01:01-56:01:04, 56:01:06-56:02:02, 56:04, 56:07-56:08, 56:10, 56:14, 56:16-56:17, 56:19N-56:20:02, 56:23-56:30, 56:33-56:42, 56:44-56:49, 58:73, 59:01:01:01-59:01:01:02, 59:04-59:09, C*15:91, C*15:128
7⁵	105 bp	1070 bp	*49:04:01-49:05	*13:04, 13:46, 13:72, 15:04:01:01-15:04:04, 15:16:01:01-15:16:03, 15:67, 15:95, 15:137, 15:155, 15:222, 15:254, 15:293, 15:310, 15:362, 35:37, 35:235, 35:265, 35:276, 39:06:01-39:06:05, 39:33-39:34, 39:50, 39:57, 39:62, 39:64, 39:83, 39:90, 39:102, 39:109, 40:86, 40:159, 40:330, 41:30, 45:02, 45:09, 46:32, 50:09, 50:33, 51:13:01-51:13:02, 51:37, 51:63, 51:92:01-51:92:02, 51:97, 51:172, 52:14, 52:39, 55:13-54:14, 55:23, 55:32, 55:58, 55:68, 56:22, 56:50, 59:03, 73:01-73:02, C*07:463, C*12:183
	255 bp		*49:20	*44:15, 44:18, 44:20, 44:47, 44:100, 44:197, 45:01:01-45:03, 45:05-45:07, 45:09, 45:11-45:19, 50:02, 51:23, 51:108, 52:15
8⁵	70 bp	1070 bp	*49:04:02-49:05	*07:78, 07:84, 08:09, 08:84, 13:02:01-13:02:05, 13:02:07-13:04, 13:08-13:09, 13:14-13:16, 13:18-13:19, 13:27, 13:30-13:35, 13:37-13:38, 13:40-13:42, 13:44-13:49N, 13:53-13:56:02N, 13:58-13:59, 13:62, 13:65-13:70, 13:75, 13:81-13:82, 13:84-13:85, 13:88-13:89, 13:91, 13:93, 15:04:01:01-15:04:04, 15:16:01:01-15:16:02, 15:42, 15:67, 15:83, 15:95, 15:137, 15:155, 15:222, 15:254, 15:293, 15:303, 15:310, 15:362, 27:14, 27:81, 27:130, 27:153, 35:60, 35:265, 35:276, 39:06:01-39:06:05, 39:33-39:34, 39:50, 39:57, 39:62, 39:64, 39:83, 39:90, 39:102, 39:109, 40:06:01:01-40:06:15, 40:44, 40:53, 40:70:01-40:70:02, 40:75, 40:83, 40:86, 40:93, 40:95-40:96, 40:103, 40:109-40:110, 40:127, 40:131, 40:148, 40:159, 40:161-40:162, 40:165, 40:177, 40:190, 40:230, 40:244, 40:256N, 40:268-40:270, 40:275,

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

Lot No.: 4E8		Lot-specific information		www.olerup-ssp.com
	155 bp		*49:19N	40:294-40:295, 40:298, 40:306-40:307, 40:311, 40:313, 40:317-40:318, 40:330, 41:01:01-41:01:04, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 41:20-41:22, 41:25-41:26, 41:28-41:30, 41:32-41:33, 41:35, 41:37, 41:44, 42:04, 44:20, 44:47, 44:100, 44:197, 45:14, 46:11, 46:18, 46:32, 50:20, 51:01:01:01-51:01:18, 51:01:20-51:03, 51:05, 51:07:01-51:16, 51:18-51:24:05, 51:26-51:41N, 51:43-51:44N, 51:48-51:55, 51:57-51:58, 51:60-51:61:02, 51:63, 51:65-51:80, 51:82-51:93, 51:95-51:134, 51:136-51:138, 51:140-51:147, 51:149N-51:161, 51:163-51:193, 51:195-51:208, 52:01:01:01-52:40, 52:42-52:61, 54:01:01-54:05N, 54:07-54:08N, 54:10-54:14, 54:16-54:35, 55:01:01-55:01:06, 55:01:08-55:03, 55:05, 55:07, 55:09-55:13, 55:15-55:26, 55:28-55:48, 55:50, 55:52-55:78, 56:01:01:01-56:01:08, 56:05:01-56:08, 56:13-56:17, 56:19N-56:30, 56:33-56:50, 58:08:01-58:08:02, 59:01:01:01-59:09, 73:01-73:02, 78:01:01-78:09
	155 bp	800 bp	*49:21	
9	240 bp		*49:07	*45:10, 50:31
10⁵	80 bp	800 bp	*49:16	
	250 bp		*49:08	*52:33
11	505 bp	1070 bp		*08:03, 08:52, 08:78, 37:34, 38:30, 41:46, 44:06, 44:18, 44:25, 44:95, 51:08:01-51:08:02, 51:20, 51:36, 51:44N, 51:97, 51:141, 51:153, 52:19, 53:22, 57:09, 57:24
12	135 bp	1070 bp	*49:10, 49:24, 49:31	*15:46, 15:53, 15:106, 18:107, 35:47, 35:154, 40:10:01:01-40:10:02, 40:40, 40:49, 40:58, 40:110, 40:129, 40:164, 40:210, 40:219, 40:229, 40:325, 41:33, 44:02:01:01-44:02:31, 44:02:33-44:03:15, 44:03:17-44:03:29, 44:03:31-44:05:04, 44:09-44:14, 44:16-44:17, 44:19N-44:39, 44:41:01-44:43:02, 44:45-44:48, 44:50:01-44:54, 44:56N, 44:58N-44:59:02, 44:61N-44:80, 44:82, 44:84:01-44:102, 44:104-44:110, 44:112-44:129, 44:132-44:133, 44:135-44:144, 44:146-44:155, 44:157-44:187, 44:189-44:193, 44:195N-44:199, 44:201-44:209, 44:211, 44:213-44:224, 44:226-44:245, 44:247-44:249, 47:01:01:01-47:10, 50:13, 50:43, 53:30, 57:45, 57:69, C*16:85
13⁶	150 bp	1070 bp	*49:11	*13:01:01-13:03, 13:06-13:09, 13:11-13:12:02, 13:14-13:15, 13:17, 13:18 ^w , 13:19, 13:22:01-13:23, 13:25, 13:27-13:30, 13:32-13:34, 13:36-13:40, 13:42-13:45, 13:47, 13:49N-13:50, 13:52-13:58, 13:60-13:61, 13:63N-13:70, 13:73 ^w , 13:74-13:78, 13:80-13:85, 13:87-13:88, 13:90-13:93, 15:86, 15:224, 35:60, 40:48, 40:71, 44:10, 46:11, 46:18, 51:15, 51:157, 54:01:01-54:03, 54:05N, 54:07-54:08N, 54:10 ^w , 54:12-54:13, 54:17-54:19, 54:21-54:32, 54:34-54:35, 55:02:01:01-55:02:10, 55:07, 55:10, 55:12, 55:16, 55:18-55:19, 55:22, 55:26, 55:30, 55:34-55:35, 55:37 ^w , 55:39, 55:41-55:43,

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

Lot No.: 4E8		Lot-specific information		www.olerup-ssp.com
				55:47-55:48, 55:50, 55:61-55:63, 55:65, 55:67, 55:69-55:72, 55:77, 56:01:01:01-56:01:04, 56:01:06-56:02:02, 56:04, 56:07-56:08, 56:10, 56:14, 56:16-56:17, 56:19N-56:20:02, 56:23-56:24, 56:26-56:29, 56:33-56:36, 56:38N-56:42, 56:44-56:49, 56:51 ^w , 58:73, 59:01:01:01-59:01:01:02, 59:04-59:09
14	155 bp 190 bp	1070 bp	*49:19N *49:12, 49:17	*51:130, 51:177
15⁶	160 bp 190 bp 290 bp	1070 bp	*49:13 *49:17 *49:14	*51:177
16	170 bp	800 bp	*49:03	*15:32:02, 18:04, 18:125, 40:01:11, 40:58, 44:02:10, 44:34:01, 51:07:01, 52:01:02, 52:01:04, 52:01:09, 52:02:01, 52:03, 52:09, 52:10:03, 52:21, 52:31:02
17	180 bp	1070 bp	*49:23	
18	175 bp	1070 bp	*49:27	
19⁵	95 bp	1070 bp	*49:04:01-49:04:02	*07:84, 13:04, 13:35, 13:72, 15:04:01:01-15:04:04, 15:16:01:01-15:16:03, 15:67, 15:95, 15:155, 15:222, 15:254, 15:293, 15:310, 15:362, 35:37, 35:235 ^w , 35:265, 40:44, 40:159, 41:21, 45:09, 46:32, 51:37, 51:90, 51:92:01 ^w -51:92:02 ^w , 52:12, 54:14, 55:23, 55:27, 55:68, 56:50
20⁵	100 bp	1070 bp	*49:18:01-49:18:02	*41:01:01-41:01:04, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 41:20-41:22, 41:25-41:26, 41:28-41:29, 41:32-41:35, 41:37, 44:100, 44:197, 50:14, 50:20
21⁷	-	-	Negative Control	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B*49 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

⁴Due to the sharing of sequence motifs between HLA-B alleles, non-HLA-B*49 alleles will be amplified by primer mixes 1 to 16, 19 and 20. In addition, a few HLA-C alleles will be amplified by primer mixes 3, 6, 7 and 12.

⁵HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁶Primer mixes 6, 13 and 15 may have tendencies of unspecific amplifications.

⁷Primer mix 21 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

‘w’, may be weakly amplified.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	145	145	115	170	105	160	105	70	155	80	505	135
		190	145	205			255	155	240	250		
		255										
Length of int. pos. control ¹	800	800	800	1070	1070	1070	1070	1070	800	800	1070	1070
5'-primer(s) ²	206	97	206	141	357	420	357	357	206	357	317	97
	5'-gAA 3'	5'-TCC 3'	5'-gAA 3'	5'-ATT 3'	5'-Tgg 3'	5'-TTA 3'	5'-Tgg 3'	5'-Tgg 3'	5'-gAA 3'	5'-Tgg 3'	5'-gCT 3'	5'-TCT 3'
		454	485	420					362			
		5'-ACA 3'	5'-CAA 3'	5'-TTA 3'					5'-gAg 3'			
3'-primer(s) ³	309	246	309	272	420	538	419	387	319	394	538	193
	5'-ATC 3'	5'-TAT 3'	5'-gTg 3'	5'-Tgg 3'	5'-gCT 3'	5'-CAg 3'	5'-Cgg 3'	5'-TCC 3'	5'-gCA 3'	5'-gCA 3'	5'-gTC 3'	5'-CgT 3'
		309	559	583			419	470	559	565		
		5'-gTg 3'	5'-CAg 3'	5'-gTg 3'			5'-CgA 3'	5'-TCT 3'	5'-CTC 3'	5'-CAg 3'		
		559					572					
		5'-CAg 3'					5'-gCg 3'					
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20
Length of spec. PCR product	150	155	160	170	180	175	95	100
		190	190					
			290					
Length of int. pos. control ¹	1070	1070	1070	800	1070	1070	1070	1070
5'-primer(s) ²	420	357	357	141	357	140	357	362
	5'-TTA 3'	5'-Tgg 3'	5'-Tgg 3'	5'-ATT 3'	5'-Tgg 3'	5'-CAC 3'	5'-Tgg 3'	5'-gAg 3'
3'-primer(s) ³	527	470	476	272	497	272	409	419
	5'-CCA 3'	5'-TCT 3'	5'-CCC 3'	5'-Tgg 3'	5'-Tgg 3'	5'-Tgg 3'	5'-ATg 3'	5'-CgT 3'
		505	506					
		5'-gCT 3'	5'-Tgg 3'					
		506	608					
		5'-Tgg 3'	5'-gCT 3'					
Well No.	13	14	15	16	17	18	19	20

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET																			
HLA-B*49 SSP primer set²																			
			Prod. No.:	Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				201550601	201550602	201550603	201550604	201550605	201550606	201550607	201550608	201550609	201550610	201550611	201550612	201550613	201550614	201550615	201673316
	IHWC cell line¹	B*																	
1	9001 SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	-	-	+	+	-	-	-	-	-	-	-	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*37:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
7	9020 QBL	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*54:01		-	-	-	-	+	+	-	+	-	-	-	-	+	-	-	-
11	9051 PITOUT	*44:03		-	-	+	-	-	-	-	-	-	-	-	+	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9025 JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	+	+	-	+	-	-	-	-	-	-	-	-
18	9257 32367	*14:01	*56:01	-	-	-	-	+	+	-	+	-	-	-	-	+	-	-	-
19	9038 BM16	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	+	-	-	-	-	-	-	+	-	-	-
24	9035 JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	+	-	-	-	-	-	-	-	-	+	-	-	-	-
29	9050 MOU	*44:03		-	-	+	-	-	-	-	-	-	-	-	+	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*44:02		-	-	+	-	-	-	-	-	-	-	-	+	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	+	+	-	+	-	-	-	-	+	-	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*42:01	*50:01	-	-	-	-	+	+	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	+	-	-	-	-	-	-	-	-	+	-	-	-	-

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET								
HLA-B*49 SSP primer set²								
				Well				
				17	18	19	20	
				Prod. No.:	201550617	201550618	201550619	201673320
IHC cell line¹			B*					
1	9001	SA	*07:02		-	-	-	-
2	9280	LK707	*52:01	*73:01	-	-	-	-
3	9011	E4181324	*52:01		-	-	-	-
4	9275	GU373	*15:10	*53:01	-	-	-	-
5	9009	KAS011	*37:01		-	-	-	-
6	9353	SM	*39:01	*51:01	-	-	-	-
7	9020	QBL	*18:01		-	-	-	-
8	9025	DEU	*35:01		-	-	-	-
9	9026	YAR	*38:01		-	-	-	-
10	9107	LKT3	*54:01		-	-	-	-
11	9051	PITOUT	*44:03		-	-	-	-
12	9052	DBB	*57:01		-	-	-	-
13	9025	JESTHOM	*27:05		-	-	-	-
14	9071	OLGA	*15:01	*15:20	-	-	-	-
15	9075	DKB	*40:01		-	-	-	-
16	9037	SWEIG007	*40:02		-	-	-	-
17	9282	CTM3953540	*08:01	*55:01	-	-	-	-
18	9257	32367	*14:01	*56:01	-	-	-	-
19	9038	BM16	*18:01		-	-	-	-
20	9059	SLE005	*40:01		-	-	-	-
21	9064	AMALA	*15:01		-	-	-	-
22	9056	KOSE	*35:03		-	-	-	-
23	9124	IHL	*40:02	*56:02	-	-	-	-
24	9035	JBUSH	*38:01		-	-	-	-
25	9049	IBW9	*14:02		-	-	-	-
26	9285	WT49	*58:01		-	-	-	-
27	9191	CH1007	*07:05	*51:01	-	-	-	-
28	9320	BEL5GB	*44:02	*44:03	-	-	-	-
29	9050	MOU	*44:03		-	-	-	-
30	9021	RSH	*42:01		-	-	-	-
31	9019	DUCAF	*18:01		-	-	-	-
32	9297	HAG	*41:02		-	-	-	-
33	9098	MT14B	*40:01		-	-	-	-
34	9104	DHIF	*38:01		-	-	-	-
35	9302	SSTO	*44:02		-	-	-	-
36	9024	KT17	*15:01	*35:01	-	-	-	-
37	9065	HHKB	*07:02		-	-	-	-
38	9099	LZL	*15:01		-	-	-	-
39	9315	CML	*08:01	*27:05	-	-	-	-
40	9134	WHONP199	*13:02	*46:01	-	-	-	-
41	9055	H0301	*14:02		-	-	-	-
42	9066	TAB089	*46:01		-	-	-	-
43	9076	T7526	*46:01		-	-	-	-
44	9057	TEM	*38:01		-	-	-	-
45	9239	SHJO	*42:01	*50:01	-	-	-	-
46	9013	SCHU	*07:02		-	-	-	-
47	9045	TUBO	*51:01		-	-	-	-
48	9303	TER-ND	*35:01	*44:03	-	-	-	-

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: 4E8

Lot-specific information

www.olerup-ssp.com

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 2, 4, 9 to 11 and 14 to 18 were available. The specificities of the primers in primer solutions 2, 4, 9, 11 and 16 were tested by separately adding additional 3'-primers, respectively additional 5'-primers. In primer solution 10, 14, 15 and 17 it was only possible to test the 5'-primer, the 3'-primers were not possible to test. In primer solution 18 it was only possible to test the 3'-primer, the 5'-primer was not possible to test. In primer solution 2 one 5'-primer was not possible to test, and in primer solutions 8 and 9, one 3'-primer was not possible to test. One additional 5'-primer and one additional 3'-primer in primer solution 3 were tested by separately adding one 5'-primer respectively one 3'-primer.

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

101.547-06 – including *Taq* pol., IFU-01
101.547-06u – without *Taq* pol., IFU-02

Visit www.olerup-ssp.com for
“Instructions for Use” (IFU)

Lot No.: **4E8**

Lot-specific information

www.olerup-ssp.com

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: <http://www.olerup-ssp.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: support-at@olerup.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: info.us@olerup.com

Web page: <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.