HLA-B\*50 Product Insert Page 1 of 20

101.548-06u - without Tag polymerase

General "Instructions for Use" IFU-02 Rev. No. 03 can be downloaded from

Lot No.: **67M Lot-specific Information** www.olerup-ssp.com

# Olerup SSP® HLA-B\*50

**Product number:** 101.548-06u – without *Taq* polymerase

Lot number: 67M

Expiry date: 2014-March-01

Number of tests: 6 Number of wells per test: 16

Storage - pre-aliquoted primers: dark at -20°C

> - PCR Master Mix: -20°C - Adhesive PCR seals **RT** - Product Insert **RT**

This Product Description is only valid for Lot No. 67M.

## CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-B\*50 Lot.

The HLA-B\*50 specificity and interpretation tables have been updated for the HLA-B alleles described since the previous Olerup SSP® HLA-B\*50 lot was made (Lot No. 49K).

> Four wells have been added to the HLA-B\*50 kit. wells 13 to 16.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
3	-	-	Exchanged positive control primer pair.
13	New	New	New primer pairs for the B*50:10 and 50:12 alleles.
14	New	New	New primer pair for the B*50:11 allele.
15	New	New	New primer pair for the B*50:13 allele.
16	New	New	New primer pair for the B*50:14 allele.

101.548-06u - without *Taq* polymerase

General "Instructions for Use" IFU-02 Rev. No. 03 can be downloaded from

Lot No.: 67M Lot-specific Information www.olerup-ssp.com

### PRODUCT DESCRIPTION

### **HLA-B\*50 SSP typing**

#### CONTENT

The primer set contains 5'- and 3'-primers for identifying the B\*50:01 to B\*50:14 alleles.

#### PLATE LAYOUT

Each HLA-B\*50 test consists of 16 PCR reactions in a 16 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

The 16 well PCR plate is marked with 'HLA-B\*50' in silver/gray ink.

Well No. 1 is marked with the Lot No. '67M'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

**Please note:** When removing each 16 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

#### INTERPRETATION

The interpretation of HLA-B\*50 SSP subtypings will be influenced by three B\*07, B\*08:09, most B\*13, two B\*14, several B\*15, the B\*18:48, two B\*27, eight B\*35, nine B\*39, most B\*40, the B\*41, the B\*42:04, most B\*44, the B\*45, two B\*46, the B\*47, the B\*49, most B\*51, the B\*52, the B\*53:07, most B\*54, most B\*55, most B\*56, the B\*57:45, two B\*58, the B\*59, the B\*73 and the B\*78 alleles when present on the other haplotype. In addition, the C\*03:12, C\*03:19, C\*03:102 and C\*15:26 alleles will be amplified by primer mix 3, and the C\*04:08, C\*04:34, C\*05:27, C\*05:39, C\*08:41 and C\*17:07 alleles will be amplified by primer mix 12.

#### UNIQUELY IDENTIFIED ALLELES

All the HLA-B\*50, i.e. **B\*50:01 to B\*50:14**, recognized by the HLA Nomenclature Committee in July 2011<sup>1</sup> will be amplified by the primers in the HLA-B\*50 SSP kit.

<sup>1</sup>HLA-B alleles listed on the IMGT/HLA web page 2011-July-14, release 3.5.0, www.ebi.ac.uk/imgt/hla.

Lot No.: 67M Lot-specific Information www.olerup-ssp.com

### **RESOLUTION IN HOMO- AND HETEROZYGOTES**

A total of 15 alleles generate 13 amplification patterns that can be combined in 91 homozygous and heterozygous combinations. 30 of these genotypes do not give rise to unique amplification patterns. The different lengths of the specific PCR products were not considered in these calculations.

```
+-++++- -----
                 *50:04. *50:10 = *50:04. *50:12
+-++++- -----
                 *50:01:01, *50:04 = *50:04, *50:04
+--++++ -----
                 *50:05, *50:10 = *50:05, *50:12
+--++++
                 *50:01:01, *50:05 = *50:05, *50:05
+--+++- +----
                 *50:06, *50:10 = *50:06, *50:12
                 *50:07, *50:10 = *50:07, *50:12
+--+++- -+---
+--+++- -+----
                 *50:01:01, *50:07 = *50:07, *50:07
+--+++- --+---
                 *50:08, *50:10 = *50:08, *50:12
*50:10, *50:13 = *50:12, *50:13
+--+++- ----+-
+--+++- -----
                 *50:01:01, *50:10 = *50:01:01, *50:12 = *50:10, *50:10 =
                 *50:10, *50:12
+--+++- ----+--
                 *50:01:01, *50:11 = *50:11, *50:11
+--++++- *50:01:01, *50:13 = *50:13, *50:13
```

<sup>\*50:01:01 = \*50:01:01 - \*50:01:03</sup> 

Lot No.: 67M Lot-specific Information www.olerup-ssp.com

## **SPECIFICITY TABLE**

## **HLA-B\*50 SSP subtyping**

Specificities and sizes of the PCR products of the 16 primer mixes used for HLA-B\*50 SSP subtyping

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified HLA-B*50 alleles	Other amplified HLA Class I alleles <sup>3</sup>
1	255 bp	800 bp	*50:01:01- 50:01:03, 50:04-50:11, 50:13-50:14	*07:78, 07:84, 08:09, 13:02:01-13:04, 13:08Q-13:09, 13:14-13:16, 13:18-13:19, 13:27, 13:30-13:35, 13:37-13:38, 13:40-13:42, 13:44-13:49N, 15:04, 15:16:01-15:16:03, 15:42, 15:67, 15:83, 15:95, 15:137, 15:155, 15:222, 27:14, 27:81, 35:37, 35:60, 39:06:01-39:06:02, 39:33-39:34, 39:50, 39:57, 39:62, 39:64, 40:06:01:01-40:06:04, 40:44, 40:53, 40:70, 40:75, 40:83, 40:109-40:110, 40:127, 40:131, 40:148, 40:159, 40:161-40:162, 40:165, 40:167, 41:01, 41:05-41:07, 41:09, 41:12, 41:14, 41:16-41:17, 42:04, 45:04, 45:08, 45:10, 46:11, 46:18, 49:01:01-49:19N, 51:01:01-51:03, 51:05, 51:07:01-51:22, 51:24:01-51:24:04, 51:26-51:41N, 51:43-51:44N, 51:48-51:55, 51:57-51:58, 51:60-51:61, 51:63, 51:65-51:69, 51:71-51:80, 51:82-51:107, 51:109-51:122, 52:01:01:01-52:14, 52:16-52:26, 54:01:01-54:05N, 54:07-54:08N, 54:10-54:24, 55:01:01-55:01:06, 55:02:01-55:03, 55:05, 55:57, 55:09-55:13, 55:15-55:48, 55:50, 55:52-55:53, 56:01:01-56:01:04, 56:05:01-56:08, 56:13-56:17, 56:19N-56:30, 58:08:01-58:08:02, 59:01:01:01-59:05, 73:01-73:02, 78:01:01-78:07
2	255 bp	1070 bp	*50:02	*44:15, 44:18, 44:20, 44:47, 44:100, 45:01-45:03, 45:05-45:07, 45:09, 45:11-45:13, 49:20, 51:23, 51:108, 52:15
3 <sup>4</sup>	80 bp	800 bp	*50:04	*15:18:03, 15:73, 15:224, 39:17, 40:48, 40:71, 51:62, 56:04, <b>C*03:12, C*03:19, C*03:102, C*15:26</b>
4 <sup>4</sup>	105 bp	1070 bp	*50:01:01- 50:02,	*07:78, 13:02:01-13:03, 13:08Q-13:09, 13:14-13:16, 13:18-13:19, 13:27,

HLA-B\*50 Product Insert Page 5 of 20 101.548-06u – without *Taq* polymerase General "Instructions for Use"

IFU-02 Rev. No. 03 can be downloaded from

			50:04-50:08, 50:10-50:11, 50:13	13:30-13:34, 13:37-13:38, 13:40-13:42, 13:44-13:45, 13:48-13:49N, 15:42, 35:60, 44:15, 44:18, 45:01, 45:03-45:08, 45:10-45:13, 46:11, 46:18, 49:01:01-49:03, 49:06-49:17, 49:19N-49:20, 51:15, 52:25, 54:01:01-54:03, 54:05N, 54:07-54:08N, 54:10, 54:12-54:13, 54:16-54:24, 55:01:01-55:01:06, 55:02:01-55:03, 55:05, 55:07, 55:09-55:12, 55:15-55:16, 55:18-55:19, 55:21-55:22, 55:24-55:26, 55:29-55:31, 55:33-55:38, 55:40-55:41, 55:43, 55:45-55:48, 55:50, 55:52, 56:01:01-56:01:04, 56:07-56:08, 56:13-56:14, 56:16-56:17, 56:19N-56:20:02, 56:23-56:30, 59:01:01:01-59:01:01:02, 59:04-59:05
5	145 bp	1070 bp	*50:01:01- 50:02, 50:04- 50:05, 50:07- 50:14	*07:133, 15:46, 15:53, 15:106, 15:143, 15:212, 18:48, 35:19, 35:47, 35:63, 35:154, 40:01:01-40:11:02, 40:14:01-40:16, 40:18, 40:20, 40:22N-40:40, 40:42-40:45, 40:48-40:75, 40:77-40:92, 40:94-40:95, 40:97-40:108, 40:111-40:116, 40:118N-40:136, 40:138-40:156, 40:158-40:173, 41:01-41:04, 41:06-41:19, 44:09, 44:46, 44:75, 44:90, 44:129, 44:131, 45:01-45:13, 47:02, 47:03 <sup>w</sup>
6 <sup>5</sup>	160 bp	1070 bp	*50:01:01- 50:02, 50:04- 50:08, 50:10- 50:13	*13:01:01-13:03, 13:06-13:09, 13:11-13:12, 13:14-13:17, 13:19-13:20, 13:22:01-13:23, 13:25, 13:27-13:30, 13:32-13:34, 13:36-13:40, 13:42-13:45, 13:47-13:50, 15:42, 15:86, 15:224, 35:60, 39:17, 40:48, 40:71, 44:10, 46:11, 46:18, 49:01:01-49:03, 49:06-49:17, 49:19N-49:20, 51:15, 51:62, 51:106, 52:25, 54:01:01-54:03, 54:05N, 54:07-54:08N, 54:12-54:13, 54:17-54:19, 54:21-54:24, 55:01:01-55:03, 55:05, 55:07, 55:10-55:12, 55:15-55:16, 55:18-55:19, 55:22, 55:24-55:26, 55:29-55:31, 55:33-55:36, 55:38-55:45, 55:47-55:48, 55:50, 55:53, 56:01:01-56:02, 56:04, 56:07-56:08, 56:10, 56:14, 56:16-56:17, 56:19N-56:20:02, 56:23-56:30, 59:01:01:01-59:01:01:02, 59:04-59:05
7	150 bp	1070 bp	*50:01:01- 50:01:02, 50:01:03 <sup>w</sup> ,	*07:78 <sup>w</sup> , 13:16 <sup>w</sup> , 13:20 <sup>w</sup> , 13:48 <sup>w</sup> , 15:42 <sup>w</sup> , 49:01:01, 49:01:03-49:03, 49:06-49:10, 49:12-49:17, 49:19N-49:20, 51:62 <sup>w</sup> ,

Lot No.: 67M Lot-specific Information www.olerup-ssp.com

			50:02, 50:04- 50:08, 50:10- 50:13	51:106 <sup>w</sup> , 52:25 <sup>w</sup> , 54:20 <sup>w</sup> , 55:01:01 <sup>w</sup> -55:01:07 <sup>w</sup> , 55:03 <sup>w</sup> , 55:05 <sup>w</sup> , 55:09 <sup>w</sup> , 55:11 <sup>w</sup> , 55:15 <sup>w</sup> , 55:24 <sup>w</sup> -55:25 <sup>w</sup> , 55:29 <sup>w</sup> , 55:31 <sup>w</sup> , 55:33 <sup>w</sup> , 55:36 <sup>w</sup> , 55:38 <sup>w</sup> , 55:40 <sup>w</sup> , 55:44 <sup>w</sup> -55:45 <sup>w</sup> , 55:52 <sup>w</sup> -55:53 <sup>w</sup> , 56:25 <sup>w</sup>
8	135 bp	1070 bp	*50:05	
9	150 bp	800 bp	*50:06	
10 <sup>4</sup>	90 bp	800 bp	*50:07	*40:83, 40:170, 44:07
11	280 bp	1070 bp	*50:08	
12	180 bp	1070 bp	*50:09	*14:19, 14:27, 15:137, 45:02, 53:07, C*04:08, C*04:34, C*05:27, C*05:39, C*08:41, C*17:07
13 <sup>4,6</sup>	105 bp, 270 bp	800 bp	*50:10, 50:12	·
14	300 bp	1070 bp	*50:11	
15	135 bp	1070 bp	*50:13	*15:46, 15:53, 15:106, 35:47, 35:154, 40:10:01-40:10:02, 40:40, 40:49, 40:58, 40:110, 40:129, 40:164, 44:02:01:01-44:05:03, 44:09-44:14, 44:16-44:17, 44:19N-44:39, 44:41:01-44:43:02, 44:45-44:48, 44:50-44:54, 44:56N, 44:58N-44:59, 44:61N-44:80, 44:82, 44:84-44:102, 44:104-44:110, 44:112-44:129, 44:132-44:133, 47:01:01:01-47:08, 49:10, 57:45
16 <sup>4</sup>	95 bp	1070 bp	*50:14	*35:01:10, 35:04:02, 40:28, 49:18, 51:56:01-51:56:02, 55:01:04

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B\*50 SSP typings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-B\*50 SSP subtyping. In addition, wells number 3, 9, 10 and 13 contain the primer pair giving rise to the shorter, 800 bp, internal positive

HLA-B\*50 **Product Insert** Page 7 of 20 General "Instructions for Use"

101.548-06u - without *Taq* polymerase

IFU-02 Rev. No. 03 can be downloaded from

Lot No.: 67M **Lot-specific Information** www.olerup-ssp.com

control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>Due to the sharing of sequence motifs between HLA-B alleles non-HLA-B\*50 alleles will be amplified by primer mixes 1 to 7, 10, 12, 15 and 16. In addition, the C\*03:12, C\*03:19, C\*03:102 and C\*15:26 alleles will be amplified by primer mix 3, and the C\*04:08, C\*04:34, C\*05:27, C\*05:39, C\*08:41 and C\*17:07 alleles will be amplified by primer mix 12.

<sup>4</sup>Short specific PCR fragments are less intense and not as sharp as longer specific bands.

<sup>5</sup>Primer mix 6 may yield less specific PCR product than the other HLA-B\*50 primer mixes.

<sup>6</sup>Primer mix 13: Specific PCR fragment of 105 bp in the B\*50:12 allele. Specific PCR fragment of 270 bp in the B\*50:10 allele.

'w', may be weakly amplified.

IN	FERPRET	ATIO	N TA	BLE				
Н	LA-B*50 S	SP su	ubtypi	ng				
Amplification					14 allele	es		
				W	ell <sup>5</sup>			
	1	2	3	4	5	6	7	8
Length of spec.	255	255	80	105	145	160	150	135
PCR product								
Length of int.	800	1070	800	1070	1070	1070	1070	1070
pos. control <sup>1</sup>								
5'-primer <sup>2</sup>	357	357	379	357	206	420	420	97
	<sup>5'</sup> -Tgg <sup>3'</sup>	<sup>5'</sup> -Tgg <sup>3'</sup>	<sup>5'</sup> -ACg <sup>3'</sup>	<sup>5'</sup> -Tgg <sup>3'</sup>	<sup>5'</sup> -gAA <sup>3'</sup>	<sup>5'</sup> -TTA <sup>3'</sup>	<sup>5'</sup> -TTA <sup>3'</sup>	<sup>5'</sup> -TCC <sup>3'</sup>
3'-primer <sup>3</sup>	572	572	420	420	311	538	527	191
	<sup>5'</sup> -gCC <sup>3'</sup>	<sup>5'</sup> -gCg <sup>3'</sup>	<sup>5'</sup> -gCT <sup>3'</sup>	<sup>5'</sup> -gCT <sup>3'</sup>	<sup>5'</sup> -ggT <sup>3'</sup>	<sup>5'</sup> -CAg <sup>3'</sup>	<sup>5'</sup> -CCT <sup>3'</sup>	<sup>5'</sup> -TgA <sup>3'</sup>
HLA-B allele <sup>4</sup>								
Well No.	1	2	3	4	5	6	7	8
*50:01:01-50:01:02	1			4	5	6	7	
*50:01:03	1			4	5	6	w	
*50:02		2		4	5	6	7	
*50:04	1		3	4	5	6	7	
*50:05	1			4	5	6	7	8
*50:06	1			4		6	7	
*50:07	1			4	5	6	7	
*50:08	1			4	5	6	7	
*50:09	1				5			
*50:10	1			4	5	6	7	
*50:11	1			4	5	6	7	
*50:12					5	6	7	
*50:13	1			4	5	6	7	
*50:14	1				5			
*07:78, 54:20, 55:09, 55:52	1			4			w	
Well No.	1	2	3	4	5	6	7	8

	INTERPRETATION TABLE												
				HL	A-B*5	0 SSF	subt	yping					
		Α	mplifica	ation p	atterns	of the	B*50:0	1 to B*50:14 alleles					
				ell <sup>5</sup>									
9	10	11	12	13	14	15	16						
150	90	280	180	105	300	135	95	Length of spec.					
				270				PCR product					
800	800	1070	1070	800	1070	1070	1070	Length of int.					
								pos. control <sup>1</sup>					
97	142	357	420	81	357	97	379	5'-primer <sup>2</sup>					
5' -TCC 3'	5' -TCA 3'	<sup>5'</sup> -Tgg <sup>3'</sup>	5' -TTC 3'	<sup>5'</sup> -CAg <sup>3'</sup>	<sup>5'</sup> -Tgg <sup>3'</sup>	5' -TCT 3'	5' -ACC 3'	- passes					
				355									
				<sup>5'</sup> -CTg <sup>3'</sup>									
206	193	594	559	311	616	193	435	3'-primer <sup>3</sup>					
5' -CCC 3'	<sup>5'</sup> -CgC <sup>3'</sup>		<sup>5'</sup> -CAg <sup>3'</sup>	<sup>5'</sup> -ggT <sup>3'</sup>	<sup>5'</sup> -CgT <sup>3'</sup>	<sup>5'</sup> -CgT <sup>3'</sup>	5' -TCT 3'	o pililoi					
	_		_	420	_								
				<sup>5'</sup> -gCT <sup>3'</sup>									
								HLA-B allele <sup>4</sup>					
9	10	11	12	13	14	15	16	Well No.					
								*50:01:01-50:01:02					
								*50:01:03					
								*50:02					
								*50:04					
								*50:05					
9								*50:06					
	10							*50:07					
		11						*50:08					
			12					*50:09					
				13				*50:10					
					14			*50:11					
				13				*50:12					
						15		*50:13					
							16	*50:14					
								*07:78, 54:20, 55:09, 55:52					
9	10	11	12	13	14	15	16	Well No.					

Lot No.: **67M** 

**Lot-specific Information** 

Length of spec.	255	255	80	105	145	160	150	135
PCR product								
Well No.	1	2	3	4	5	6	7	8
*07:84, 08:09, 13:04, 13:35, 13:46,								
15:04, 15:16:01-15:16:03, 15:67,								
15:83, 15:95, 15:155, 15:222, 27:14,								
27:81, 35:37, 39:06:01-39:06:02,								
39:33-39:34, 39:50, 39:57, 39:62,								
39:64, 40:93, 40:96, 40:109, 41:05,								
42:04, 49:04-49:05, 51:01:01-51:03,								
51:05, 51:07:01-51:14, 51:16-51:22,								
51:24:01-51:24:04, 51:26-51:41N,								
51:43-51:44N, 51:48-51:55, 51:57-	1							
51:58, 51:60-51:61, 51:63, 51:65-								
51:69, 51:71-51:80, 51:82-51:105,								
51:107, 51:109-51:122, 52:01:01:01-								
52:14, 52:16-52:24, 52:26, 54:04,								
54:11, 54:14-54:15, 55:13, 55:17,								
55:20, 55:23, 55:27-55:28, 55:32,								
56:05:01-56:06, 56:15, 56:21-56:22,								
58:08:01-58:08:02, 59:02-59:03,								
73:01-73:02, 78:01:01-78:07								
*07:133, 15:143, 15:212, 18:48,								
35:19, 35:63, 40:01:01-40:05, 40:07-								
40:09, 40:11:01-40:11:02, 40:14:01-								
40:16, 40:18, 40:20, 40:22N-								
40:27:02, 40:29-40:39, 40:42-40:43,								
40:45, 40:50-40:52, 40:54-40:57,								
40:59-40:69, 40:72:01-40:74, 40:77-								
40:82, 40:84-40:85, 40:87:01-40:92,					5			
40:94, 40:97-40:102, 40:104-40:108,								
40:111-40:116, 40:118N-40:126,								
40:128, 40:130, 40:132-40:136,								
40:138-40:147, 40:149-40:156,								
40:158, 40:160, 40:163, 40:166,								
40:168-40:169, 40:171-40:173,								
41:02:01-41:04, 41:08, 41:10-41:11,								
41:13, 41:15, 41:18-41:19, 44:131								
*13:01:01-13:01:06, 13:06-13:07N,								
13:11-13:12, 13:17, 13:22:01-13:23,						6		
13:25, 13:28-13:29, 13:36, 13:39,								
13:43, 13:50, 15:86, 56:02, 56:10								
Well No.	1	2	3	4	5	6	7	8

HLA-B\*50 Product Insert 101.548-06u – without *Taq* polymerase

Page 11 of 20 General "Instructions for Use"

IFU-02 Rev. No. 03 can be downloaded from

Lot No.: **67M** 

**Lot-specific Information** 

150 90 280 180 105 300 135 95 Length of s 270 PCR pro- 9 10 11 12 13 14 15 16 Well *07:84, 08:09, 13:04, 13:35, 13 15:04, 15:16:01-15:16:03, 15 15:83, 15:95, 15:155, 15:222, 27 27:81, 35:37, 39:06:01-39:06 39:33-39:34, 39:50, 39:57, 39 39:64, 40:93, 40:96, 40:109, 41 42:04, 49:04-49:05, 51:01-51 51:05, 51:07:01-51:14, 51:16-51
9 10 11 12 13 14 15 16 *07:84, 08:09, 13:04, 13:35, 13 15:04, 15:16:01-15:16:03, 15 15:83, 15:95, 15:155, 15:222, 27 27:81, 35:37, 39:06:01-39:06 39:33-39:34, 39:50, 39:57, 39 39:64, 40:93, 40:96, 40:109, 41 42:04, 49:04-49:05, 51:01:01-51
*07:84, 08:09, 13:04, 13:35, 13 15:04, 15:16:01-15:16:03, 15 15:83, 15:95, 15:155, 15:222, 27 27:81, 35:37, 39:06:01-39:06 39:33-39:34, 39:50, 39:57, 39 39:64, 40:93, 40:96, 40:109, 41 42:04, 49:04-49:05, 51:01:01-51
15:04, 15:16:01-15:16:03, 15 15:83, 15:95, 15:155, 15:222, 27 27:81, 35:37, 39:06:01-39:06 39:33-39:34, 39:50, 39:57, 39 39:64, 40:93, 40:96, 40:109, 41 42:04, 49:04-49:05, 51:01:01-51
15:83, 15:95, 15:155, 15:222, 27 27:81, 35:37, 39:06:01-39:06 39:33-39:34, 39:50, 39:57, 39 39:64, 40:93, 40:96, 40:109, 41 42:04, 49:04-49:05, 51:01:01-51
27:81, 35:37, 39:06:01-39:06 39:33-39:34, 39:50, 39:57, 39 39:64, 40:93, 40:96, 40:109, 41 42:04, 49:04-49:05, 51:01:01-51
39:33-39:34, 39:50, 39:57, 39 39:64, 40:93, 40:96, 40:109, 41 42:04, 49:04-49:05, 51:01:01-51
39:64, 40:93, 40:96, 40:109, 41 42:04, 49:04-49:05, 51:01:01-51
42:04, 49:04-49:05, 51:01:01-51
51:05, 51:07:01-51:14, 51:16-51
51:24:01-51:24:04, 51:26-51:
51:43-51:44N, 51:48-51:55, 51
51:58, 51:60-51:61, 51:63, 51
51:69, 51:71-51:80, 51:82-51:
51:107, 51:109-51:122, 52:01:01
52:14, 52:16-52:24, 52:26, 54
54:11, 54:14-54:15, 55:13, 55
55:20, 55:23, 55:27-55:28, 55
56:05:01-56:06, 56:15, 56:21-56
58:08:01-58:08:02, 59:02-59
73:01-73:02, 78:01:01-7
*07:133, 15:143, 15:212, 18
35:19, 35:63, 40:01:01-40:05, 40
40:09, 40:11:01-40:11:02, 40:14
40:16, 40:18, 40:20, 40:4
40:10, 40:10, 40:20, 40:2
40:27:02, 40:29-40:39, 40:42-40
40:59-40:69, 40:72:01-40:74, 40
40:82, 40:84-40:85, 40:87:01-40
40:94, 40:97-40:102, 40:104-40:
40:111-40:116, 40:118N-40:
40:128, 40:130, 40:132-40:
40:138-40:147, 40:149-40:
40:158, 40:160, 40:163, 40:
40:168-40:169, 40:171-40:
41:02:01-41:04, 41:08, 41:10-41
41:13, 41:15, 41:18-41:19, 44
*13:01:01-13:01:06, 13:06-13:0
13:11-13:12, 13:17, 13:22:01-13
13:25, 13:28-13:29, 13:36, 13
13:43, 13:50, 15:86, 56:02, 5
9 10 11 12 13 14 15 16 Wel

Lot No.: **67M** 

## **Lot-specific Information**

LOT NO O7 W	ot-specii		iation		W W W.C	nerup-ss	p.com	
Length of spec.	255	255	80	105	145	160	150	135
PCR product								
Well No.	1	2	3	4	5	6	7	8
*13:02:01-13:03, 13:08Q-13:09, 13:14-13:15, 13:19, 13:27, 13:30, 13:32-13:34, 13:37-13:38, 13:40, 13:42, 13:44-13:45, 13:49N, 35:60, 46:11, 46:18, 49:01:02, 49:11, 51:15, 54:01:01-54:03, 54:05N, 54:07-54:08N, 54:12-54:13, 54:17-54:19, 54:21-54:24, 55:02:01-55:02:06, 55:07, 55:10, 55:12, 55:16, 55:18-55:19, 55:22, 55:26, 55:30, 55:34-55:35, 55:41, 55:43, 55:47-55:48, 55:50, 56:01:01-56:01:04, 56:07-56:08, 56:14, 56:16-56:17, 56:19N-56:20:02, 56:23-56:24, 56:26-56:30, 59:01:01:01-59:01:01:02, 59:04-59:05	1			4		6		
*13:16, 13:48, 15:42, 52:25, 55:01:01-55:01:03, 55:01:05-55:01:06, 55:03, 55:05, 55:11, 55:15, 55:24-55:25, 55:29, 55:31, 55:33, 55:36, 55:38, 55:40, 55:45, 56:25	1			4		6	w	
*13:18, 13:31, 13:41, 54:10, 54:16, 55:21, 55:37, 55:46, 56:13	1			4				
*13:20, 55:01:07						6	W	
*13:47, 55:39, 55:42	1					6		
*14:19, 14:27, 53:07, <i>C*04:08</i> , <i>C*04:34</i> , <i>C*05:27</i> , <i>C*05:39</i> , <i>C*08:41</i> , <i>C*17:07</i>								
*15:18:03, 15:73, <i>C*03:12, C*03:19, C*03:102, C*15:26</i>			3					
*15:46, 15:53, 15:106, 35:47, 35:154, 40:10:01-40:10:02, 40:40, 40:49, 40:58, 40:129, 40:164, 44:09, 44:46, 44:75, 44:90, 44:129, 47:02					5			
*15:137	1							
*15:224, 39:17, 56:04			3			6		
*35:01:10, 35:04:02, 51:56:01- 51:56:02								
Well No.	1	2	3	4	5	6	7	8
	•	-		-	•	1	-	

HLA-B\*50 Product Insert Page 13 of 20 101.548-06u – without *Taq* polymerase General "Instructions for Use"

IFU-02 Rev. No. 03 can be downloaded from

150	90	280	180	105	300	135	95	Length of spec.
				270				PCR product
9	10	11	12	13	14	15	16	Well No.
								*13:02:01-13:03, 13:08Q-13:09,
								13:14-13:15, 13:19, 13:27, 13:30,
								13:32-13:34, 13:37-13:38, 13:40,
								13:42, 13:44-13:45, 13:49N, 35:60,
								46:11, 46:18, 49:01:02, 49:11, 51:15,
								54:01:01-54:03, 54:05N, 54:07-
								54:08N, 54:12-54:13, 54:17-54:19,
								54:21-54:24, 55:02:01-55:02:06,
								55:07, 55:10, 55:12, 55:16, 55:18-
								55:19, 55:22, 55:26, 55:30, 55:34-
								55:35, 55:41, 55:43, 55:47-55:48,
								55:50, 56:01:01-56:01:04, 56:07-
								56:08, 56:14, 56:16-56:17, 56:19N-
								56:20:02, 56:23-56:24, 56:26-56:30,
								59:01:01:01-59:01:01:02, 59:04-
								59:05
								*13:16, 13:48, 15:42, 52:25, 55:01:01-
								55:01:03, 55:01:05-55:01:06, 55:03,
								55:05, 55:11, 55:15, 55:24-55:25,
								55:29, 55:31, 55:33, 55:36, 55:38,
								55:40, 55:45, 56:25
								*13:18, 13:31, 13:41, 54:10, 54:16, 55:21, 55:37, 55:46, 56:13
								*13:20, 55:01:07
								*13:47, 55:39, 55:42
								, ,
			12					*14:19, 14:27, 53:07, <i>C*04:08, C*04:34</i> , <i>C*05:27</i> , <i>C*05:39</i> , <i>C*08:41</i> ,
			12					C*17:07
								*15:18:03, 15:73, <i>C*03:12, C*03:19</i> ,
								C*03:102, C*15:26
								*15:46, 15:53, 15:106, 35:47, 35:154,
								40:10:01-40:10:02, 40:40, 40:49,
						15		40:58, 40:129, 40:164, 44:09, 44:46,
								44:75, 44:90, 44:129, 47:02
			12					*15:137
								*15:224, 39:17, 56:04
								*35:01:10, 35:04:02, 51:56:01-
							16	51:56:02
9	10	11	12	13	14	15	16	Well No.
								1.510

General "Instructions for Use" IFU-02 Rev. No. 03 can be downloaded from

Lot No.: 67M Lot-specific Information

						ici up-se		
Length of spec.	255	255	80	105	145	160	150	135
PCR product								
Well No.	1	2	3	4	5	6	7	8
*40:06:01:01-40:06:04, 40:44, 40:53,								
40:70, 40:75, 40:86, 40:95, 40:103,								
40:127, 40:131, 40:148, 40:159,					_			
40:161-40:162, 40:165, 40:167,	1				5			
41:01, 41:06-41:07, 41:09, 41:12,								
41:14, 41:16-41:17								
*40:28					5			
*40:48, 40:71			3		5	6		
*40:83	1				5			
*40:110	1							
*40:170					5			
*44:02:01:01-44:05:03, 44:11-44:14,								
44:16-44:17, 44:19N, 44:21-44:39,								
44:41:01-44:43:02, 44:45, 44:48,								
44:50-44:54, 44:56N, 44:58N-44:59,								
44:61N-44:74, 44:76-44:80, 44:82,								
44:84-44:89, 44:91-44:99, 44:101-								
44:102, 44:104-44:110, 44:112-								
44:128, 44:132-44:133, 47:01:01:01-								
47:01:02, 47:04-47:08, 57:45								
*44:07								
*44:10						6		
*44:15, 44:18		2		4				
*44:20, 44:47, 44:100		2						
*45:01, 45:03, 45:05-45:07, 45:11-		_		_	_			
45:13		2		4	5			
*45:02		2			5			
*45:04, 45:08, 45:10	1			4	5			
*45:09		2			5			
*47:03					w			
*49:01:01, 49:01:03-49:03, 49:06-	1			4		6	7	
49:09, 49:12-49:17, 49:19N	•			7			•	
*49:10	1			4		6	7	
*49:18	1	_				_	_	
*49:20		2		4		6	7	
*51:23, 51:108, 52:15		2						
*51:62			3			6	W	
*51:106, 55:44, 55:53	1					6	W	
*55:01:04	1			4		6	W	
HLA-B allele <sup>4</sup>								
Well No.	1	2	3	4	5	6	7	8

HLA-B\*50 Product Insert Page 15 of 20 101.548-06u – without *Taq* polymerase General "Instructions for Use"

IFU-02 Rev. No. 03 can be downloaded from

Length of spec.	95	135	300	105	180	280	90	150
PCR product				270				
Well No.	16	15	14	13	12	11	10	9
*40:06:01:01-40:06:04, 40:44, 40:53,								
40:70, 40:75, 40:86, 40:95, 40:103,								
40:127, 40:131, 40:148, 40:159,								
40:161-40:162, 40:165, 40:167,								
41:01, 41:06-41:07, 41:09, 41:12,								
41:14, 41:16-41:17								
*40:28	16							
*40:48, 40:71								
*40:83							10	
*40:110		15						
*40:170							10	
*44:02:01:01-44:05:03, 44:11-44:14,								
44:16-44:17, 44:19N, 44:21-44:39,								
44:41:01-44:43:02, 44:45, 44:48,								
44:50-44:54, 44:56N, 44:58N-44:59,								
44:61N-44:74, 44:76-44:80, 44:82,		15						
44:84-44:89, 44:91-44:99, 44:101-								
44:102, 44:104-44:110, 44:112-								
44:128, 44:132-44:133, 47:01:01:01-								
47:01:02, 47:04-47:08, 57:45								
*44:07							10	
*44:10		15						
*44:15, 44:18								
*44:20, 44:47, 44:100		15						
*45:01, 45:03, 45:05-45:07, 45:11-								
45:13								
*45:02					12			
*45:04, 45:08, 45:10								
*45:09								
*47:03		15						
*49:01:01, 49:01:03-49:03, 49:06-								
49:09, 49:12-49:17, 49:19N								
*49:10		15						
*49:18	16							
*49:20								
*51:23, 51:108, 52:15								
*51:62 *51:406 55:44 55:53								
*51:106, 55:44, 55:53 *55:01:04	16							
	10							
HLA-B allele <sup>4</sup> Well No.	16	15	14	13	12	11	10	9
vveil No.	10	ıσ	14	13	14	11	10	3

Lot No.: 67M Lot-specific Information www.olerup-ssp.com

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-B\*50 SSP subtyping. In addition, wells number 3, 9, 10 and 13 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

<sup>2</sup>The nucleotide position, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the <a href="www.ebi.ac.uk/imgt/hla">www.ebi.ac.uk/imgt/hla</a> web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position, in the 2<sup>nd'</sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the <a href="https://www.ebi.ac.uk/imgt/hla">www.ebi.ac.uk/imgt/hla</a> web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>4</sup>The B\*5003 allele has been shown to be identical to B\*50:02.

<sup>5</sup>Primer mix 13: Specific PCR fragment of 105 bp in the B\*50:12 allele. Specific PCR fragment of 270 bp in the B\*50:10 allele.

'w', may be weakly amplified.

Page 17 of 20 General "Instructions for Use" IFU-02 Rev. No. 03 can be downloaded from

**Lot-specific Information** Lot No.: **67M** www.olerup-ssp.com

CELL LINE VALIDATION SHEET																				
HLA-B*50 SSP primer set																				
						_		_			_	W								
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				::	5	9	ဗ္ပ	9	9	90	0,	8	60	9	=	7	<del>ن</del>	4	5	16
				Prod. No.	201190401	201190402	201190403	201190404	201190405	201190406	201190407	201190408	201190409	201190410	201190411	201190412	201190413	201190414	201190415	201190416
				9	113	7	7	7	7	7	7	7	7	7	7	7	7	7	7	11
					20	8	8	×	8	2	8	×	20	2	8	2	8	×	×	2
		VC cell line		B*																
1	9001		*07:02	*70.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		LK707 E4181324	*52:01 *52:01	*73:01	+	-	-	-	-	-	-	÷	-	-	-	-	-	-	-	-
4		GU373	*15:10	*53:01	+		-	-	-	-	-	÷	-	-	-	-	-	-	-	-
5		KAS011	*37:01	33.01	-	H	-		-	-	H	E	-	-	-	-	-	-		-
6	9353		*39:01	*51:01	+	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-
7	9020		*18:01	51.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025		*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9		YAR	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107	LKT3	*54:01		+	-	-	+	-	+	-	-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
12	9052		*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13		JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14		OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075		*40:01		-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
16		SWEIG007	*40:02	*55.04	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
17		CTM3953540	*08:01	*55:01	+	-	-	+	-	+	W	-	-	-	-	-	-	-	-	-
18		32367	*14:01	*56:01	+	-	-	+	-	+	-	-	-	-	-	-	-	-	-	-
19 20		BM16 SLE005	*18:01 *40:01		-		-		+	-			-	-	-	-	-	-		-
21		AMALA	*15:01		Ε-	-	-	-	-	Ε.	÷	÷	Ε-	-	-	-	-	-	-	-
22		KOSE	*35:03		-	-	-	-	-	-	-	-	_	-	-	-	-	-	-	-
23	9124		*40:02	*56:02	-	-	-	-	+	+	-	-	-	-	-	-	-	-	-	-
24		JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25		IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285	WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191	CH1007	*07:05	*51:01	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320	BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
29		MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
30	9021		*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31		DUCAF	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32		HAG	*41:02		-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
33		MT14B	*40:01		-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
34	9104		*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	÷	_
35		SSTO KT17	*44:02	*25.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
36 37		KT17 HHKB	*15:01 *07:02	*35:01	-	-	-	÷	-	-	-	-	-	-	-	-	-	-	÷	-
38	9099		*15:01		-	÷		-			÷		-					-		
39	9315		*08:01	*27:05	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
40		WHONP199	*13:02	*46:01	+	-	-	+	-	+	-	-	-	-	-	-	-	-	-	-
41		H0301	*14:02		-	-	-	÷	-	-	-	-	-	-	-	-	-	-	-	-
42		TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43		T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057		*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239	SHJO	*42:01	*50:01	+	-	-	+	+	+	+	-	-	-	-	-	-	-	-	-
46		SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47		TUBO	*51:01		+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303	TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-

HLA-B\*50 Product Insert Page 18 of 20

**101.548-06u – without** *Taq* **polymerase** 

General "Instructions for Use" IFU-02 Rev. No. 03 can be downloaded from

Lot No.: 67M Lot-specific Information www.olerup-ssp.com

### CERTIFICATE OF ANALYSIS

Olerup SSP® HLA-B\*50 SSP

Product number: 101.548-06u – without *Taq* polymerase

Lot number: 67M

Expiry date: 2014-March-01

Number of tests: 6 Number of wells per test: 16

### Well specifications:

Well No.	Production No.	Well No.	Production No.
1	2011-904-01	9	2011-904-09
2	2011-904-02	10	2011-904-10
3	2011-904-03	11	2011-904-11
4	2011-904-04	12	2011-904-12
5	2011-904-05	13	2011-904-13
6	2011-904-06	14	2011-904-14
7	2011-904-07	15	2011-904-15
8	2011-904-08	16	2011-904-16

The specificity of each primer solution of the HLA-B\*50 primer set has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 8 to 14 and 16 were available. The specificities of the primers in primer solutions 12 and 16 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer. In primer solutions 8 to 11 and 14, it was only possible to test the 5'-primer, the 3'-primer was not possible to test. In primer solution 13, it was only possible to test the 3'-primers, the 5'-primers were not possible to test.

**Results:** No false positive or false negative amplifications were obtained.

Date of approval: 2011-October-28

Approved by:

Quality Control, Supervisor

HLA-B\*50 Product Insert Page 19 of 20 101.548-06u – without *Taq* polymerase General "Instructions for Use"

IFU-02 Rev. No. 03 can be downloaded from

Lot No.: 67M Lot-specific Information www.olerup-ssp.com

## **Declaration of Conformity**

**Product name:** Olerup SSP® HLA-B\*50

Product number: 101.548-06u

Lot number: 67M

**Intended use:** HLA-B\*50 high resolution histocompatibility testing

Manufacturer: Olerup SSP AB

Franzengatan 5

SE-112 51 Stockholm, Sweden

**Phone:** +46-8-717 88 27 **Fax:** +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, conformity assessed using Annex IV, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Notified Body: Lloyd's Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Stockholm, Sweden 2011-October-28

Ann-Cathrin Jareman Head of QA and Regulatory Affairs HLA-B\*50 Product Insert Page 20 of 20 101.548-06u – without *Taq* polymerase General "Instructions for Use"

IFU-02 Rev. No. 03 can be downloaded from

Lot No.: 67M Lot-specific Information www.olerup-ssp.com

### ADDRESSES:

Manufacturer:

*Olerup* SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

**Tel:** +46-8-717 88 27 **Fax:** +46-8-717 88 18

*E-mail:* info-ssp@olerup.com

Web page: http://www.olerup-ssp.com

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00 Fax: +43-1-710 15 00 10 E-mail: support-at@olerup.com Web page: http://www.olerup.com

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-OLERUP1 **Fax:** 610-344-7989

E-mail: info.us@olerup.com

Web page: http://www.olerup.com

For information on Olerup SSP distributors worldwide, contact Olerup GmbH.