

## Olerup SSP<sup>®</sup> HLA-B\*52

Product number:	101.562-06 – including <i>Taq</i> polymerase
Lot number:	59K
Expiry date:	2013-April-01
Number of tests:	6
Number of wells per test:	16
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

**This Product Description is only valid for Lot No. 59K.**

### CHANGES COMPARED TO THE PREVIOUS *OLERUP SSP*<sup>®</sup> HLA-B\*52 LOT.

The HLA-B\*52 specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP*<sup>®</sup> HLA-B\*52 lot was made (Lot No. 15G).

The amplification patterns for some rare HLA-B\*52 alleles only differ by the length of the specific PCR products.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
2	-	Added	Primer from well 8.
5	-	Added	Primer added for the B*52:21 allele.
6	-	Added	Primer added for the B*52:15 allele.
8	Removed, new	Moved, new	Primer moved to well 2, new primer pair for the B*52:20 allele.
10	Added	Added	Primer pair added for the B*52:18 allele.
11	Added	Added	Primer pair added for the B*52:17 allele.
15	Added	Added	Primer pair added for the B*52:16 allele.
16	Added	Added	Primer pair added for the B*52:19 allele.

## PRODUCT DESCRIPTION

### HLA-B\*52 SSP typing

#### CONTENT

The primer set contains 5'- and 3'-primers for identifying the B\*52:01 to B\*52:21 alleles.

#### PLATE LAYOUT

Each HLA-B\*52 test consists of 16 PCR reactions in a 16 well cut PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16

The 16 well PCR plate is marked with 'HLA-B\*52'.

Well No. 1 is marked with the Lot No. '59K'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

**Please note:** When removing each 16 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

#### INTERPRETATION

The interpretation of HLA-B\*52 SSP subtypings will be influenced by most other HLA-B alleles. In addition, the C\*01:30 allele will be amplified by primer mix 1.

#### UNIQUELY IDENTIFIED ALLELES

All the HLA-B\*52, i.e. **B\*52:01 to B\*52:21**, recognized by the HLA Nomenclature Committee in July 2010<sup>1</sup> will be amplified by the primers in the HLA-B\*52 SSP kit.

The HLA-B\*52 subtyping kit cannot distinguish the B\* 52:01:01-52:01:05 alleles.

The B\*52:04 and B\*52:09 alleles can be distinguished by the different sizes of the specific PCR products generated by primer mix 2.

<sup>1</sup>HLA-B alleles listed on the IMGT/HLA web page 2010-July-16, release 3.1.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

#### RESOLUTION IN HOMO- AND HETEROZYGOTES

A total of 26 alleles generate 21 amplification patterns that can be combined in 231 homozygous and heterozygous combinations. 181 of these genotypes do not give rise to unique amplification patterns. The different lengths of the specific PCR products were not considered in these calculations.

+++----	-----	*52:04, *52:11 = *52:04, *52:21
+++----	-----	*52:04, *52:10 = *52:04, *52:15
+++-----	-++++---	*52:04, *52:08 = *52:04, *52:18
+++-----	-----	*52:04, *52:06:02 = *52:04, *52:17
+++-----	-----+	*52:04, *52:12 = *52:04, *52:16
+++-----	-----+	*52:04, *52:13 = *52:04, *52:19

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

+++----- ----+---- \*52:01:01, \*52:04 = \*52:04, \*52:04  
+-+++---- ----+---- \*52:02, \*52:11 = \*52:02, \*52:21  
+-+++---- ----+---- \*52:02, \*52:10 = \*52:02, \*52:15  
+-+++---- ----+---- \*52:02, \*52:06:02 = \*52:02, \*52:17  
+-+++---- ----+---- \*52:02, \*52:13 = \*52:02, \*52:19  
+-+++---- ----+---- \*52:03, \*52:08 = \*52:03, \*52:18  
+-+++---- ----+---- \*52:03, \*52:06:02 = \*52:03, \*52:17  
+-+++---- ----+---- \*52:03, \*52:12 = \*52:03, \*52:16  
+-+++---- ----+---- \*52:01:01, \*52:03 = \*52:03, \*52:15 = \*52:03, \*52:21 = \*52:10, \*52:21 = \*52:11,  
\*52:15 = \*52:15, \*52:21  
+-+--+-- ----+---- \*52:05, \*52:11 = \*52:05, \*52:21  
+-+--+-- ----+---- \*52:11, \*52:20 = \*52:20, \*52:21  
+-+--+-- +++++---- \*52:06:01, \*52:11 = \*52:06:01, \*52:21  
+-+--+-- +++++---- \*52:11, \*52:14 = \*52:14, \*52:21  
+-+--+-- ----+---- \*52:08, \*52:11 = \*52:08, \*52:21 = \*52:11, \*52:18 = \*52:18, \*52:21  
+-+--+-- ----+---- \*52:06:02, \*52:11 = \*52:06:02, \*52:21 = \*52:11, \*52:17 = \*52:17, \*52:21  
+-+--+-- ----+---- \*52:07, \*52:11 = \*52:07, \*52:21  
+-+--+-- ----+---- \*52:11, \*52:12 = \*52:11, \*52:16 = \*52:12, \*52:21 = \*52:16, \*52:21  
+-+--+-- ----+---- \*52:11, \*52:13 = \*52:13, \*52:21 = \*52:19, \*52:21  
+-+--+-- ----+---- \*52:01:01, \*52:11 = \*52:01:01, \*52:21 = \*52:11, \*52:21 = \*52:21, \*52:21  
+-+--+-- ----+---- \*52:05, \*52:10 = \*52:05, \*52:15  
+-+--+-- ----+---- \*52:10, \*52:20 = \*52:15, \*52:20  
+-+--+-- +++++---- \*52:06:01, \*52:10 = \*52:06:01, \*52:15  
+-+--+-- +++++---- \*52:10, \*52:14 = \*52:14, \*52:15  
+-+--+-- ----+---- \*52:08, \*52:10 = \*52:08, \*52:15 = \*52:10, \*52:18 = \*52:15, \*52:18  
+-+--+-- ----+---- \*52:06:02, \*52:10 = \*52:06:02, \*52:15 = \*52:10, \*52:17 = \*52:15, \*52:17  
+-+--+-- ----+---- \*52:07, \*52:10 = \*52:07, \*52:15  
+-+--+-- ----+---- \*52:10, \*52:12 = \*52:10, \*52:16 = \*52:12, \*52:15 = \*52:15, \*52:16  
+-+--+-- ----+---- \*52:10, \*52:13 = \*52:13, \*52:15 = \*52:15, \*52:19  
+-+--+-- ----+---- \*52:01:01, \*52:10 = \*52:01:01, \*52:15 = \*52:10, \*52:15 = \*52:15, \*52:15  
+-+--+-- ----+---- \*52:05, \*52:08 = \*52:05, \*52:18  
+-+--+-- ----+---- \*52:05, \*52:06:02 = \*52:05, \*52:17  
+-+--+-- ----+---- \*52:05, \*52:12 = \*52:05, \*52:16  
+-+--+-- ----+---- \*52:05, \*52:13 = \*52:05, \*52:19  
+-+--+-- ----+---- \*52:01:01, \*52:05 = \*52:05, \*52:05  
+-+--+-- ----+---- \*52:08, \*52:20 = \*52:18, \*52:20  
+-+--+-- ----+---- \*52:06:02, \*52:20 = \*52:17, \*52:20  
+-+--+-- ----+---- \*52:12, \*52:20 = \*52:16, \*52:20  
+-+--+-- ----+---- \*52:13, \*52:20 = \*52:19, \*52:20  
+-+--+-- ----+---- \*52:01:01, \*52:20 = \*52:20, \*52:20  
+-+----- +++++---- \*52:08, \*52:14 = \*52:14, \*52:18  
+-+----- +++++---- \*52:06:01, \*52:12 = \*52:06:01, \*52:16  
+-+----- +++++---- \*52:06:01, \*52:13 = \*52:06:01, \*52:19  
+-+----- +++++---- \*52:01:01, \*52:06:01 = \*52:06:01, \*52:14 = \*52:06:01, \*52:17 = \*52:06:02,  
\*52:14 = \*52:14, \*52:17  
+-+----- +++++---- \*52:06:01, \*52:06:01 = \*52:06:01, \*52:06:02  
+-+----- +++++---- \*52:12, \*52:14 = \*52:14, \*52:16  
+-+----- +++++---- \*52:13, \*52:14 = \*52:14, \*52:19  
+-+----- +++++---- \*52:01:01, \*52:14 = \*52:14, \*52:14  
+-+----- +++++---- \*52:06:02, \*52:08 = \*52:08, \*52:17 = \*52:17, \*52:18  
+-+----- +++++---- \*52:07, \*52:08 = \*52:07, \*52:18  
+-+----- +++++---- \*52:08, \*52:12 = \*52:08, \*52:16 = \*52:12, \*52:18

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

+--+-----	--++++--+	*52:08, *52:13 = *52:08, *52:19 = *52:13, *52:18 = *52:18, *52:19
+--+-----	--++++--	*52:01:01, *52:08 = *52:01:01, *52:18 = *52:08, *52:08 = *52:08, *52:18
+--+-----	--++++--	*52:06:02, *52:07 = *52:07, *52:17
+--+-----	--++++--	*52:06:02, *52:12 = *52:06:02, *52:16 = *52:12, *52:17 = *52:16, *52:17
+--+-----	--++++--	*52:06:02, *52:13 = *52:06:02, *52:19 = *52:13, *52:17 = *52:17, *52:19
+--+-----	--++++--	*52:01:01, *52:06:02 = *52:01:01, *52:17 = *52:06:02, *52:17 = *52:17, *52:17
+--+-----	--++++--	*52:07, *52:12 = *52:07, *52:16
+--+-----	--++++--	*52:07, *52:13 = *52:07, *52:19
+--+-----	--++++--	*52:12, *52:13 = *52:12, *52:19 = *52:13, *52:16 = *52:16, *52:19
+--+-----	--++++--	*52:01:01, *52:12 = *52:01:01, *52:16 = *52:12, *52:12 = *52:12, *52:16
+--+-----	--++++--	*52:01:01, *52:13 = *52:01:01, *52:19 = *52:13, *52:13 = *52:13, *52:19
+--+-----	--++++--	*52:03, *52:03 = *52:03, *52:10 = *52:03, *52:11 = *52:10, *52:11

\*52:01:01 = \*52:01:01 to 52:01:05

\*52:04 = \*52:04 and 52:09

## SPECIFICITY TABLE

### HLA-B\*52 SSP subtyping

Specificities and sizes of the PCR products of the 16 primer mixes used for HLA-B\*52 SSP subtyping

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified HLA-B*52 alleles <sup>3</sup>	Other amplified HLA Class I alleles <sup>4</sup>
<b>1<sup>5</sup></b>	95 bp	<b>800 bp</b>	*52:01:01-52:02, 52:04-52:09, 52:12-52:18, 52:20-52:21	*14:01-14:18, 15:37-15:38:02, 18:15, 18:19, 18:30, 35:21, 35:96, 40:28, 40:51, 49:09, 51:01:01-51:01:17, 51:03-51:04, 51:06-51:07:02, 51:11N-51:14, 51:16-51:18, 51:21-51:22, 51:24:01-51:24:03, 51:26-51:30, 51:32-51:33, 51:35, 51:37-51:39, 51:41N, 51:43, 51:45-51:46, 51:48-51:52, 51:55-51:58, 51:60-51:72, 51:74-51:80, 51:82-51:92, 51:94-51:96, 53:06, 56:05:01-56:06, 56:21, 58:08, 78:01-78:03, 78:05-78:07, <b>C*01:30</b>
<b>2<sup>5,10</sup></b>	135 bp, 235 bp	1070 bp	*52:04, 52:09	*08:52, 15:87, 53:05, 53:16
<b>3<sup>5,7</sup></b>	95 bp	1070 bp	*52:01:01-52:01:05, 52:03-52:15, 52:17, 52:19-52:21	*15:202, 18:12, 35:10, 35:13, 35:16, 35:28, 35:69, 35:80, 37:01:01-37:01:05, 37:01:07-37:05, 37:07, 37:09-37:23, 44:83, 49:03, 53:17, 78:05-78:06
<b>4</b>	140 bp	1070 bp	*52:02	*15:13, 15:16-15:17:02, 15:24, 15:67, 15:87, 15:95, 15:157, 15:162, 15:168, 15:177, 15:196, 57:01:01-57:11, 57:13-57:15, 57:17-57:32
<b>5<sup>11</sup></b>	145 bp, 190 bp	1070 bp	*52:03, 52:11, 52:21	*07:02:11, 07:05:03, 15:01:02, 15:09, 27:04:03, 35:01:10, 35:04:02, 40:01:06, 40:26, 40:95, 44:62, 51:02:01-51:02:03, 51:05, 51:23, 51:34, 51:36, 51:40, 51:54, 51:59, 51:61, 51:93, 55:01:04, 78:04
<b>6<sup>5,12</sup></b>	135 bp, 180 bp	1070 bp	*52:03, 52:10, 52:15	*35:01:10, 35:04:02, 40:01:06, 44:62 <sup>w</sup> , 51:05 <sup>w</sup> , 51:09:01-51:09:02, 51:19, 51:23 <sup>w</sup> , 51:31, 51:40, 51:54 <sup>w</sup> , 51:73, 51:93, 78:04
<b>7</b>	225 bp	<b>800 bp</b>	*52:05	

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

<b>8</b>	145 bp	1070 bp	*52:20	*18:09, 37:10, 44:83, 51:54, 51:78, 53:09, 53:11-53:13
<b>9<sup>5</sup></b>	100 bp	<b>800 bp</b>	*52:06:01, 52:14	*15:137, 35:01:08, 35:01:15, 39:06:01-39:06:02, 39:33-39:34, 39:50, 39:57, 40:86, 45:02, 50:09, 51:13:01-51:13:02, 51:92, 55:13, 56:22, 59:03, 73:01-73:02
<b>10<sup>5,13</sup></b>	95 bp, 245 bp	1070 bp	*52:08, 52:18	*07:78, 07:84, 13:02:01-13:02:09, 13:08Q-13:09, 13:14-13:16, 13:18-13:19, 13:27, 13:30-13:35, 13:37-13:38, 39:50, 40:06:01:01-40:06:03, 40:44, 40:53, 40:70, 40:75, 40:83, 40:86, 40:93, 40:95-40:96, 40:103, 40:109-40:110, 40:127, 40:131, 45:10, 49:07, 51:10, 51:16, 51:31, 51:34, 51:82, 51:93, 55:09, 55:22, 55:24, 73:01-73:02
<b>11<sup>5,8,14</sup></b>	85 bp, 225 bp	1070 bp	*52:06:01-52:06:02, 52:17	*07:38, 08:02-08:03, 08:52, 27:23, 37:21, 38:06-38:07, 40:13, 44:06, 51:01:01-51:01:16, 51:02:01-51:06, 51:08-51:21, 51:23-51:24:03, 51:26-51:46, 51:48-51:96, 53:01:01-53:08:02, 53:10-53:16, 53:18-53:23, 59:01-59:05
<b>12<sup>5</sup></b>	85 bp	1070 bp	*52:01:01-52:05, 52:07-52:17, 52:19-52:21	*13:01:01-13:04, 13:06, 13:08Q, 13:10-13:18, 13:20-13:23, 13:25-13:35, 13:37-13:38, 15:24, 15:36, 15:43, 15:87, 15:157, 27:29, 37:01:01-37:04:02, 37:06-37:07, 37:09-37:10, 37:12-37:20, 37:22-37:23, 38:03, 40:19, 40:47, 40:96, 40:109-40:110, 40:117, 44:02:01:01-44:05:02, 44:07-44:08, 44:10-44:11, 44:14-44:45, 44:47-44:66, 44:68, 44:70-44:74, 44:76-44:89, 44:91-44:96, 44:98-44:110, 47:01:01:01-47:01:01:02, 47:03-47:07, 48:18, 49:01:01-49:10, 53:17
<b>13<sup>6</sup></b>	165 bp	<b>800 bp</b>	*52:01:01-52:06:02, 52:08-52:21	*15:20, 35:01:01:01-35:30, 35:32-35:42:02, 35:44-35:56, 35:58-35:59, 35:61-35:72, 35:74-35:78, 35:80-35:86, 35:88-35:145N, 48:02:01-48:02:02, 51:01:01-51:24:03, 51:26-51:41N, 51:43-51:46, 51:48-51:96, 53:01:01-53:23, 56:05:01-56:05:02, 56:21, 58:01:01-58:02,

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

				58:04-58:10N, 58:12-58:19, 58:21-58:30, 78:01-78:07, 81:03, 83:01 <sup>?</sup>
<b>14<sup>6,8</sup></b>	165 bp	1070 bp	*52:07	*07:02:01-07:57, 07:59-07:115, 08:01:01-08:05, 08:07-08:62, 13:01:01-13:04, 13:06-13:23, 13:25-13:39, 14:01-14:18, 15:01:01:01-15:01:04, 15:01:06-15:19, 15:21, 15:23-15:40, 15:42-15:58, 15:60-15:99, 15:101, 15:103-15:129, 15:131-15:202, 18:01:01-18:15, 18:17N-18:50, 27:01-27:21, 27:23-27:69, 35:31, 35:35, 35:43:01-35:43:02, 35:46, 35:57, 35:60, 35:79, 35:87, 35:96, 35:98, 37:01:01-37:23, 38:01:01-38:23, 39:01:01:01-39:01:01:02L, 39:01:03-39:20, 39:22-39:45, 39:47-39:60, 40:01:01-40:16, 40:18-40:40, 40:42-40:147, 41:01-41:12, 42:01:01-42:02, 42:04-42:14, 44:02:01:01-44:65, 44:67-44:110, 45:01-45:12, 46:01:01-46:24, 47:01:01:01-47:07, 48:01:01-48:01:03, 48:02:02-48:23, 49:01:01-49:10, 50:01:01-50:02, 50:04-50:09, 51:42, 54:01-54:23, 55:01:01-55:05, 55:07-55:43, 56:01:01-56:04, 56:06-56:20, 56:22-56:29, 57:01:01-57:32, 58:01:03, 58:11, 58:20, 59:01-59:05, 67:01:01-67:02, 81:01-81:02, 81:04N-81:05, 82:01-82:03, 83:01 <sup>?</sup>
<b>15<sup>5,7,9,15</sup></b>	95 bp, 170 bp	<b>800 bp</b>	*52:12, 52:16	*07:27, 07:50, 07:84, 08:04, 08:17, 08:54, 13:04, 13:35, 15:03:01-15:04, 15:16, 15:47, 15:54, 15:61-15:62, 15:64, 15:67-15:69, 15:91, 15:95, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:155-15:156, 15:158, 15:173, 18:01:01-18:03, 18:05-18:06, 18:08-18:15, 18:17N-18:28, 18:30-18:50, 35:37, 37:01:01-37:20, 37:23, 38:03, 39:02:01-39:02:02, 39:08, 39:13:01-39:13:02, 39:23, 39:29, 39:39, 39:49, 40:12, 40:44, 42:11, 44:20, 44:47, 44:100, 45:09, 48:01:01-48:02:01, 48:03:01-48:05, 48:07-48:23, 49:04-49:05, 51:37, 51:90, 51:92, 54:14-54:15, 55:23, 55:27

<b>16<sup>16</sup></b>	160 bp, 215 bp	1070 bp	*52:13, 52:19	*08:09, 15:83, 42:04, 44:20, 51:08, 51:20, 51:36, 51:44N, 55:20, 56:13
------------------------	-------------------	---------	---------------	---

<sup>1</sup> Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B\*52 SSP typings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup> The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-B\*52 SSP subtyping.

In addition, wells number 7, 9, 13 and 15 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup> The B\*52:04 and B\*52:09 alleles can be distinguished by the different sizes of the specific PCR products generated by primer mix 2.

<sup>4</sup> Due to the sharing of sequence motifs between HLA-B alleles many non-HLA-B\*52 alleles will be amplified by primer mixes 1 to 6 and 8 to 16. In addition, the C\*01:30 allele will be amplified by primer mix 1.

<sup>5</sup> Short specific PCR fragments are less intense and not as sharp as longer specific bands.

<sup>6</sup> Primer mixes 13 and 14: For many HLA-B alleles fourth exon nucleotide sequences are not available. We assume that unknown sequences in the fourth exon are conserved within allelic groups.

<sup>7</sup> Primer mixes 3 and 15 may give a lower yield of specific PCR product than the other HLA-B\*52 primer mixes.

<sup>8</sup> Primer mixes 11 and 14 may give rise to nonspecific amplifications.

<sup>9</sup> Primer mix 15 may give rise to a weak band of about 550 bp. This band should be disregarded when interpreting HLA-B\*52 SSP subtypings.

<sup>10</sup> Primer mix 2: Specific PCR fragment of 135 bp in the B\*52:04 allele. Specific PCR fragment of 235 bp in the B\*52:09 and in the B\*08:52, 15:87, 53:05 and 53:16 alleles.

<sup>11</sup> Primer mix 5: Specific PCR fragment of 145 bp in the B\*52:21 and in the B\*15:01:02 and 51:61 alleles. Specific PCR fragment of 190 bp in the B\*52:03 and 52:11 and in the B\*07:02:11, 07:05:03, 15:01:02, 15:09, 27:04:03, 35:01:10, 35:04:02, 40:01:06, 40:26, 40:95, 44:62, 51:02:01-51:02:03, 51:05, 51:23, 51:34, 51:36, 51:40, 51:54, 51:59, 51:93, 55:01:04 and 78:04 alleles.

<sup>12</sup> Primer mix 6: Specific PCR fragment of 135 bp in the 52:03 and 52:10 and in the B\*35:01:10, 35:04:02, 40:01:06, 51:05<sup>w</sup>, 51:09:01-51:09:02, 51:19, 51:31, 51:40, 51:54<sup>w</sup>, 51:73, 51:93 and 78:04 alleles. Specific PCR fragment of 180 bp in the B\*52:15 and in the B\*44:62<sup>w</sup> and 51:23<sup>w</sup> alleles.

<sup>13</sup> Primer mix 10: Specific PCR fragment of 95 bp in the B\*52:18 allele. Specific PCR fragment of 245 bp in the B\*52:08 and in the B\*07:78, 07:84, 13:02:01-13:02:09, 13:08Q-13:09, 13:14-13:16, 13:18-13:19, 13:27, 13:30-13:35, 13:37-13:38, 39:50, 40:06:01:01-40:06:03, 40:44, 40:53, 40:70, 40:75, 40:83, 40:86, 40:93, 40:95-40:96, 40:103, 40:109-40:110, 40:127, 40:131, 45:10, 49:07, 51:10, 51:16, 51:31, 51:34, 51:82, 51:93, 55:09, 55:22, 55:24 and 73:01-73:02 alleles.



Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

<sup>14</sup>Primer mix 11: Specific PCR fragment of 85 bp in the B\*52:06:01-52:06:02 and in the B\*07:38, 08:02-08:03, 08:52, 27:23, 37:21, 38:06-38:07, 40:13, 44:06, 51:01:01-51:01:16, 51:02:01-51:06, 51:08-51:21, 51:23-51:24:03, 51:26-51:46, 51:48-51:96, 53:01:01-53:08:02, 53:10-53:16, 53:18-53:23 and 59:01-59:05 alleles. Specific PCR fragment of 225 bp in the B\*52:17 allele.

<sup>15</sup>Primer mix 15: Specific PCR fragment of 95 bp in the B\*52:12 and in the B\*07:84, 13:04, 13:35, 15:04, 15:16, 15:67, 15:95, 15:155, 35:37, 40:44, 44:20, 44:47, 44:100, 45:09, 49:04-49:05, 51:37, 51:90, 51:92, 54:14-54:15, 55:23 and 55:27 alleles. Specific PCR fragment of 170 bp in the B\*52:16, 07:27, 07:50, 08:04, 08:17, 08:54, 15:03:01-15:03:03, 15:47, 15:54, 15:61-15:62, 15:64, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 18:01:01-18:03, 18:05-18:06, 18:08-18:15, 18:17N-18:28, 18:30-18:32, 18:34-18:50, 37:01:01-37:20, 37:23, 38:03, 39:02:01-39:02:02, 39:08, 39:13:01-39:13:02, 39:23, 39:39, 39:49, 40:12, 42:11, 48:01:01-48:02:01, 48:03:01-48:05, 48:07-48:23 alleles.

<sup>16</sup>Primer mix 16: Specific PCR fragment of 160 bp in the B\*52:13 allele. Specific PCR fragment of 215 bp in the B\*52:19 and in the B\*08:09, 15:83, 42:04, 44:20, 51:08, 51:20, 51:36, 51:44N, 55:20 and 56:13 alleles.

‘?’ , nucleotide sequence information not available for the primer matching sequence.

‘w’, might be weakly amplified.

## INTERPRETATION TABLE

### HLA-B\*52 SSP subtyping

Amplification patterns of the B\*52:01 to B\*52:21 alleles

	Well <sup>5</sup>							
	1	2	3	4	5	6	7	8
Length of spec.	95	135	95	140	145	135	225	145
PCR product(s)		235			190	180		
Length of int.								
pos. control <sup>1</sup>	800	1070	1070	1070	1070	1070	800	1070
5'-primer <sup>2</sup>	527	106	206	209	435	435	134	206
	5' -TgA <sup>3'</sup>	5' -CCA <sup>3'</sup>	5' -gAC <sup>3'</sup>	5' -ggC <sup>3'</sup>	5' -AAA <sup>3'</sup>	5' -AAA <sup>3'</sup>	5' -CCC <sup>3'</sup>	5' -gAC <sup>3'</sup>
3'-primer <sup>3</sup>	583	200	259	309	538	527	317	309
	5' -gTg <sup>3'</sup>	5' -TCT <sup>3'</sup>	5' -CTC <sup>3'</sup>	5' -ATC <sup>3'</sup>	5' -CCA <sup>3'</sup>	5' -CCA <sup>3'</sup>	5' -ggA <sup>3'</sup>	5' -gTg <sup>3'</sup>
		302			583	527		
		5' -ggC <sup>3'</sup>			5' -gTA <sup>3'</sup>	5' -CCA <sup>3'</sup>		
						572		
						5' -gCg <sup>3'</sup>		
Well No.	1	2	3	4	5	6	7	8
HLA-B allele								
*52:01:01-52:01:05	1		3					
*52:02	1			4				
*52:03			3		5	6		
*52:04, 52:09 <sup>4</sup>	1	2	3					
*52:05	1		3				7	
*52:06:01	1		3					
*52:06:02	1		3					
*52:07	1		3					
*52:08	1		3					
*52:10			3			6		
*52:11			3		5			
*52:12	1		3					
Well No.	1	2	3	4	5	6	7	8

## INTERPRETATION TABLE

### HLA-B\*52 SSP subtyping

Amplification patterns of the B\*52:01 to B\*52:21 alleles

Well <sup>5</sup>								
9	10	11	12	13	14	15	16	
100	95	85	85	165	165	95	160	Length of spec. PCR product(s)
	245	225				170	215	
800	1070	1070	1070	800	1070	800	1070	Length of int. pos. control <sup>1</sup>
213	206	133	272	652	652	142	86	5'-primer <sup>2</sup>
5'-CCg <sup>3'</sup>	5'-gAC <sup>3'</sup>	5'-CCA <sup>3'</sup>	5'-CTC <sup>3'</sup>	5'-CCg <sup>3'</sup>	5'-CCA <sup>3'</sup>	5'-TCT <sup>3'</sup>	5'-CAA <sup>3'</sup>	
357	357	272				357	362	
5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-CTT <sup>3'</sup>				5'-Tgg <sup>3'</sup>	5'-gAC <sup>3'</sup>	
272	262	317	317	774	774	272	206	3'-primer <sup>3</sup>
5'-TgA <sup>3'</sup>	5'-TgC <sup>3'</sup>	5'-ggA <sup>3'</sup>	5'-ggA <sup>3'</sup>	5'-ggT <sup>3'</sup>	5'-ggT <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-CCg <sup>3'</sup>	
419	559					412	538	
5'-CgA <sup>3'</sup>	5'-CTC <sup>3'</sup>					5'-gTC <sup>3'</sup>	5'-gTC <sup>3'</sup>	
<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>Well No.</b>
								<b>HLA-B allele</b>
			12	13				*52:01:01-52:01:05
			12	13				*52:02
			12	13				*52:03
			12	13				*52:04, 52:09 <sup>4</sup>
			12	13				*52:05
<b>9</b>		<b>11</b>		<b>13</b>				*52:06:01
		<b>11</b>		<b>13</b>				*52:06:02
			<b>12</b>		<b>14</b>			*52:07
	<b>10</b>		<b>12</b>	<b>13</b>				*52:08
			<b>12</b>	<b>13</b>				*52:10
			<b>12</b>	<b>13</b>				*52:11
			<b>12</b>	<b>13</b>		<b>15</b>		*52:12
<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>Well No.</b>

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

Length of spec.	95	135	95	140	145	135	225	145
PCR product(s)		235			190	180		
Well No.	1	2	3	4	5	6	7	8
*52:13	1		3					
*52:14	1		3					
*52:15	1		3			6		
*52:16	1							
*52:17	1		3					
*52:18	1							
*52:19			3					
*52:20	1		3					8
*52:21	1		3		5			
*07:02:01-07:02:10, 07:02:12-07:05:02, 07:05:04-07:26, 07:28-07:37, 07:39-07:49N, 07:51-07:57, 07:59-07:77, 07:79-07:83, 07:85-07:115, 08:01:01-08:01:12, 08:05, 08:07-08:08N, 08:10-08:16, 08:18-08:51, 08:53, 08:55-08:62, 13:07N, 13:36, 13:39, 15:01:01:01-15:01:01:02N, 15:01:03-15:01:04, 15:01:06-15:02:04, 15:05:01-15:08, 15:10:01-15:12, 15:14-15:15, 15:18:01-15:19, 15:21, 15:23, 15:25:01-15:35, 15:39-15:40, 15:42, 15:44-15:46, 15:48-15:53, 15:55-15:58, 15:60, 15:63, 15:65-15:66, 15:70-15:82, 15:84-15:86, 15:88-15:90, 15:92-15:94N, 15:96-15:97, 15:99, 15:101, 15:104-15:122, 15:124-15:126, 15:128-15:129, 15:133-15:136, 15:138-15:150, 15:152-15:154, 15:159-15:161, 15:163-15:167, 15:169-15:172, 15:174-15:176, 15:178-15:195, 15:197-15:201, 18:04, 18:07:01-18:07:02, 18:29, 27:01-27:04:02, 27:05:02-27:21, 27:24-27:28, 27:30-27:69, 35:31, 35:43:01-35:43:02, 35:57, 35:60, 35:79, 35:87, 38:01:01-38:02:02, 38:04-38:05, 38:08-38:23, 39:01:01:01-39:01:01:02L, 39:01:03-39:01:11, 39:03-39:05:02, 39:07, 39:09-39:12, 39:14-39:20, 39:22, 39:24-39:28, 39:30-39:32, 39:35-39:38Q, 39:40N-39:45, 39:47-39:48, 39:51-39:56, 39:58-39:60, 40:01:01-40:01:05, 40:01:07-40:05, 40:07-40:11:02, 40:14:01-40:16, 40:18, 40:20-40:25, 40:27, 40:29-40:40, 40:42-40:43, 40:45-40:46, 40:48-40:50, 40:52, 40:54-40:69, 40:71-40:74, 40:76-40:82, 40:84-40:85, 40:87-40:92, 40:94, 40:97-40:102, 40:104-40:108, 40:111-40:116, 40:118N-40:126, 40:128-40:130, 40:132-40:147, 41:01-41:12, 42:01:01-42:02, 42:05:01-42:10, 42:12-42:14, 44:09, 44:12-44:13, 44:46, 44:67, 44:69, 44:75, 44:90, 44:97, 45:01, 45:03-45:08, 45:11-45:12, 46:01:01-46:24, 47:02, 48:06, 50:01:01-50:02, 50:04-50:08, 54:01-54:13, 54:16-54:23, 55:01:01-55:01:03, 55:01:05-55:05, 55:07-55:08, 55:10-55:12, 55:14-55:19, 55:21, 55:25-55:26, 55:28-55:43, 56:01:01-56:04, 56:07-56:12, 56:14-56:20, 56:23-56:29, 57:12, 57:16, 58:11, 58:20, 67:01:01-67:02, 81:01-81:02, 81:04N-81:05, 82:01-82:03								
*07:02:11, 07:05:03, 15:01:02, 15:09, 27:04:03, 40:26, 55:01:04					5			
Well No.	1	2	3	4	5	6	7	8

Lot No.: **59K**

Lot-specific information

www.olerup-ssp.com

100	95	85	85	165	165	95	160	Length of spec.
	245	225				170	215	PCR product(s)
9	10	11	12	13	14	15	16	Well No.
			12	13			16	*52:13
9			12	13				*52:14
			12	13				*52:15
			12	13		15		*52:16
		11	12	13				*52:17
	10			13				*52:18
			12	13			16	*52:19
			12	13				*52:20
			12	13				*52:21
					14			*07:02:01-07:02:10, 07:02:12-07:05:02, 07:05:04-07:26, 07:28-07:37, 07:39-07:49N, 07:51-07:57, 07:59-07:77, 07:79-07:83, 07:85-07:115, 08:01:01-08:01:12, 08:05, 08:07-08:08N, 08:10-08:16, 08:18-08:51, 08:53, 08:55-08:62, 13:07N, 13:36, 13:39, 15:01:01:01-15:01:01:02N, 15:01:03-15:01:04, 15:01:06-15:02:04, 15:05:01-15:08, 15:10:01-15:12, 15:14-15:15, 15:18:01-15:19, 15:21, 15:23, 15:25:01-15:35, 15:39-15:40, 15:42, 15:44-15:46, 15:48-15:53, 15:55-15:58, 15:60, 15:63, 15:65-15:66, 15:70-15:82, 15:84-15:86, 15:88-15:90, 15:92-15:94N, 15:96-15:97, 15:99, 15:101, 15:104-15:122, 15:124-15:126, 15:128-15:129, 15:133-15:136, 15:138-15:150, 15:152-15:154, 15:159-15:161, 15:163-15:167, 15:169-15:172, 15:174-15:176, 15:178-15:195, 15:197-15:201, 18:04, 18:07:01-18:07:02, 18:29, 27:01-27:04:02, 27:05:02-27:21, 27:24-27:28, 27:30-27:69, 35:31, 35:43:01-35:43:02, 35:57, 35:60, 35:79, 35:87, 38:01:01-38:02:02, 38:04-38:05, 38:08-38:23, 39:01:01:01-39:01:01:02L, 39:01:03-39:01:11, 39:03-39:05:02, 39:07, 39:09-39:12, 39:14-39:20, 39:22, 39:24-39:28, 39:30-39:32, 39:35-39:38Q, 39:40N-39:45, 39:47-39:48, 39:51-39:56, 39:58-39:60, 40:01:01-40:01:05, 40:01:07-40:05, 40:07-40:11:02, 40:14:01-40:16, 40:18, 40:20-40:25, 40:27, 40:29-40:40, 40:42-40:43, 40:45-40:46, 40:48-40:50, 40:52, 40:54-40:69, 40:71-40:74, 40:76-40:82, 40:84-40:85, 40:87-40:92, 40:94, 40:97-40:102, 40:104-40:108, 40:111-40:116, 40:118N-40:126, 40:128-40:130, 40:132-40:147, 41:01-41:12, 42:01:01-42:02, 42:05:01-42:10, 42:12-42:14, 44:09, 44:12-44:13, 44:46, 44:67, 44:69, 44:75, 44:90, 44:97, 45:01, 45:03-45:08, 45:11-45:12, 46:01:01-46:24, 47:02, 48:06, 50:01:01-50:02, 50:04-50:08, 54:01-54:13, 54:16-54:23, 55:01:01-55:01:03, 55:01:05-55:05, 55:07-55:08, 55:10-55:12, 55:14-55:19, 55:21, 55:25-55:26, 55:28-55:43, 56:01:01-56:04, 56:07-56:12, 56:14-56:20, 56:23-56:29, 57:12, 57:16, 58:11, 58:20, 67:01:01-67:02, 81:01-81:02, 81:04N-81:05, 82:01-82:03
					14			*07:02:11, 07:05:03, 15:01:02, 15:09, 27:04:03, 40:26, 55:01:04
9	10	11	12	13	14	15	16	Well No.

Length of spec.	95	135	95	140	145	135	225	145
PCR product(s)		235			190	180		
Well No.	1	2	3	4	5	6	7	8
*07:27, 07:50, 08:04, 08:17, 08:54, 15:03:01-15:04, 15:47, 15:54, 15:61-15:62, 15:64, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:155-15:156, 15:158, 15:173, 18:01:01-18:03, 18:05-18:06, 18:08, 18:10-18:11, 18:13-18:14, 18:17N-18:18, 18:20-18:28, 18:31-18:50, 37:08, 39:02:01-39:02:02, 39:08, 39:13:01-39:13:02, 39:23, 39:29, 39:39, 39:49, 40:12, 42:11, 45:09, 48:01:01-48:01:03, 48:03:01-48:05, 48:07-48:17, 48:19-48:23, 54:14-54:15, 55:23, 55:27								
*07:38, 08:02-08:03, 27:23, 38:06-38:07, 40:13, 44:06, 51:42, 59:01-59:02, 59:04-59:05								
*07:78, 13:09, 13:19, 40:06:01:01-40:06:03, 40:53, 40:70, 40:75, 40:83, 40:93, 40:103, 40:127, 40:131, 45:10, 55:09, 55:22, 55:24								
*07:84, 40:44								
*08:09, 15:83, 42:04, 55:20, 56:13								
*08:52		2						
*13:01:01-13:01:05, 13:03, 13:06, 13:10-13:13, 13:17, 13:20-13:23, 13:25-13:26, 13:28-13:29, 15:36, 15:43, 27:29, 40:19, 40:47, 40:117, 44:02:01:01-44:05:02, 44:07-44:08, 44:10-44:11, 44:14-44:19N, 44:21-44:45, 44:48-44:61N, 44:63-44:65, 44:68, 44:70-44:74, 44:76-44:82, 44:84-44:89, 44:91-44:96, 44:98-44:99, 44:101-44:110, 47:01:01:01-47:01:01:02, 47:03-47:07, 49:01:01-49:02, 49:06, 49:08, 49:10								
*13:02:01-13:02:09, 13:08Q, 13:14-13:16, 13:18, 13:27, 13:30-13:34, 13:37-13:38, 40:96, 40:109-40:110, 49:07								
*13:04, 37:01:06, 37:06, 38:03, 44:47, 44:100, 48:18, 49:04-49:05								
*13:35								
*14:01-14:18, 15:37-15:38:02, 40:28, 40:51, 56:06	1							
*15:13, 15:17:01:01-15:17:02, 15:162, 15:168, 15:177, 15:196, 57:01:01-57:11, 57:13-57:15, 57:17-57:32				4				
*15:16, 15:67, 15:95				4				
Well No.	1	2	3	4	5	6	7	8

Lot No.: **59K**

Lot-specific information

www.olerup-ssp.com

100	95	85	85	165	165	95	160		Length of spec.
	245	225				170	215		PCR product(s)
9	10	11	12	13	14	15	16		Well No.
					14	15			*07:27, 07:50, 08:04, 08:17, 08:54, 15:03:01-15:04, 15:47, 15:54, 15:61-15:62, 15:64, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:155-15:156, 15:158, 15:173, 18:01:01-18:03, 18:05-18:06, 18:08, 18:10-18:11, 18:13-18:14, 18:17N-18:18, 18:20-18:28, 18:31-18:50, 37:08, 39:02:01-39:02:02, 39:08, 39:13:01-39:13:02, 39:23, 39:29, 39:39, 39:49, 40:12, 42:11, 45:09, 48:01:01-48:01:03, 48:03:01-48:05, 48:07-48:17, 48:19-48:23, 54:14-54:15, 55:23, 55:27
		11			14				*07:38, 08:02-08:03, 27:23, 38:06-38:07, 40:13, 44:06, 51:42, 59:01-59:02, 59:04-59:05
	10				14				*07:78, 13:09, 13:19, 40:06:01:01-40:06:03, 40:53, 40:70, 40:75, 40:83, 40:93, 40:103, 40:127, 40:131, 45:10, 55:09, 55:22, 55:24
	10				14	15			*07:84, 40:44
					14		16		*08:09, 15:83, 42:04, 55:20, 56:13
		11			14				*08:52
			12		14				*13:01:01-13:01:05, 13:03, 13:06, 13:10-13:13, 13:17, 13:20-13:23, 13:25-13:26, 13:28-13:29, 15:36, 15:43, 27:29, 40:19, 40:47, 40:117, 44:02:01:01-44:05:02, 44:07-44:08, 44:10-44:11, 44:14-44:19N, 44:21-44:45, 44:48-44:61N, 44:63-44:65, 44:68, 44:70-44:74, 44:76-44:82, 44:84-44:89, 44:91-44:96, 44:98-44:99, 44:101-44:110, 47:01:01:01-47:01:01:02, 47:03-47:07, 49:01:01-49:02, 49:06, 49:08, 49:10
	10		12		14				*13:02:01-13:02:09, 13:08Q, 13:14-13:16, 13:18, 13:27, 13:30-13:34, 13:37-13:38, 40:96, 40:109-40:110, 49:07
			12		14	15			*13:04, 37:01:06, 37:06, 38:03, 44:47, 44:100, 48:18, 49:04-49:05
	10		12		14	15			*13:35
					14				*14:01-14:18, 15:37-15:38:02, 40:28, 40:51, 56:06
					14				*15:13, 15:17:01:01-15:17:02, 15:162, 15:168, 15:177, 15:196, 57:01:01-57:11, 57:13-57:15, 57:17-57:32
					14	15			*15:16, 15:67, 15:95
9	10	11	12	13	14	15	16		Well No.

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

Length of spec.	95	135	95	140	145	135	225	145
PCR product(s)	235				190	180		
Well No.	1	2	3	4	5	6	7	8
*15:20, 35:01:01:01-35:01:07, 35:01:09, 35:01:11-35:01:14, 35:01:16-35:04:01, 35:04:03-35:09:02, 35:11:01-35:12:02, 35:14:01-35:15, 35:17-35:20:02, 35:22-35:27, 35:29-35:30, 35:32-35:34, 35:36, 35:38-35:42:02, 35:44-35:45, 35:47-35:56, 35:58-35:59, 35:61-35:68:02, 35:70-35:72, 35:74-35:78, 35:81-35:86, 35:88-35:95, 35:97, 35:99-35:145N, 58:01:01-58:01:02, 58:01:04-58:02, 58:04-58:07, 58:09-58:10N, 58:12-58:19, 58:21-58:30, 81:03								
*15:24, 15:157				4				
*15:87		2		4				
*15:137, 39:06:01-39:06:02, 39:33-39:34, 39:57, 45:02, 50:09, 55:13, 56:22								
*15:202			3					
*18:09								8
*18:12, 37:05, 37:11			3					
*18:15, 18:19, 18:30	1							
*35:01:08, 35:01:15								
*35:01:10, 35:04:02, 78:04					5	6		
*35:10, 35:13, 35:16, 35:28, 35:69, 35:80			3					
*35:21, 51:01:17, 51:07:01-51:07:02, 51:22, 56:05:01-56:05:02, 56:21, 58:08, 78:01-78:03, 78:07	1							
*35:35, 35:46, 35:98, 48:02:02, 58:01:03								
*35:37, 48:02:01								
*35:96	1							
*37:01:01-37:01:05, 37:01:07-37:04:02, 37:07, 37:09, 37:12-37:20, 37:23			3					
*37:10			3					8
*37:21			3					
*37:22, 49:03			3					
*39:50, 40:86								
*40:01:06					5	6		
*40:95					5			
*44:20								
*44:62					5	w		
*44:66								
*44:83			3					8
*49:09	1							
*51:01:01-51:01:16, 51:03-51:04, 51:06, 51:11N-51:12, 51:14, 51:17-51:18, 51:21, 51:24:01-51:24:03, 51:26-51:30, 51:32-51:33, 51:35, 51:38-51:39, 51:41N, 51:43, 51:45-51:46, 51:48-51:52, 51:55-51:58, 51:60, 51:62-51:72, 51:74-51:77, 51:79-51:80, 51:83-51:89, 51:91, 51:94-51:96, 53:06	1							
Well No.	1	2	3	4	5	6	7	8



Lot No.: **59K**

Lot-specific information

www.olerup-ssp.com

100	95	85	85	165	165	95	160	Length of spec.
	245	225				170	215	PCR product(s)
9	10	11	12	13	14	15	16	Well No.
				13				*15:20, 35:01:01:01-35:01:07, 35:01:09, 35:01:11-35:01:14, 35:01:16-35:04:01, 35:04:03-35:09:02, 35:11:01-35:12:02, 35:14:01-35:15, 35:17-35:20:02, 35:22-35:27, 35:29-35:30, 35:32-35:34, 35:36, 35:38-35:42:02, 35:44-35:45, 35:47-35:56, 35:58-35:59, 35:61-35:68:02, 35:70-35:72, 35:74-35:78, 35:81-35:86, 35:88-35:95, 35:97, 35:99-35:145N, 58:01:01-58:01:02, 58:01:04-58:02, 58:04-58:07, 58:09-58:10N, 58:12-58:19, 58:21-58:30, 81:03
			12		14			*15:24, 15:157
			12		14			*15:87
9					14			*15:137, 39:06:01-39:06:02, 39:33-39:34, 39:57, 45:02, 50:09, 55:13, 56:22
					14			*15:202
					14	15		*18:09
					14	15		*18:12, 37:05, 37:11
					14	15		*18:15, 18:19, 18:30
9				13				*35:01:08, 35:01:15
				13				*35:01:10, 35:04:02, 78:04
				13				*35:10, 35:13, 35:16, 35:28, 35:69, 35:80
				13				*35:21, 51:01:17, 51:07:01-51:07:02, 51:22, 56:05:01-56:05:02, 56:21, 58:08, 78:01-78:03, 78:07
				13	14			*35:35, 35:46, 35:98, 48:02:02, 58:01:03
				13		15		*35:37, 48:02:01
				13	14			*35:96
			12		14	15		*37:01:01-37:01:05, 37:01:07-37:04:02, 37:07, 37:09, 37:12-37:20, 37:23
			12		14	15		*37:10
		11			14			*37:21
			12		14			*37:22, 49:03
9	10				14			*39:50, 40:86
					14			*40:01:06
	10				14			*40:95
			12		14	15	16	*44:20
			12		14			*44:62
			12					*44:66
			12		14			*44:83
			12		14			*49:09
		11		13				*51:01:01-51:01:16, 51:03-51:04, 51:06, 51:11N-51:12, 51:14, 51:17-51:18, 51:21, 51:24:01-51:24:03, 51:26-51:30, 51:32-51:33, 51:35, 51:38-51:39, 51:41N, 51:43, 51:45-51:46, 51:48-51:52, 51:55-51:58, 51:60, 51:62-51:72, 51:74-51:77, 51:79-51:80, 51:83-51:89, 51:91, 51:94-51:96, 53:06
9	10	11	12	13	14	15	16	Well No.

Length of spec.	95	135	95	140	145	135	225	145
PCR product(s)		235			190	180		
Well No.	1	2	3	4	5	6	7	8
*51:02:01-51:02:03, 51:59					5			
*51:02:04, 51:15, 51:53, 51:81, 53:01:01-53:04, 53:07-53:08:02, 53:10, 53:14-53:15, 53:18-53:23								
*51:05, 51:23					5	w		
*51:08, 51:20, 51:44N								
*51:09:01-51:09:02, 51:19, 51:73						6		
*51:10								
*51:13:01-51:13:02	1							
*51:16, 51:82	1							
*51:31						6		
*51:34					5			
*51:36					5			
*51:37, 51:90	1							
*51:40					5	6		
*51:54					5	w		8
*51:61	1				5			
*51:78	1							8
*51:92	1							
*51:93					5	6		
*53:05, 53:16		2						
*53:09								8
*53:11-53:13								8
*53:17			3					
*59:03								
*73:01-73:02								
*78:05-78:06	1		3					
*83:01								
<b>C*01:30</b>	1							
<b>HLA-B allele</b>								
<b>Well No.</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-B\*52 SSP subtyping.

In addition, wells number 7, 9, 13 and 15 contain the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

<sup>2</sup>The nucleotide position, in the 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup> or 4<sup>th</sup>, exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position, in the 2<sup>nd</sup>, 3<sup>rd</sup> or 4<sup>th</sup> exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

Lot No.: **59K**

Lot-specific information

www.olerup-ssp.com

								Length of spec.
								PCR product(s)
9	10	11	12	13	14	15	16	Well No.
		11		13				*51:02:01-51:02:03, 51:59
		11		13				*51:02:04, 51:15, 51:53, 51:81, 53:01:01-53:04, 53:07-53:08:02, 53:10, 53:14-53:15, 53:18-53:23
		11		13				*51:05, 51:23
		11		13			16	*51:08, 51:20, 51:44N
		11		13				*51:09:01-51:09:02, 51:19, 51:73
	10	11		13				*51:10
9		11		13				*51:13:01-51:13:02
	10	11		13				*51:16, 51:82
	10	11		13				*51:31
	10	11		13				*51:34
		11		13			16	*51:36
		11		13		15		*51:37, 51:90
		11		13				*51:40
		11		13				*51:54
		11		13				*51:61
		11		13				*51:78
9		11		13		15		*51:92
	10	11		13				*51:93
		11		13				*53:05, 53:16
				13				*53:09
		11		13				*53:11-53:13
			12	13				*53:17
9		11			14			*59:03
9	10							*73:01-73:02
				13				*78:05-78:06
				?	?			*83:01
								C*01:30
								HLA-B allele
9	10	11	12	13	14	15	16	Well No.

<sup>4</sup>The B\*52:04 and B\*52:09 alleles can be distinguished by the different sizes of the specific PCR products generated by primer mix 2.

<sup>5</sup>Primer mix 2: Specific PCR fragment of 135 bp in the B\*52:04 allele. Specific PCR fragment of 235 bp in the B\*52:09 and in the B\*08:52, 15:87, 53:05 and 53:16 alleles.

Primer mix 5: Specific PCR fragment of 145 bp in the B\*52:21 and in the B\*15:01:02 and 51:61 alleles. Specific PCR fragment of 190 bp in the B\*52:03 and 52:11 and in the B\*07:02:11, 07:05:03, 15:01:02, 15:09, 27:04:03, 35:01:10, 35:04:02, 40:01:06, 40:26, 40:95, 44:62, 51:02:01-51:02:03, 51:05, 51:23, 51:34, 51:36, 51:40, 51:54, 51:59, 51:93, 55:01:04 and 78:04 alleles.

Primer mix 6: Specific PCR fragment of 135 bp in the 52:03 and 52:10 and in the B\*35:01:10, 35:04:02, 40:01:06, 51:05<sup>w</sup>, 51:09:01-51:09:02, 51:19, 51:31, 51:40, 51:54<sup>w</sup>, 51:73, 51:93 and 78:04 alleles. Specific PCR fragment of 180 bp in the B\*52:15 and in the B\*44:62<sup>w</sup> and 51:23<sup>w</sup> alleles.

Primer mix 10: Specific PCR fragment of 95 bp in the B\*52:18 allele. Specific PCR fragment of 245 bp in the B\*52:08 and in the B\*07:78, 07:84, 13:02:01-13:02:09, 13:08Q-13:09, 13:14-13:16, 13:18-13:19, 13:27,

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

13:30-13:35, 13:37-13:38, 39:50, 40:06:01-40:06:03, 40:44, 40:53, 40:70, 40:75, 40:83, 40:86, 40:93, 40:95-40:96, 40:103, 40:109-40:110, 40:127, 40:131, 45:10, 49:07, 51:10, 51:16, 51:31, 51:34, 51:82, 51:93, 55:09, 55:22, 55:24 and 73:01-73:02 alleles.

Primer mix 11: Specific PCR fragment of 85 bp in the B\*52:06:01-52:06:02 and in the B\*07:38, 08:02-08:03, 08:52, 27:23, 37:21, 38:06-38:07, 40:13, 44:06, 51:01:01-51:01:16, 51:02:01-51:06, 51:08-51:21, 51:23-51:24:03, 51:26-51:46, 51:48-51:96, 53:01:01-53:08:02, 53:10-53:16, 53:18-53:23 and 59:01-59:05 alleles.

Specific PCR fragment of 225 bp in the B\*52:17 allele.

Primer mix 15: Specific PCR fragment of 95 bp in the B\*52:12 and in the B\*07:84, 13:04, 13:35, 15:04, 15:16, 15:67, 15:95, 15:155, 35:37, 40:44, 44:20, 44:47, 44:100, 45:09, 49:04-49:05, 51:37, 51:90, 51:92, 54:14-54:15, 55:23 and 55:27 alleles. Specific PCR fragment of 170 bp in the B\*52:16, 07:27, 07:50, 08:04, 08:17, 08:54, 15:03:01-15:03:03, 15:47, 15:54, 15:61-15:62, 15:64, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127, 15:131-15:132, 15:151, 15:156, 15:158, 15:173, 18:01:01-18:03, 18:05-18:06, 18:08-18:15, 18:17N-18:28, 18:30-18:32, 18:34-18:50, 37:01:01-37:20, 37:23, 38:03, 39:02:01-39:02:02, 39:08, 39:13:01-39:13:02, 39:23, 39:39, 39:49, 40:12, 42:11, 48:01:01-48:02:01, 48:03:01-48:05, 48:07-48:23 alleles.

Primer mix 16: Specific PCR fragment of 160 bp in the B\*52:13 allele. Specific PCR fragment of 215 bp in the B\*52:19 and in the B\*08:09, 15:83, 42:04, 44:20, 51:08, 51:20, 51:36, 51:44N, 55:20 and 56:13 alleles.

‘?’ nucleotide sequence information not available for the primer matching sequence.

‘w’, might be weakly amplified.

CELL LINE VALIDATION SHEET					Well															
HLA-B*52 SSP primer set																				
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
					201078001	201078002	201078003	201078004	201078005	201078006	201078007	201078008	201078009	201078010	201078011	201078012	201078013	201078014	201078015	201078016
				Prod. No.:																
	IHC cell line		B*																	
1	9001 SA		*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707		*52:01	*73:01	+	-	+	-	-	-	-	-	+	+	-	+	+	-	-	-
3	9011 E4181324		*52:01		+	-	+	-	-	-	-	-	-	-	-	+	+	-	-	-
4	9275 GU373		*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	+	-	+	+	-	-
5	9009 KAS011		*37:01		-	-	+	-	-	-	-	-	-	-	-	+	-	+	+	-
6	9353 SM		*39:01	*51:01	+	-	-	-	-	-	-	-	-	-	+	-	+	+	-	-
7	9020 QBL		*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-
8	9025 DEU		*35:01		-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-
9	9026 YAR		*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
10	9107 LKT3		*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
11	9051 PITOUT		*44:03		-	-	-	-	-	-	-	-	-	-	-	+	-	+	-	-
12	9052 DBB		*57:01		-	-	-	+	-	-	-	-	-	-	-	-	-	+	-	-
13	9025 JESTHOM		*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
14	9071 OLG A		*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-
15	9075 DKB		*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
16	9037 SWEIG007		*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
17	9282 CTM3953540		*08:01	*55:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
18	9257 32367		*14:01	*56:01	+	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
19	9038 BM16		*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+
20	9059 SLE005		*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
21	9064 AMALA		*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
22	9056 KOSE		*35:03		-	-	-	-	-	-	-	-	-	-	-	-	+	-	-	-
23	9124 IHL		*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
24	9035 JBUSH		*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
25	9049 IBW9		*14:02		+	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
26	9285 WT49		*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
27	9191 CH1007 <sup>1</sup>		*07:05	*51:01	+	-	-	-	-	-	-	-	-	-	+	-	+	+	-	-
28	9320 BEL5GB		*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	+	-	+	-	-
29	9050 MOU		*44:03		-	-	-	-	-	-	-	-	-	-	-	+	-	+	-	-
30	9021 RSH		*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
31	9019 DUCAF		*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+
32	9297 HAG		*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
33	9098 MT14B		*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
34	9104 DHIF		*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
35	9302 SSTO		*44:02		-	-	-	-	-	-	-	-	-	-	-	+	-	+	-	-
36	9024 KT17		*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-	-
37	9065 HHKB		*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
38	9099 LZL		*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
39	9315 CML		*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
40	9134 WHONP199		*13:02	*46:01	-	-	-	-	-	-	-	-	-	+	-	+	-	+	-	-
41	9055 H0301		*14:02		+	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
42	9066 TAB089		*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
43	9076 T7526		*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
44	9057 TEM		*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
45	9239 SHJO		*42:01	*50:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
46	9013 SCHU		*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
47	9045 TUBO <sup>1</sup>		*51:01		+	-	-	-	-	-	-	-	-	-	+	-	+	-	-	-
48	9303 TER-ND		*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	+	+	+	-	-

## CERTIFICATE OF ANALYSIS

### Olerup SSP® HLA-B\*52 SSP

Product number: 101.562-06 – including *Taq* polymerase  
Lot number: 59K  
Expiry date: 2013-April-01  
Number of tests: 6  
Number of wells per test: 16

#### Well specifications:

Well No.	Production No.	Well No.	Production No.
1	2010-780-01	9	2010-780-09
2	2010-780-02	10	2010-780-10
3	2010-780-03	11	2010-780-11
4	2010-780-04	12	2010-780-12
5	2010-780-05	13	2010-780-13
6	2010-780-06	14	2010-780-14
7	2010-780-07	15	2010-780-15
8	2010-780-08	16	2010-780-16

The specificity of each primer solution of has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 2, 6 to 8 and 16 were available. The specificities of the primers in primer solutions 2, 6, 8 and 16 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer. In primer mix 7 it was only possible to test the 3'-primer, the 5'-primer was not possible to test. In primer solutions 9, 11 and 16 one or two 5'-primers were not possible to test, and in primer solutions 2 and 10 one 3'-primer was not possible to test. Additional primers in primer solutions 5, 9, 10 and 15 were tested by separately adding one additional 5'-primer or 3'-primer.

**Results:** No false positive or false negative amplifications were obtained.

**Date of approval:** 2010-October-29

**Approved by:**

Quality Control, Supervisor

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

## Declaration of Conformity

**Product name:** *Olerup* SSP® HLA-B\*52  
**Product number:** 101.562-06  
**Lot number:** 59K

**Intended use:** HLA-B\*52 high resolution histocompatibility testing

**Manufacturer:** *Olerup* SSP AB  
Hasselstigen 1  
SE-133 33 Saltsjöbaden, Sweden  
**Phone:** +46-8-717 88 27  
**Fax:** +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, conformity assessed using Annex IV, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

The Authorized Representative located within the Community is: *Olerup* SSP AB.

Notified Body: Lloyd's Register Quality Assurance Limited, Hiramford, Middlemarch Office Village, Siskin Drive, Coventry CV3 4FJ, United Kingdom. (Notified Body number: 0088.)

Saltsjöbaden, Sweden  
2010-October-29

Olle Olerup  
Managing Director

Lot No.: **59K**

Lot-specific information

[www.olerup-ssp.com](http://www.olerup-ssp.com)

**ADDRESSES:**

**Manufacturer:**

**Olerup SSP AB**, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

**Tel:** +46-8-717 88 27

**Fax:** +46-8-717 88 18

**E-mail:** [info-ssp@olerup.com](mailto:info-ssp@olerup.com)

**Web page:** <http://www.olerup-ssp.com>

**Distributed by:**

**Olerup GmbH**, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

**Tel:** +43-1-710 15 00

**Fax:** +43-1-710 15 00 10

**E-mail:** [support-at@olerup.com](mailto:support-at@olerup.com)

**Web page:** <http://www.olerup.com>

**Olerup Inc.**, 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-OLERUP1

**Fax:** 610-344-7989

**E-mail:** [info.us@olerup.com](mailto:info.us@olerup.com)

**Web page:** <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.