

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information  
**Olerup SSP® HLA-B\*56**

<b>Product number:</b>	<b>101.571-06 – including <i>Taq</i> polymerase</b> <b>101.571-06u – without <i>Taq</i> polymerase</b>
<b>Lot number:</b>	<b>39V</b>
<b>Expiry date:</b>	<b>2016-October-01</b>
<b>Number of tests:</b>	<b>6</b>
<b>Number of wells per test:</b>	<b>23+1</b>
<b>Storage - pre-aliquoted primers:</b>	<b>dark at -20°C</b>
- PCR Master Mix:	<b>-20°C</b>
- Adhesive PCR seals	<b>RT</b>
- Product Insert	<b>RT</b>

**This Product Description is only valid for Lot No. 39V.**

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®  
 HLA-B\*56 LOT (85R)**

The HLA-B\*56 kit is updated for new alleles to enable separation of:

- Confirmed<sup>1</sup> alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

A well containing Negative Control primer pairs has been added.

The format of the Product Insert and Worksheet have been changed.

<sup>1</sup>As described in section Uniquely Identified Alleles.

The HLA-B\*56 specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP®* HLA-B\*56 lot was made (**Lot No. 85R**).

As of lot series V, the Specificity Table is included in the lot-specific Product Insert, and the Interpretation Table is included in the Worksheet.

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

**Lot-specific information**

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
3	Added	-	5'-primer added for the B*56:01:05 allele.
5	Added	Added	Primer pair added for the B*56:40 allele.
8	Moved, added	Moved, added	Primer pair moved to well 15, Primer pair added from well 24.
15	-	Added	3'-primer added from well 8.
18	-	Added	3'-primer added for resolution of the B*56:08 and B*56:28N alleles.
21	-	Added	3'-primer added for the B*56:42 allele, exchanged positive control primer pair.
24	Moved	Moved	Primer pair moved to well 8, Negative Control.

Change in revision R01 compared to R00:

1. Primer mix 3 may amplify the C\*03:19 and C\*03:102 alleles. A foot note has been added in the Specificity Table.

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

Well **24** contains Negative Control primer pairs, that will amplify more than 95% of the Olerup SSP® HLA Class I, DRB, DQB1 and DPB1 amplicons as well as amplicons generated by a control primer pair.

PCR product sizes range from 75 to 430 base pairs.  
 The PCR product generated by the control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80
<b>5'-primer<sup>1</sup></b>	<b>164</b>	<b>340</b>	<b>440</b>	<b>45</b>	<b>45</b>	<b>43</b>
	5'-CAC <sup>3'</sup>	5'-Agg <sup>3'</sup>	5'-TTA <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>	5'-Tgg <sup>3'</sup>
<b>3'-primer<sup>2</sup></b>	<b>231</b>	<b>2<sup>nd</sup> I</b>	<b>507</b>	<b>59</b>	<b>58</b>	<b>57</b>
	5'-TgC <sup>3'</sup>	5'-AAA <sup>3'</sup>	5'-TTg <sup>3'</sup>	5'-CTC <sup>3'</sup>	5'-ggC <sup>3'</sup>	5'-CTC <sup>3'</sup>
<b>A*</b>	<b>+</b>	<b>+</b>	<b>+</b>			
<b>B*</b>	<b>+</b>	<b>+</b>	<b>+</b>			
<b>C*</b>	<b>+</b>	<b>+</b>	<b>+</b>			
<b>DRB1</b>				<b>+</b>	<b>+</b>	
<b>DRB3</b>				<b>+</b>	<b>+</b>	
<b>DRB5</b>				<b>+</b>		
<b>DQB1</b>					<b>+</b>	
<b>DPB1</b>						<b>+</b>

<sup>1</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>2</sup>The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2<sup>nd</sup> or 3<sup>rd</sup> exon or the 2<sup>nd</sup> intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

## PRODUCT DESCRIPTION

### HLA-B\*56 SSP subtyping

#### CONTENT

The primer set contains 5'- and 3'-primers for identifying the B\*56:01 to B\*56:43 alleles.

#### PLATE LAYOUT

Each test consists of 24 PCR reactions in a 24 well PCR plate.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	NC

The 24 well PCR plate is marked with ‘HLA-B\*56’ in silver/gray ink.

Well No. 1 is marked with the Lot No. ‘39V’.

Wells 1 to 23 – HLA-B\*56 high resolution primers.

Well 24 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

**Please note:** When removing each 24 well PCR plate, make sure that the remaining plates stay covered. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

#### INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles non-HLA-B\*56 alleles will be amplified by all primer mixes. In addition, a few HLA-A and HLA-C alleles will be amplified by primer mixes 1, 4, 6, 8, 10, 12, 14, 17, 22 and 23.

For further details see Specificity Table.

#### UNIQUELY IDENTIFIED ALLELES

All the HLA-B\*56 alleles, i.e. **B\*56:01 to B\*56:43**, recognized by the HLA Nomenclature Committee in January 2014<sup>1,2</sup> will be amplified by the primers in the HLA-B\*56 subtyping kit<sup>3</sup>.

The HLA-B\*56 kit enables separation of the confirmed HLA-B\*56 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-B\*56 alleles is listed below.

The HLA-B\*56 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

**Lot-specific information**

The following HLA-B\*56 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix	Alleles	Primer mix
B*56:08, 56:13	15	B*56:18, 07:65	22
B*56:14, 44:15, 44:18, 45:01, 45:04-45:05, 45:07, 45:11-45:14	15	B*56:19N, 56:29	19
B*56:17, 56:26	21		

The HLA-B\*56 subtyping kit cannot distinguish the silent mutations in the B\*56:01:01- 56:01:07 alleles and the B\*56:20:01-56:20:02 alleles.

<sup>1</sup>HLA-B alleles listed on the IMGT/HLA web page 2014-January-17, release 3.15.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

<sup>2</sup>Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

<sup>3</sup>The HLA-B\*56 primer set cannot separate the B\*56:09 and B\*35:78 alleles. These alleles can be distinguished by the HLA-B low resolution and/or B\*35 kits.  
 The HLA-B\*56 primer set cannot separate the B\*56:23 and B\*55:31 alleles. These alleles can be distinguished by the HLA-B low resolution and/or B\*55 kits.

**ALLELE CONFIRMATION STATUS**

Allele	Status <sup>1</sup>	Allele	Status <sup>1</sup>	Allele	Status <sup>1</sup>
B*56:01:01	Confirmed	B*56:14	Confirmed	B*56:33	Unconfirmed
B*56:01:02	Confirmed	B*56:15	Confirmed	B*56:34	Unconfirmed
B*56:01:03	Confirmed	B*56:16	Confirmed	B*56:35	Unconfirmed
B*56:01:04	Confirmed	B*56:17	Unconfirmed	<b>B*56:36</b>	<b>Confirmed</b>
B*56:01:05	Unconfirmed	B*56:18	Unconfirmed	B*56:37	Unconfirmed
B*56:01:06	Unconfirmed	B*56:19N	Unconfirmed	B*56:38N	Unconfirmed
B*56:01:07	Unconfirmed	B*56:20:01	Unconfirmed	B*56:39	Unconfirmed
<b>B*56:02</b>	<b>Confirmed</b>	B*56:20:02	Unconfirmed	B*56:40	Unconfirmed
<b>B*56:03</b>	<b>Confirmed</b>	B*56:21	Unconfirmed	B*56:41	Unconfirmed
<b>B*56:04</b>	<b>Confirmed</b>	B*56:22	Unconfirmed	B*56:42	Unconfirmed
<b>B*56:05:01</b>	<b>Confirmed</b>	B*56:23	Unconfirmed	B*56:43	Unconfirmed
<b>B*56:05:02</b>	<b>Confirmed</b>	B*56:24	Unconfirmed		
<b>B*56:06</b>	<b>Confirmed</b>	<b>B*56:25</b>	<b>Confirmed</b>		
<b>B*56:07</b>	<b>Confirmed</b>	<b>B*56:26</b>	<b>Confirmed</b>		
B*56:08	Unconfirmed	<b>B*56:27</b>	<b>Confirmed</b>		
B*56:09	Unconfirmed	<b>B*56:28N</b>	<b>Confirmed</b>		
<b>B*56:10</b>	<b>Confirmed</b>	B*56:29	Unconfirmed		
B*56:11	Unconfirmed	B*56:30	Unconfirmed		
B*56:12	Unconfirmed	B*56:31	Unconfirmed		
B*56:13	Unconfirmed	B*56:32	Unconfirmed		

<sup>1</sup>Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2014-January-17, release 3.15.0, [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla).

**RESOLUTION IN HOMO- AND HETEROZYGOTES**

Results file with resolution in HLA-B\*56 homo- and heterozygotes is available upon request.

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information  
**SPECIFICITY TABLE**

**HLA-B\*56 SSP subtyping**

Specificities and sizes of the PCR products of the 23+1 primer mixes used for HLA-B\*56 SSP subtyping

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified HLA-B*56 alleles <sup>3</sup>	Other amplified HLA Class I alleles <sup>4</sup>
<b>1<sup>5,8</sup></b>	125 bp	<b>800 bp</b>	*56:01:01-56:02, 56:07-56:11, 56:13-56:17, 56:19N, 56:22-56:26, 56:28N-56:30, 56:33-56:43	*13:01:01-13:04, 13:06-13:09, 13:11-13:20, 13:22:01-13:23, 13:25-13:34, 13:36-13:61, 13:63N-13:64, 13:66-13:70, 13:72-13:73, 14:22, 14:37, 15:16:01-15:16:03, 15:20, 15:34, 15:42, 15:62, 15:67, 15:85-15:86, 15:95, 15:137, 15:194, 15:222, 15:254, 15:303, 18:22, 18:52, 27:14, 35:01:01:01-35:05:02, 35:06-35:08:06, 35:10-35:11:03, 35:13-35:15, 35:19-35:21, 35:23-35:30, 35:33-35:38, 35:40N-35:42:02, 35:45-35:50, 35:52, 35:54-35:58, 35:60, 35:62-35:63, 35:65Q-35:66, 35:68:01-35:72, 35:74-35:78, 35:80-35:85, 35:89-35:98, 35:100-35:101:02, 35:103-35:112, 35:115-35:116, 35:119-35:124, 35:126-35:134N, 35:136-35:148, 35:150-35:163, 35:166-35:173N, 35:175-35:178, 35:180-35:184, 35:186-35:195, 35:197-35:198, 35:200, 35:202-35:204, 35:206-35:207, 35:209-35:214, 35:216N-35:229, 35:231-35:232, 35:235-35:241, 35:243-35:248, 40:28, 44:10, 44:15, 44:18, 44:48, 45:01-45:14, 46:11, 46:18, 46:33, 46:53, 48:02:01-48:02:03, 48:25, 49:01:01-49:28, 50:01:01, 50:01:03-50:02, 50:05-50:19, 50:31-50:37, 51:15, 51:56:01-51:56:02, 51:157, 53:01:01-53:06, 53:08:01-53:31, 54:01:01-54:05N, 54:07-54:08N, 54:10, 54:12-54:32, 55:01:01-55:01:05, 55:01:07-55:02:03, 55:02:05-55:03, 55:05, 55:07, 55:09-55:13, 55:15-55:16, 55:18-55:19, 55:21-55:37, 55:39-55:48, 55:50, 55:52-55:63, 57:05, 58:01:01-58:01:02, 58:01:04-58:02, 58:04-58:07, 58:09, 58:11-58:19, 58:21-58:26, 58:28-58:29, 58:31N-58:45:02, 58:47-58:58, 59:01:01:01-59:01:01:02, 59:03-59:06, 82:01-82:03, <b>C*02:56, C*06:20, C*07:81, C*07:168</b>
<b>2</b>	400 bp	1070 bp	*56:01:01-56:13, 56:15-56:32, 56:34-56:41, 56:43	*07:65, 13:54, 27:77, 35:76, 35:78, 40:166 <sup>?</sup> , 44:90, 54:01:01-54:06, 54:08N-54:23, 54:25-54:32, 55:01:01-55:05, 55:07-55:17, 55:19-55:33, 55:35-55:46, 55:48-55:63, 81:01, 81:03 <sup>?</sup> -81:04N <sup>?</sup> , 81:06 <sup>?</sup> , 82:01-82:03, 83:01
<b>3<sup>9</sup></b>	180 bp	1070 bp	*56:01:01-56:02, 56:04, 56:07-56:08, 56:13-56:14, 56:16-56:17, 56:19N-56:20:02, 56:24-56:30, 56:33-56:43	*13:03, 13:48, 15:73, 15:303, 40:71, 44:10, 44:15, 44:18, 44:140, 45:01, 45:04-45:07, 45:11-45:14, 46:11, 49:01:01-49:03, 49:06, 49:08-49:17, 49:19N-49:28, 50:01:01-50:02, 50:04-50:08, 50:10-50:13, 50:15-50:19, 50:32, 50:34-50:37, 51:15, 51:62, 51:106, 52:25, 54:03, 59:04, 82:01-82:03

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

Lot No.: <b>39V</b>		Lot-specific information		
<b>4<sup>5</sup></b>	105 bp	<b>800 bp</b>	*56:02, 56:04, 56:10	*07:182N, 13:11, 15:18:03, 15:73, 15:86, 15:224, 39:17, 40:48, 40:71, 51:62, 82:01-82:03, <b>C*01:90, C*02:06, C*02:47, C*07:289, C*12:15, C*15:37, C*15:58, C*15:72</b>
<b>5</b>	175 bp 285 bp	1070 bp	*56:40 *56:03	*40:10:02, 54:01:02, 55:35
<b>6<sup>5</sup></b>	105 bp 150 bp	<b>800 bp</b>	*56:05:01 *56:32	*07:206, 27:05:18, 39:63 *07:09 <sup>W</sup> , 07:11 <sup>W</sup> , 07:162 <sup>W</sup> , 15:03:01-15:03:04, 15:16:01-15:16:03, 15:18:01-15:18:06, 15:23, 15:29, 15:39:01-15:40, 15:47:01 <sup>W</sup> -15:47:02 <sup>W</sup> , 15:49 <sup>W</sup> , 15:61-15:62, 15:64:01-15:64:02, 15:65 <sup>W</sup> , 15:67, 15:69, 15:72, 15:74, 15:80, 15:93, 15:95, 15:98, 15:103, 15:108, 15:115, 15:119, 15:127, 15:131-15:132, 15:134, 15:138, 15:153, 15:158, 15:161, 15:173, 15:176, 15:194-15:195, 15:197-15:198, 15:210, 15:220, 15:221 <sup>W</sup> , 15:223, 15:226N, 15:238, 15:242, 15:254-15:255, 15:263, 15:266, 15:268, 15:274, 15:281-15:282, 15:288, 15:290, 15:292-15:294N, 18:15, 18:21 <sup>W</sup> , 18:30 <sup>W</sup> , 18:57, 35:11:01-35:11:02, 35:11:03 <sup>W</sup> , 35:21, 35:58, 35:99 <sup>W</sup> , 35:188, 35:232 <sup>W</sup> , 46:03 <sup>W</sup> , 46:08, 48:25, 49:04, 51:37, 51:45, 53:06, 53:08:01-53:08:02, 53:28, 55:14, 57:13 <sup>W</sup> , 57:22, 58:06, 58:19, 58:46, <b>C*03:175, C*03:199, C*15:09, C*15:19, C*15:27, C*15:61</b>
<b>7<sup>5,6</sup></b>	120 bp	<b>800 bp</b>	*56:05:01-56:06, 56:21	*13:62, 40:95, 49:18, 50:14, 51:01:01-51:01:03, 51:01:05-51:01:12, 51:01:14-51:02:03, 51:02:05-51:03, 51:05, 51:07:01-51:09:02, 51:11N-51:12, 51:13:02-51:14, 51:16-51:23, 51:24:03-51:24:05, 51:26-51:37, 51:39-51:41N, 51:43-51:44N, 51:48-51:55, 51:57-51:58, 51:60-51:61:02, 51:63, 51:65-51:80, 51:82-51:91, 51:93-51:134, 51:136-51:138, 51:140-51:147, 51:149N-51:156, 51:158-51:166, 52:01:01:01-52:01:04, 52:01:06-52:01:14, 52:01:16-52:13, 52:15-52:24, 52:26-52:36, 55:01:04, 58:08:01-58:08:02, 78:01:01-78:07
	170 bp		*56:33	*15:21, 15:44, 15:66, 15:189, 35:26, 35:82, 35:85, 35:135, 38:28
<b>8<sup>7</sup></b>	380 bp	1070 bp	*56:21	*08:03, 08:52, 08:78, 27:102, 40:13, 40:19, 40:109, 40:117, 48:18, 49:18, 51:01:01-51:01:07, 51:01:09-51:01:14, 51:01:16-51:01:39, 51:01:41-51:01:42, 51:01:44-51:12, 51:16-51:24:05, 51:26-51:36, 51:38-51:41N, 51:43-51:44N, 51:46, 51:48-51:49, 51:51-51:53, 51:55-51:61:02, 51:64-51:77, 51:79-51:84, 51:86-51:89, 51:91, 51:93-51:96, 51:98N-51:105, 51:107-51:134, 51:136-51:156, 51:158-51:166, 52:01:01:01-52:11, 52:13, 52:15-52:19, 52:21-52:24, 52:27-52:36, 53:19, 57:02:01-57:03:02, 57:05, 57:07, 57:09, 57:17, 57:39, 57:42, 57:46, 57:57, 57:63, 57:66, 58:08:01-58:08:02, 58:27-58:28, 59:02, <b>A*24:146</b>
<b>9<sup>8</sup></b>	145 bp	<b>800 bp</b>	*56:07	*07:149, 08:02, 15:115, 27:01, 38:02:01-38:02:06, 38:03-38:04, 38:08, 38:15, 38:18, 38:23, 38:29, 38:35, 38:43-38:50, 44:40, 44:44, 44:130, 44:156
	205 bp		*56:31	*15:38:01-15:38:02, 15:185, 18:01:01:01-18:01:13,

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

				18:01:15-18:09, 18:12-18:15, 18:17N-18:19, 18:22-18:25, 18:27-18:34, 18:36-18:40, 18:42-18:55, 18:57, 18:59-18:60, 18:62-18:96, 35:21, 35:24:01-35:24:02, 35:188, 35:190, 39:43, 51:37, 51:45, 53:02, 53:06, 53:28, 57:14, 58:09
<b>10<sup>7</sup></b>	150 bp	<b>800 bp</b>	*56:09, 56:11-56:12	*08:49, 13:01:01-13:01:08, 13:06-13:07N, 13:12:01-13:13, 13:17, 13:20, 13:22:01-13:23, 13:25-13:26:02, 13:28-13:29, 13:36, 13:39, 13:43, 13:50-13:52, 13:57, 13:60-13:61, 13:63N, 13:73, 14:10, 15:02:01-15:02:08, 15:13:01-15:13:02, 15:20-15:21, 15:25:01-15:25:03, 15:36, 15:44, 15:62, 15:77, 15:80, 15:85, 15:88-15:89, 15:106, 15:112, 15:121, 15:139, 15:144, 15:154, 15:165, 15:170, 15:194, 15:204, 15:213-15:214, 15:223, 15:240, 15:250, 15:265, 15:271, 15:283, 15:289, 15:291, 15:297, 15:301-15:302N, 18:22, 18:69, 27:19, 27:30, 35:01:01:01-35:04:03, 35:06-35:08:06, 35:10-35:17:02, 35:19-35:21, 35:23-35:30, 35:33-35:36, 35:38-35:42:02, 35:45-35:50, 35:52, 35:54-35:57, 35:59, 35:61:01-35:63, 35:65Q, 35:69-35:71, 35:74, 35:76-35:78, 35:80-35:85, 35:90-35:96, 35:98, 35:100-35:101:02, 35:103-35:113, 35:115-35:116, 35:120-35:126, 35:128-35:134N, 35:136-35:150, 35:152-35:173N, 35:175-35:184, 35:186-35:198, 35:200-35:204, 35:206-35:229, 35:231, 35:233, 35:236-35:248, 37:01:01-37:01:07, 37:01:09, 37:03N-37:06:02, 37:08, 37:10-37:11, 37:13-37:43, 37:45-37:47, 38:20, 39:42, 40:28, 44:02:01:01-44:14, 44:16-44:17, 44:19N, 44:21-44:30, 44:32-44:40, 44:42-44:46, 44:48-44:52N, 44:55-44:64:02, 44:66-44:98, 44:101-44:105, 44:107-44:134, 44:136-44:137, 44:139-44:157, 44:159-44:165, 44:167-44:181, 44:183, 44:185-44:187, 46:33, 48:02:01-48:02:03, 48:25, 50:17, 51:04, 51:42, 51:46, 51:56:01-51:56:02, 51:139, 53:01:01-53:13, 53:15-53:31, 55:14, 57:01:01-57:01:04, 57:01:06-57:10, 57:12, 57:14-57:20, 57:22-57:30, 57:32-57:46, 57:48-57:69, 58:01:01-58:01:02, 58:01:04-58:01:15, 58:04-58:05, 58:09-58:15, 58:17N, 58:19, 58:21-58:24, 58:28-58:29, 58:31N-58:37, 58:39N-58:42, 58:44-58:45:02, 58:47-58:58, 83:01, <b>C*03:102</b>
<b>11<sup>5</sup></b>	105 bp	<b>800 bp</b>	*56:01:01-56:01:07, 56:07-56:08, 56:13-56:14, 56:16-56:17, 56:19N-56:20:02, 56:23-56:30, 56:33-56:43	*07:78, 13:02:01-13:02:14, 13:02:16-13:03, 13:08-13:09, 13:14-13:16, 13:18-13:19, 13:27, 13:30-13:34, 13:37-13:38, 13:40-13:42, 13:44-13:45, 13:48-13:49N, 13:53-13:56N, 13:58, 13:65-13:70, 14:37, 15:42, 15:303, 35:60, 44:15, 44:18, 45:01, 45:03-45:08, 45:10-45:14, 46:11, 46:18, 49:01:01-49:03, 49:06-49:17, 49:19N-49:28, 50:01:01-50:02, 50:04-50:08, 50:10-50:11, 50:13, 50:15, 50:18-50:19, 50:31-50:32, 50:34-50:37, 51:15, 51:157, 52:25, 54:01:01-54:03, 54:05N, 54:07-54:08N, 54:10, 54:12-54:13, 54:16-54:30, 54:32, 55:01:01-55:01:03, 55:01:05-55:01:06, 55:01:08-55:03, 55:05, 55:07, 55:09-55:12, 55:15-55:16, 55:18-55:19, 55:21-55:22, 55:24-55:26, 55:29-55:31, 55:33-55:38, 55:40-55:41, 55:43, 55:45-55:48, 55:50, 55:52, 55:54-55:57,



101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

<b>12<sup>7</sup></b>	150 bp	<b>800 bp</b>	*56:25, 56:37	55:59-55:60, 55:62-55:63, 59:01:01:01-59:01:01:02, 59:04-59:06
	180 bp		*56:10, 56:23	*07:78, 13:16, 13:20, 13:31 <sup>W</sup> , 13:48, 15:42, 15:73 <sup>W</sup> , 15:303 <sup>W</sup> , 51:62, 51:106, 52:25, 54:20, 55:01:01-55:01:11, 55:03, 55:05, 55:09, 55:11, 55:15, 55:21 <sup>W</sup> , 55:24-55:25, 55:29, 55:31, 55:33, 55:36, 55:38, 55:40, 55:44-55:45, 55:52-55:55N, 55:59-55:60, <b>C*01:90</b> *13:06, 13:53, 15:42, 15:86, 15:224, 35:60, 46:18, 51:157, 54:01:01-54:02, 54:05N, 54:07-54:08N, 54:10, 54:12-54:13, 54:17-54:25, 54:27-54:32, 55:01:01-55:03, 55:05, 55:07, 55:10-55:12, 55:15-55:16, 55:18-55:19, 55:21, 55:25-55:26, 55:29-55:31, 55:33-55:40, 55:42-55:45, 55:47-55:48, 55:50, 55:52-55:57, 55:59-55:63, 59:01:01:01-59:01:01:02, 59:05-59:06, <b>C*01:90</b>
<b>13<sup>5,7,8</sup></b>	70 bp	1070 bp	*56:30	*44:174
	180 bp		*56:11, 56:22	*15:58, 15:133, 15:229, 15:253, 35:03:01-35:03:05, 35:03:07-35:03:12, 35:06, 35:13, 35:36, 35:38, 35:55-35:56, 35:59, 35:70, 35:74-35:75, 35:84-35:85, 35:98, 35:106, 35:109, 35:127-35:128, 35:136, 35:150-35:153, 35:155-35:156, 35:160, 35:163, 35:167, 35:169, 35:179, 35:181, 35:193, 35:195, 35:198, 35:204-35:205, 35:221, 35:223, 35:231, 35:235-35:237, 35:242-35:243, 35:246, 38:30, 39:32-39:33, 39:74, 51:13:01-51:13:02, 51:92, 52:14, 53:04, 53:31, 58:34
<b>14<sup>5,8</sup></b>	80 bp	<b>800 bp</b>	*56:04, 56:27	*07:182N, 15:18:03, 15:73, 15:224, 39:17, 40:48, 40:71, 44:140, 50:04, 51:62, 55:38, <b>A*02:339<sup>W</sup></b> , <b>C*03:19<sup>W</sup></b> , <b>C*03:102<sup>W</sup></b> , <b>C*15:26<sup>W</sup></b>
<b>15</b>	160 bp	1070 bp	*56:13	*44:15, 44:18, 44:140, 45:01, 45:04-45:08, 45:10-45:14, 55:56, 82:01-82:03
	385 bp		*56:08, 56:14, 56:28N	*35:186
<b>16</b>	165 bp	<b>800 bp</b>	*56:36	*07:177, 08:87, 40:166, 44:02:01:01-44:02:29, 44:06, 44:08-44:09, 44:11-44:12, 44:16, 44:19N-44:24, 44:27:01-44:27:02, 44:33-44:34:02, 44:41:01-44:41:02, 44:44, 44:48-44:49, 44:52N-44:53, 44:55, 44:59:01-44:59:02, 44:63, 44:66-44:68, 44:71-44:74, 44:80, 44:83-44:84:02, 44:86-44:87, 44:89-44:91, 44:93, 44:95, 44:97, 44:99-44:102, 44:104, 44:106, 44:112-44:113, 44:116, 44:118-44:119, 44:121, 44:126:01-44:127, 44:131-44:132, 44:137-44:138Q, 44:142, 44:145, 44:148-44:149N, 44:151-44:152, 44:162, 44:168-44:173, 44:176-44:177, 44:179, 44:185, 44:187, 45:06, 83:01
	80 bp		1070 bp	*56:38N
<b>17<sup>5,7</sup></b>	80 bp	1070 bp	*56:05:01-56:06,	
	180 bp		56:15, 56:21	

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

				40:26, 40:28, 40:63, 40:92, 40:174, 41:17, 44:62, 44:77, 44:82, 44:107, 44:123, 49:18, 50:14, 51:01:01-51:01:14, 51:01:16-51:01:31, 51:01:33-51:01:38, 51:01:40-51:09:02, 51:11N-51:12, 51:18-51:20, 51:22-51:24:05, 51:26-51:30, 51:32-51:33, 51:35, 51:38-51:41N, 51:43-51:44N, 51:46, 51:48-51:61:02, 51:64-51:80, 51:83-51:84, 51:86-51:91, 51:94-51:96, 51:98N-51:100, 51:102-51:105, 51:107-51:142, 51:145-51:152, 51:154-51:156, 51:158-51:166, 52:01:01:01-52:07, 52:09-52:13, 52:15-52:24, 52:27-52:36, 53:19, 55:08, 55:51, 57:02:01-57:03:02, 57:05, 57:07, 57:09, 57:12, 57:17, 57:28N, 57:39, 57:42, 57:46, 57:57, 57:63, 57:66, 58:08:01-58:08:02, 58:28, 78:01:01-78:06, <b>C*03:81, C*03:152</b>
<b>18<sup>6</sup></b>	295 bp	<b>800 bp</b>	*56:16	*40:149, 41:22, 49:25, 54:21, 55:10, 57:58, 82:01-82:03
	405 bp		*56:28N	
<b>19<sup>5</sup></b>	75 bp	<b>800 bp</b>	*56:29	*07:176
	185 bp		*56:19N	*39:40:01N-39:40:02N
<b>20</b>	215 bp	1070 bp		*07:02:19, 15:01:04, 37:01:04, 40:94, 51:01:18, 54:01:01, 54:01:03-54:32, 55:02:07, 58:01:08
<b>21<sup>5,7</sup></b>	115 bp	<b>800 bp</b>	*56:17, 56:23, 56:42	*07:16, 07:37, 07:50, 07:75, 07:91, 07:207, 08:23, 08:54, 08:110, 14:14, 14:18, 15:03:01-15:03:04, 15:09-15:10:02, 15:18:01-15:18:06, 15:29, 15:37, 15:47:01-15:47:02, 15:49, 15:51-15:52, 15:54, 15:62, 15:64:01-15:64:02, 15:68-15:69, 15:72, 15:74, 15:80, 15:90-15:91, 15:93, 15:98-15:99, 15:103, 15:108, 15:114, 15:123-15:124, 15:127, 15:131-15:134, 15:151, 15:153, 15:156, 15:158, 15:161, 15:173, 15:176, 15:186, 15:197-15:198, 15:200, 15:210, 15:220-15:221, 15:226N, 15:229, 15:235, 15:238, 15:242-15:243, 15:252-15:253, 15:259, 15:263, 15:266, 15:274-15:275, 15:281-15:282, 15:290, 15:292-15:293, 18:37, 27:18, 27:23, 27:44, 27:77, 35:25-35:26, 35:49, 39:05:01-39:05:02, 39:07-39:08, 39:11, 39:13:01-39:13:02, 39:20, 39:37, 39:49, 39:55-39:56, 40:12, 40:46, 40:93, 42:11, 48:01:01-48:34, 55:18, 55:31
	170 bp		*56:26	
<b>22<sup>5</sup></b>	105 bp	<b>800 bp</b>	*56:06	*07:65, 07:134, 35:76
	175 bp		*56:18, 56:31-56:32, 56:36	*07:177 08:37, 08:89, 08:107, 15:50, 15:69, 15:93, 15:186, 15:199, 18:01:01:01-18:01:13, 18:01:15-18:01:17, 18:01:19-18:09, 18:11-18:15, 18:17N-18:19, 18:22-18:25, 18:27-18:34, 18:37-18:40, 18:42-18:49, 18:51-18:55, 18:59-18:60, 18:62-18:85, 18:87-18:96, 35:35, 35:93, 35:188, 35:190, 37:35, 39:07, 39:43, 40:166, 42:09, 44:90, 45:06, 46:03, 46:21:01-46:21:02, 46:29, 54:09, 54:14, 55:14, 55:23, 57:26, 58:05, 58:35, <b>C*06:89, C*07:123, C*07:173, C*07:294, C*12:113, C*15:09, C*15:19, C*15:27, C*15:61, C*16:20</b>
<b>23<sup>5</sup></b>	85 bp	1070 bp	*56:20:01-56:20:02	*07:78, 40:48, <b>C*01:90</b>
	350 bp			*56:24
<b>24<sup>10</sup></b>			<b>Negative Control</b>	

101.571-06 – including *Taq* polymerase, IFU-01  
101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
“Instructions for Use” (IFU)

**Lot No.: 39V****Lot-specific information**

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA B\*56 high resolution SSP typings. When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>For several HLA Class I alleles 1<sup>st</sup> and/or 4<sup>th</sup> exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

<sup>4</sup>Due to the sharing of sequence motifs between HLA-B alleles non-HLA-B\*56 alleles will be amplified by all primer mixes. In addition, a few HLA-A and HLA-C alleles will be amplified by primer mixes 1, 4, 6, 8, 10, 12, 14, 17, 22 and 23.

<sup>5</sup>HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

<sup>6</sup>Primer mix 7 and 18 may give rise to a lower yield of HLA-specific PCR product than the other B\*56 primer mixes.

<sup>7</sup>Primer mixes 8, 10, 12, 13, 17 and 21 may have tendencies of unspecific amplifications.

<sup>8</sup>Primer mixes 1, 9, 13 and 14 have a tendency to giving rise to primer oligomer formation.

<sup>9</sup>Primer mix 3 may amplify the C\*03:19 and C\*03:102 alleles.

<sup>10</sup>Primer mix 24 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by control primer pairs. PCR product sizes range from 75 to 200 base pairs. The PCR product generated by the control primer pair is 430 base pairs.

'w', might be weakly amplified.

'?', nucleotide sequence information not available for the primer matching sequence.

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information  
**PRIMER SPECIFICATION**

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	125	400	180	105	175	105	120	380	145	150	105	150
Length of int. pos. control <sup>1</sup>	800	1070	1070	800	1070	800	800	1070	800	800	800	800
5'-primer(s) <sup>2</sup>	379 5'-ACC 3'	41 5'-CTg 3'	420 5'-TTA 3'	355 5'-CCC 3'	48 5'-gCC 3'	141 5'-ATT 3'	142 5'-TCg 3'	317 5'-gCT 3'	206 5'-AgA 3'	355 5'-TCA 3'	357 5'-Tgg 3'	420 5'-TTA 3'
			420 5'-CTA 3'		874 5'-CgC 3'	419 5'-gTC 3'	357 5'-Tgg 3'		419 5'-gTC 3'			
3'-primer(s) <sup>3</sup>	463 5'-gCT 3'	272 5'-TgT 3'	559 5'-CAg 3'	420 5'-gCT 3'	165 5'-Tgg 3'	204 5'-TCT 3'	272 5'-TgC 3'	412 5'-gTT 3'	309 5'-gTg 3'	463 5'-gCT 3'	420 5'-gCT 3'	527 5'-CCT 3'
	463 5'-gCT 3'	277 5'-ggC 3'	564 5'-ACT 3'		916 5'-gAT 3'	527 5'-CCT 3'	435 5'-TCT 3'		583 5'-gTg 3'			559 5'-CgT 3'
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23
Length of spec. PCR product	70	80	160	165	80	295	75	215	115	105	85
Length of int. pos. control <sup>1</sup>	1070	800	1070	800	1070	800	800	1070	800	800	1070
5'-primer(s) <sup>2</sup>	420 5'-TTC 3'	379 5'-ACg 3'	41 5'-CTg 3'	144 5'-ACC 3'	166 5'-CgT 3'	15 5'-gCA 3'	206 5'-AgA 3'	1 <sup>st</sup> I 5'-CAg 3'	206 5'-AgA 3'	144 5'-ACC 3'	420 5'-TTA 3'
	420 5'-TTC 3'		420 5'-TTA 3'	418 5'-Agg 3'	419 5'-gTA 3'		419 5'-gTT 3'			206 5'-gAC 3'	701 5'-CCT 3'
	530 5'-ggT 3'									419 5'-gTC 3'	
3'-primer(s) <sup>3</sup>	559 5'-CAg 3'	420 5'-gCT 3'	252 5'-TCT 3'	272 5'-TgT 3'	204 5'-TCT 3'	142 5'-TgA 3'	239 5'-gCT 3'	175 5'-CCg 3'	277 5'-ggC 3'	272 5'-TgT 3'	463 5'-gCg 3'
			269 5'-ACT 3'	538 5'-gTC 3'	559 5'-CAg 3'	252 5'-TCT 3'	564 5'-ACT 3'		292 5'-gTA 3'	559 5'-CgT 3'	916 5'-gAT 3'
			538 5'-gTC 3'						335 5'-CgT 3'		
Well No.	13	14	15	16	17	18	19	20	21	22	23

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

<sup>2</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the [www.ebi.ac.uk/imgt/hla](http://www.ebi.ac.uk/imgt/hla) web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

<b>CELL LINE VALIDATION SHEET</b>																			
<b>HLA-B*56 SSP subtyping kit<sup>2</sup></b>																			
			Prod. No.:	Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
				201075001	201075002	201431003	201075004	201431005	201189306	201313207	201075024	201189309	201075010	201075011	201313212	201189313	201313214	201431015	201313216
	IHWC cell line <sup>1</sup>	B*																	
1	9001 SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	-	-	+	+	-	-	-	-	-	-	-	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	+	+	-	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	+	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
5	9009 KAS011	*37:01		-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	-	-	-	-	-	-	+	+	-	-	-	-	-	-	-	-
7	9020 QBL	*18:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
8	9025 DEU	*35:01		+	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*54:01		+	+	-	-	-	-	-	-	-	-	+	+	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
13	9025 JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	+	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*08:01	*55:01	+	+	-	-	-	-	-	-	-	-	+	+	-	-	-	-
18	9257 32367	*14:01	*56:01	+	+	+	-	-	-	-	-	-	-	+	-	-	-	-	-
19	9038 BM16	*18:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		+	-	-	-	-	-	-	-	-	+	-	-	+	-	-	-
23	9124 IHL	*40:02	*56:02	W	+	+	+	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*58:01		+	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	-	-	+	+	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	+
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-	-	+	-	-	-	-	-	+
36	9024 KT17	*15:01	*35:01	+	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	+	-	-	-	-	-	-	-	-	-	+	-	-	-	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*42:01	*50:01	+	-	+	-	-	-	-	-	-	-	+	-	-	-	-	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	+	+	-	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	+	-	-	-	-	-	-	-	-	+	-	-	-	-	-	-

101.571-06 – including *Taq* polymerase, IFU-01  
 101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
 “Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

<b>CELL LINE VALIDATION SHEET</b>											
<b>HLA-B*56 SSP subtyping kit<sup>2</sup></b>				<b>Well</b>							
				17	18	19	20	21	22	23	
				Prod. No.:	201313217	201431018	201075019	201075020	201431021	201313222	201075023
	<b>IHWC cell line<sup>1</sup></b>	<b>B*</b>									
1	9001 SA	*07:02		-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	+	-	-	-	-	-	-	-
3	9011 E4181324	*52:01		+	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	+	-	-	-	+	-	-	-
5	9009 KAS011	*37:01		-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	+	-	-	-	-	-	-	-
7	9020 QBL	*18:01		-	-	-	-	-	+	-	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	-	-	-
10	9107 LKT3	*54:01		-	-	-	+	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-
13	9025 JESTHOM	*27:05		-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-
18	9257 32367	*14:01	*56:01	-	-	-	-	-	-	-	-
19	9038 BM16	*18:01		-	-	-	-	-	+	-	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	-	-	-
24	9035 JBUSH	*38:01		-	-	-	-	-	-	-	-
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	+	-	-	-	-	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		-	-	-	-	-	+	-	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	-	-	-
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	-	-	-
45	9239 SHJO	*42:01	*50:01	-	-	-	-	-	-	-	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		+	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-

<sup>1</sup>The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

101.571-06 – including *Taq* polymerase, IFU-01  
101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
“Instructions for Use” (IFU)

**Lot No.: 39V****Lot-specific information**

<sup>2</sup>The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 19 and 23 were available. The specificities of the primers in primer solution 23 were tested by separately adding one additional 5'-primer, respectively two additional 3'-primers. In primer solution 19, it was only possible to test the 5'-primers, the 3'-primers were not possible to test. In primer solutions 1, 2, 3, 15, 18, and 21 one or two 3'-primers were not possible to test, and in primer solutions 3, 5, 13, 17 and 23, one 5'-primer was not possible to test. Additional 5'-primers and 3'-primers in primer solutions 5, 6, 15 to 17 and 22 were tested by separately adding one 5'-primer and/or 3'-primer.

101.571-06 – including *Taq* polymerase, IFU-01  
101.571-06u – without *Taq* polymerase, IFU-02

Visit [www.olerup-ssp.com](http://www.olerup-ssp.com) for  
“Instructions for Use” (IFU)

Lot No.: **39V**

Lot-specific information

**ADDRESSES:**

**Manufacturer:**

**Olerup SSP AB**, Franzengatan 5, SE-112 51 Stockholm, Sweden.

**Tel:** +46-8-717 88 27

**Fax:** +46-8-717 88 18

**E-mail:** [info-ssp@olerup.com](mailto:info-ssp@olerup.com)

**Web page:** <http://www.olerup-ssp.com>

**Distributed by:**

**Olerup GmbH**, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

**Tel:** +43-1-710 15 00

**Fax:** +43-1-710 15 00 10

**E-mail:** [support-at@olerup.com](mailto:support-at@olerup.com)

**Web page:** <http://www.olerup.com>

**Olerup Inc.**, 901 S. Bolmar St., Suite R, West Chester, PA 19382

**Tel:** 1-877-OLERUP1

**Fax:** 610-344-7989

**E-mail:** [info.us@olerup.com](mailto:info.us@olerup.com)

**Web page:** <http://www.olerup.com>

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.