

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information
Olerup SSP® HLA-B*07

Product number:	101.512-24/03 – including <i>Taq</i> pol. 101.512-24u/03u – without <i>Taq</i> pol.
Lot number:	4F6
Expiry date:	2020-03-01
Number of tests:	24 tests – Product No. 101.512-24/24u 3 tests – Product No. 101.512-03/03u
Number of wells per test:	88+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 4F6.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®
HLA-B*07 LOT (3D9)**

The HLA-B*07 kit is updated for new alleles to enable separation of:

- Confirmed¹ alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

The format of the Worksheet has been changed.

One well has been added to HLA-B*07, well **89**.

¹As described in section Uniquely Identified Alleles.

The HLA-B*07 primer set, specificity and interpretation tables have been updated for the HLA-B alleles described since the previous *Olerup SSP®* HLA-B*07 lot was made (**Lot No. 3D9**). The kit design is based on IMGT/HLA database 3.27.0.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
9	Modified	-	5'-primer modified for increased yield.
22	Exchanged	Exchanged	Primer pair exchanged for improved HLA-specific amplification.
23	Added	-	5'-primer added for the B*07:272N allele.
29	Modified	Modified	5'-primer and 3'-primers modified for improved HLA-specific amplification.
36	-	Added	3'-primer added for the B*07:285N allele.
43	Added	-	5'-primer added for the B*07:272N allele.
55	Added	-	5'-primers added for the B*07:276:01-07:276:02 alleles.
64	Exchanged	-	5'-primer exchanged for increased yield.
74	Added	-	5'-primer added for the B*07:282 allele.
78	Added	-	5'-primer added for the B*07:282 allele.
82	Added	-	5'-primers added for the B*07:276:01-07:276:02 alleles.
84	-	Exchanged	3'-primer exchanged for increased yield.
85	-	Added	3'-primer added for the B*07:285N allele.
87	-	Added	3'-primer added for the B*07:218 allele.
88	Added	Added	Negative control moved to well 89, primer pair added for the B*07:271 allele.
89	-	-	Negative control added from well 88.

Change in revision R01 compared to R00:

1. Primer mix 74 does not amplify the B*07:120 and the B*40:150 alleles. This has been corrected in the Specificity and Interpretation Tables. Thus, this lot of the HLA-B*07 subtyping kit cannot distinguish the B*07:02:01:01-07:02:25, 07:02:27 and 07:02:29-07:02:51 alleles and the B*07:120 allele.

101.512-24/03 – including *Taq* pol., IFU-01
 101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

Well **89** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup SSP[®]* HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.

The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

PRODUCT DESCRIPTION

HLA-B*07 SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the B*07:02 to B*07:290 alleles.

PLATE LAYOUT

Each test consists of 88 PCR reactions in a 96 well cut PCR plate. Wells 90 to 96 are empty.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32
33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48
49	50	51	52	53	54	55	56
57	58	59	60	61	62	63	64
65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88
NC	empty	empty	empty	empty	empty	empty	empty

The 96 well cut PCR plate is marked with 'HLA-B*07' in silver/gray ink.

Well No. 1 is marked with the Lot Number '4F6'.

Wells 1 to 88 – HLA-B*07 high resolution primers.

Well 89 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are covered with a PCR-compatible foil.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-B alleles non-HLA-B*07 alleles will be amplified by some primer mixes. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the HLA-B*07 alleles, i.e. **B*07:02 to B*07:290**, recognized by the HLA Nomenclature Committee in January 2017^{1,2} will be amplified by the primers in the HLA-B*07 subtyping kit^{3,4}.

The HLA-B*07 kit enables separation of the confirmed HLA-B*07 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-B*07 alleles is listed below.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

The HLA-B*07 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles.

The following HLA-B*07 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix	Alleles	Primer mix
B*07:42, 07:118	26	B*07:94, 07:135	63
B*07:49N, 07:169	73	B*07:102, 07:106	69
B*07:61, 07:149	33	B*07:121, 07:126	75
B*07:63, 07:143	35	B*07:129, 07:231N	78
B*07:89, 07:246	59		

¹HLA-B alleles listed on the IMGT/HLA web page 2017-January-20, release 3.27.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

³The B*07:50 and B*48:08 alleles will give rise to identical amplification patterns. These alleles can e.g. be distinguished by the HLA-B low resolution kit and/or the HLA-B*48 high resolution kit.

⁴This lot of the HLA-B*07 subtyping kit cannot distinguish the B*07:02:01:01-07:02:25, 07:02:27 and 07:02:29-07:02:51 alleles and the B*07:120 allele.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
B*07:02:01:01	Confirmed	B*07:02:49	Unconfirmed	B*07:35	Unconfirmed	B*07:82	Confirmed
B*07:02:01:02	Unconfirmed	B*07:02:50	Unconfirmed	B*07:36	Confirmed	B*07:83	Unconfirmed
B*07:02:01:03	Unconfirmed	B*07:02:51	Unconfirmed	B*07:37	Confirmed	B*07:84	Unconfirmed
B*07:02:02	Confirmed	B*07:03	Confirmed	B*07:38	Confirmed	B*07:85	Unconfirmed
B*07:02:03	Confirmed	B*07:04	Confirmed	B*07:39	Unconfirmed	B*07:86	Confirmed
B*07:02:04	Unconfirmed	B*07:05:01:01	Confirmed	B*07:40	Unconfirmed	B*07:87	Confirmed
B*07:02:05	Unconfirmed	B*07:05:01:02	Unconfirmed	B*07:41	Unconfirmed	B*07:88	Confirmed
B*07:02:06	Unconfirmed	B*07:05:01:03	Unconfirmed	B*07:42	Confirmed	B*07:89	Unconfirmed
B*07:02:07	Confirmed	B*07:05:02	Unconfirmed	B*07:43	Confirmed	B*07:90	Unconfirmed
B*07:02:08	Confirmed	B*07:05:03	Unconfirmed	B*07:44N	Confirmed	B*07:91	Confirmed
B*07:02:09	Unconfirmed	B*07:05:04	Unconfirmed	B*07:45	Unconfirmed	B*07:92	Confirmed
B*07:02:10	Confirmed	B*07:05:05	Confirmed	B*07:46	Unconfirmed	B*07:93	Unconfirmed
B*07:02:11	Unconfirmed	B*07:05:06	Unconfirmed	B*07:47	Confirmed	B*07:94	Confirmed
B*07:02:12	Unconfirmed	B*07:05:07	Unconfirmed	B*07:48	Confirmed	B*07:95	Confirmed
B*07:02:13	Confirmed	B*07:05:08	Confirmed	B*07:49N	Unconfirmed	B*07:96:01	Confirmed
B*07:02:14	Confirmed	B*07:06:01	Confirmed	B*07:50	Unconfirmed	B*07:96:02	Unconfirmed
B*07:02:15	Confirmed	B*07:06:02	Unconfirmed	B*07:51	Confirmed	B*07:97	Unconfirmed
B*07:02:16	Unconfirmed	B*07:07	Confirmed	B*07:52	Unconfirmed	B*07:98	Confirmed
B*07:02:17	Confirmed	B*07:08:01	Confirmed	B*07:53	Confirmed	B*07:99	Unconfirmed
B*07:02:18	Unconfirmed	B*07:08:02	Unconfirmed	B*07:54	Confirmed	B*07:100	Unconfirmed
B*07:02:19	Unconfirmed	B*07:09	Confirmed	B*07:55	Unconfirmed	B*07:101	Unconfirmed
B*07:02:20	Unconfirmed	B*07:10	Confirmed	B*07:56:01	Unconfirmed	B*07:102	Confirmed
B*07:02:21	Confirmed	B*07:11	Unconfirmed	B*07:56:02	Confirmed	B*07:103	Confirmed
B*07:02:22	Unconfirmed	B*07:12	Confirmed	B*07:57	Confirmed	B*07:104	Unconfirmed
B*07:02:23	Confirmed	B*07:13	Confirmed	B*07:58	Unconfirmed	B*07:105	Confirmed
B*07:02:24	Unconfirmed	B*07:14	Confirmed	B*07:59	Unconfirmed	B*07:106	Confirmed
B*07:02:25	Unconfirmed	B*07:15	Confirmed	B*07:60	Unconfirmed	B*07:107	Unconfirmed
B*07:02:26	Unconfirmed	B*07:16	Confirmed	B*07:61	Unconfirmed	B*07:108	Unconfirmed
B*07:02:27	Confirmed	B*07:17	Confirmed	B*07:62	Confirmed	B*07:109	Confirmed
B*07:02:28	Confirmed	B*07:18:01	Unconfirmed	B*07:63	Confirmed	B*07:110	Confirmed
B*07:02:29	Unconfirmed	B*07:18:02	Confirmed	B*07:64	Confirmed	B*07:111N	Confirmed
B*07:02:30	Unconfirmed	B*07:19	Confirmed	B*07:65	Unconfirmed	B*07:112	Unconfirmed
B*07:02:31	Unconfirmed	B*07:20	Confirmed	B*07:66	Unconfirmed	B*07:113	Unconfirmed
B*07:02:32	Unconfirmed	B*07:21	Unconfirmed	B*07:67N	Unconfirmed	B*07:114	Unconfirmed
B*07:02:33	Confirmed	B*07:22:01	Unconfirmed	B*07:68:01	Confirmed	B*07:115	Unconfirmed
B*07:02:34	Confirmed	B*07:22:02	Confirmed	B*07:68:02	Confirmed	B*07:116	Unconfirmed
B*07:02:35	Confirmed	B*07:23	Unconfirmed	B*07:68:03	Confirmed	B*07:117	Unconfirmed
B*07:02:36	Confirmed	B*07:24	Confirmed	B*07:69	Confirmed	B*07:118	Unconfirmed
B*07:02:37	Unconfirmed	B*07:25	Unconfirmed	B*07:70	Unconfirmed	B*07:119	Confirmed
B*07:02:38	Unconfirmed	B*07:26	Confirmed	B*07:71	Confirmed	B*07:120	Unconfirmed
B*07:02:39	Unconfirmed	B*07:27	Unconfirmed	B*07:72	Confirmed	B*07:121	Unconfirmed
B*07:02:40	Unconfirmed	B*07:28	Unconfirmed	B*07:73	Confirmed	B*07:122	Confirmed
B*07:02:41	Confirmed	B*07:29	Unconfirmed	B*07:74	Confirmed	B*07:123	Unconfirmed
B*07:02:42	Unconfirmed	B*07:30	Unconfirmed	B*07:75	Unconfirmed	B*07:124	Unconfirmed
B*07:02:43	Unconfirmed	B*07:31	Confirmed	B*07:76	Confirmed	B*07:125	Confirmed
B*07:02:44	Unconfirmed	B*07:32	Confirmed	B*07:77	Confirmed	B*07:126	Confirmed
B*07:02:45	Confirmed	B*07:33:01	Confirmed	B*07:78	Unconfirmed	B*07:127	Unconfirmed
B*07:02:46	Unconfirmed	B*07:33:02	Unconfirmed	B*07:79	Unconfirmed	B*07:128	Unconfirmed
B*07:02:47	Unconfirmed	B*07:33:03	Unconfirmed	B*07:80	Confirmed	B*07:129	Unconfirmed
B*07:02:48	Confirmed	B*07:34	Unconfirmed	B*07:81	Unconfirmed	B*07:130	Unconfirmed

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
B*07:131	Confirmed	B*07:179	Unconfirmed	B*07:228:02	Unconfirmed	B*07:277	Unconfirmed
B*07:132	Confirmed	B*07:180	Unconfirmed	B*07:229	Unconfirmed	B*07:278	Confirmed
B*07:133	Unconfirmed	B*07:181N	Unconfirmed	B*07:230	Unconfirmed	B*07:279	Unconfirmed
B*07:134	Unconfirmed	B*07:182N	Unconfirmed	B*07:231N	Unconfirmed	B*07:280	Unconfirmed
B*07:135N	Unconfirmed	B*07:183	Unconfirmed	B*07:232	Unconfirmed	B*07:281	Unconfirmed
B*07:136:01	Confirmed	B*07:184	Unconfirmed	B*07:233	Unconfirmed	B*07:282	Unconfirmed
B*07:136:02	Unconfirmed	B*07:185	Unconfirmed	B*07:234	Unconfirmed	B*07:283	Unconfirmed
B*07:137	Unconfirmed	B*07:186	Unconfirmed	B*07:235	Unconfirmed	B*07:284	Unconfirmed
B*07:138	Unconfirmed	B*07:187	Unconfirmed	B*07:236	Unconfirmed	B*07:285N	Unconfirmed
B*07:139	Unconfirmed	B*07:188	Unconfirmed	B*07:237	Confirmed	B*07:286	Unconfirmed
B*07:140	Unconfirmed	B*07:189	Unconfirmed	B*07:238	Confirmed	B*07:287	Unconfirmed
B*07:141	Unconfirmed	B*07:190	Unconfirmed	B*07:239	Unconfirmed	B*07:288	Unconfirmed
B*07:142	Unconfirmed	B*07:191	Unconfirmed	B*07:240	Unconfirmed	B*07:289	Unconfirmed
B*07:143	Confirmed	B*07:192	Unconfirmed	B*07:241	Unconfirmed	B*07:290	Unconfirmed
B*07:144	Unconfirmed	B*07:193	Unconfirmed	B*07:242	Unconfirmed		
B*07:145	Unconfirmed	B*07:194	Unconfirmed	B*07:243	Unconfirmed		
B*07:146	Unconfirmed	B*07:195	Unconfirmed	B*07:244	Unconfirmed		
B*07:147	Unconfirmed	B*07:196	Unconfirmed	B*07:245	Unconfirmed		
B*07:148	Confirmed	B*07:197	Unconfirmed	B*07:246	Confirmed		
B*07:149	Confirmed	B*07:198	Unconfirmed	B*07:247	Unconfirmed		
B*07:150	Unconfirmed	B*07:199	Unconfirmed	B*07:248	Confirmed		
B*07:151:01	Confirmed	B*07:200	Unconfirmed	B*07:249	Unconfirmed		
B*07:151:02	Unconfirmed	B*07:201N	Unconfirmed	B*07:250	Unconfirmed		
B*07:152	Unconfirmed	B*07:202	Unconfirmed	B*07:251N	Unconfirmed		
B*07:153	Unconfirmed	B*07:203	Unconfirmed	B*07:252	Unconfirmed		
B*07:154	Unconfirmed	B*07:204	Unconfirmed	B*07:253	Unconfirmed		
B*07:155	Unconfirmed	B*07:205	Unconfirmed	B*07:254	Unconfirmed		
B*07:156	Unconfirmed	B*07:206	Confirmed	B*07:255	Unconfirmed		
B*07:157	Unconfirmed	B*07:207	Unconfirmed	B*07:256	Unconfirmed		
B*07:158	Unconfirmed	B*07:208	Confirmed	B*07:257	Unconfirmed		
B*07:159	Unconfirmed	B*07:209	Unconfirmed	B*07:258	Unconfirmed		
B*07:160	Confirmed	B*07:210	Unconfirmed	B*07:259	Unconfirmed		
B*07:161N	Unconfirmed	B*07:211	Unconfirmed	B*07:260	Unconfirmed		
B*07:162	Unconfirmed	B*07:212	Unconfirmed	B*07:261	Unconfirmed		
B*07:163	Confirmed	B*07:213	Unconfirmed	B*07:262	Confirmed		
B*07:164	Unconfirmed	B*07:214	Unconfirmed	B*07:263	Unconfirmed		
B*07:165	Unconfirmed	B*07:215	Unconfirmed	B*07:264	Unconfirmed		
B*07:166	Unconfirmed	B*07:216	Unconfirmed	B*07:265	Unconfirmed		
B*07:167N	Unconfirmed	B*07:217	Unconfirmed	B*07:266	Unconfirmed		
B*07:168	Unconfirmed	B*07:218	Confirmed	B*07:267	Unconfirmed		
B*07:169	Unconfirmed	B*07:219	Confirmed	B*07:268	Unconfirmed		
B*07:170	Unconfirmed	B*07:220	Unconfirmed	B*07:269	Unconfirmed		
B*07:171	Unconfirmed	B*07:221	Unconfirmed	B*07:270	Unconfirmed		
B*07:172	Unconfirmed	B*07:222	Confirmed	B*07:271	Unconfirmed		
B*07:173	Unconfirmed	B*07:223	Unconfirmed	B*07:272N	Unconfirmed		
B*07:174	Confirmed	B*07:224	Unconfirmed	B*07:273	Unconfirmed		
B*07:175	Confirmed	B*07:225	Unconfirmed	B*07:274	Unconfirmed		
B*07:176	Unconfirmed	B*07:226	Unconfirmed	B*07:275	Unconfirmed		
B*07:177	Unconfirmed	B*07:227	Unconfirmed	B*07:276:01	Confirmed		
B*07:178	Unconfirmed	B*07:228:01	Unconfirmed	B*07:276:02	Unconfirmed		

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2017-January-20, release 3.27.0, www.ebi.ac.uk/imgt/hla.

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-B*07 homo- and heterozygotes is available upon request.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information
SPECIFICITY TABLE

HLA-B*07 SSP subtyping

Specificities and sizes of the PCR products of the 88+1 primer mixes used for
HLA-B*07 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-B*07 alleles ³	Other amplified HLA Class I alleles
1	395 bp	800 bp	*07:02:01:01-07:02:27, 07:02:29-07:02:51, 07:04- 07:07, 07:09, 07:10 ^w , 07:11- 07:12, 07:14-07:15, 07:17- 07:26, 07:28-07:31, 07:33:01-07:36, 07:39- 07:49N, 07:51-07:64, 07:66- 07:68:03, 07:70-07:82, 07:84, 07:86-07:124, 07:126- 07:179, 07:181N-07:182N, 07:184-07:206, 07:208- 07:218, 07:220-07:227, 07:229-07:258, 07:260- 07:270, 07:272N-07:290	*08:123, 08:132, 14:21, 38:26, 40:166 [?] , 42:01:01-42:02:01:02, 42:04-42:06, 42:08- 42:10, 42:12-42:24, 45:06, 67:01:01- 67:01:03, 67:03-67:07, 73:01 ^w -73:02 ^w , 81:02
2	285 bp	1070 bp	*07:02:01:01-07:06:02, 07:08:01-07:11, 07:13, 07:15-07:17, 07:20-07:32, 07:34-07:39, 07:41-07:52, 07:54-07:59, 07:61-07:76, 07:79-07:83, 07:85-07:99, 07:101-07:121, 07:123- 07:136:02, 07:138, 07:140- 07:161N, 07:164, 07:166- 07:192, 07:194-07:195, 07:199-07:213, 07:215- 07:224, 07:226, 07:228:01- 07:234, 07:236-07:238, 07:240-07:247, 07:249- 07:254, 07:256-07:290	*08:79, 08:156, 35:66, 37:07, 40:15-40:16, 40:31-40:32, 40:45, 40:80, 40:98, 42:05:01-42:05:02, 48:01:01-48:01:06, 48:05-48:12, 48:14-48:16, 48:18-48:20, 48:22, 48:27-48:39, 48:41, 81:01-81:08
3	235 bp	1070 bp	*07:02:01:01-07:04, 07:07- 07:13, 07:15-07:16, 07:18:01-07:18:02, 07:20- 07:27, 07:29-07:31, 07:35- 07:39, 07:41-07:52, 07:54- 07:59, 07:61-07:68:03, 07:70-07:73, 07:75-07:77, 07:79, 07:81-07:89, 07:91- 07:95, 07:98-07:99, 07:101- 07:104, 07:106-07:111N, 07:113-07:114, 07:116- 07:121, 07:124-07:136:02, 07:141-07:153, 07:155- 07:164, 07:166-07:167N, 07:169-07:171, 07:173- 07:175, 07:177-07:181N,	*08:156, 15:138, 15:241, 18:35, 18:110, 35:66, 37:07, 40:31-40:33, 40:52, 40:59, 40:98, 40:352, 46:06, 48:08, 48:23, C*02:23

101.512-24/03 – including Taq pol., IFU-01
101.512-24u/03u – without Taq pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 4F6

Lot-specific information

			07:183-07:190, 07:192-07:196, 07:198-07:200, 07:202-07:205, 07:208, 07:211-07:212, 07:215-07:221, 07:223-07:224, 07:226-07:234, 07:236-07:248, 07:250-07:257, 07:259, 07:261, 07:263, 07:265-07:268, 07:271-07:277, 07:279-07:282, 07:285N-07:286, 07:288-07:290	
4^a	105 bp	800 bp	*07:02:01:01-07:02:25, 07:02:27-07:03, 07:05:01:01-07:18:02, 07:20-07:24, 07:27-07:32, 07:35-07:39, 07:41-07:42, 07:44N-07:47, 07:49N-07:52, 07:54, 07:56:01-07:59, 07:61-07:65, 07:67N-07:79, 07:81-07:99, 07:101-07:121, 07:123-07:130, 07:132-07:138, 07:140-07:145, 07:148-07:163, 07:166-07:208, 07:210-07:222, 07:224-07:225, 07:227-07:234, 07:236-07:250, 07:252-07:290	*08:79, 08:156, 35:66, 37:07, 40:15-40:16, 40:23, 40:32, 40:98, 40:128, 40:198, 44:150, 48:05, 48:08, C*04:77
5	220 bp	1070 bp	*07:02:01:01-07:02:51, 07:04-07:07, 07:09-07:15, 07:17-07:26, 07:28, 07:30-07:31, 07:33:01-07:36, 07:39-07:49N, 07:51-07:64, 07:66-07:68:03, 07:73-07:84, 07:87-07:179, 07:181N-07:183, 07:185, 07:186 ^w , 07:187-07:203, 07:205-07:206, 07:208-07:209, 07:211-07:218, 07:220-07:227, 07:229-07:231N, 07:233-07:290	*27:01-27:11, 27:13-27:15, 27:17, 27:19-27:21, 27:24-27:28, 27:30-27:38, 27:40-27:58, 27:60-27:76, 27:78-27:91, 27:93-27:105, 27:107-27:118, 27:120-27:128, 27:130-27:136, 27:138-27:145, 27:147-27:152, 27:154-27:161, 37:60, 38:26, 42:01:01-42:02:01:02, 42:04-42:06, 42:08-42:10, 42:12-42:23, 54:02, 55:10, 55:82, 56:35, 67:01:01-67:07, 73:01-73:02, 81:01-81:08, C*03:137, C*03:182, C*07:102^w, C*07:351, C*12:82
6	215 bp	1070 bp	*07:03, 07:08:01-07:08:02, 07:16, 07:27, 07:32, 07:38, 07:50, 07:69, 07:85, 07:180, 07:207, 07:228:01-07:228:02	*08:94, 13:14, 13:83, 14:01:01-14:01:05, 14:07N-14:08:02, 14:10, 14:12, 14:14, 14:19, 14:26, 14:32, 14:40, 14:46-14:47, 14:49, 14:53-14:55, 15:68, 15:71, 15:175, 15:381, 18:01:01:01-18:01:12, 18:01:14-18:03, 18:05-18:15, 18:17N-18:24, 18:26-18:67, 18:69, 18:71-18:106, 18:108-18:124, 18:126-18:134, 27:12, 27:16, 27:18, 27:23, 27:29, 27:92, 27:119, 27:153, 35:50, 35:84, 35:162, 35:197, 35:231, 35:267, 35:269, 37:01:01-37:54, 37:56-37:59, 37:61-37:65, 38:01:01-38:04, 38:06-38:25, 38:27-38:32, 38:35-38:53, 38:55Q-38:66, 39:01:01:01-39:01:01:05, 39:01:03-39:03, 39:05:01-39:11, 39:13:01-39:20, 39:22-39:51, 39:53-39:62, 39:64-39:71,

101.512-24/03 – including *Taq* pol., IFU-01
 101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: 4F6

Lot-specific information

				39:73-39:75, 39:77-39:98, 39:99 ^w , 39:100-39:126, 40:02:01:01-40:06:14, 40:06:16, 40:08-40:09, 40:11:01-40:11:02, 40:13, 40:18-40:20, 40:24, 40:26-40:27:01, 40:28-40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:44, 40:50, 40:56, 40:64, 40:68, 40:70:01-40:71, 40:74-40:75, 40:78, 40:82-40:83, 40:85-40:86, 40:89-40:91, 40:93-40:99, 40:104-40:105, 40:107, 40:109, 40:111, 40:115, 40:119-40:120, 40:122, 40:127, 40:131, 40:133Q, 40:142N-40:145, 40:148-40:149, 40:157, 40:159, 40:161-40:162, 40:165, 40:167, 40:169, 40:173-40:174, 40:176-40:177, 40:180-40:181, 40:184, 40:189-40:190, 40:201-40:203, 40:205-40:206, 40:209-40:211, 40:214, 40:220, 40:224-40:225, 40:229-40:230, 40:232, 40:243-40:244, 40:246, 40:248, 40:254-40:256N, 40:266-40:271, 40:274-40:276, 40:283-40:284, 40:287, 40:289-40:297, 40:302-40:307, 40:309, 40:311, 40:313-40:314, 40:317, 40:320, 40:322, 40:330-40:331, 40:334-40:335, 40:337N, 40:340-40:341, 40:343, 40:345N, 40:347-40:351, 42:07, 42:11, 44:103, 44:130-44:131, 44:212, 44:224, 48:01:01-48:21, 48:23-48:41, 49:31, 50:43, 51:57, 51:103, 51:116, 53:21
7⁴	100 bp	1070 bp	*07:04, 07:25, 07:52, 07:146	*40:136, 40:231, 40:279, 41:08, 42:05:01-42:05:02
	215 bp		*07:29, 07:186	*08:123, 08:132, C*07:335
8	160 bp 235 bp	1070 bp	*07:59 *07:05:01:01-07:06:02, 07:32, 07:34, 07:69, 07:78, 07:80, 07:90, 07:97, 07:105, 07:112, 07:123, 07:137-07:138, 07:140, 07:176, 07:182N, 07:201N, 07:206-07:207, 07:209-07:210, 07:213-07:214, 07:222, 07:249, 07:258, 07:262, 07:264, 07:269-07:270, 07:278, 07:283, 07:287	*08:79, 27:125, 38:63, 40:01:01-40:01:20, 40:01:22-40:01:25, 40:01:27, 40:01:29-40:01:31, 40:01:33-40:01:49, 40:07, 40:10:01:01-40:10:02, 40:12, 40:14:01-40:16, 40:21-40:23, 40:25, 40:30, 40:34, 40:36, 40:38, 40:43, 40:45-40:49, 40:54-40:55, 40:61-40:63, 40:65-40:67, 40:69, 40:72:01-40:74, 40:76-40:77, 40:79-40:81, 40:84, 40:87:01-40:88, 40:100-40:102, 40:106, 40:108, 40:112-40:114:02, 40:116-40:118N, 40:121, 40:123, 40:125-40:126, 40:128, 40:132, 40:134-40:141, 40:146-40:147, 40:149-40:156, 40:158, 40:160:01-40:160:02, 40:166, 40:168, 40:170-40:171, 40:175, 40:179, 40:182-40:183, 40:185-40:186:02, 40:188, 40:191-40:199, 40:204, 40:207-40:208, 40:210, 40:212-40:213, 40:215-40:218, 40:221-40:223, 40:227-40:228, 40:231, 40:233-40:242, 40:245, 40:247, 40:249-40:253, 40:257-40:265N, 40:272-40:273, 40:277-40:279, 40:281-40:282, 40:285-40:286N, 40:288, 40:298-40:301, 40:308, 40:310, 40:312, 40:315-40:316, 40:319, 40:321, 40:323-40:329, 40:332-40:333, 40:338N-40:339, 40:344,

101.512-24/03 – including Taq pol., IFU-01
101.512-24u/03u – without Taq pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 4F6

Lot-specific information

				40:346, 41:08, 42:05:01-42:05:02, 44:31, 48:01:01-48:01:06, 48:03:01-48:03:02, 48:05-48:07, 48:09-48:12, 48:14-48:16, 48:18-48:22, 48:28-48:41, 81:01-81:08
9	355 bp	1070 bp	*07:05:01:01-07:05:08, 07:225, 07:264	*35:46, 37:07, C*03:04:36
10	285 bp	800 bp	*07:07, 07:12, 07:14, 07:18:01-07:18:02, 07:77, 07:137, 07:162-07:163, 07:193, 07:214, 07:248, 07:255	*15:138, 15:230, 15:241, 15:297, 18:35, 18:110, 27:125, 38:63, 40:01:01-40:01:17, 40:01:19-40:01:49, 40:07, 40:10:01:01-40:10:02, 40:12, 40:14:01-40:14:03, 40:21-40:23, 40:25, 40:33, 40:36, 40:38, 40:42-40:43, 40:46-40:49, 40:52, 40:54-40:55, 40:59-40:63, 40:65-40:67, 40:69, 40:72:01-40:74, 40:76-40:77, 40:79, 40:81, 40:84, 40:87:01-40:88, 40:100-40:102, 40:106, 40:108, 40:112-40:114:02, 40:116-40:118N, 40:121, 40:123-40:126, 40:128, 40:132, 40:134-40:141, 40:146-40:147, 40:149-40:156, 40:158, 40:160:01-40:160:02, 40:166, 40:168, 40:170-40:172, 40:175, 40:179, 40:182-40:183, 40:185-40:188, 40:191-40:199, 40:204, 40:207-40:208, 40:210, 40:212-40:213, 40:215-40:218, 40:221-40:223, 40:227-40:228, 40:231, 40:234-40:242, 40:245, 40:247, 40:249-40:253, 40:257-40:265N, 40:272-40:273, 40:277-40:282, 40:285-40:286N, 40:288, 40:299-40:301, 40:308, 40:310, 40:312, 40:315, 40:319, 40:321, 40:323-40:329, 40:332-40:333, 40:338N-40:339, 40:344, 40:346, 40:352, 41:08, 44:31, 44:150, 46:06, 48:03:01-48:03:02, 48:17 48:23, 48:40, C*02:23, C*03:260, C*04:77, C*07:38:01-07:38:02
	420 bp		*07:47, 07:81	*08:52, 38:41, 40:109 [?] , 40:292 [?] , 48:18
11⁶	130 bp 210 bp	1070 bp	*07:39 *07:08:01-07:08:02, 07:10, 07:32, 07:38, 07:132, 07:207, 07:228:01-07:228:02	*08:94, 18:07:01-18:07:02, 18:29, 18:79, 27:01-27:05:08, 27:05:10-27:11, 27:13-27:15, 27:17, 27:19-27:21, 27:23-27:28, 27:30-27:76, 27:78-27:84, 27:86-27:91, 27:93-27:100, 27:102-27:105, 27:107-27:118, 27:120-27:128, 27:130-27:145, 27:147-27:152, 27:154-27:156, 27:158-27:161, 35:50, 35:84, 35:162, 35:197, 35:231, 35:267, 35:269, 37:21, 37:60, 38:06-38:07, 39:58, 39:83, 40:08, 40:13, 40:68, 40:162, 40:220, 40:232, 48:06, 48:31, 51:57, 51:103, 51:116, 53:21, 73:01-73:02
12	225 bp	1070 bp	*07:09, 07:11, 07:17, 07:162, 07:237, 07:255, 07:287	*15:138, 15:241, 15:297, 18:35, 18:110, 35:66, 40:38, 40:52, 40:59-40:60, 40:158, 40:222, 40:352, 46:06, 48:14, 48:23, C*07:38:01-07:38:02

101.512-24/03 – including *Taq* pol., IFU-01
 101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

13⁴	85 bp 290 bp	1070 bp	*07:31, 07:34, 07:43 *07:12, 07:14, 07:18:01-07:18:02, 07:137, 07:162-07:163, 07:199, 07:225, 07:227, 07:248	*18:110, 40:199, 41:08, 42:05:01-42:05:02, 48:37, C*07:38:01-07:38:02 *15:297, 40:30, 40:34, 40:59, 40:137, 40:160:01-40:160:02, 44:150, 48:17, C*03:260
14⁷	215 bp	800 bp	*07:26, 07:34, 07:43, 07:48, 07:80, 07:131, 07:147, 07:164, 07:209, 07:223, 07:226	*08:13, 08:25, 08:143, 08:171, 13:71, 14:05, 14:13, 14:53, 15:55, 15:197:02, 15:329, 15:360, 15:383, 15:421, 18:14, 18:22, 27:07:01-27:07:05, 27:11, 27:24, 27:32-27:34, 27:43, 27:138, 35:05:01:01-35:05:03, 35:16-35:17:02, 35:22, 35:30-35:31, 35:51, 35:58, 35:72, 35:89, 35:97, 35:113-35:114, 35:125, 35:199, 35:242, 35:318, 39:03, 39:14, 39:24:01-39:24:02, 39:29, 40:02:01:01-40:03, 40:05:01:01-40:05:01:02, 40:08-40:09, 40:13, 40:18-40:19, 40:24, 40:27:01-40:27:02, 40:29, 40:31, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:45, 40:50, 40:56-40:58, 40:71, 40:78, 40:80, 40:82, 40:85, 40:89-40:91, 40:94, 40:97, 40:104-40:105, 40:107, 40:111, 40:115, 40:119, 40:122, 40:133Q, 40:142N-40:145, 40:157, 40:164, 40:169, 40:173-40:174, 40:176, 40:180-40:181, 40:189, 40:200-40:203, 40:205-40:206, 40:209, 40:211, 40:214, 40:219-40:220, 40:224, 40:226, 40:229, 40:232, 40:246, 40:248, 40:254-40:255, 40:266-40:267, 40:271, 40:274, 40:276, 40:283-40:284, 40:287, 40:289-40:293, 40:296-40:297, 40:302-40:305, 40:309, 40:314, 40:320, 40:322, 40:331, 40:334-40:335, 40:337N, 40:345N, 40:347, 42:19, 44:54, 44:110, 44:135, 44:184, 48:01:01-48:01:06, 48:04:01-48:04:02, 48:06-48:07, 48:09-48:16, 48:18, 48:20, 48:22, 48:24, 48:27-48:39, 48:41, 51:64, 51:81, 51:148, 53:14, 55:04, 55:49, 55:51, 58:18, 58:27, 81:01-81:08, C*03:05, C*03:25, C*03:27, C*03:143, C*03:167, C*03:296, C*03:335, C*03:346, C*07:294, C*07:526, C*07:530, C*08:08:01-08:08:02
15	385 bp 420 bp	1070 bp	*07:54, 07:123 *07:11, 07:47, 07:57, 07:75, 07:240, 07:253	*45:06 *08:17, 08:47, 39:20, 39:124, 42:15
16	205 bp 230 bp	1070 bp	*07:132 *07:16, 07:27, 07:37-07:38, 07:50, 07:75, 07:91, 07:180, 07:207, 07:219, 07:228:01-07:228:02	*13:14, 13:83, 14:14, 15:68, 15:71, 15:175, 15:381, 18:01:01:01-18:01:01:06, 18:01:03-18:01:12, 18:01:14-18:01:22, 18:01:24-18:02, 18:05-18:15, 18:17N-18:24, 18:26-18:67, 18:69, 18:71-18:93, 18:95-18:106, 18:108-18:124, 18:126-18:131, 18:133-18:134, 27:01, 27:18, 27:23, 27:29, 27:44, 27:92, 27:119, 27:131, 35:50, 35:84, 35:162, 35:197, 35:231,

101.512-24/03 – including Taq pol., IFU-01
101.512-24u/03u – without Taq pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 4F6

Lot-specific information

				35:267, 35:269, 37:01:01-37:36, 37:38-37:54, 37:56-37:59, 37:61-37:65, 38:01:01-38:02:07, 38:04, 38:06-38:12, 38:15-38:25, 38:27-38:32, 38:34N-38:40, 38:42-38:66, 39:05:01-39:05:02, 39:07-39:08, 39:11, 39:13:01-39:13:02, 39:20, 39:37, 39:49, 39:55-39:56, 39:113, 39:118, 40:02:01:01-40:06:14, 40:06:16, 40:08-40:09, 40:11:01-40:11:02, 40:13, 40:18-40:20, 40:24, 40:26-40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40, 40:44, 40:56, 40:64, 40:68, 40:70:01-40:71, 40:74-40:75, 40:78, 40:82-40:83, 40:85-40:86, 40:89-40:91, 40:93-40:99, 40:103-40:105, 40:107, 40:109, 40:111, 40:115, 40:119-40:120, 40:122, 40:127, 40:131, 40:133Q, 40:142N-40:145, 40:148-40:149, 40:157, 40:159, 40:161-40:162, 40:165, 40:167, 40:169, 40:173-40:174, 40:176-40:177, 40:180-40:181, 40:184, 40:189-40:190, 40:200-40:203, 40:205-40:206, 40:209-40:211, 40:214, 40:220, 40:224-40:226, 40:229, 40:232, 40:243-40:244, 40:246, 40:248, 40:254-40:255, 40:266-40:271, 40:274-40:276, 40:283-40:284, 40:287, 40:289-40:297, 40:302-40:307, 40:309, 40:311, 40:313-40:314, 40:317, 40:320, 40:322, 40:330-40:331, 40:334-40:335, 40:337N, 40:340-40:341, 40:343, 40:345N, 40:347-40:351, 42:11, 44:103, 44:130-44:131, 44:212, 44:224, 48:01:01-48:21, 48:23-48:41, 49:31, 50:43, 51:57, 51:103, 51:116, 53:21, 57:10, 81:08
17	345 bp 425 bp	1070 bp	*07:46 *07:11, 07:27, 07:57, 07:75, 07:236, 07:240, 07:253	*08:17, 08:47, 08:126, 08:131, 08:139, 38:17, 39:20, 39:124, 42:15
18	265 bp	1070 bp	*07:12, 07:78, 07:84, 07:162, 07:193, 07:229, 07:278	*35:66, 40:59-40:60, 40:125, 40:352, 48:17, C*02:23, C*04:77, C*07:38:01-07:38:02
19	205 bp 250 bp 295 bp	800 bp	*07:20, 07:140, 07:153 *07:20, 07:35, 07:140, 07:153 *07:35	*15:14, 15:91, 15:131, 15:161, 18:56, 35:45, 35:71, 35:169, 35:309, 40:132, 40:178, 44:10, 44:14, 44:17, 44:31, 44:43:01-44:43:02, 44:45, 44:51, 44:62, 44:77, 44:82, 44:107, 44:123, 44:135, 44:184, 44:213, 44:230, 45:09, 45:14, 46:17, 51:23, 51:108, 52:15, 53:22, 57:07, 58:07, 82:01-82:03 *44:54, 44:106, 44:135, 44:158, 44:184, 44:213
20	160 bp 205 bp 275 bp	1070 bp	*07:59 *07:51, 07:220, 07:226 *07:21	*08:143, C*07:294, C*07:526, C*07:530, C*08:08:01-08:08:02

101.512-24/03 – including *Taq* pol., IFU-01
 101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

21^{4,5}	100 bp 165 bp	1070 bp	*07:52 *07:22:01-07:22:02	
22	220 bp	1070 bp	*07:23	*18:95, C*07:75, C*07:254
23⁴	85 bp 270 bp	1070 bp	*07:20, 07:24, 07:131, 07:220, 07:223 *07:272N	*15:230, 15:297, 40:63, 40:324, C*03:260
24^{4,5}	125 bp	800 bp	*07:25, 07:39, 07:48, 07:202, 07:209, 07:223, 07:261	*18:35, 18:110, 27:36, 27:125, 35:66, 38:63, 40:01:01-40:01:19, 40:01:21- 40:01:49, 40:07, 40:10:01:01-40:10:02, 40:12, 40:14:01-40:14:03, 40:21-40:22N, 40:25, 40:30-40:31, 40:33-40:34, 40:36, 40:38, 40:42-40:43, 40:45-40:49, 40:52, 40:54-40:55, 40:59-40:63, 40:65-40:66, 40:69, 40:72:01-40:74, 40:76-40:77, 40:79- 40:81, 40:84, 40:87:01-40:88, 40:100- 40:102, 40:106, 40:108, 40:112-40:114:02, 40:116-40:118N, 40:121, 40:123-40:126, 40:128, 40:132, 40:134-40:141, 40:146- 40:147, 40:149-40:156, 40:160:01- 40:160:02, 40:166, 40:168, 40:170-40:172, 40:175, 40:179, 40:182, 40:185-40:188, 40:191-40:197, 40:199, 40:204, 40:207- 40:208, 40:210, 40:212-40:213, 40:215- 40:218, 40:221-40:223, 40:227-40:228, 40:231, 40:233-40:238, 40:240-40:242, 40:245, 40:247, 40:249-40:253, 40:257- 40:261, 40:263N-40:265N, 40:272-40:273, 40:277-40:282, 40:285-40:286N, 40:288, 40:298-40:301, 40:308, 40:310, 40:312, 40:315-40:316, 40:319, 40:321, 40:323- 40:329, 40:332-40:333, 40:338N-40:339, 40:344, 40:346, 40:352, 41:08, 42:05:01- 42:05:02, 44:31, 46:06, 48:01:01-48:01:06, 48:03:01-48:03:02, 48:06-48:07, 48:09- 48:12, 48:14, 48:16-48:23, 48:26-48:41, 81:01-81:08
25⁸	305 bp 425 bp	1070 bp	*07:117 *07:27, 07:236, 07:240	*40:250 *08:126, 08:131, 08:139, 38:17, 40:188?
26⁴	95 bp 205 bp 235 bp	800 bp	*07:28, 07:118 *07:51, 07:220, 07:226 *07:20, 07:24, 07:60, 07:100, 07:131, 07:220, 07:223	*08:14, 08:87, 27:32, 40:180, 44:54, 44:106, 44:135 *08:143, C*07:294, C*07:526, C*07:530, C*08:08:01-08:08:02 *08:21, 08:25, 08:175, 15:07:01-15:07:03, 15:45, 15:55, 15:68, 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 35:05:01-35:05:03, 35:22, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114, 35:199, 35:232, 40:05:01:01-40:05:01:02, 40:71, 40:174, 44:54, 44:106, 44:135, 44:158, 44:184, 44:213, 46:12, 51:64, 51:148, 53:14, 55:51, 58:18, C*03:05, C*03:25, C*03:27, C*03:167, C*03:296, C*03:335
	290 bp		*07:42	

101.512-24/03 – including *Taq* pol., IFU-01
 101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

27	165 bp 215 bp	800 bp	*07:41 *07:29, 07:186	*08:123, 08:132, C*07:335
28^{4,7}	110 bp	1070 bp	*07:30	*27:159
29^{4,7}	85 bp 200 bp	800 bp	*07:31, 07:34, 07:43 *07:44N	*18:110, 40:199, 41:08, 42:05:01-42:05:02, 48:37, C*07:38:01-07:38:02
30	190 bp	800 bp	*07:05:01:01-07:06:02, 07:32, 07:40, 07:53, 07:69, 07:78, 07:80, 07:90, 07:97, 07:105, 07:112, 07:123, 07:137-07:138, 07:140, 07:176, 07:182N, 07:201N, 07:206-07:207, 07:209- 07:210, 07:213-07:214, 07:222, 07:249, 07:258, 07:262, 07:264, 07:270, 07:278, 07:283, 07:287	*08:40, 08:79, 08:165, 08:171, 13:01:01- 13:01:02, 13:01:04-13:02:16, 13:02:18- 13:02:19, 13:07N-13:09, 13:11, 13:13:01- 13:23, 13:25, 13:27-13:33, 13:36-13:45, 13:47, 13:49N-13:50, 13:52, 13:54-13:61, 13:63N-13:71, 13:73-13:78, 13:80-13:85, 13:87-13:99, 27:07:01-27:07:05, 27:11, 27:20, 27:24, 27:27, 27:33, 27:43, 27:125, 27:130, 35:31, 35:88, 35:230, 38:63, 39:47, 39:50, 40:01:01-40:01:20, 40:01:22- 40:01:25, 40:01:27, 40:01:29-40:01:31, 40:01:33-40:02:09, 40:02:11-40:02:12, 40:02:14-40:02:17, 40:02:19-40:02:25, 40:04, 40:06:01:01-40:06:09, 40:06:11- 40:08, 40:10:01:01-40:16, 40:19, 40:21- 40:23, 40:25, 40:27:01-40:27:02, 40:29- 40:30, 40:34-40:38, 40:40, 40:43, 40:45- 40:50, 40:53-40:58, 40:61-40:62, 40:64- 40:70:02, 40:72:01-40:88, 40:90-40:91, 40:93-40:97, 40:99-40:119, 40:121-40:123, 40:125-40:130:02, 40:132, 40:134-40:158, 40:160:01-40:162, 40:164-40:171, 40:173, 40:175-40:179, 40:182-40:183, 40:185- 40:186:02, 40:188-40:198, 40:200-40:266, 40:268-40:279, 40:281-40:283, 40:285- 40:304, 40:306, 40:308-40:323, 40:325- 40:329, 40:331-40:340, 40:342, 40:344- 40:351, 41:19, 44:31, 48:01:01-48:01:06, 48:03:01-48:07, 48:09-48:16, 48:18-48:22, 48:24, 48:28-48:36, 48:38-48:41, 51:10, 51:16, 51:31, 51:34, 51:81-51:82, 51:93, 52:08, 52:67, 54:26, 55:09, 55:22, 55:24, 58:27, 59:09, 78:08, 81:01-81:08, C*02:68
31	215 bp 280 bp	800 bp	*07:55, 07:100 *07:19, 07:33:01-07:33:03, 07:53, 07:60, 07:100	*08:70, 15:07:01-15:07:03, 15:45, 15:68, 15:126, 15:207, 15:324, 15:331, 15:405, 46:12, 48:19, C*02:60 *08:103, 08:134, 08:175, 13:71, 14:05, 14:13, 14:53, 15:07:01-15:07:03, 15:45, 15:55, 15:68, 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 15:421, 18:14, 27:07:01-27:07:05, 27:11, 27:24, 27:32-27:34, 27:43, 27:138, 35:05:01:01-35:05:03, 35:22, 35:31, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114, 35:199, 35:232, 37:09, 38:19, 39:03, 39:14, 39:24:01-39:24:02, 39:29, 39:37, 39:76, 39:120, 40:02:01:01-40:03, 40:05:01:01- 40:05:01:02, 40:08-40:09, 40:13, 40:18- 40:19, 40:24, 40:27:01-40:27:02, 40:29, 40:35:01-40:35:02, 40:37, 40:39-40:40,

101.512-24/03 – including *Taq* pol., IFU-01
 101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

				40:50, 40:56-40:58, 40:71, 40:78, 40:82, 40:85, 40:89-40:91, 40:94, 40:97, 40:104-40:105, 40:107, 40:111, 40:115, 40:119, 40:122, 40:133Q, 40:142N-40:145, 40:157, 40:164, 40:169, 40:173-40:174, 40:176, 40:180-40:181, 40:189, 40:200-40:203, 40:205-40:206, 40:209, 40:211, 40:214, 40:219-40:220, 40:224, 40:226, 40:229, 40:232, 40:246, 40:248, 40:254-40:255, 40:266-40:267, 40:271, 40:274, 40:276, 40:283-40:284, 40:287, 40:289-40:293, 40:296-40:297, 40:302-40:305, 40:309, 40:314, 40:320, 40:322, 40:331, 40:334-40:335, 40:337N, 40:345N, 40:347, 42:08, 44:54, 44:106, 44:135, 44:158, 44:184, 44:213, 46:12, 48:04:01-48:04:02, 48:13, 48:24, 51:64, 51:81, 51:148, 53:14, 55:04, 55:49, 55:51, 58:18, 58:27, C*02:60, C*03:05, C*03:25, C*03:27, C*03:167, C*03:296, C*03:335, C*07:526, C*07:530, C*08:08:01-08:08:02
32⁹	190 bp	1070 bp	*07:34	*08:01:01:01-08:01:22, 08:01:24-08:05, 08:08N-08:10, 08:12:01-08:13, 08:15-08:20, 08:22-08:24, 08:26:01-08:27, 08:29-08:36, 08:38-08:39, 08:41-08:48, 08:50-08:73, 08:75-08:76, 08:78, 08:80-08:86N, 08:88, 08:90-08:106, 08:109-08:110, 08:112-08:124, 08:126-08:155, 08:157-08:163, 08:166-08:170, 08:172-08:174, 13:06, 13:53, 14:13, 14:53, 15:42, 15:83, 15:86, 15:188, 15:224, 15:252, 18:26, 18:61, 18:97, 35:60, 35:87, 35:276, 37:12, 38:01:01, 38:01:03-38:01:05, 38:01:07-38:01:10, 38:01:12-38:02:05, 38:02:07-38:07, 38:09-38:21, 38:23-38:28, 38:31-38:51, 38:53-38:62, 38:64, 38:66, 39:01:01:01-39:01:01:05, 39:01:03-39:01:18, 39:01:20-39:06:05, 39:08-39:14, 39:16, 39:18-39:20, 39:22-39:24:02, 39:26-39:28, 39:30-39:31, 39:34-39:37, 39:39:01-39:39:02, 39:41-39:42, 39:44-39:46, 39:48, 39:51-39:54, 39:56-39:66, 39:68-39:73, 39:75-39:88, 39:90, 39:92-39:95N, 39:97N, 39:99-39:101, 39:103-39:108, 39:110-39:126, 40:39, 40:51, 40:163, 40:184, 40:199, 41:01:01-41:03:02, 41:05-41:09, 41:11-41:16, 41:20, 41:22-41:48, 41:50, 42:01:01-42:02:01:02, 42:04-42:08, 42:10-42:15, 42:17-42:19, 42:21-42:24, 44:166, 46:18, 48:37, 51:21, 51:36, 51:101, 51:143, 51:153, 51:157, 52:37, 54:01:01-54:02, 54:04-54:05N, 54:07-54:08N, 54:10-54:13, 54:17-54:25, 54:27-54:32, 54:34-54:38, 55:01:01-55:05, 55:07, 55:10-55:13, 55:15-55:21, 55:25-55:26, 55:28-55:40, 55:42-55:45, 55:47-55:50, 55:52-55:57, 55:59-55:67, 55:69-55:82, 55:84, 56:10, 56:12,

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

				56:23, 58:20, 59:01:01:01-59:03, 59:05-59:08, 67:01:01-67:07, 78:07, C*01:90, C*01:116, C*15:24, 15:128
33 ^{4,5}	90 bp	1070 bp	*07:149	*08:02, 08:117, 13:36, 15:89, 15:115, 18:09, 38:02:01-38:02:06, 38:08, 38:15, 38:18, 38:23, 38:29, 38:35, 38:43-38:50, 38:62, 38:64, 44:12, 44:232, 44:263, 51:54, 51:78:01-51:78:02, 53:09, 53:11-53:13, 53:31, 53:36, 56:07, 59:08
	350 bp		*07:61	
34	155 bp	1070 bp	*07:62, 07:90	
35 ^{4,7}	105 bp 215 bp	1070 bp	*07:63 *07:143	*27:157, 40:166, 42:02:01:01-42:02:01:02, 42:09, 42:17-42:18, 45:06, 54:02, 55:16, 56:35
36	175 bp 250 bp	1070 bp	*07:167N, 07:201N, 07:285N *07:64	
37	210 bp	1070 bp	*07:65, 07:206	*08:26:03, 15:32:02, 18:04, 18:125, 35:08:05, 35:42:02, 35:185, 39:63, 40:01:11, 40:58, 46:40:01, 56:05:01, 56:06, 78:01:01-78:01:02, 78:02:02-78:03, 78:07-78:09
38 ⁷	190 bp 215 bp	1070 bp	*07:103, 07:113 *07:66	*08:64
39 ⁶	425 bp	1070 bp	*07:05:01:01-07:06:02, 07:34, 07:40, 07:53, 07:80, 07:90, 07:97, 07:105, 07:112, 07:123 ^w , 07:137-07:138, 07:140, 07:176, 07:182N, 07:201N, 07:206, 07:209-07:210, 07:213, 07:222, 07:249, 07:258, 07:262, 07:264, 07:269-07:270, 07:278, 07:283-07:284	*08:123, 08:132, 08:146, 39:126, 40:61 ^w , 40:166, 42:01:01 ^w -42:02:01:02 ^w , 42:04 ^w -42:05:02 ^w , 42:07 ^w -42:08 ^w , 42:10 ^w , 42:12 ^w -42:15 ^w , 42:17 ^w -42:19 ^w , 42:21 ^w -42:24 ^w , 54:04, 54:11, 55:04, 55:08, 55:17, 55:20, 55:28, 55:49, 55:51, 55:81, 56:05:01-56:06, 56:12, 56:15, 56:21, 81:01-81:04N, 81:06-81:08
40 ⁷	265 bp	1070 bp	*07:56:01-07:56:02, 07:72, 07:206	*08:26:01-08:26:03, 08:56:01-08:56:02, 14:54, 38:28, 39:63, 40:21 [?] , 40:58 [?] , 40:137 [?] , 40:248 [?] , 40:282 [?] , 40:325 [?] , 40:351, 41:12, 41:36, 42:21, 49:03
	395 bp		*07:83	
41	400 bp 425 bp	1070 bp	*07:58 *07:156	
42	195 bp 225 bp	1070 bp	*07:67N *07:71	
43	185 bp	1070 bp	*07:68:01-07:68:03, 07:214, 07:237, 07:262	*15:138, 15:230, 15:241, 15:297, 18:35, 18:110, 35:66, 40:77, 40:87:01-40:87:02, 40:121, 40:158, 40:222, 40:237, 44:150, 48:12, 48:14, 48:26, 48:29
	270 bp		*07:272N	
44 ⁷	150 bp	1070 bp	*07:10	*27:75 ^w , 37:60 ^w , 73:01 ^w -73:02 ^w
45 ⁴	105 bp	1070 bp	*07:27, 07:50	*08:04:01-08:04:02, 08:17, 08:54:01-08:54:02, 08:110, 13:97, 15:03:01:01-15:03:06, 15:47:01-15:47:02, 15:54, 15:61-15:62, 15:64:01-15:64:02, 15:68-15:69, 15:91, 15:98, 15:103, 15:123, 15:127,

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

				15:131-15:132, 15:151, 15:156, 15:158, 15:173, 15:210, 15:220, 15:235, 15:242:01-15:242:02, 15:253, 15:259, 15:266, 15:274, 15:281-15:282, 15:369, 15:379, 15:389, 15:397, 18:37, 18:125, 27:18, 27:29, 37:28, 38:03, 39:02:01-39:02:02:03, 39:08, 39:13:01-39:13:02, 39:23, 39:39:01-39:39:02, 39:49, 39:88, 39:101, 39:105, 39:110, 40:12, 40:46, 40:93, 42:11, 44:40, 44:44, 44:130, 44:156, 44:210, 48:01:01-48:05, 48:07-48:30, 48:32-48:40, 52:16, 55:18, 56:44
46	425 bp	1070 bp	*07:13, 07:15, 07:92, 07:253 ^w	*08:15, 39:27, 40:73, 67:02, 73:01 ^w -73:02 ^w
47	215 bp	800 bp	*07:04, 07:19, 07:25, 07:146	*08:01:01:01-08:05, 08:07-08:08N, 08:10-08:11, 08:14-08:15, 08:17-08:19N, 08:21-08:24, 08:26:01-08:39, 08:41-08:48, 08:50-08:54:02, 08:56:01-08:59:02, 08:61-08:69, 08:71-08:78, 08:80-08:83, 08:85-08:88, 08:90-08:106, 08:108-08:128, 08:130-08:142, 08:144-08:155, 08:157-08:170, 08:172-08:175, 35:87, 37:09, 41:02:01-41:02:07, 41:04, 41:10-41:11, 41:13, 41:15, 41:18-41:19, 41:23-41:24, 41:27, 41:31, 41:36, 41:38-41:43, 41:45N-41:47, 41:49, 42:01:01-42:02:01:02, 42:05:01-42:12, 42:14-42:18, 42:20-42:24, 44:106, 44:158, 44:166, 44:213
48	200 bp 280 bp	1070 bp	*07:76 *07:77, 07:193	*40:60, 40:245, C*07:38:01-07:38:02
49	200 bp	1070 bp	*07:82	*44:129
50⁴	75 bp 105 bp 165 bp	1070 bp	*07:74 *07:175 *07:87	*08:77, 48:27 *15:126
51	345 bp 470 bp	1070 bp	*07:97 *07:93	*08:114, 39:100 *08:39, 38:27
52⁷	290 bp	800 bp	*07:95	*40:233
53⁷	235 bp	800 bp	*07:14, 07:17, 07:28, 07:96:01-07:96:02, 07:115, 07:197, 07:225, 07:260, 07:284	*15:230, 15:297, 27:36, 40:42, 40:60, 40:124:01-40:124:02, 40:172, 40:280, 44:150, 48:17, 48:26, C*03:260, C*04:77, C*07:38:01-07:38:02
54⁵	160 bp 185 bp	1070 bp	*07:238 *07:98, 07:167N, 07:201N	
55	260 bp	1070 bp	*07:99, 07:276:01-07:276:02	
56^{5,7}	220 bp 235 bp	1070 bp	*07:45 *07:20, 07:24, 07:60, 07:100, 07:131, 07:220, 07:223	*08:21, 08:25, 08:175, 15:07:01-15:07:03, 15:45, 15:55, 15:68, 15:126, 15:197:02, 15:207, 15:324, 15:329, 15:331, 15:360, 15:383, 15:405, 35:05:01-35:05:03, 35:22, 35:51, 35:58, 35:72, 35:89, 35:97, 35:114, 35:199, 35:232, 40:05:01:01-40:05:01:02, 40:71, 40:174, 44:54, 44:106, 44:135, 44:158, 44:184, 44:213, 46:12, 51:64, 51:148, 53:14, 55:51, 58:18, C*03:05, C*03:25, C*03:27, C*03:167, C*03:296, C*03:335

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

57	150 bp 215 bp	1070 bp	*07:109 *07:70	
58⁵	245 bp 440 bp	1070 bp	*07:112 *07:79	
59⁴	100 bp	800 bp	*07:115, 07:182N, 07:246	*08:69, 14:05, 38:19, 39:03, 39:24:01-39:24:02, 39:37, 39:76, 39:120, 40:71, 40:314, 41:18, 42:06, 42:20, 48:07, C*08:08:01-08:08:02
	190 bp		*07:89, 07:113	*08:64
60	145 bp	1070 bp	*07:73	*27:157, 40:166, 44:90, 45:06
61	205 bp 420 bp	1070 bp	*07:88 *07:105	
62	415 bp	800 bp	*07:16, 07:27, 07:37-07:38, 07:50, 07:75, 07:91, 07:180, 07:207, 07:219, 07:228:01-07:228:02	*08:03, 08:23, 08:54:01-08:54:02, 08:110, 08:133, 08:139, 14:14, 14:18, 15:68, 38:01:01-38:02:07, 38:04-38:12, 38:15-38:25, 38:27-38:40, 38:42-38:66, 39:05:01-39:05:02, 39:07-39:08, 39:11, 39:13:01-39:13:02, 39:20, 39:37, 39:49, 39:55-39:56, 39:113, 39:118, 40:01:01-40:01:49, 40:06:16-40:07, 40:09 [?] , 40:11:01 [?] -40:11:02 [?] , 40:14:01 [?] -40:15 [?] , 40:16, 40:18 [?] -40:19 [?] , 40:21 [?] -40:22N [?] , 40:23, 40:24 [?] -40:38 [?] , 40:42 [?] , 40:44 [?] -40:49 [?] , 40:51, 40:52 [?] -40:58 [?] , 40:59-40:60, 40:61 [?] -40:65 [?] , 40:67 [?] -40:69 [?] , 40:71 [?] , 40:72:01-40:73, 40:74 [?] -40:76 [?] , 40:77, 40:78 [?] , 40:79, 40:80 [?] -40:88 [?] , 40:90 [?] -40:93 [?] , 40:95 [?] -40:96 [?] , 40:98 [?] -40:121 [?] , 40:123 [?] , 40:124:01, 40:124:02 [?] -40:137 [?] , 40:138-40:140, 40:141 [?] , 40:145 [?] , 40:146, 40:148 [?] -40:149 [?] , 40:150, 40:151 [?] , 40:152-40:153, 40:154 [?] , 40:155:01N-40:155:02N, 40:156 [?] -40:165 [?] , 40:167 [?] -40:171 [?] , 40:172, 40:173 [?] -40:185 [?] , 40:186:01, 40:186:02 [?] -40:213 [?] , 40:215 [?] -40:228 [?] , 40:231 [?] -40:249 [?] , 40:250-40:253, 40:257 [?] , 40:258-40:265N, 40:272, 40:273 [?] -40:276 [?] , 40:277-40:278, 40:279 [?] -40:283 [?] , 40:285-40:286N, 40:287 [?] -40:300 [?] , 40:301, 40:306 [?] -40:313 [?] , 40:315 [?] , 40:316-40:317, 40:318 [?] -40:320 [?] , 40:321, 40:322 [?] , 40:323, 40:324 [?] -40:331 [?] , 40:332, 40:333 [?] -40:344 [?] , 40:346, 40:348-40:352, 41:01:01-41:26, 41:28-41:46, 41:48-41:50, 42:11, 44:18, 45:01:01-45:05, 45:07-45:19, 48:01:01-48:41, 49:01:01-49:14, 49:16-49:47, 50:01:01:01-50:01:01:02, 50:01:02 [?] , 50:01:03-50:01:04, 50:01:06-50:02, 50:04-50:20, 50:31-50:50
63⁴	65 bp	1070 bp	*07:94	*67:04, C*02:120, C*03:124, C*04:49, C*05:15, C*07:262, C*07:417, C*07:475, C*12:95
	230 bp		*07:135N	
64	170 bp	1070 bp	*07:69, 07:85, 07:180	*08:65, 14:01:01-14:20, 14:22-14:35, 14:37-14:41N, 14:43-14:47, 14:50-14:53, 14:55, 15:09-15:10:04,

101.512-24/03 – including *Taq* pol., IFU-01
 101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
 “Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

				15:18:01:01-15:18:06, 15:23, 15:37, 15:51-15:52, 15:72, 15:80, 15:90, 15:93, 15:99, 15:108, 15:114-15:115, 15:119, 15:124, 15:133-15:134, 15:153, 15:161, 15:176, 15:186, 15:197:01-15:198, 15:200, 15:221, 15:226N, 15:229, 15:238, 15:243, 15:252, 15:263, 15:275:01-15:275:02, 15:290, 15:292-15:294N, 15:306-15:307, 15:311-15:314, 15:323, 15:329, 15:335, 15:337-15:338, 15:351, 15:354, 15:376, 15:380N, 15:382, 15:388, 15:414, 18:33, 37:57, 38:01:01-38:02:07, 38:04-38:05, 38:08-38:15, 38:17-38:25, 38:27, 38:29-38:45, 38:47-38:53, 38:55Q-38:66, 39:01:01:01-39:01:01:05, 39:01:03-39:01:24, 39:03-39:07, 39:09:01-39:09:03, 39:11-39:12, 39:14-39:15, 39:18-39:19:02, 39:22, 39:24:01-39:38Q, 39:40:01N-39:48, 39:50-39:51, 39:53, 39:55-39:57, 39:59-39:62, 39:64-39:82, 39:84-39:87N, 39:90-39:95N, 39:97N-39:98, 39:100, 39:102-39:104, 39:106-39:109, 39:111-39:125
65	385 bp 450 bp	1070 bp	*07:54, 07:123 *07:111N	*45:06
66	435 bp	1070 bp	*07:36, 07:38, 07:81, 07:180, 07:219	*08:03, 08:52, 08:78, 38:01:01-38:01:12, 38:05-38:07, 38:09-38:14, 38:16, 38:19-38:22, 38:24-38:28, 38:30-38:34N, 38:36-38:42, 38:51-38:61, 38:63, 38:65-38:66, 40:19 [?] , 40:109 [?] , 40:117 [?] , 40:292 [?] , 40:340 [?] , 41:46, 44:18, 48:18, 49:01:01-49:01:08, 49:03-49:14, 49:16-49:47
67⁶	230 bp	800 bp	*07:29, 07:72, 07:86, 07:114	*08:01:01:01-08:05, 08:07-08:56:02, 08:58-08:93, 08:95-08:123, 08:125-08:127, 08:129-08:146, 08:148N-08:150, 08:152-08:175, 14:11, 14:28, 38:33, 39:04, 39:63, 40:01:01-40:01:33, 40:01:35-40:01:49, 40:07, 40:14:01 [?] -40:15 [?] , 40:16, 40:21 [?] -40:22N [?] , 40:23, 40:25 [?] , 40:30 [?] -40:34 [?] , 40:36 [?] , 40:38 [?] , 40:42 [?] -40:43 [?] , 40:45 [?] -40:49 [?] , 40:51, 40:52 [?] -40:55 [?] , 40:58 [?] , 40:59-40:60, 40:61 [?] -40:63 [?] , 40:65 [?] , 40:66, 40:67 [?] , 40:69 [?] , 40:72:01-40:73, 40:76 [?] , 40:77, 40:79, 40:80 [?] -40:81 [?] , 40:84 [?] , 40:87:01 [?] -40:88 [?] , 40:92 [?] , 40:100 [?] -40:102 [?] , 40:106 [?] , 40:108 [?] , 40:110 [?] , 40:112 [?] -40:114:02 [?] , 40:116 [?] -40:118N [?] , 40:121 [?] , 40:123 [?] , 40:124:01, 40:124:02 [?] -40:126 [?] , 40:128 [?] -40:130:02 [?] , 40:132 [?] , 40:134 [?] -40:137 [?] , 40:138-40:140, 40:141 [?] , 40:146-40:147, 40:150, 40:151 [?] , 40:152-40:153, 40:154 [?] , 40:155:01N-40:155:02N, 40:156 [?] , 40:158 [?] , 40:160:01 [?] -40:160:02 [?] , 40:163 [?] , 40:166 [?] , 40:168 [?] , 40:170 [?] -40:171 [?] , 40:172, 40:175 [?] , 40:178 [?] -40:179 [?] , 40:182 [?] -40:183 [?] , 40:185 [?] , 40:186:01, 40:186:02 [?] -40:188 [?] ,

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

				40:191 [?] -40:194 [?] , 40:196 [?] -40:199 [?] , 40:204 [?] , 40:207 [?] -40:208 [?] , 40:212 [?] -40:213 [?] , 40:215 [?] - 40:219 [?] , 40:221 [?] -40:223 [?] , 40:227 [?] -40:228 [?] , 40:231 [?] , 40:233 [?] , 40:235 [?] -40:242 [?] , 40:245 [?] , 40:247 [?] , 40:249 [?] , 40:250-40:253, 40:257 [?] , 40:258-40:265N, 40:272, 40:273 [?] , 40:277-40:278, 40:279 [?] -40:282 [?] , 40:285- 40:286N, 40:288 [?] , 40:298 [?] -40:300 [?] , 40:301, 40:308 [?] , 40:310 [?] , 40:312 [?] , 40:315 [?] , 40:316, 40:319 [?] , 40:321, 40:323, 40:324 [?] -40:329 [?] , 40:332, 40:333 [?] , 40:336 [?] , 40:338N [?] -40:339 [?] , 40:344 [?] , 40:346, 40:352, 41:01:01-41:50, 44:18, 45:01:01- 45:19, 48:22, 49:01:01-49:14, 49:16-49:23, 49:25-49:30, 49:32-49:47, 50:01:01:01- 50:01:01:02, 50:01:02 [?] , 50:01:03-50:02, 50:04-50:20, 50:31-50:42, 50:44-50:50
68	335 bp 365 bp 415 bp	1070 bp	*07:148 *07:101 *07:13, 07:15, 07:160	*40:193 [?] *08:16, 08:123, 08:145, 42:18, 67:02
69^{5,7}	130 bp 190 bp 245 bp 465 bp	1070 bp	*07:136:01-07:136:02 *07:106 *07:108 *07:102	*40:320 *08:18, 73:01-73:02
70⁴	125 bp 205 bp	800 bp	*07:104 *07:114	
71¹⁰	245 bp 280 bp 390 bp	1070 bp	*07:108 *07:107 *07:181N	
72	165 bp	1070 bp	*07:13, 07:110	*37:52, 38:11, 48:36, 54:02, 67:02, 81:06, C*03:137, C*03:182, C*07:102^w, C*07:351, C*12:82
73^{4,5}	85 bp 240 bp	1070 bp	*07:119, 07:169 *07:49N	*48:34
74	345 bp 425 bp	1070 bp	*07:156, 07:282	*57:29 *40:278
75⁴	105 bp 250 bp	1070 bp	*07:126, 07:175 *07:121	*15:126
76⁷	130 bp 170 bp 285 bp	1070 bp	*07:136:01-07:136:02 *07:128 *07:122	*40:320
77	335 bp 405 bp	800 bp	*07:148 *07:116	*40:193 [?]
78⁴	110 bp 160 bp 380 bp 415 bp	1070 bp	*07:125 *07:231N *07:129 *07:282	*40:278
79⁴	65 bp 95 bp	1070 bp	*07:130 *07:119	
80	405 bp	1070 bp	*07:161N	
81⁶	140 bp	1070 bp	*07:147, 07:151:01- 07:151:02, 07:202, 07:279	*15:116, 15:124, 18:88, 40:31, 40:33, 40:52, 40:59, 40:352, 46:06, 46:43, 48:23, 57:59, 58:05, C*07:123, C*07:173, C*07:294

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

82	275 bp	1070 bp	*07:77, 07:163, 07:193, 07:248, 07:276:01-07:276:02	*40:60, 40:245, C*07:38:01-07:38:02
83	175 bp	1070 bp	*07:174, 07:202, 07:222, 07:279	*27:24, 40:31, 40:45, 40:80, 48:01:01- 48:01:06, 48:04:01-48:04:02, 48:06-48:07, 48:09, 48:11, 48:15-48:16, 48:18-48:20, 48:22, 48:24, 48:27-48:39, 48:41, 81:01- 81:08
84	365 bp	1070 bp	*07:12, 07:14, 07:18:01- 07:18:02, 07:137, 07:162, 07:235, 07:248	*35:76, 42:13, 44:90, 56:09, 56:11-56:12, 83:01
85⁴	110 bp 160 bp	800 bp	*07:208 *07:238, 07:285N	
86	195 bp	1070 bp	*07:219	*57:10, A*02:05:01-02:06:04, A*02:06:06- 02:06:21, A*02:08, A*02:10, A*02:14, A*02:21, A*02:28, A*02:41, A*02:44, A*02:51, A*02:54, A*02:57, A*02:61, A*02:72, A*02:79:01-02:79:02, A*02:84, A*02:91, A*02:99, A*02:106, A*02:108, A*02:122, A*02:126-A*02:127, A*02:137, A*02:142, A*02:144, A*02:154, A*02:170, A*02:172, A*02:178-A*02:180, A*02:229, A*02:232, A*02:244, A*02:248, A*02:259, A*02:271, A*02:278, A*02:286, A*02:290, A*02:295, A*02:300, A*02:310, A*02:324, A*02:328, A*02:330-A*02:331, A*02:333, A*02:337, A*02:344, A*02:355, A*02:359, A*02:373N, A*02:376, A*02:382, A*02:387, A*02:398, A*02:404-A*02:405, A*02:409, A*02:413, A*02:415, A*02:420- A*02:421, A*02:428, A*02:433, A*02:438, A*02:453-A*02:454, A*02:465, A*02:470, A*02:472-A*02:476N, A*02:484, A*02:489, A*02:493, A*02:495-A*02:496, A*02:506N-A*02:507, A*02:527, A*02:532, A*02:546, A*02:550, A*02:558, A*02:572, A*02:577, A*02:591:01- A*02:593, A*02:602, A*02:623, A*02:625- A*02:626, A*02:630-A*02:631, A*02:646, A*02:655, A*11:70:01-11:70:02, A*11:121, A*26:07:01-26:07:02, A*26:92
87	210 bp 260 bp	1070 bp	*07:251N *07:218, 07:220	*08:118, 14:05, 14:13, 14:53, 18:14, 40:174, 51:64
88	325 bp	1070 bp	*07:271	*13:97, 18:37, 18:125, 27:01-27:21, 27:23- 27:51, 27:53-27:66N, 27:68-27:161, 35:25- 35:26, 35:49, 35:198, 35:254, 37:28, 40:46, 40:93, 44:40, 44:44, 44:130, 44:156, 44:210, 52:16, 58:44, 81:01, 81:03-81:08, 83:01
89¹¹	-	-	Negative Control	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-B*07 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 4F6

Lot-specific information

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁵Primer mixes 21, 24, 33, 54, 56, 58, 69 and 73 have a tendency giving rise to primer oligomer formation.

⁶Primer mixes 11, 39, 67 and 81 may give rise to a lower yield of HLA-specific PCR product than the other B*07 primer mixes.

⁷Primer mixes 14, 28, 29, 35, 38, 40, 44, 52, 53, 56, 69 and 76 may have tendencies of unspecific amplifications, most pronounced in primer mix 29.

⁸Primer mix 25 may give rise to unspecific amplification in B*73 alleles.

⁹Primer mix 32 may give rise to a faint band in many B*14, B*37, C*04, C*05, C*08 and C*18 alleles.

¹⁰Primer mix 71 may give rise to an unspecific amplification product of approx. 900 bp in some HLA-B alleles. This band should be disregarded in the interpretation of HLA-B*07 typings.

¹¹Primer mix 89 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

‘w’, might be weakly amplified.

‘?’, nucleotide sequence information not available for the primer matching sequence.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information
PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec.	395	285	235	105	220	215	100	160	355	285	130	225
PCR product							215	235		420	210	
Length of int. pos. control ¹	800	1070	1070	800	1070	1070	1070	1070	1070	800	1070	1070
5'-primer(s) ²	44 5'-ggC 3'	363 5'-AgC 3'	412 5'-ATg 3'	540 5'-Cgg 3'	103 5'-CCT 3'	103 5'-CCT 3'	97 5'-TCg 3'	412 5'-ATA 3'	693 5'-ggT 3'	44 5'-ggC 3'	103 5'-CCT 3'	419 5'-gTC 3'
			412 5'-ATg 3'		103 5'-CCT 3'	103 5'-CCT 3'	540 5'-gAC 3'	636 5'-CAC 3'		363 5'-Agg 3'	103 5'-CCT 3'	
							545 5'-AgT 3'			363 5'-Agg 3'		
3'-primer(s) ³	272 5'-TgT 3'	605 5'-gCT 3'	605 5'-gCT 3'	605 5'-gCT 3'	282 5'-gCC 3'	277 5'-ggT 3'	272 5'-TgT 3'	605 5'-gCT 3'	916 5'-gAT 3'	287 5'-TCC 3'	191 5'-CgA 3'	605 5'-gCT 3'
							605 5'-gCT 3'	754 5'-AgA 3'		302 5'-ggC 3'	268 5'-gAg 3'	
										605 5'-gCT 3'	272 5'-TgC 3'	
											272 5'-TgA 3'	
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23	24
Length of spec.	85	215	385	205	345	265	205	160	100	220	85	125
PCR product	290		420	230	425		250	205	165		270	
Length of int. pos. control ¹	1070	800	1070	1070	1070	1070	800	1070	1070	1070	1070	800
5'-primer(s) ²	355 5'-TCA 3'	363 5'-AgC 3'	44 5'-ggC 3'	103 5'-CCT 3'	44 5'-ggC 3'	379 5'-ACC 3'	363 5'-AgC 3'	25 5'-CCg 3'	481 5'-CgA 3'	142 5'-TCT 3'	375 5'-TgA 3'	103 5'-CCT 3'
	560 5'-CAC 3'	363 5'-AgC 3'		103 5'-CCT 3'			409 5'-ggC 3'	363 5'-AgC 3'	545 5'-AgT 3'		560 5'-CCT 3'	103 5'-CCT 3'
								636 5'-CAC 3'				527 5'-TgT 3'
3'-primer(s) ³	605 5'-gCT 3'	539 5'-TCA 3'	259 5'-CTC 3'	268 5'-gAg 3'	218 5'-gCA 3'	605 5'-gCT 3'	572 5'-gCg 3'	131 5'-ggA 3'	605 5'-gCT 3'	322 5'-gTg 3'	605 5'-gCT 3'	191 5'-CgA 3'
			287 5'-TCC 3'	292 5'-gTA 3'	301 5'-gTC 3'		616 5'-AgA 3'	527 5'-CCg 3'				605 5'-gCT 3'
			302 5'-ggT 3'	292 5'-gTA 3'	302 5'-ggT 3'			754 5'-AgA 3'				
				292 5'-gTA 3'								
Well No.	13	14	15	16	17	18	19	20	21	22	23	24

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

Well No.	25	26	27	28	29	30	31	32	33	34	35	36
Length of spec.	305	95	165	110	85	190	215	190	90	155	105	175
PCR product	425	205	215		200		280		350		215	250
		235										
		290										
Length of int. pos. control ¹	1070	800	800	1070	800	800	800	1070	1070	1070	1070	1070
5'-primer(s) ²	44	363	97	215	560	412	363	412	261	483	97	363
	5'-ggC 3'	5'-AgC 3'	5'-TCg 3'	5'-gCC 3'	5'-CAC 3'	5'-ATA 3'	5'-AgC 3'	5'-ATA 3'	5'-AAC 3'	5'-gAA 3'	5'-TCC 3'	5'-AgC 3'
			148		852				756	503	207	
			5'-TgC 3'		5'-CAg 3'				5'-ACT 3'	5'-CCg 3'	5'-gAC 3'	
3'-primer(s) ³	181	418	272	282	605	559	538	559	311	605	272	490
	5'-gTT 3'	5'-gTC 3'	5'-TgT 3'	5'-gCC 3'	5'-gCT 3'	5'-CTC 3'	5'-CCA 3'	5'-CgT 3'	5'-Cgg 3'	5'-gCT 3'	5'-TgT 3'	5'-A.C 3'
	301	527			916		603		970			502
	5'-gTC 3'	5'-CCg 3'			5'-gAC 3'		5'-gTC 3'		5'-TCT 3'			5'-CTA 3'
		559										570
		5'-CAg 3'										5'-CCg 3'
		613										
		5'-gCT 3'										
Well No.	25	26	27	28	29	30	31	32	33	34	35	36

Well No.	37	38	39	40	41	42	43	44	45	46	47	48
Length of spec.	210	190	425	265	400	195	185	150	105	425	215	200
PCR product		215		395	425	225	270					280
Length of int. pos. control ¹	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	800	1070
5'-primer(s) ²	141	363	272	44	625	89	375	165	206	44	363	113
	5'-ATT 3'	5'-AgC 3'	5'-CTA 3'	5'-ggC 3'	5'-CCg 3'	5'-gAC 3'	5'-TgA 3'	5'-ACC 3'	5'-AgA 3'	5'-ggC 3'	5'-AgC 3'	5'-CCA 3'
					650	118	463					368
					5'-CCT 3'	5'-C.g 3'	5'-TgA 3'					5'-gTC 3'
3'-primer(s) ³	311	506	412	142	916	272	605	272	272	299	538	272
	5'-ggT 3'	5'-Tgg 3'	5'-gTT 3'	5'-TgC 3'	5'-gAC 3'	5'-TgT 3'	5'-gCT 3'	5'-TgC 3'	5'-Tgg 3'	5'-TCA 3'	5'-gTC 3'	5'-TgT 3'
		516		272								605
		5'-gCg 3'		5'-TgA 3'								5'-gCT 3'
		539										
		5'-TCT 3'										
Well No.	37	38	39	40	41	42	43	44	45	46	47	48

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

Well No.	49	50	51	52	53	54	55	56	57	58	59	60
Length of spec.	200	75	345	290	235	160	260	220	150	245	100	145
PCR product		105	470			185		235	215	440	190	
		165										
Length of int. pos. control ¹	1070	1070	1070	800	800	1070	1070	1070	1070	1070	800	1070
5'-primer(s) ²	341 5'-ggg 3'	363 5'-AgC 3'	44 5'-ggC 3'	355 5'-CCT 3'	409 5'-ggT 3'	363 5'-AgC 3'	382 5'-TgA 3'	363 5'-AgC 3'	98 5'-CTg 3'	44 5'-ggC 3'	363 5'-AgC 3'	167 5'-gCT 3'
							382 5'-TgC 3'		161 5'-Cgg 3'			
							386 5'-gCA 3'					
3'-primer(s) ³	2 nd I 5'-TCg 3'	398 5'-ggC 3'	221 5'-ACC 3'	605 5'-gCT 3'	605 5'-gCT 3'	484 5'-CgA 3'	605 5'-gCT 3'	544 5'-ggT 3'	272 5'-TgT 3'	121 5'-gCC 3'	419 5'-CgA 3'	272 5'-TgT 3'
		425 5'-CgC 3'	343 5'-T 3'			502 5'-CTA 3'		559 5'-CAG 3'		317 5'-ggC 3'	420 5'-gCT 3'	
		488 5'-CCA 3'				513 5'-TCA 3'					506 5'-Tgg 3'	
											514 5'-CTT 3'	
Well No.	49	50	51	52	53	54	55	56	57	58	59	60

Well No.	61	62	63	64	65	66	67	68	69	70	71	72
Length of spec.	205	415	65	170	385	435	230	335	130	125	245	165
PCR product	420		230		450			365	190	205	280	
								415	245		390	
									465			
Length of int. pos. control ¹	1070	800	1070	1070	1070	1070	800	1070	1070	800	1070	1070
5'-primer(s) ²	44 5'-ggC 3'	44 5'-ggC 3'	256 5'-ACT 3'	142 5'-TCT 3'	44 5'-ggC 3'	44 5'-ggC 3'	44 5'-ggC 3'	44 5'-ggC 3'	44 5'-ggC 3'	106 5'-CCA 3'	44 5'-ggC 3'	103 5'-CCT 3'
			363 5'-AgC 3'						363 5'-AgC 3'	188 5'-Cgg 3'	363 5'-AgC 3'	103 5'-CCT 3'
3'-primer(s) ³	82 5'-ggC 3'	292 5'-gTA 3'	282 5'-gCC 3'	272 5'-TgC 3'	259 5'-CTC 3'	309 5'-ATC 3'	106 5'-CAT 3'	212 5'-gCA 3'	119 5'-ggT 3'	272 5'-TgT 3'	119 5'-ggT 3'	226 5'-CAC 3'
	293 5'-ggA 3'	292 5'-gTA 3'	553 5'-CTA 3'		327 5'-TTT 3'			241 5'-CgA 3'	341 5'-CgT 3'		265 5'-CTA 3'	
		292 5'-gTA 3'						289 5'-AgC 3'	453 5'-TCT 3'		603 5'-TTC 3'	
									453 5'-TCC 3'			
									511 5'-CCg 3'			
Well No.	61	62	63	64	65	66	67	68	69	70	71	72

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

Well No.	73	74	75	76	77	78	79	80	81	82	83	84
Length of spec.	85	345	105	130	335	110	65	405	140	275	175	365
PCR product	240	425	250	170	405	160	95					
				285		380						
						415						
Length of int.	1070	1070	1070	1070	800	1070	1070	1070	1070	1070	1070	1070
pos. control ¹												
5'-primer(s) ²	244	625	363	363	44	206	244	693	412	368	363	272
	5'-CgC 3'	5'-CCg 3'	5'-AgC 3'	5'-AgC 3'	5'-ggC 3'	5'-AgA 3'	5'-CgC 3'	5'-ggT 3'	5'-ATg 3'	5'-gTC 3'	5'-AgC 3'	5'-CTA 3'
	693	637		880		637	693			382		
	5'-ggT 3'	5'-ACA 3'		5'-CCT 3'		5'-ACA 3'	5'-ggT 3'			5'-TgC 3'		
		704				671				382		
		5'-TgT 3'				5'-CAg 3'				5'-TgA 3'		
3'-primer(s) ³	299	916	425	453	212	277	299	962	512	605	499	353
	5'-TCT 3'	5'-gAC 3'	5'-CgC 3'	5'-TCT 3'	5'-gCA 3'	5'-ggT 3'	5'-TCT 3'	5'-CAA 3'	5'-CCA 3'	5'-gCT 3'	5'-ggA 3'	5'-TgA 3'
	728		427	453	278	324	719					353
	5'-CCT 3'		5'-gTT 3'	5'-TCC 3'	5'-ggA 3'	5'-TAC 3'	5'-AgA 3'					5'-TgA 3'
	893		571	607		916						
	5'-CCT 3'		5'-CCg 3'	5'-CAC 3'		5'-gAC 3'						
				916								
				5'-gAC 3'								
Well No.	73	74	75	76	77	78	79	80	81	82	83	84

Well No.	85	86	87	88
Length of spec.	110	195	210	325
PCR product	160		260	
Length of int.	800	1070	1070	1070
pos. control ¹				
5'-primer(s) ²	363	103	363	49
	5'-AgC 3'	5'-CCT 3'	5'-AgC 3'	5'-CAg 3'
3'-primer(s) ³	430	256	533	204
	5'-gCT 3'	5'-CCC 3'	5'-CT 3'	5'-TCT 3'
	484		583	
	5'-CgA 3'		5'-gTg 3'	
	490			
	5'-A.C 3'			
Well No.	85	86	87	88

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

CELL LINE VALIDATION SHEET																			
HLA-B*07 SSP subtyping kit²																			
			Prod. No.:	Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	IHWC cell line ¹	B*		201436401	201436402	201561603	201436404	201436405	201436406	201436407	201436408	201782309	201436410	201436411	201436412	201436413	201436414	201436415	201436416
1	9001 SA	*07:02		+	+	+	+	+	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	+	-	-	-	-	-	+	-	-	-	-	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*37:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+
6	9353 SM	*39:01	*51:01	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-
7	9020 QBL	*18:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+
10	9107 LKT3	*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9025 JESTHOM	*27:05		-	-	-	-	+	-	-	-	-	-	+	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	+	-	+	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	+	-	-	-	-	-	-	-	+	-	+
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*14:01	*56:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*18:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	+	-	+	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	+	-	-	-	-	-	-	-	+	-	+
24	9035 JBUSH	*38:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	+	+	-	+	+	-	-	+	+	-	-	-	-	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		+	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	+	-	+	-	-	-	-	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		+	+	+	+	+	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	+	-	-	-	-	-	+	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	+
45	9239 SHJO	*42:01	*50:01	+	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*07:02		+	+	+	+	+	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

CELL LINE VALIDATION SHEET																			
HLA-B*07 SSP subtyping kit²																			
			Prod. No.:	Well															
				17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
				201436417	201436418	201436419	201436420	201436421	201782322	201782323	201561624	201436425	201436426	201436427	201436428	201782329	201436430	201436431	201436432
	IHWC cell line¹	B*																	
1	9001 SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*37:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
7	9020 QBL	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
10	9107 LKT3	*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9025 JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
18	9257 32367	*14:01	*56:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	+	+	-
24	9035 JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
31	9019 DUCAF	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	+	-	-	-	-	-	+	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
45	9239 SHJO	*42:01	*50:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

CELL LINE VALIDATION SHEET																			
HLA-B*07 SSP subtyping kit ²																			
				Well															
				33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
				201436433	201436434	201561635	201782336	201436437	201436438	201436439	201436440	201436441	201436442	201782343	201436444	201436445	201436446	201436447	201436448
	IHWC cell line ¹	B*																	
1	9001 SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*37:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020 QBL	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9025 JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
18	9257 32367	*14:01	*56:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	+	-	-	-	-	-	-	-	+	-
31	9019 DUCAF	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*42:01	*50:01	-	-	-	-	-	-	+	-	-	-	-	-	-	-	+	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

CELL LINE VALIDATION SHEET																			
HLA-B*07 SSP subtyping kit²																			
			Prod. No.:	Well															
				49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64
	IHWC cell line ¹	B*		201436449	201436450	201436451	201436452	201561653	201561654	201782355	201436456	201436457	201561658	201436459	201436460	201436461	201436462	201436463	201782364
1	9001 SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
5	9009 KAS011	*37:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
7	9020 QBL	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	+
10	9107 LKT3	*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9025 JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLG A	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*14:01	*56:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
19	9038 BM16	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	+
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*41:02		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
33	9098 MT14B	*40:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
34	9104 DHIF	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	+
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	+
45	9239 SHJO	*42:01	*50:01	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

CELL LINE VALIDATION SHEET																				
HLA-B*07 SSP subtyping kit²																				
				Well																
				65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	
				Prod. No.:	201436465	201436466	201436467	201436468	201561669	201436470	201436471	201436472	201436473	201782374	201436475	201561676	201436477	201782378	201436479	201436480
	IHWC cell line ¹	B*																		
1	9001 SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707	*52:01	*73:01	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
3	9011 E4181324	*52:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	9275 GU373	*15:10	*53:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009 KAS011	*37:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM	*39:01	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020 QBL	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025 DEU	*35:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026 YAR	*38:01		-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107 LKT3	*54:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052 DBB	*57:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9025 JESTHOM	*27:05		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075 DKB	*40:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037 SWEIG007	*40:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282 CTM3953540	*08:01	*55:01	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257 32367	*14:01	*56:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005	*40:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064 AMALA	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056 KOSE	*35:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124 IHL	*40:02	*56:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035 JBUSH	*38:01		-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049 IBW9	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	9285 WT49	*58:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007	*07:05	*51:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	9320 BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	9050 MOU	*44:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	9021 RSH	*42:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019 DUCAF	*18:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297 HAG	*41:02		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098 MT14B	*40:01		-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104 DHIF	*38:01		-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	9302 SSTO	*44:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024 KT17	*15:01	*35:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065 HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL	*15:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315 CML	*08:01	*27:05	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134 WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301	*14:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	9066 TAB089	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526	*46:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	9057 TEM	*38:01		-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	9239 SHJO	*42:01	*50:01	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013 SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO	*51:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303 TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

CELL LINE VALIDATION SHEET												
HLA-B*07 SSP subtyping kit ²												
				Well								
				81	82	83	84	85	86	87	88	
				Prod. No.:	201561681	201782382	201782383	201782384	201782385	201561686	201782387	201782388
IHCW cell line ¹			B*									
1	9001	SA	*07:02	-	-	-	-	-	-	-	-	-
2	9280	LK707	*52:01	*73:01	-	-	-	-	-	-	-	-
3	9011	E4181324	*52:01		-	-	-	-	-	-	-	-
4	9275	GU373	*15:10	*53:01	-	-	-	-	-	-	-	-
5	9009	KAS011	*37:01		-	-	-	-	-	-	-	-
6	9353	SM	*39:01	*51:01	-	-	-	-	-	-	-	-
7	9020	QBL	*18:01		-	-	-	-	-	-	-	-
8	9025	DEU	*35:01		-	-	-	-	-	-	-	-
9	9026	YAR	*38:01		-	-	-	-	-	-	-	-
10	9107	LKT3	*54:01		-	-	-	-	-	-	-	-
11	9051	PITOUT	*44:03		-	-	-	-	-	-	-	-
12	9052	DBB	*57:01		-	-	-	-	-	-	-	-
13	9025	JESTHOM	*27:05		-	-	-	-	-	-	-	+
14	9071	OLGA	*15:01	*15:20	-	-	-	-	-	-	-	-
15	9075	DKB	*40:01		-	-	-	-	-	-	-	-
16	9037	SWEIG007	*40:02		-	-	-	-	-	-	-	-
17	9282	CTM3953540	*08:01	*55:01	-	-	-	-	-	-	-	-
18	9257	32367	*14:01	*56:01	-	-	-	-	-	-	-	-
19	9038	BM16	*18:01		-	-	-	-	-	-	-	-
20	9059	SLE005	*40:01		-	-	-	-	-	-	-	-
21	9064	AMALA	*15:01		-	-	-	-	-	-	-	-
22	9056	KOSE	*35:03		-	-	-	-	-	-	-	-
23	9124	IHL	*40:02	*56:02	-	-	-	-	-	-	-	-
24	9035	JBUSH	*38:01		-	-	-	-	-	-	-	-
25	9049	IBW9	*14:02		-	-	-	-	-	-	-	-
26	9285	WT49	*58:01		-	-	-	-	-	-	-	-
27	9191	CH1007	*07:05	*51:01	-	-	-	-	-	-	-	-
28	9320	BEL5GB	*44:02	*44:03	-	-	-	-	-	-	-	-
29	9050	MOU	*44:03		-	-	-	-	-	-	-	-
30	9021	RSH	*42:01		-	-	-	-	-	-	-	-
31	9019	DUCAF	*18:01		-	-	-	-	-	-	-	-
32	9297	HAG	*41:02		-	-	-	-	-	-	-	-
33	9098	MT14B	*40:01		-	-	-	-	-	-	-	-
34	9104	DHIF	*38:01		-	-	-	-	-	-	-	-
35	9302	SSTO	*44:02		-	-	-	-	-	-	-	-
36	9024	KT17	*15:01	*35:01	-	-	-	-	-	-	-	-
37	9065	HHKB	*07:02		-	-	-	-	-	-	-	-
38	9099	LZL	*15:01		-	-	-	-	-	-	-	-
39	9315	CML	*08:01	*27:05	-	-	-	-	-	-	-	+
40	9134	WHONP199	*13:02	*46:01	-	-	-	-	-	-	-	-
41	9055	H0301	*14:02		-	-	-	-	-	-	-	-
42	9066	TAB089	*46:01		-	-	-	-	-	-	-	-
43	9076	T7526	*46:01		-	-	-	-	-	-	-	-
44	9057	TEM	*38:01		-	-	-	-	-	-	-	-
45	9239	SHJO	*42:01	*50:01	-	-	-	-	-	-	-	-
46	9013	SCHU	*07:02		-	-	-	-	-	-	-	-
47	9045	TUBO	*51:01		-	-	-	-	-	-	-	-
48	9303	TER-ND	*35:01	*44:03	-	-	-	-	-	-	-	-

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: 4F6

Lot-specific information

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 7, 12, 13, 15, 17, 18, 20 to 23, 25, 27 to 29, 34, 36, 38, 40 to 43, 48 to 55, 57 to 61, 63, 65, 68, 70 to 82 and 84 to 87 were available.

The specificities of the primers in primer solutions 7, 12, 13, 15, 17, 18, 20, 21, 23, 25, 27, 29, 36, 38, 40, 43, 48, 50 to 53, 57, 59, 60, 63, 68, 70, 72, 73, 75 to 79, 81 to 82, 84, 86 and 87 were tested by separately adding additional 5'-primers, respectively additional 3'-primers. In primer solutions 54, 58, 61, 65, 71, 80 and 85 it was only possible to test the 5'-primers, the 3'-primers were not possible to test. In primer solutions 28, 34, 41, 42, 49, 55 and 74 it was only possible to test the 3'-primers, the 5'-primers were not possible to test. In primer solutions 2, 3, 21, 23, 27, 29, 35, 43, 48, 57, 63, 70, 73, 76, 78, 79 and 82 one or two 5'-primers were not possible to test, and in primer solutions 8, 10, 11, 15 to 17, 19, 20, 24 to 26, 33, 36, 38, 40, 50, 51, 56, 59, 63, 68, 69, 73, 75 to 79 and 87 one, two or three 3'-primers were not possible to test. Additional primers in primer solutions 8, 10, 11, 19, 24, 26, 31, 33 and 69 were tested by separately adding one additional 5'-primer and/or one or two additional 3'-primers.

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

101.512-24/03 – including *Taq* pol., IFU-01
101.512-24u/03u – without *Taq* pol., IFU-02

Visit www.olerup.com for
“Instructions for Use” (IFU)

Lot No.: **4F6**

Lot-specific information

ADDRESSES:

Manufacturer:

Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-717 88 27

Fax: +46-8-717 88 18

E-mail: olerup-se@caredx.com

Web page: <http://www.olerup.com>

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: olerup-at@caredx.com

Web page: <http://www.olerup.com>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1

Fax: 610-344-7989

E-mail: olerup-us@caredx.com

Web page: <http://www.olerup.com>

For information on *Olerup* distributors worldwide, contact **Olerup GmbH**.