

Lot No.: **6G9**

Lot-specific information

Olerup SSP® HLA-C*15

Product number:	101.626-12 – including <i>Taq</i> polymerase 101.626-12u – without <i>Taq</i> polymerase
Lot number:	6G9
Expiry date:	2022-09-01
Number of tests:	12
Number of wells per test:	41+1
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 6G9.

Complete product documentation consists of generic Instructions for Use (IFU), lot specific Product Insert, Worksheet and Certificate.

**CHANGES COMPARED TO THE PREVIOUS OLERUP SSP®
HLA-C*15 LOT (1F1)**

The HLA-C*15 kit is updated for new alleles to enable separation of:

- Null and Alternatively expressed alleles
- The product documentation has been updated for new alleles of IMGT 3.32.0

The format of the Worksheet has been changed.

Two wells have been added to HLA-C*15, wells **41 to 42**.

The HLA-C*15 primer set, specificity and interpretation tables have been updated for the HLA-C alleles described since the previous *Olerup SSP*® HLA-C*15 lot was made (**Lot No. 1F1**).

Lot No.: 6G9

Lot-specific information

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
40	Added	Added	Negative control moved to well 42, new primer pair added for the C*15:02:01:08N allele.
41	New	New	New primer pair added for the C*15:145N allele.
42	-	-	Negative Control added from well 40.

Changes in revision R01 compared to R00:

1. The expiration date has been altered due to extension of shelf-life.

Lot No.: **6G9**

Lot-specific information

Well **42** contains Negative Control primer pairs, that will amplify more than 95% of the *Olerup* SSP[®] HLA Class I, DRB, DQB1, DPB1 and DQA1 amplicons as well as all the amplicons generated by the control primer pairs matching the human growth hormone gene.

HLA-specific PCR product sizes range from 75 to 200 base pairs.

The PCR product generated by the positive control primer pair is 430 base pairs.

Length of PCR product	105	200	105	80	75	80	85
5'-primer¹	164	340	440	45	45	43	36
	5'-CAC ^{3'}	5'-Agg ^{3'}	5'-TTA ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-Tgg ^{3'}	5'-TAC ^{3'}
							36
							5'-TAT ^{3'}
3'-primer²	231	2nd I	507	59	58	57	47
	5'-TgC ^{3'}	5'-AAA ^{3'}	5'-TTg ^{3'}	5'-CTC ^{3'}	5'-ggC ^{3'}	5'-CTC ^{3'}	5'-ACA ^{3'}
							48
							5'-gCA ^{3'}
							48
							5'-gCC ^{3'}
							52
							5'-TgT ^{3'}
A*	+	+	+				
B*	+	+	+				
C*	+	+	+				
DRB1				+	+		
DRB3				+	+		
DRB5				+			
DQB1					+		
DPB1						+	
DQA1							+

¹The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

²The nucleotide position for HLA class I genes and the codon for HLA class II genes, in the 2nd or 3rd exon or the 2nd intron, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide and codon numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

Lot No.: **6G9**

Lot-specific information

PRODUCT DESCRIPTION

HLA-C*15 SSP typing

CONTENT

The primer set contains 5'- and 3'-primers for identifying the C*15:02 to C*15:155 alleles.

PLATE LAYOUT

Each HLA-C*15 test consists of 42 PCR reactions in a 48 well cut PCR plate. Wells 43 to 48 are empty.

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32
33	34	35	36	37	38	39	40
41	NC	empty	empty	empty	empty	empty	empty

The 48 well PCR plate is marked with 'HLA-C*15' in silver/gray ink.

Well No. 1 is marked with the Lot No. '6G9'.

Wells 1 to 41 – HLA-C*15 high resolution primers.

Well 42 – Negative Control (NC).

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 48 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

Due to the sharing of sequence motifs between HLA-C alleles non-HLA-C*15 alleles will be amplified by some primer mixes. For further details see Specificity Table.

UNIQUELY IDENTIFIED ALLELES

All the HLA-C*15 alleles, i.e. **C*15:02 to C*15:155**, recognized by the HLA Nomenclature Committee in April 2018^{1,2} will be amplified by the primers in the HLA-C*15 SSP kit³.

The HLA-C*15 kit enables separation of the confirmed HLA-C*15 alleles as listed in the IMGT/HLA database 3.26.0. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-C*15 alleles is listed below.

The HLA-C*15 kit also enables identification of null and alternatively expressed alleles.

Lot No.: **6G9**

Lot-specific information

The following HLA-C*15 alleles can be distinguished by the different sizes of the HLA-specific PCR product:

Alleles	Primer mix	Alleles	Primer mix
C*15:18, 15:118, 15:138	9	C*15:35, 15:47	21
C*15:32Q, 15:41	24	C*15:44:01-15:45	20
C*15:33, 15:84Q	28	C*15:46, 15:111	19
C*15:34, 15:39, 15:130	17	C*15:81, 15:96Q	29

¹HLA-C alleles listed on the IMGT/HLA web page 2018-April-16, release 3.32.0, www.ebi.ac.uk/imgt/hla.

²Alleles that have been deleted from or renamed in the official WHO HLA Nomenclature up to and including the last IMGT/HLA database release can be retrieved from web page <http://hla.alleles.org/alleles/deleted.html>.

³The HLA-C*15 primer set cannot separate the C*15:04:01-15:04:03 and the C*16:70 alleles. These alleles can be distinguished by the HLA-C low resolution kit and/or HLA-C*16 high resolution kit.

Lot No.: **6G9**

Lot-specific information

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
C*15:02:01:01	Confirmed	C*15:09	Confirmed	C*15:58	Confirmed	C*15:107	Unconfirmed
C*15:02:01:02	Unconfirmed	C*15:10:01	Unconfirmed	C*15:59	Unconfirmed	C*15:108	Confirmed
C*15:02:01:03	Unconfirmed	C*15:10:02	Confirmed	C*15:60	Unconfirmed	C*15:109	Unconfirmed
C*15:02:02	Unconfirmed	C*15:10:03	Unconfirmed	C*15:61	Unconfirmed	C*15:110	Unconfirmed
C*15:02:03	Confirmed	C*15:11	Confirmed	C*15:62	Unconfirmed	C*15:111	Unconfirmed
C*15:02:04	Confirmed	C*15:12	Unconfirmed	C*15:63	Unconfirmed	C*15:112	Unconfirmed
C*15:02:05	Confirmed	C*15:13	Confirmed	C*15:64	Unconfirmed	C*15:113	Unconfirmed
C*15:02:06	Unconfirmed	C*15:15	Unconfirmed	C*15:65	Unconfirmed	C*15:114	Confirmed
C*15:02:07	Confirmed	C*15:16	Unconfirmed	C*15:66	Unconfirmed	C*15:115N	Unconfirmed
C*15:02:08	Confirmed	C*15:17	Confirmed	C*15:67	Unconfirmed	C*15:116	Unconfirmed
C*15:02:09	Unconfirmed	C*15:18	Confirmed	C*15:68	Unconfirmed	C*15:117	Unconfirmed
C*15:02:10	Unconfirmed	C*15:19	Confirmed	C*15:69	Confirmed	C*15:118	Confirmed
C*15:02:11	Confirmed	C*15:21	Unconfirmed	C*15:70	Unconfirmed	C*15:119	Unconfirmed
C*15:02:12	Unconfirmed	C*15:22	Confirmed	C*15:71	Unconfirmed	C*15:120	Unconfirmed
C*15:02:13	Unconfirmed	C*15:23	Confirmed	C*15:72	Unconfirmed	C*15:121	Unconfirmed
C*15:02:14	Confirmed	C*15:24	Confirmed	C*15:73	Unconfirmed	C*15:122N	Unconfirmed
C*15:02:15	Confirmed	C*15:25	Unconfirmed	C*15:74	Confirmed	C*15:123	Confirmed
C*15:02:16	Unconfirmed	C*15:26	Confirmed	C*15:75	Unconfirmed	C*15:124	Unconfirmed
C*15:02:17	Unconfirmed	C*15:27	Confirmed	C*15:76	Unconfirmed	C*15:125	Unconfirmed
C*15:02:18	Unconfirmed	C*15:28	Confirmed	C*15:77	Unconfirmed	C*15:126	Unconfirmed
C*15:02:19	Unconfirmed	C*15:29	Unconfirmed	C*15:78:01	Unconfirmed	C*15:127	Unconfirmed
C*15:02:20	Confirmed	C*15:30	Confirmed	C*15:78:02	Unconfirmed	C*15:128	Unconfirmed
C*15:02:21	Unconfirmed	C*15:31	Confirmed	C*15:79	Unconfirmed	C*15:129	Unconfirmed
C*15:02:22	Unconfirmed	C*15:32Q	Confirmed	C*15:80	Unconfirmed	C*15:130	Unconfirmed
C*15:02:23	Confirmed	C*15:33	Confirmed	C*15:81	Unconfirmed	C*15:131	Unconfirmed
C*15:02:24	Unconfirmed	C*15:34	Confirmed	C*15:82	Confirmed	C*15:132	Confirmed
C*15:02:25	Unconfirmed	C*15:35	Unconfirmed	C*15:83	Unconfirmed	C*15:133	Unconfirmed
C*15:02:26	Unconfirmed	C*15:36	Confirmed	C*15:84Q	Unconfirmed		
C*15:02:27	Confirmed	C*15:37	Unconfirmed	C*15:85	Confirmed		
C*15:02:28	Unconfirmed	C*15:38	Unconfirmed	C*15:86	Unconfirmed		
C*15:03	Unconfirmed	C*15:39	Confirmed	C*15:87	Unconfirmed		
C*15:04:01	Confirmed	C*15:40	Confirmed	C*15:88	Unconfirmed		
C*15:04:02	Confirmed	C*15:41	Unconfirmed	C*15:89	Unconfirmed		
C*15:05:01	Confirmed	C*15:42	Confirmed	C*15:90	Unconfirmed		
C*15:05:02	Confirmed	C*15:43	Unconfirmed	C*15:91	Unconfirmed		
C*15:05:03	Unconfirmed	C*15:44:01	Confirmed	C*15:92N	Unconfirmed		
C*15:05:04	Unconfirmed	C*15:44:02	Unconfirmed	C*15:93	Unconfirmed		
C*15:05:05	Unconfirmed	C*15:45	Unconfirmed	C*15:94	Unconfirmed		
C*15:05:06	Confirmed	C*15:46	Unconfirmed	C*15:95N	Unconfirmed		
C*15:05:07	Confirmed	C*15:47	Unconfirmed	C*15:96Q	Confirmed		
C*15:05:08	Unconfirmed	C*15:48	Unconfirmed	C*15:97	Unconfirmed		
C*15:05:09	Unconfirmed	C*15:49	Unconfirmed	C*15:98	Unconfirmed		
C*15:05:10	Unconfirmed	C*15:50	Unconfirmed	C*15:99	Unconfirmed		
C*15:05:11	Unconfirmed	C*15:51	Unconfirmed	C*15:100	Unconfirmed		
C*15:05:12	Unconfirmed	C*15:52	Confirmed	C*15:101	Confirmed		
C*15:06:01	Confirmed	C*15:53	Unconfirmed	C*15:102	Confirmed		
C*15:06:02	Confirmed	C*15:54	Unconfirmed	C*15:103	Confirmed		
C*15:06:03	Confirmed	C*15:55	Unconfirmed	C*15:104	Unconfirmed		
C*15:07	Confirmed	C*15:56	Confirmed	C*15:105Q	Unconfirmed		
C*15:08	Unconfirmed	C*15:57	Unconfirmed	C*15:106	Unconfirmed		

¹Allele status “confirmed” or “unconfirmed” as listed on the IMGT/HLA web page 2016-October-14, release 3.26.0, www.ebi.ac.uk/imgt/hla.



Lot No.: 6G9

Lot-specific information

RESOLUTION IN HOMO- AND HETEROZYGOTES

Results file with resolution in HLA-C*15 homo- and heterozygotes is available upon request.

Lot No.: **6G9**

Lot-specific information
SPECIFICITY TABLE

HLA-C*15 SSP subtyping

Specificities and sizes of the PCR products of the 41+1 primer mixes used for
HLA-C*15 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-C*15 alleles ³	Other amplified HLA Class I alleles
1	330 bp	800 bp	*15:02:01:01-15:03, 15:05:01-15:13:01:02, 15:15-15:19, 15:21-15:24, 15:26-15:29, 15:31-15:39, 15:41-15:63, 15:67-15:75, 15:78:01-15:101, 15:103-15:104, 15:106-15:109, 15:111-15:128, 15:130-15:155	*01:02:22, 01:90, 01:101-01:102, 01:113, 01:116, 02:06:01-02:06:02, 02:23, 02:36:01-02:36:02, 02:68, 03:04:33, 03:04:39, 03:81, 03:175, 03:199, 03:245, 03:317, 03:388, 04:108, 04:178, 05:132, 06:02:48, 06:89, 07:47, 07:123, 07:173, 07:294, 07:626, 08:113, 12:15, 12:113, 12:208, 14:92, 16:20, 16:109
2	175 bp	1070 bp	*15:02:01:01-15:09, 15:12-15:13:01:02, 15:15, 15:18-15:19, 15:21-15:24, 15:26, 15:28-15:42, 15:44:01-15:62, 15:64-15:106, 15:108-15:112, 15:114-15:123, 15:125-15:155	*03:08, 03:29, 03:31, 03:246, 07:20, 07:96:01-07:96:02, 07:263, 16:70
3⁴	85 bp 210 bp	1070 bp	*15:28, 15:153 *15:03, 15:16, 15:25 ^w	*03:15, 03:27 ^w , 03:38:01 ^w -03:38:02 ^w , 03:69 ^w , 03:130, 03:136 ^w , 03:163, 03:246 ^w , 03:297, 04:16, 06:03:01, 06:70:02, 06:132:01-06:132:02, 07:02:10 ^w , 07:96:01 ^w -07:96:02 ^w , 07:127 ^w , 07:246:01 ^w , 07:263 ^w , 07:314:02 ^w , 07:578 ^w , 12:02:17 ^w , 12:03:23 ^w
4	315 bp	1070 bp	*15:04:01-15:04:03, 15:09, 15:19, 15:27, 15:30, 15:61, 15:65, 15:77, 15:107, 15:126, 15:143	*01:04, 01:21, 01:54, 01:97, 01:102, 01:152, 02:02:01-02:02:03, 02:02:05-02:05:03, 02:08-02:18, 02:20-02:21, 02:24-02:40:02, 02:42-02:46, 02:48-02:67Q, 02:69-02:96, 02:98-02:110, 02:112-02:139, 03:02:01-03:02:14, 03:02:16-03:02:17, 03:14-03:16, 03:33, 03:36, 03:40:01-03:40:04, 03:42-03:43:02, 03:60, 03:71, 03:84, 03:89, 03:95, 03:108, 03:110, 03:119:01-03:119:02, 03:121N, 03:132, 03:139, 03:146, 03:169Q, 03:175, 03:190, 03:194, 03:197-03:201N, 03:216, 03:221-03:222, 03:224N-03:226, 03:240, 03:245, 03:248, 03:258, 03:264, 03:271, 03:279, 03:298-03:301, 03:315, 03:329-03:330, 03:332, 03:338, 03:349-03:350, 03:361, 03:365, 03:371, 03:373, 04:54, 05:04:01-05:04:02,

Lot No.: **6G9**

Lot-specific information

			05:103:01-05:103:02, 05:135, 06:02:01:01-06:02:01:12, 06:02:03- 06:08, 06:10-06:33, 06:35-06:37, 06:39- 06:102:02, 06:104-06:106:02, 06:108- 06:143, 06:145-06:167, 06:169-06:178, 06:180-06:203, 06:205-06:218, 07:01:01:01-07:02:62, 07:02:64-07:03, 07:05-07:10, 07:14-07:27:02, 07:30- 07:33N, 07:35-07:40, 07:42-07:44, 07:46-07:62, 07:64-07:100, 07:102- 07:138, 07:140-07:141:02, 07:143- 07:176, 07:178-07:180, 07:182-07:183, 07:185-07:198N, 07:200-07:218, 07:220-07:230, 07:232-07:247, 07:249- 07:271, 07:273-07:288, 07:291-07:294, 07:296-07:322, 07:325-07:327, 07:330:01-07:335, 07:337, 07:339- 07:353, 07:356, 07:359-07:360, 07:362- 07:363, 07:366-07:377, 07:379- 07:393N, 07:396-07:402, 07:404- 07:405, 07:407-07:419, 07:421-07:425, 07:427, 07:429-07:446, 07:448-07:458, 07:460-07:465, 07:468-07:479, 07:481- 07:483N, 07:485-07:486, 07:488- 07:500, 07:502-07:521, 07:524-07:533, 07:537-07:551N, 07:553-07:561, 07:564-07:568, 07:570-07:584, 07:587- 07:599, 07:601-07:621, 07:623-07:625, 07:627, 08:09, 08:11, 08:59, 08:113, 08:152, 12:02:01-12:02:14, 12:02:16- 12:14:02, 12:16-12:30, 12:32-12:140, 12:142-12:143, 12:145-12:201, 12:203- 12:207, 12:209-12:221, 12:223- 12:232N, 14:02:01:01-14:25, 14:27- 14:53, 14:56-14:78, 14:80-14:91, 14:93N-14:96, 16:01:01:01-16:02:15, 16:04:01:01-16:04:01:02, 16:04:03- 16:04:05, 16:06-16:09, 16:11-16:44, 16:46-16:66, 16:68-16:122
5^{4,5}	100 bp	1070 bp	*15:05:01-15:05:12, 15:22-15:23:02, 15:29, 15:36, 15:46, 15:54, 15:59, 15:69-15:70, 15:90, 15:104, 15:108, 15:110-15:111, 15:115N-15:117, 15:125, 15:140, 15:147- 15:148, 15:152:02- 15:153 *15:92N
	160 bp		
6	305 bp	1070 bp	*15:06:01-15:06:03, 15:40, 15:55 *15:26, 15:69 *15:22, 15:37, 15:55, 15:58, 15:65, 15:72, 15:125
	345 bp		
	370 bp		

Lot No.: **6G9**

Lot-specific information

7	140 bp	800 bp	*15:07, 15:21, 15:25, 15:116, 15:144	*01:02:34, 01:21, 02:12, 02:27:01- 02:27:02, 02:87, 02:115, 02:126, 02:131, 03:04:25, 04:11, 04:29, 04:36, 04:55, 04:172, 04:214, 07:02:09, 07:583, 08:01:01:01-08:02:10, 08:02:12- 08:09, 08:11-08:63, 08:65-08:94, 08:95 ^w , 08:96-08:166, 12:02:01- 12:02:10, 12:02:12-12:03:03, 12:03:05- 12:03:08, 12:03:10-12:03:23, 12:03:24 ^w , 12:03:25-12:03:33, 12:03:35-12:03:47, 12:06-12:08, 12:10:01-12:20, 12:22- 12:26, 12:28-12:32, 12:34-12:40, 12:42Q-12:53, 12:55-12:59, 12:61- 12:122, 12:124-12:145, 12:147-12:187, 12:189-12:194, 12:195:02, 12:196- 12:233, 14:02:03, 14:03, 14:08, 14:10, 14:22, 14:35N, 14:38, 14:41, 14:53- 14:54, 14:61, 14:70, 14:79, 14:86, 14:90, 16:01:01:01-16:01:01:04, 16:01:03-16:01:15, 16:01:17-16:01:23, 16:04:01:01-16:04:01:02, 16:04:03- 16:04:05, 16:06-16:08, 16:10-16:11, 16:13-16:18, 16:20-16:24, 16:26-16:45, 16:49-16:56, 16:58-16:59, 16:61-16:62, 16:64-16:68, 16:71 ^w , 16:72-16:73, 16:75-16:76, 16:78-16:83, 16:86-16:87, 16:92-16:93, 16:95-16:98, 16:100, 16:105, 16:109-16:114, 16:116-16:119, 16:122, B*08:01:36, B*15:436, B*18:03:02, B*35:08:02, B*35:08:05, B*67:02
8	160 bp	1070 bp	*15:08, 15:74	*01:90 ^w , 01:136, 02:06:01-02:06:02, 02:47, 05:132, 06:168, 12:15, 12:208, B*07:78^w, B*13:18^w, B*13:31^w, B*13:41^w, B*13:73^w, B*15:73^w, B*15:303^w, B*54:10^w, B*54:20^w, B*54:33^w, B*55:09^w, B*55:21^w, B*55:37^w, B*55:52^w, B*56:43^w, B*56:51^w
	185 bp		*15:19	
9	135 bp	1070 bp	*15:11, 15:23:01- 15:23:02, 15:63, 15:118, 15:138	*02:02:01-02:02:03, 02:02:05-02:02:12, 02:02:14-02:02:25, 02:02:27-02:02:28, 02:02:30-02:20, 02:22-02:25Q, 02:27:01-02:38N, 02:40:01-02:40:02, 02:42-02:44, 02:46-02:86, 02:88- 02:100, 02:101 ^w , 02:102-02:133, 02:135N-02:139, 04:03:01-04:03:04, 04:06:01-04:06:02, 04:42:01-04:42:02, 04:80, 04:107, 04:147, 04:160, 04:171, 04:190, 04:220, 04:256, 04:286, 05:26, 05:43, 06:05, 07:02:09, 08:37, 12:16, 12:147, 12:195:02, 12:217, 16:21, 16:34, 16:80, 16:121
	305 bp		*15:18	*04:210, 04:237
10	170 bp	1070 bp	*15:10:01-15:10:03, 15:107	*01:64, 02:08, 02:87, 02:134, 03:18:01- 03:18:02, 03:64:01-03:64:02, 03:231,

Lot No.: **6G9**

Lot-specific information

				03:301, 04:01:01:01-04:01:02, 04:01:04-04:01:91, 04:04:01:01-04:05, 04:07-04:15:03, 04:17-04:20, 04:23-04:79, 04:81-04:106, 04:108-04:132, 04:134-04:139, 04:141-04:146, 04:148-04:159, 04:161-04:165, 04:167-04:170N, 04:172-04:189, 04:191N-04:219, 04:221-04:255N, 04:257-04:285, 04:287-04:293, 05:01:01:01-05:01:21, 05:01:23-05:01:38, 05:03-05:57, 05:59-05:97, 05:99N-05:126, 05:128N-05:164, 06:28, 06:76:01-06:76:02, 07:64, 07:73:01-07:73:02, 07:92, 07:172:01-07:172:02, 07:583, 08:01:01:01-08:13, 08:15:01-08:57, 08:59-08:63, 08:65-08:79, 08:81-08:102, 08:104, 08:106-08:133, 08:135-08:154, 08:156-08:166, 12:02:01-12:15, 12:17-12:70, 12:72-12:139, 12:141-12:146, 12:148N-12:226, 12:228-12:233, 14:02:01:01-14:02:09, 14:02:11-14:02:21, 14:04-14:09, 14:11-14:17, 14:19-14:21N, 14:23-14:34, 14:36-14:37, 14:39-14:40, 14:42-14:52, 14:55-14:60, 14:62-14:69, 14:71-14:78, 14:80-14:84, 14:87, 14:89, 14:91-14:96, 16:01:01:01-16:02:15, 16:04:01:01-16:04:01:02, 16:04:03-16:04:05, 16:06-16:33, 16:35-16:69, 16:71-16:79, 16:81-16:84, 16:86-16:120, 16:122, 17:01:01:02-17:01:07, 17:01:09-17:38, 17:40, 18:04
11	315 bp	800 bp	*15:02:01:01-15:03, 15:07-15:08, 15:10:01-15:13:01:02, 15:15-15:18, 15:21, 15:26, 15:28, 15:31-15:35, 15:37-15:39, 15:41-15:45, 15:47-15:53, 15:56-15:58, 15:60, 15:62-15:63, 15:67-15:68, 15:71-15:75, 15:78:01-15:89, 15:91-15:101, 15:103, 15:106, 15:109, 15:112-15:114, 15:118-15:124, 15:127, 15:129-15:139, 15:141, 15:144-15:146, 15:149-15:151, 15:154-15:155	*01:136, 02:06:01-02:06:02, 02:47, 03:19, 03:102, 03:307, 04:178, 05:132, 06:168, 07:289, 12:15, 12:208
12 ⁴	100 bp 200 bp 240 bp	1070 bp	*15:28, 15:153 *15:95N *15:07, 15:21 ^w , 15:25, 15:43, 15:116 ^w , 15:144	*02:12 ^w , 02:27:01-02:27:02, 02:115, 02:126 ^w , 02:131, 03:02:01-03:02:09, 03:02:11-03:03:14, 03:03:15 ^w , 03:03:16-03:03:20, 03:03:22-03:04:16, 03:04:18-03:04:25, 03:04:27-03:06:02, 03:08-03:09, 03:10 ^w , 03:11:01-03:11:02, 03:13:01-03:14, 03:16-03:17:02,

Lot No.: **6G9**

Lot-specific information

				03:18:02-03:28, 03:29 ^w , 03:30-03:38:02, 03:40:01-03:44, 03:46-03:64:01, 03:65-03:66, 03:68-03:98, 03:99:02-03:114, 03:116:01-03:129, 03:131-03:133, 03:135-03:136, 03:138-03:139, 03:141-03:143, 03:145-03:155, 03:157-03:162, 03:164-03:165:02, 03:167-03:169Q, 03:171-03:181, 03:183-03:194, 03:196-03:230, 03:232-03:242, 03:244Q-03:263:02, 03:265N-03:267, 03:269-03:277N, 03:278 ^w , 03:279-03:294, 03:295 ^w , 03:296:01-03:296:02, 03:298-03:343, 03:345-03:376, 03:378-03:388, 07:96:01-07:96:02, 07:314:02, 07:578, 12:02:17, 12:03:23, 16:34, B*40:164, B*56:01:09, B*82:01:01:02, B*82:02:01:02
13⁴	125 bp 185 bp	1070 bp	*15:24 *15:12, 15:144	*01:116, 04:89, 04:135, 05:47, 14:92 *04:52, 04:55, 05:55, 12:58, 14:10
14	130 bp 440 bp	800 bp	*15:13:01:01-15:13:01:02, 15:103 *15:11, 15:16-15:17, 15:43	*01:90, 01:136, 01:145N, 02:06:01-02:06:02, 02:47, 03:19, 03:102, 03:307, 03:318N, 04:178, 05:132, 06:168, 07:289, 12:15, 12:208, B*46:11, B*46:18, B*56:08, B*56:14
15⁴	85 bp	1070 bp	*15:02:01:01-15:06:03, 15:08-15:10:03, 15:12-15:13:01:02, 15:15, 15:18-15:19, 15:21-15:24, 15:26, 15:28-15:42, 15:44:01-15:47, 15:49-15:84Q, 15:86-15:94, 15:96Q-15:143, 15:145N-15:155	*03:29, 04:112, 04:169, 05:36, 06:44, 07:07, 07:09, 07:559, 16:70, 18:05
16⁴	90 bp 165 bp 345 bp	1070 bp	*15:27 *15:15, 15:77 *15:26, 15:69	B*35:222, B*42:22
17⁶	140 bp 215 bp 295 bp	1070 bp	*15:34 *15:36 *15:39, 15:130	*14:81 *04:112, 04:169, 14:73 *01:30, 06:207, 08:51, 08:114, 12:87, 14:76
18⁶	215 bp	1070 bp	*15:31	*03:14, 03:162, 03:230, 03:234, 03:261, 03:309, 03:325, 03:361, 07:10, 07:43:01-07:43:02, 07:184, 07:196, 07:367, 07:568, 08:44, 08:61, 08:82, B*15:88, B*44:247, B*58:05
19	165 bp 355 bp	1070 bp	*15:42, 15:111 *15:46	
20⁴	120 bp 200 bp 235 bp 295 bp	1070 bp	*15:44:01-15:44:02 *15:95N *15:45 *15:97	*03:148 *04:146
21	165 bp 445 bp	800 bp	*15:47, 15:92N *15:35	*02:35, 02:120, 04:238, 05:21
22	225 bp	800 bp	*15:38	

Lot No.: **6G9**

Lot-specific information

	295 bp		*15:97	*04:146
23⁵	175 bp 545 bp	1070 bp	*15:48 *15:29, 15:87	*01:85, 03:376, 04:277, 08:22, 08:56, 08:154
24	175 bp 330 bp 380 bp	1070 bp	*15:32Q *15:105Q *15:41	*06:74Q
25⁴	125 bp 225 bp	1070 bp	*15:122N *15:52	B*39:95N B*15:363:02, B*18:91, B*35:247, B*39:122, B*58:45:02
26	200 bp	1070 bp	*15:56, 15:103, 15:127	B*15:193, B*35:132, B*35:246, B*35:283, B*39:53, B*39:57, B*40:171, B*51:95
27⁶	330 bp 375 bp	1070 bp	*15:30, 15:105Q *15:123	*07:174, 07:298, 08:112, 12:165
28⁴	85 bp 180 bp	1070 bp	*15:33 *15:84Q	
29⁴	120 bp 255 bp	1070 bp	*15:96Q *15:81	*04:59Q, 16:16Q, B*15:218Q
30⁴	90 bp	1070 bp	*15:82	
31	150 bp	1070 bp	*15:07, 15:25, 15:85, 15:144	*01:02:34, 01:21, 02:27:01-02:27:02, 02:65, 02:87, 02:115, 02:131, 03:04:25, 04:11, 04:29, 04:36, 04:55, 04:114, 04:172, 05:20, 07:02:09, 07:583, 08:01:01:01-08:02:10, 08:02:12-08:09, 08:11-08:63, 08:65-08:94, 08:95 ^w , 08:96-08:145, 08:147-08:166, 12:02:01- 12:02:10, 12:02:12-12:03:03, 12:03:05- 12:03:08, 12:03:10-12:03:23, 12:03:24 ^w , 12:03:25-12:03:33, 12:03:35-12:03:47, 12:06-12:08, 12:10:01-12:20, 12:22- 12:32, 12:34-12:40, 12:42Q-12:59, 12:61-12:68, 12:70-12:71, 12:73- 12:122, 12:124-12:134, 12:136-12:145, 12:147-12:153, 12:155Q-12:194, 12:195:02, 12:196-12:233, 14:02:03, 14:03, 14:08, 14:10, 14:22, 14:35N, 14:38, 14:41, 14:53-14:54, 14:61, 14:70, 14:79, 14:86, 14:90, 16:01:01:01- 16:01:01:04, 16:01:03-16:01:15, 16:01:17-16:01:23, 16:04:01:01- 16:04:01:02, 16:04:03-16:04:05, 16:06- 16:08, 16:10-16:11, 16:13-16:18, 16:20- 16:24, 16:26-16:36, 16:38-16:45, 16:49- 16:59, 16:61-16:62, 16:64-16:68, 16:71 ^w , 16:72-16:73, 16:75-16:76, 16:78-16:83, 16:86-16:87, 16:92-16:93, 16:95-16:98, 16:100, 16:105-16:106, 16:109-16:114, 16:116-16:119, 16:122, B*08:01:36, B*15:436, B*18:03:02, B*35:08:02, B*35:08:05, B*67:02
32	160 bp	1070 bp	*15:74	*02:06:01-02:06:02, 02:47, 06:168, 12:15, 12:208

Lot No.: **6G9**

Lot-specific information

33⁴	75 bp	1070 bp	*15:02:01:01-15:05:10, 15:06:01-15:06:03, 15:08-15:10:03, 15:12- 15:13:01:02, 15:15, 15:18-15:19, 15:22- 15:24, 15:26, 15:28- 15:42, 15:44:01-15:47, 15:49-15:70, 15:72- 15:94, 15:96Q-15:115N, 15:117-15:143, 15:145N-15:155	*01:118, 04:112, 04:169, 05:36, 06:44, 07:07, 07:09, 07:210, 07:247, 12:188, 16:70, 18:05
34⁴	110 bp 140 bp	1070 bp	*15:108 *15:114	
35⁴	120 bp	1070 bp	*15:115N	*04:205N, 06:128N
36	210 bp	1070 bp	*15:102	*01:02:01:01-01:02:31, 01:02:33-01:03, 01:06-01:07:01, 01:08, 01:10-01:11, 01:13-01:20, 01:23-01:33, 01:38-01:48, 01:51-01:54, 01:56N-01:76, 01:78, 01:80-01:90, 01:92-01:96, 01:98N- 01:100, 01:103-01:113, 01:115-01:119, 01:121Q-01:130, 01:132-01:153, 03:58, 03:86, 03:94, 03:99:01-03:99:02, 04:37, 05:85, 05:107, 06:204, 14:45
37⁴	125 bp 220 bp	1070 bp	*15:122N *15:101	B*39:95N B*40:270
38	360 bp	1070 bp	*15:124	
39⁴	110 bp 155 bp	1070 bp	*15:108 *15:132	
40	320 bp	800 bp	*15:02:01:08N	
41	220 bp	1070 bp	*15:145N	B*08:82N
42⁷	-	-	Negative Control	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of C*15 high resolution SSP typings. When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits, the alleles listed are specified according to amplicon length.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers. PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings. PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherent feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

Lot No.: 6G9

Lot-specific information

³For several HLA Class I alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. Assumption is made that unknown sequences in these regions are conserved within allelic groups.

⁴HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁵Primer mixes 5 and 23 may give rise to a lower yield of HLA-specific PCR product than the other C*15 primer mixes.

⁶Primer mixes 17, 18 and 27 may have tendencies of unspecific amplifications.

⁷Primer mix 42 contains a negative control, which will amplify more than 95% of HLA amplicons as well as the amplicons generated by the control primer pairs matching the human growth hormone gene. HLA-specific PCR product sizes range from 75 to 200 base pairs and the PCR product generated by the HGH positive control primer pair is 430 base pairs.

'w', might be weakly amplified.

Lot No.: **6G9**

Lot-specific information
PRIMER SPECIFICATION

Well No.	1	2	3	4	5	6	7	8	9	10	11	12
Length of spec. PCR product	330	175	85	315	100	305	140	160	135	170	315	100
			210		160	345		185	305			200
						370						240
Length of int. pos. control ¹	800	1070	1070	1070	1070	1070	800	1070	1070	1070	800	1070
5'-primer(s) ²	399	134	118	419	358	355	201	125	97	1 st I	420	105
	5'-CTg ^{3'}	5'-CCA ^{3'}	5'-CCg ^{3'}	5'-gTC ^{3'}	5'-TCT ^{3'}	5'-CCC ^{3'}	5'-CCA ^{3'}	5'-CgA ^{3'}	5'-TCg ^{3'}	5'-CgA ^{3'}	5'-TTA ^{3'}	5'-gCT ^{3'}
	408				420	379		420	118		420	
	5'-ggA ^{3'}				5'-TTC ^{3'}	5'-ACg ^{3'}		5'-TTA ^{3'}	5'-CCA ^{3'}		5'-TTA ^{3'}	
	409					419			430			
	5'-ggC ^{3'}					5'-gTA ^{3'}			5'-ACC ^{3'}			
3'-primer(s) ³	3 rd I	270	164	3 rd I	477	3 rd I	302	270	201	134	3 rd I	164
	5'-CTC ^{3'}	5'-TAg ^{3'}	5'-gCA ^{3'}	5'-CTC ^{3'}	5'-gCg ^{3'}	5'-ggA ^{3'}	5'-ggC ^{3'}	5'-TAg ^{3'}	5'-CTT ^{3'}	5'-AgC ^{3'}	5'-CTC ^{3'}	5'-gCA ^{3'}
			289				302	539	3 rd I			265
			5'-AgC ^{3'}				5'-ggC ^{3'}	5'-TCC ^{3'}	5'-CTC ^{3'}			5'-CTA ^{3'}
												302
												5'-ggC ^{3'}
												302
												5'-ggC ^{3'}
Well No.	1	2	3	4	5	6	7	8	9	10	11	12

Well No.	13	14	15	16	17	18	19	20	21	22	23	24
Length of spec. PCR product	125	130	85	90	140	215	165	120	165	225	175	175
	185	440		165	215		355	200	445	295	545	330
				345	295			235				380
								295				
Length of int. pos. control ¹	1070	800	1070	1070	1070	1070	1070	1070	800	800	1070	1070
5'-primer(s) ²	201	270	270	261	98	355	368	105	322	128	134	356
	5'-CCA ^{3'}	5'-AAg ^{3'}	5'-AAC ^{3'}	5'-AAC ^{3'}	5'-CTC ^{3'}	5'-TCA ^{3'}	5'-gTC ^{3'}	5'-gCT ^{3'}	5'-gCC ^{3'}	5'-AgT ^{3'}	5'-CCA ^{3'}	5'-CAA ^{3'}
	2 nd I	757		379	2 nd I		560	3 rd I	358	3 rd I	972	404
	5'-CCA ^{3'}	5'-CCC ^{3'}		5'-ACg ^{3'}	5'-CCA ^{3'}		5'-CgA ^{3'}	5'-Cgg ^{3'}	5'-TCT ^{3'}	5'-Cgg ^{3'}	5'-CTA ^{3'}	5'-CCg ^{3'}
				560					715			562
				5'-CCT ^{3'}					5'-CAg ^{3'}			5'-Cgg ^{3'}
3'-primer(s) ³	343	420	312	312	270	527	3 rd I	186	477	312	266	3 rd I
	5'-T ^{3'}	5'-gCT ^{3'}	5'-AgT ^{3'}	5'-AgT ^{3'}	5'-TAg ^{3'}	5'-CCg ^{3'}	5'-ggA ^{3'}	5'-TCC ^{3'}	5'-gCg ^{3'}	5'-AgT ^{3'}	5'-TCA ^{3'}	5'-CTC ^{3'}
	412	846		3 rd I	427			186	846	845	1034	
	5'-gTT ^{3'}	5'-CAC ^{3'}		5'-ggA ^{3'}	5'-gTT ^{3'}			5'-TCT ^{3'}	5'-CAC ^{3'}	5'-ACA ^{3'}	5'-AgT ^{3'}	
					583			265				
					5'-gTg ^{3'}			5'-CTA ^{3'}				
								299				
								5'-TCT ^{3'}				
								845				
								5'-ACA ^{3'}				
Well No.	13	14	15	16	17	18	19	20	21	22	23	24

Lot No.: **6G9**

Lot-specific information

Well No.	25	26	27	28	29	30	31	32	33	34	35	36
Length of spec.	125	200	330	85	120	90	150	160	75	110	120	210
PCR product	225		375	180	255					140		
Length of int. pos. control ¹	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070	1070
5'-primer(s) ²	409	409	363	409	486	797	201	420	270	105	232	368
	5'-ggC 3'	5'-ggC 3'	5'-AgT 3'	5'-ggC 3'	5'-ACg 3'	5'-CCg 3'	5'-CCA 3'	5'-TTA 3'	5'-AAC 3'	5'-gCT 3'	5'-AgT 3'	5'-gTg 3'
			404		631							
			5'-CCg 3'		5'-Agg 3'							
			404									
			5'-CCA 3'									
3'-primer(s) ³	493	565	3 rd I	455	563	846	312	538	302	172	312	538
	5'-CTA 3'	5'-CAT 3'	5'-CTC 3'	5'-CCA 3'	5'-CgT 3'	5'-CAC 3'	5'-Agg 3'	5'-CCA 3'	5'-ggT 3'	5'-CAT 3'	5'-AgT 3'	5'-CCg 3'
	595	575		549	846					205		
	5'-CCg 3'	5'-ggg 3'		5'-..g 3'	5'-CAC 3'					5'-CCT 3'		
Well No.	25	26	27	28	29	30	31	32	33	34	35	36

Well No.	37	38	39	40	41
Length of spec.	125	360	110	320	220
PCR product	220		155		
Length of int. pos. control ¹	1070	1070	1070	800	1070
5'-primer(s) ²	409	283	105	312	409
	5'-ggC 3'	5'-AgA 3'	5'-gCT 3'	5'-AAA 3'	5'-ggC 3'
3'-primer(s) ³	493	353	172	3 rd I	589
	5'-CTA 3'	5'-TgA 3'	5'-CAT 3'	5'-ggC 3'	5'-CTA 3'
	589		221		
	5'-CTg 3'		5'-ACT 3'		
Well No.	37	38	39	40	41

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The internal positive control bands are 1070 or 800 base pairs respectively, well distribution as outlined in the table. Well number 1 contains the shorter, 800 bp, internal positive control band. The well distribution of the internal controls can help in orientation of the kit on gel photo, as well as allow for kit identification. In the presence of a specific amplification the intensity of the control band often decreases.

²The nucleotide position matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

Lot No.: **6G9**

Lot-specific information

CELL LINE VALIDATION SHEET																			
HLA-C*15 SSP primer set²																			
				Well															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
			Prod. No.:	201559901	201329002	201895503	201329004	201895505	201329006	201329007	201329008	201329009	201329010	201329011	201895512	201329013	201329014	201329015	201329016
	IHWC cell line ¹		C*																
1	9001 SA		*07:02	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-	-
2	9280 LK707		*07:01	*15:05	+	+	-	+	+	-	-	-	-	-	-	-	-	-	+
3	9011 E4181324		*12:02		-	-	-	+	-	-	+	-	-	-	-	-	-	-	-
4	9275 GU373		*03:04	*04:01	-	-	-	-	-	-	-	-	-	+	-	+	-	-	-
5	9009 KAS011		*06:02		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
6	9353 SM		*03:04	*07:02	-	-	-	+	-	-	-	-	-	-	-	+	-	-	-
7	9020 QBL		*05:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
8	9025 DEU		*04:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
9	9026 YAR		*12:03		-	-	-	+	-	+	-	-	+	-	-	-	-	-	-
10	9107 LKT3		*01:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051 PITOUT		*16:01		-	-	-	+	-	-	+	-	+	-	-	-	-	-	-
12	9052 DBB		*06:02		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
13	9004 JESTHOM		*01:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071 OLGA		*01:02	*03:04	-	-	-	-	-	-	-	-	-	-	+	-	-	-	-
15	9075 DKB		*03:04		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-
16	9037 SWEIG007		*02:02		-	-	-	+	-	-	-	+	-	-	-	-	-	-	-
17	9282 CTM3953540		*03:03	*07:01	-	-	-	+	-	-	-	-	-	-	+	-	-	-	-
18	9257 32367		*01:02	*07:05	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
19	9038 BM16		*07:01		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
20	9059 SLE005		*03:04		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-
21	9064 AMALA		*03:03		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-
22	9056 KOSE		*12:03		-	-	-	+	-	-	+	-	+	-	-	-	-	-	-
23	9124 IHL		*01:02	*15:02	+	+	-	-	-	-	-	-	-	+	-	-	-	+	-
24	9035 JBUSH		*12:03		-	-	-	+	-	-	+	-	+	-	-	-	-	-	-
25	9049 IBW9		*08:02		-	-	-	-	-	-	+	-	+	-	-	-	-	-	-
26	9285 WT49		*07:18		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
27	9191 CH1007		*07:04	*15:29	+	+	-	-	+	-	-	-	-	-	-	-	-	-	+
28	9320 BEL5GB		*05:01	*16:01	-	-	-	+	-	-	+	-	+	-	-	-	-	-	-
29	9050 MOU		*16:01		-	-	-	+	-	-	+	-	+	-	-	-	-	-	-
30	9021 RSH		*17:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
31	9019 DUCAF		*05:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
32	9297 HAG		*17:03		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
33	9098 MT14B		*03:04		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-
34	9104 DHIF		*12:03		-	-	-	+	-	-	+	-	+	-	-	-	-	-	-
35	9302 SSTO		*05:01		-	-	-	-	-	-	-	-	+	-	-	-	-	-	-
36	9024 KT17		*03:03	*04:01	-	-	-	-	-	-	-	-	+	-	+	-	-	-	-
37	9065 HHKB		*07:02		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
38	9099 LZL		*03:03		-	-	-	-	-	-	-	-	-	-	+	-	-	-	-
39	9315 CML		*02:02	*07:01	-	-	-	+	-	-	-	+	+	-	-	-	-	-	-
40	9134 WHONP199		*01:02	*06:02	-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
41	9055 H0301		*08:02		-	-	-	-	-	-	+	-	+	-	-	-	-	-	-
42	9066 TAB089		*01:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076 T7526		*01:02	*08:01	-	-	-	-	-	-	+	-	+	-	-	-	-	-	-
44	9057 TEM		*12:03		-	-	-	+	-	-	+	-	+	-	-	-	-	-	-
45	9239 SHJO		*06:02	*17:01	-	-	-	+	-	-	-	-	+	-	-	-	-	-	-
46	9013 SCHU		*07:02		-	-	-	+	-	-	-	-	-	-	-	-	-	-	-
47	9045 TUBO		*07:04	*15:02	+	+	-	-	-	-	-	-	-	+	-	-	-	-	+
48	9303 TER-ND		*04:01	*16:01	-	-	-	+	-	-	+	-	+	-	-	-	-	-	-



Lot No.: **6G9**

Lot-specific information

CELL LINE VALIDATION SHEET																				
HLA-C*15 SSP primer set ²																				
				Well																
				17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
				Prod. No.:	201329017	201559918	201329019	201778920	201550321	201550322	201778923	201550324	201778925	201550326	201778927	201550328	201550329	201329030	201895531	201559932
IHCW cell line ¹			C*																	
1	9001	SA	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	9280	LK707	*07:01	*15:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	9011	E4181324	*12:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
4	9275	GU373	*03:04	*04:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009	KAS011	*06:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353	SM	*03:04	*07:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020	QBL	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025	DEU	*04:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026	YAR	*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
10	9107	LKT3	*01:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	9051	PITOUT	*16:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
12	9052	DBB	*06:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	9004	JESTHOM	*01:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	9071	OLGA	*01:02	*03:04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075	DKB	*03:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	9037	SWEIG007	*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	9282	CTM3953540	*03:03	*07:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	9257	32367	*01:02	*07:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	9038	BM16	*07:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059	SLE005	*03:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064	AMALA	*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	9056	KOSE	*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
23	9124	IHL	*01:02	*15:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	9035	JBUSH	*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
25	9049	IBW9	*08:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
26	9285	WT49	*07:18		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	9191	CH1007	*07:04	*15:29	-	-	-	-	-	+	-	-	-	-	-	-	-	-	-	-
28	9320	BEL5GB	*05:01	*16:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
29	9050	MOU	*16:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
30	9021	RSH	*17:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	9019	DUCAF	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297	HAG	*17:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	9098	MT14B	*03:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104	DHIF	*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
35	9302	SSTO	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024	KT17	*03:03	*04:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	9065	HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099	LZL	*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315	CML	*02:02	*07:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	9134	WHONP199	*01:02	*06:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	9055	H0301	*08:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
42	9066	TAB089	*01:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	9076	T7526	*01:02	*08:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
44	9057	TEM	*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-
45	9239	SHJO	*06:02	*17:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	9013	SCHU	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	9045	TUBO	*07:04	*15:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	9303	TER-ND	*04:01	*16:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-

Lot No.: **6G9**

Lot-specific information

CELL LINE VALIDATION SHEET														
HLA-C*15 SSP primer set ²														
					Well									
					33	34	35	36	37	38	39	40	41	
					Prod. No.:	201559933	201778934	201559935	201559936	201778937	201778940	201778939	201895540	201895541
IHCW cell line ¹			C*											
1	9001	SA	*07:02		-	-	-	-	-	-	-	-	-	
2	9280	LK707	*07:01	*15:05	+	-	-	-	-	-	-	-	-	
3	9011	E4181324	*12:02		-	-	-	-	-	-	-	-	-	
4	9275	GU373	*03:04	*04:01	-	-	-	-	-	-	-	-	-	
5	9009	KAS011	*06:02		-	-	-	-	-	-	-	-	-	
6	9353	SM	*03:04	*07:02	-	-	-	-	-	-	-	-	-	
7	9020	QBL	*05:01		-	-	-	-	-	-	-	-	-	
8	9025	DEU	*04:01		-	-	-	-	-	-	-	-	-	
9	9026	YAR	*12:03		-	-	-	-	-	-	-	-	-	
10	9107	LKT3	*01:02		-	-	-	+	-	-	-	-	-	
11	9051	PITOUT	*16:01		-	-	-	-	-	-	-	-	-	
12	9052	DBB	*06:02		-	-	-	-	-	-	-	-	-	
13	9004	JESTHOM	*01:02		-	-	-	+	-	-	-	-	-	
14	9071	OLGA	*01:02	*03:04	-	-	-	+	-	-	-	-	-	
15	9075	DKB	*03:04		-	-	-	-	-	-	-	-	-	
16	9037	SWEIG007	*02:02		-	-	-	-	-	-	-	-	-	
17	9282	CTM3953540	*03:03	*07:01	-	-	-	-	-	-	-	-	-	
18	9257	32367	*01:02	*07:05	-	-	-	+	-	-	-	-	-	
19	9038	BM16	*07:01		-	-	-	-	-	-	-	-	-	
20	9059	SLE005	*03:04		-	-	-	-	-	-	-	-	-	
21	9064	AMALA	*03:03		-	-	-	-	-	-	-	-	-	
22	9056	KOSE	*12:03		-	-	-	-	-	-	-	-	-	
23	9124	IHL	*01:02	*15:02	+	-	-	+	-	-	-	-	-	
24	9035	JBUSH	*12:03		-	-	-	-	-	-	-	-	-	
25	9049	IBW9	*08:02		-	-	-	-	-	-	-	-	-	
26	9285	WT49	*07:18		-	-	-	-	-	-	-	-	-	
27	9191	CH1007	*07:04	*15:29	+	-	-	-	-	-	-	-	-	
28	9320	BEL5GB	*05:01	*16:01	-	-	-	-	-	-	-	-	-	
29	9050	MOU	*16:01		-	-	-	-	-	-	-	-	-	
30	9021	RSH	*17:01		-	-	-	-	-	-	-	-	-	
31	9019	DUCAF	*05:01		-	-	-	-	-	-	-	-	-	
32	9297	HAG	*17:03		-	-	-	-	-	-	-	-	-	
33	9098	MT14B	*03:04		-	-	-	-	-	-	-	-	-	
34	9104	DHIF	*12:03		-	-	-	-	-	-	-	-	-	
35	9302	SSTO	*05:01		-	-	-	-	-	-	-	-	-	
36	9024	KT17	*03:03	*04:01	-	-	-	-	-	-	-	-	-	
37	9065	HHKB	*07:02		-	-	-	-	-	-	-	-	-	
38	9099	LZL	*03:03		-	-	-	-	-	-	-	-	-	
39	9315	CML	*02:02	*07:01	-	-	-	-	-	-	-	-	-	
40	9134	WHONP199	*01:02	*06:02	-	-	-	+	-	-	-	-	-	
41	9055	H0301	*08:02		-	-	-	-	-	-	-	-	-	
42	9066	TAB089	*01:02		-	-	-	+	-	-	-	-	-	
43	9076	T7526	*01:02	*08:01	-	-	-	+	-	-	-	-	-	
44	9057	TEM	*12:03		-	-	-	-	-	-	-	-	-	
45	9239	SHJO	*06:02	*17:01	-	-	-	-	-	-	-	-	-	
46	9013	SCHU	*07:02		-	-	-	-	-	-	-	-	-	
47	9045	TUBO	*07:04	*15:02	+	-	-	-	-	-	-	-	-	
48	9303	TER-ND	*04:01	*16:01	-	-	-	-	-	-	-	-	-	

Lot No.: 6G9

Lot-specific information

¹The provided cell line HLA specificities are retrieved from the <http://www.ihwg.org/hla> web site. The specificity of an individual cell line may thus be subject to change.

²The specificity of each primer solution in the kit has been tested against 48 well characterized cell line DNAs and where applicable, additional cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 3, 6, 8, 13, 14, 16 to 22, 24 to 30, 32, 34, 35 and 37 to 41 were available. The specificity of the primers in primer solutions 3, 6, 8, 13, 14, 16 to 19, 22, 29 and 32 were tested by separately adding one or two 5'-primers, respectively one or more 3'-primers. In primer solutions 20, 25, 26, 28, 34, 37 and 39 to 41 it was only possible to test the 5'-primers, the 3'-primers were not possible to test. In primer solutions 21, 24, 27, 30, 35 and 38 it was only possible to test the 3'-primers, the 5'-primers were not possible to test. In primer mixes 1, 5, 8, 9, 14, 22 and 29 one or two of the 5'-primers could not be tested, and in primer mixes 3, 7, 12, 17, 22, 23 and 29 one or two of the 3'-primers could not be tested. Additional primers in primer solutions 9 and 23 were tested by separately adding one 5'-primer and/or one 3'-primer.

Lot No.: **6G9**

Lot-specific information

Lot No.: **6G9**

Lot-specific information

Lot No.: **6G9**

Lot-specific information

ADDRESSES:

Manufacturer:

CareDx AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Tel: +46-8-508 939 00

Fax: +46-8-717 88 18

E-mail: orders-se@caredx.com

Web page: <https://labproducts.caredx.com/>

Distributed by:

CareDx GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00

Fax: +43-1-710 15 00 10

E-mail: orders-at@caredx.com

Web page: <https://labproducts.caredx.com/>

CareDx Lab Solutions Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-653-78171

Fax: 610-344-7989

E-mail: orders-us@caredx.com

Web page: <https://labproducts.caredx.com/>

For information on CareDx distributors worldwide, contact **CareDx GmbH**.