HLA-C*17 101.628-06u – without <i>Taq</i> polymerase		Page 1 of 8 General "Instructions for Use" . No. 02 can be downloaded from				
Lot No.: 64K Lot-s	pecific information	www.olerup-ssp.com				
Olerup	Olerup SSP <sup>®</sup> HLA-C*17					
Product number: Lot number: Expiry date: Number of tests: Number of wells per test: Storage - pre-aliquoted primers: - PCR Master Mix: - Adhesive PCR seals - Product Insert	101.628-06u – 64K 2013-April-01 6 8 dark at -20°C -20°C RT RT	without <i>Taq</i> polymerase				

## This Product Description is only valid for Lot No. 64K.

## CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-C\*17 LOT

The HLA-C\*17 specificity and interpretation tables have been updated for the HLA-C alleles described since the previous *Olerup* SSP<sup>®</sup> HLA-C\*17 lot was made **(Lot No. 29G)**.

Two wells have been added to the HLA-C*17 kit,
wells 7 and 8.

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
1	-	Added	Primer added for the C*17:01:04 allele.
7	New	New	New primer pair for the C*17:06 allele.
8	New	New	New primer pair for the C*17:07 allele.

Lot-specific information

www.olerup-ssp.com

# **PRODUCT DESCRIPTION**

# HLA-C\*17 SSP typing

## CONTENT

The primer set contains 5'- and 3'-primers for identifying the C\*17:01 to C\*17:07 alleles.

## PLATE LAYOUT

Each HLA-C\*17 test consists of 8 PCR reactions in an 8 well cut PCR plate.

1 2 3	4 5	6 7	8
-------	-----	-----	---

The 8 well PCR plate is marked with 'C17' in silver/gray ink.

Well No. 1 is marked with the Lot No. '64K'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

**Please note:** When removing each 8 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

### INTERPRETATION

The interpretation of HLA-C\*17 SSP subtypings will be influenced by the C\*05:01:12, C\*07:101 and C\*07:148 alleles when present on the other haplotype. In addition, the B\*15:116, B\*40:63 and B\*40:92 will be amplified by primer mix 8.

### UNIQUELY IDENTIFIED ALLELES

All the HLA-C\*17 alleles, i.e. C\*17:01 to C\*17:07, recognized by the HLA Nomenclature Committee in July  $2010^1$  will be amplified by the primers in the HLA-C\*17 SSP kit.

The HLA-C\*17 subtyping kit cannot distinguish the C\*17:01:01:01 to 17:01:04 alleles.

<sup>1</sup>HLA-C alleles listed on the IMGT/HLA web page 2010-July-16, release 3.1.0, <u>www.ebi.ac.uk/imgt/hla</u>.

### **RESOLUTION IN HOMO- AND HETEROZYGOTES**

A total of 11 alleles generate 7 amplification patterns that can be combined in 28 homozygous and heterozygous combinations. 2 of these genotypes do not give rise to unique amplification patterns.

+--+-+-- **\*17:01:01:01, \*17:05 = \*17:05, \*17:05** 

\*17:01:01:01 = 17:01:01:01-17:01:04

IFU-02 Rev. No. 02 can be downloaded from

Lot No.: 64K

Lot-specific information

www.olerup-ssp.com

# SPECIFICITY TABLE

## HLA-C\*17 SSP subtyping

Specificities and sizes of the PCR products of the 8 primer mixes used for HLA-C\*17 SSP subtyping

Primer Mix	Size of spec. PCR product <sup>1</sup>	Size of control band <sup>2</sup>	Amplified HLA-C*17 alleles	Other amplified HLA-C alleles <sup>3</sup>
1	350 bp	800 bp	*17:01:01:01-17:01:04, 17:03, 17:04 <sup>?</sup> , 17:05, 17:06 <sup>?</sup> -17:07 <sup>?</sup>	
<b>2</b> <sup>4</sup>	70 bp	1070 bp	*17:02, 17:04 <sup>?</sup> , 17:06 <sup>?</sup> -17:07 <sup>?</sup>	
3	300 bp	1070 bp	*17:03, 17:04 <sup>?</sup> , 17:06 <sup>?</sup> -17:07 <sup>?</sup>	
<b>4</b> <sup>4</sup>	90 bp	1070 bp	*17:01:01:01-17:01:04, 17:04 <sup>?</sup> , 17:05, 17:06 <sup>?</sup> -17:07 <sup>?</sup>	
5	155 bp	1070 bp	*17:04	
<b>6</b> <sup>4</sup>	65 bp	1070 bp	*17:05	*05:01:12, 07:101, 07:148
<b>7</b> <sup>4</sup>	125 bp	800 bp	*17:06	
8 <sup>4</sup>	100 bp	1070 bp	*17:07	B*15:116, B*40:63, B*40:92

<sup>1</sup>Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-C\*17 SSP typings.

When the primers in a primer mix can give rise to specific PCR products of more than one length this is indicated if the size difference is 20 base pairs or more. Size differences shorter than 20 base pairs are not given. For high resolution SSP kits the respective lengths of the specific PCR product(s) of the alleles amplified by these primer mixes are given.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

<sup>2</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-C\*17 SSP subtyping. In addition, well number 7 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

<sup>3</sup>Due to the sharing of sequence motifs between HLA-C alleles some non-HLA-C\*17 alleles will be amplified by primer mix 6. In addition, the B\*15:116, B\*40:63 and B\*40:92 will be amplified by primer mix 8.

<sup>4</sup>Short specific PCR fragments are less intense and not as sharp as longer specific bands.

"?', nucleotide sequence information not available for the primer matching sequence.

Lot-specific information

www.olerup-ssp.com

INTERPRETATION TABLE								
HLA-C*17 SSP subtyping								
Amplification pa	tterns o	of the H	LA-C*1	7:01 to	C*17:07	7 alleles	5	
				W	ell			
	1	2	3	4	5	6	7	8
Length of spec.	350	70	300	90	155	65	125	100
PCR product								
Length of int.	800	1070	1070	1070	1070	1070	800	1070
pos. control <sup>1</sup>								
5'-primer <sup>2</sup>	20	28	70	20	126	176	412	499
	<sup>5'</sup> -CCA <sup>3'</sup>	<sup>5'</sup> -TCA <sup>3'</sup>	<sup>5'</sup> -ggA <sup>3'</sup>	<sup>5'</sup> -CCA <sup>3'</sup>	<sup>5'</sup> -ggA <sup>3'</sup>	<sup>5'</sup> -gCA <sup>3'</sup>	<sup>5'</sup> -ATA <sup>3'</sup>	<sup>5'</sup> -TCT <sup>3'</sup>
3'-primer <sup>3</sup>	201	59	201	70	239	201	495	559
•	<sup>5'</sup> -CTC <sup>3'</sup>	<sup>5'</sup> -CgA <sup>3'</sup>	<sup>5'</sup> -CTC <sup>3'</sup>	<sup>5'</sup> -ggC <sup>3'</sup>	<sup>5'</sup> -gCg <sup>3'</sup>	<sup>5'</sup> -CTC <sup>3'</sup>	<sup>5'</sup> -ATA <sup>3'</sup>	<sup>5'</sup> -CAg <sup>3'</sup>
	201							
	<sup>5'</sup> -CTT <sup>3'</sup>							
Well No.	1	2	3	4	5	6	7	8
HLA-C allele								
*17:01:01:01-17:01:04	1			4				
*17:02		2						
*17:03	1		3					
*17:04	?	?	?	?	5			
*17:05	1			4		6		
*17:06	?	?	?	?			7	
*17:07	?	?	?	?				8
*05:01:12, 07:101, 07:148						6		
B*15:116, B*40:63, B*40:92								8
HLA-C allele								
Well No.	1	2	3	4	5	6	7	8

<sup>1</sup>The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-C\*17 SSP subtyping. In addition, well number 7 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

<sup>2</sup>The nucleotide position, in the 1<sup>st,</sup> 2<sup>nd</sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

<sup>3</sup>The nucleotide position, in the 1<sup>st, 2<sup>nd</sup></sup> or 3<sup>rd</sup> exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

"?", nucleotide sequence information not available for the primer matching sequence.

Page 5 of 8 General "Instructions for Use" IFU-02 Rev. No. 02 can be downloaded from

#### Lot No.: **64K**

#### Lot-specific information

www.olerup-ssp.com

CELL LINE VALIDATION SHEET												
	HLA-C*17 SSP primer set											
								W	ell			
					1	2	3	4	5	6	7	8
				Prod. No.:	201078601	200847302	200847303	200847304	200847305	200963706	201078607	201078608
			_		ñ	ñ	Ñ	Ñ	Ñ	Ñ	Ñ	Ñ
4		VC cell line		<u>C*</u>								
1	9001	SA LK707	*07:02	*15.05	-	-	-	-	-	-	-	-
2		E4181324	*12:02	*15:05	-	-	-	-	-	-	-	-
4		GU373	*03:04	*04:01		-	-	-	-		-	-
5		KAS011	*06:02	04.01	-	-		-	-		-	-
6	9353		*03:04	*07:02	-	-	-	-	-		-	-
7	9020		*05:04	01.02	-	-	-	-	-	-	-	-
8	9025		*04:01		-	-	-	-	-	-	-	-
9	9026		*12:03		-	-	-	-	-	-	-	-
10	9107		*01:02		-	-	-	-	-	-	-	-
11		PITOUT	*16:01	1	-	-	-	-	-	-	-	-
12	9052	DBB	*06:02		-	-	-	-	-	-	-	-
13	9004	JESTHOM	*01:02		-	-	-	-	-	-	-	-
14	9071	OLGA	*01:02	*03:04	-	-	-	-	-	-	-	-
15	9075	DKB	*03:04		-	-	-	-	-	-	-	-
16	9037	SWEIG007	*02:02		-	-	-	-	-	-	-	-
17	9282	CTM3953540	*03:03	*07:01	-	-	-	-	-	-	-	-
18	9257	32367	*01:02	*07:05	-	-	-	-	-	-	-	-
19	9038	BM16	*07:01		-	-	-	-	-	-	-	-
20	9059	SLE005	*03:04		-	-	-	-	-	-	-	-
21		AMALA	*03:03		-	-	-	-	-	-	-	-
22		KOSE	*12:03		-	-	-	-	-	-	-	-
23	9124		*01:02	*15:02	-	-	-	-	-	-	-	-
24		JBUSH	*12:03		-	-	-	-	-	-	-	-
25		IBW9	*08:02		-	-	-	-	-	-	-	-
26		WT49	*07:01		-	-	-	-	-	-	-	-
27		CH1007	*07:04	*15:05	-	-	-	-	-	-	-	-
28		BEL5GB	*05:01	*16:01	-	-	-	-	-	-	-	-
29	9050		*16:01		-	-	-	-	-	-	-	-
30	9021		*17:01		+	-	-	+	-	-	-	-
31		DUCAF	*05:01	*17.00	-	-	-	-	-	-	-	-
32	9297		*17:01	*17:03	+	-	+	w	-	-	-	-
33	9098 9104	MT14B	*03:04		-	-	-	-	-	-	-	-
34 35		SSTO	*12:03			-	-	-	-	-	-	-
35 36		KT17	*05:01 *03:03	*04:01	-	-	-	-	-	-	-	-
30		HHKB	*03:03	04.01	-	-	-	-	-	-	-	-
38	9005		*03:03		-	-	-	-	-	-	-	-
39	9099		*02:02	*07:01	-	-	-	-	-	-	-	-
40		WHONP199	*01:02	*06:02	-	-	-	-	-	-	-	-
41		H0301	*08:02	00.02	-	-	-	-	-	-	-	-
42		TAB089	*01:02		-	-	-	-	-	-	-	-
42		T7526	*01:02	*08:01	-	-	-	-	-	-	-	-
43	9057		*12:03	00.01	-	-	-	-	-	-	-	-
45		SHJO	*06:02	*17:01	+	-	-	+	-	-	-	-
46		SCHU	*07:02	17.01	-	-	-	- -	-	-	-	-
47		TUBO	*07:02	*15:02	-	-	-	-	-	-	-	-
48		TER-ND	*04:01	*16:01	-	-	-	-	-	-	-	-

General "Instructions for Use" IFU-02 Rev. No. 02 can be downloaded from

Lot No.: 64K

Lot-specific information

www.olerup-ssp.com

## **CERTIFICATE OF ANALYSIS**

Olerup SSP <sup>®</sup> HLA-C*17 SSP	
Product number:	101.628-06u – without <i>Taq</i> polymerase
Lot number:	64K
Expiry date:	2013-April-01
Number of tests:	6
Number of wells per test:	8

#### Well specifications:

Well No.	Production No.	Well No.	Production No.
1	2010-786-01	5	2008-473-05
2	2008-473-02	6	2009-637-06
3	2008-473-03	7	2010-786-07
4	2008-473-04	8	2010-786-08

The specificity of each primer solution of the HLA-C\*17 primer set has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 2 and 5 to 8 were available. The specificity of the primers in primer solutions 2, 6 and 8 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer. In primer solutions 5 and 7 it was only possible to test the 5'-primer, the 3'-primer was not possible to test. One additional 3'-primer in primer solution 1 was tested by separately adding one 5'-primer.

*Results:* No false positive or false negative amplifications were obtained.

*Date of approval:* 2010-November-24

Approved by:

**Quality Control, Supervisor** 

Lot-specific information

www.olerup-ssp.com

# **Declaration of Conformity**

Product name: Product number: Lot number:	<i>Olerup</i> SSP <sup>®</sup> HLA-C*17 101.628-06u 64К
Intended use:	HLA-C*17 high resolution histocompatibility testing
Manufacturer:	<i>Olerup</i> SSP AB Hasselstigen 1 SE-133 33 Saltsjöbaden, Sweden <i>Phone:</i> +46-8-717 88 27 <i>Fax:</i> +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex III, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

The Authorized Representative located within the Community is: *Olerup* SSP AB.

Saltsjöbaden, Sweden 2010-November-24

Olle Olerup Managing Director

Lot-specific information

www.olerup-ssp.com

ADDRESSES:

Manufacturer: *Olerup* SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden. *Tel:* +46-8-717 88 27 *Fax:* +46-8-717 88 18 *E-mail:* info-ssp@olerup.com *Web page:* http://www.olerup-ssp.com

Distributed by: Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria. *Tel:* +43-1-710 15 00 *Fax:* +43-1-710 15 00 10 *E-mail:* <u>support-at@olerup.com</u> *Web page:* <u>http://www.olerup.com</u>

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382 *Tel:* 1-877-OLERUP1 *Fax:* 610-344-7989 *E-mail:* info.us@olerup.com *Web page:* http://www.olerup.com

For information on Olerup SSP distributors worldwide, contact Olerup GmbH.