Visit www.olerup-ssp.com for

"Instructions for Use" (IFU)

101.628-06- including *Taq* polymerase, IFU-01 101.628-06u - without *Taq* polymerase, IFU-02

Lot No.: 50R

Lot-specific information **Olerup SSP[®] HLA-C*17**

Product number:	101.628-06 – including <i>Taq</i> polymerase 101.628-06u – without <i>Taq</i> polymerase
Lot number:	50R
Expiry date:	2015-May-01
Number of tests:	6
Number of wells per test:	14
Storage - pre-aliquoted primers:	dark at -20°C
- PCR Master Mix:	-20°C
- Adhesive PCR seals	RT
- Product Insert	RT

This Product Description is only valid for Lot No. 50R.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP[®] HLA-C*17 LOT (17N)

The HLA-C*17 specificity and interpretation tables have been updated for the HLA-C alleles described since the previous *Olerup* SSP[®] HLA-C*17 lot was made **(Lot No. 17N)**.

The HLA-C*17 kit is updated for new alleles to enable separation of:

- Confirmed¹ alleles as listed in the IMGT/HLA database
- Polymorphisms in exons outside of the region encoding the peptide binding domain
- Null and Alternatively expressed alleles

Two wells have been added to the HLA-C*17 kit, wells **13 and 14**.

The Lot-specific information for HLA-C*17 including and without *Taq* polymerase is described in one common Product Insert.

¹As described in section Uniquely Identified Alleles.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 50R

Lot-specific information

The primers of the wells detailed below have been exchanged, added or modified compared to the previous lot.

Well	5'-primer	3'-primer	rationale
13	New	New	New primer pair for the C*17:12 allele.
14	New	New	New primer pair for the C*17:13 allele.

Lot No.: **50R**

Lot-specific information

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 50R

Lot-specific information PRODUCT DESCRIPTION

HLA-C*17 SSP typing

CONTENT

The primer set contains 5'- and 3'-primers for identifying the C*17:01 to C*17:13 alleles.

PLATE LAYOUT

Each HLA-C*17 test consists of 14 PCR reactions in a 16 well cut PCR plate. Wells 15 and 16 are empty.

1	2	3	4	5	6	7	8	
9	10	11	12	13	14	empty	empty	

The 16 well PCR plate is marked with 'HLA-C17' in silver/gray ink.

Well No. 1 is marked with the Lot No. '50R'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 16 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

The interpretation of HLA-C*17 SSP subtypings will be influenced by the C*01:43, C*03:129, C*05:01:12, C*06:67, C*07:101, C*07:148 and C*07:161 alleles when present on the other haplotype. In addition, the B*15:116, B*40:63 and B*40:92 will be amplified by primer mix 8.

UNIQUELY IDENTIFIED ALLELES

All the HLA-C*17 alleles, i.e. C*17:01 to C*17:13, recognized by the HLA Nomenclature Committee in July 2012^1 will be amplified by the primers in the HLA-C*17 SSP kit.

The HLA-C*17 kit enables separation of the confirmed HLA-C*17 alleles as listed in the IMGT/HLA database. An HLA allele is listed as confirmed by IMGT/HLA if it has been sequenced by more than a single laboratory or from multiple sources. Current allele confirmation status for HLA-C*17 alleles is listed below.

The HLA-C*17 kit also enables identification of polymorphisms in exons outside of the region encoding the peptide binding domain and of null and alternatively expressed alleles

The HLA-C*17 subtyping kit cannot distinguish the silent mutations in the C*17:01:01-17:01:09 alleles.

¹HLA-C alleles listed on the IMGT/HLA web page 2012-July-12, release 3.9.0, <u>www.ebi.ac.uk/imgt/hla</u>.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 50R

Lot-specific information

ALLELE CONFIRMATION STATUS

Allele	Status ¹	Allele	Status ¹	Allele	Status ¹
C*17:01:01:01	Confirmed	C*17:02	Unconfirmed	C*17:12	Unconfirmed
C*17:01:01:02	Unconfirmed	C*17:03	Unconfirmed	C*17:13	Unconfirmed
C*17:01:02	Unconfirmed	C*17:04	Unconfirmed		
C*17:01:03	Confirmed	C*17:05	Unconfirmed		
C*17:01:04	Confirmed	C*17:06	Unconfirmed		
C*17:01:05	Unconfirmed	C*17:07	Confirmed		
C*17:01:06	Unconfirmed	C*17:08	Unconfirmed		
C*17:01:07	Unconfirmed	C*17:09	Unconfirmed		
C*17:01:08	Unconfirmed	C*17:10	Unconfirmed		
C*17:01:09	Confirmed	C*17:11	Unconfirmed		

¹Allele status "confirmed" or "unconfirmed" as listed on the IMGT/HLA web page 2012-July-12, release 3.9.0, <u>www.ebi.ac.uk/imgt/hla</u>.

RESOLUTION IN HOMO- AND HETEROZYGOTES

A total of 24 alleles generate 13 amplification patterns that can be combined in 91 homozygous and heterozygous combinations. 2 of these genotypes do not give rise to unique amplification patterns.

+--+-+-- *17:01:01:01, *17:05 = *17:05, *17:05

*17:01:01:01 = 17:01:01:01-17:01:09

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **50R**

Lot-specific information SPECIFICITY TABLE

HLA-C*17 SSP subtyping

Specificities and sizes of the PCR products of the 14 primer mixes used for HLA-C*17 SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-C*17 alleles ³	Other amplified HLA-C alleles ⁴
1	350 bp	800 bp	*17:01:01:01-17:01:09, 17:03, 17:04 [?] , 17:05, 17:06 [?] -17:13 [?]	
2 ⁵	70 bp	1070 bp	*17:02, 17:04 [?] , 17:06 [?] - 17:13 [?]	
3	300 bp	1070 bp	*17:03, 17:04 [?] , 17:06 [?] - 17:11 [?]	
4 ^{5,6}	90 bp	1070 bp	*17:01:01:01-17:01:09, 17:04 [?] , 17:05, 17:06 [?] - 17:13 [?]	
5	155 bp	1070 bp	*17:04	
6 ⁵	65 bp	1070 bp	*17:05	*01:43, 05:01:12, 06:67, 07:101, 07:148, 07:161
7 ⁵	125 bp	800 bp	*17:06	
8 ⁵	100 bp	1070 bp	*17:07	*03:129, B*15:116, B*40:63, B*40:92
9	135 bp	1070 bp	*17:08	
10 ⁵	95 bp	1070 bp	*17:09	
11	160 bp	1070 bp	*17:10	
12	450 bp	1070 bp	*17:11	
13 ⁵	125 bp	1070 bp	*17:12	
14	180 bp	1070 bp	*17:13	

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-C*17 SSP typings.

When the primers in a primer mix can give rise to HLA-specific PCR products of more than one length this is indicated if the size difference is more than 20 base pairs. Size differences of 20 base pairs or less are not given. For high resolution SSP kits the respective lengths of the HLA-specific PCR product(s) are given for the alleles amplified by these primer mixes.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

Product Insert

101.628-06– including *Taq* polymerase, IFU-01 101.628-06u – without *Taq* polymerase, IFU-02

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 50R

Lot-specific information

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-C*17 SSP subtyping. In addition, well number 7 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

In the presence of a specific amplification the intensity of the control band often decreases.

³For several HLA-C alleles 1st and/or 4th exon(s) and beyond, as well as intron nucleotide sequences, are not available. In these instances it is not known whether some of the primers of the SSP sets are completely matched with the target sequences or not. We assume that unknown sequences in these regions are conserved within allelic groups.

⁴Due to the sharing of sequence motifs between HLA-C alleles some non-HLA-C*17 alleles will be amplified by primer mixes 6 and 8. In addition, the B*15:116, B*40:63 and B*40:92 will be amplified by primer mix 8.

⁵HLA-specific PCR products shorter than 125 base pairs have a lower intensity and are less sharp than longer PCR products.

⁶Primer mix 4 may give rise to a lower yield of HLA-specific PCR product than the other C*17 primer mixes.

'?', nucleotide sequence information not available for the primer matching sequence.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 50R	Lot-	specific	informat	ion				
I	ITERP	RETA	TION	TABL	.E			
	HLA-C	17 SS	P sub	typing	j			
Amplification p	atterns	of the H	LA-C*1	7:01 to	C*17:1	3 allele	S	
				W	ell			
	1	2	3	4	5	6	7	8
Length of spec.	350	70	300	90	155	65	125	100
PCR product								
Length of int.	800	1070	1070	1070	1070	1070	800	1070
pos. control ¹								
5'-primer ²	20	28	70	20	126	176	412	499
	^{5'} -CCA ^{3'}	^{5'} -TCA ^{3'}	^{5'} -ggA ^{3'}	^{5'} -CCA ^{3'}	^{5'} -ggA ^{3'}	^{5'} -gCA ^{3'}	^{5'} -ATA ^{3'}	^{5'} -TCT ^{3'}
3'-primer ³	201	59	201	70	239	201	495	559
	5' -CTC 3'	^{5'} -CqA ^{3'}		^{5'} -ggC ^{3'}				
	201	- 3		33 -	3-3			- J
	5' -CTT 3'							
Well No.	1	2	3	4	5	6	7	8
HLA-C allele ⁴								
*17:01:01:01-17:01:09	1			4				
*17:02		2						
*17:03	1		3					
*17:04	?	?	?	?	5			
*17:05	1			4		6		
*17:06	?	?	?	?			7	
*17:07	?	?	?	?				8
*17:08	?	?	?	?				
*17:09	?	?	?	?				
*17:10	?	?	?	?				
*17:11	?	?	?	?				
*17:12	?	?		?				
*17:13	?	?		?				
*01:43, 05:01:12, 06:67,						6		
07:101, 07:148, 07:161						U		
*03:129, <i>B*15:116, B*40:63,</i> <i>B*40:</i> 92								8
HLA-C allele								
Well No.	1	2	3	4	5	6	7	8

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

101.628-06– including *Taq* polymerase, IFU-01 101.628-06u – without *Taq* polymerase, IFU-02

Lot No.: **50R**

Lot-specific information

ot No.: J				-	: Informa	
		IN	ITERF	PRET	ATION	TABLE
			HLA-C	*17 SS	SP sub	otyping
ŀ	Amplific	ation p	atterns	of the l	HLA-C*	17:01 to C*17:13 alleles
		W	ell			
9	10	11	12	13	14	
135	95	160	450	125	180	Length of spec.
						PCR product
1070	1070	1070	1070	1070	1070	Length of int.
						pos. control ¹
406	445	80	341	228	359	5'-primer ²
^{5'} -gCA ^{3'}	^{5'} -TCA ^{3'}	^{5'} -CCg ^{3'}	^{5'} -ggA ^{3'}	^{5'} -ATA ^{3'}	^{5'} -CCg ^{3'}	
499	499	201	499	312	499	3'-primer ³
^{5'} -ggA ^{3'}	^{5'} -ggA ^{3'}	^{5'} -CTC ^{3'}	^{5'} -ggA ^{3'}	^{5'} -AgT ^{3'}	^{5'} -ggA ^{3'}	
9	10	11	12	13	14	Well No.
						HLA-C allele ⁴
						*17:01:01:01-17:01:09
						*17:02
						*17:03
						*17:04
						*17:05
						*17:06
						*17:07
9						*17:08
	10					*17:09
		11				*17:10
			12			*17:11
				13		*17:12
					14	*17:13
						*01:43, 05:01:12, 06:67,
						07:101, 07:148, 07:161
						*03:129, <i>B*15:116, B*40:63,</i>
						<u>B*40:92</u>
	4.0		40	40		HLA-C allele
9	10	11	12	13	14	Well No.

Product Insert

101.628-06– including *Taq* polymerase, IFU-01 101.628-06u – without *Taq* polymerase, IFU-02

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 50R

Lot-specific information

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-C*17 SSP subtyping. In addition, well number 7 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to allow kit identification.

²The nucleotide position, in the 1^{st,} 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

³The nucleotide position, in the 1^{st,} 2nd or 3rd exon, matching the specificity-determining 3'-end of the primer is given in the anti-sense direction. Nucleotide numbering as on the <u>www.ebi.ac.uk/imgt/hla</u> web site. The sequence of the 3 terminal nucleotides of the primer is given.

given. ⁴HLA-C*17 alleles in bold lettering are listed as confirmed alleles on the IMGT/HLA web page <u>www.ebi.ac.uk/imgt/hla</u>, release 3.9.0, July 2012.

?, nucleotide sequence information not available for the primer matching sequence.

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

101.628-06– including *Taq* polymerase, IFU-01 101.628-06u – without *Taq* polymerase, IFU-02

Lot No.: 50R

Lot-specific information

	CELL LINE VALIDATION SHEET																	
			Н	LA-C*1	7 S	SP	' pr	ime	er s	et								
						•	•		-	•		ell		40		40	4.0	
					1	2	3	4	5	6	7	8	9	10	11	12	13	14
					50	02	03	0 4	305	00	307	ø	60;	10	Ξ	112	13	4
				Prod. No.:	201078601	200847302	201209703	200847304	200847305	200963706	201078607	20120978	201195409	201195410	201195411	201195412	201209713	201209714
				rod	010	008	012	800	800	600	010	012	011	011	011	011	012	012
		VC cell line	_	 C*	Ñ	Ñ	ñ	ñ	ñ	ñ	ñ	ñ	Ñ	ñ	Ñ	Ñ	Ñ	Ñ
1	9001		*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
2		LK707	*07:02	*15:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3		E4181324	*12:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
4		GU373	*03:04	*04:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	9009	KAS011	*06:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	9353	SM	*03:04	*07:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	9020		*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9025		*04:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	9026		*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	9107		*01:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 12		PITOUT	*16:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	9052	JESTHOM	*06:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
13		OLGA	*01:02	*03:04	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	9075		*03:04	03.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16		SWEIG007	*02:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
17		CTM3953540	*03:03	*07:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18		32367	*01:02	*07:05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19		BM16	*07:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	9059	SLE005	*03:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-
21	9064	AMALA	*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-
22		KOSE	*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	9124		*01:02	*15:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24		JBUSH	*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	9049		*08:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
26		WT49	*07:01	*45.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27 28		CH1007 BEL5GB	*07:04 *05:01	*15:05 *16:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20 29	9320		*16:01	16.01		-	-			-	-	-	-	-	-	-	-	-
30	9021		*17:01		+	-	-	+	-	-	-	-	-	-	-	-	-	-
31		DUCAF	*05:01		<u>-</u>	-	-	-	-	-	-	-	-	-	-	-	-	-
32	9297		*17:01	*17:03	+	-	+	w	-	-	-	-	-	-	-	-	-	-
33		MT14B	*03:04		-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	9104	DHIF	*12:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-
35		SSTO	*05:01		-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	9024		*03:03	*04:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37		HHKB	*07:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	9099		*03:03		-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	9315		*02:02	*07:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40		WHONP199	*01:02	*06:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41		H0301	*08:02		-	-	-	-	-	-	-	-	-	-	-	-	-	-
42 43		TAB089 T7526	*01:02	*08:01		-		-	-	-	-		-	-	-		-	-
43 44	9076		*12:03	00.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44		SHJO	*06:02	*17:01	+	-	-	+	-	-	-	-	-	-	-	-	-	-
46		SCHU	*07:02	17.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47		TUBO	*07:02	*15:02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48		TER-ND	*04:01	*16:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Visit www.olerup-ssp.com for

"Instructions for Use" (IFU)

101.628-06– including *Taq* **polymerase**, IFU-01 **101.628-06u – without** *Taq* **polymerase**, IFU-02

Lot No.: 50R

Lot-specific information CERTIFICATE OF ANALYSIS

Olerup SSP® HLA-C*17 SSPProduct number:101.628-06 – including Taq polymerase
101.628-06u – without Taq polymeraseLot number:50RExpiry date:2015-May-01Number of tests:6Number of wells per test:14

Well specifications:

Well No.	Production No.	Well No.	Production No.	Well No.	Production No.
1	2010-786-01	7	2010-786-07	13	2012-097-13
2	2008-473-02	8	2012-097-08	14	2012-097-14
3	2012-097-03	9	2011-954-09		
4	2008-473-04	10	2011-954-10		
5	2008-473-05	11	2011-954-11		
6	2009-637-06	12	2011-954-12		

The specificity of each primer solution of the HLA-C*17 primer set has been tested against 48 well characterized IHWC cell line DNAs.

No DNAs carrying the alleles to be amplified by primer solutions 2 and 5 to 14 were available. The specificity of the primers in primer solutions 2, 6, 8, 12 and 13 were tested by separately adding one additional 5'-primer, respectively one additional 3'-primer. In primer solutions 5 and 7 it was only possible to test the 5'-primer, the 3'-primer was not possible to test. In primer solutions 9 to 11 and 14 it was only possible to test the 3'-primer, the 3'-primer in primer solution 1 was tested by separately adding one 5'-primer.

Results: No false positive or false negative amplifications were obtained.

Date of approval: 2012-December-07

Approved by:

Production Quality Control

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 50R Lot-specific information Declaration of Conformity

Product name: Product number: Lot number:	<i>Olerup</i> SSP [®] HLA-C*17 101.628-06/06u 50R
Intended use:	HLA-C*17 high resolution histocompatibility testing
Manufacturer:	<i>Olerup</i> SSP AB Franzengatan 5 SE-112 51 Stockholm, Sweden <i>Phone:</i> +46-8-717 88 27 <i>Fax:</i> +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex III, as transposed into the national laws of the Member States of the European Union.

The Technical Documentation File is maintained at *Olerup* SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden.

Stockholm, Sweden 2012-December-07

Ann-Cathrin Jareman Head of QA and Regulatory Affairs

Lot No.: **50R**

Lot-specific information

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: **50R**

Lot-specific information

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Visit <u>www.olerup-ssp.com</u> for "Instructions for Use" (IFU)

Lot No.: 50R ADDRESSES:

Lot-specific information

Manufacturer: Olerup SSP AB, Franzengatan 5, SE-112 51 Stockholm, Sweden. *Tel:* +46-8-717 88 27 *Fax:* +46-8-717 88 18 *E-mail:* info-ssp@olerup.com *Web page:* http://www.olerup-ssp.com

Distributed by: Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria. *Tel:* +43-1-710 15 00 *Fax:* +43-1-710 15 00 10 *E-mail:* support-at@olerup.com *Web page:* http://www.olerup.com

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382 *Tel:* 1-877-OLERUP1 *Fax:* 610-344-7989 *E-mail:* info.us@olerup.com *Web page:* http://www.olerup.com

For information on Olerup SSP distributors worldwide, contact Olerup GmbH.