HLA-Cw*0409N Product Insert Page 1 of 8 101.861-12 – including *Taq* polymerase General "Instructions for Use"

IFU-01 Rev. No. 01 can be downloaded from

Lot No.: 87G Lot-specific information www.olerup-ssp.com

Olerup SSP® HLA-Cw*0409N

Product number: 101.861-12 – including *Taq* polymerase

Lot number: 87G

Expiry date: 2012-February-01

Number of tests: 12 Number of wells per test: 2

Storage - pre-aliquoted primers: dark at -20°C

- PCR Master Mix: -20°C
- Adhesive PCR seals RT
- Product Insert RT

This Product Description is only valid for Lot No. 87G.

CHANGES COMPARED TO THE PREVIOUS OLERUP SSP® HLA-Cw*0409N LOT

The HLA-Cw*0409N specificity and interpretation tables has been updated for the HLA-C alleles described since the previous *Olerup* SSP[®] HLA-Cw*0409N lot **(Lot No. 19G)** was made.

The HLA-Cw*0409N primer set is unchanged compared to the previous lot.

((

HLA-Cw*0409N Product Insert Page 2 of 8 101.861-12 – including *Taq* polymerase General "Instructions for Use"

IFU-01 Rev. No. 01 can be downloaded from

Lot No.: 87G Lot-specific information www.olerup-ssp.com

PRODUCT DESCRIPTION

HLA-CW*0409N SSP subtyping

CONTENT

The primer set contains 5'- and 3'-primers for identifying the HLA-Cw*0409N allele

PLATE LAYOUT

Each test consists of 2 PCR reactions in an 8 well PCR plate. Wells 3 to 8 are empty.

1 2 empty empty empty empty empty empty

The 8 well cut PCR plate is marked with the Lot No. '87G' in silver/gray ink. Well No. 1 is marked with the Lot No. '87G'.

A faint row of numbers is seen between wells 1 and 2 or wells 7 and 8 of the PCR trays. These stem from the manufacture of the trays, and should be

disregarded.

The PCR plates are heat-sealed with a PCR-compatible foil.

Please note: When removing each 8 well PCR plate, make sure that the remaining plates stay sealed. Use a scalpel or a similar instrument to carefully cut the foil between the plates.

INTERPRETATION

The interpretation of HLA-Cw*0409N SSP subtypings will be influenced by the other Cw*04 alleles.

UNIQUELY IDENTIFIED ALLELES

The HLA-Cw*0409N allele will give rise to a unique amplification pattern by the primers in the HLA-Cw*0409N kit¹.

¹HLA-Cw alleles listed on the IMGT/HLA web page 2010-January-15, release 2.28.0, www.ebi.ac.uk/imgt/hla.

February 2010 Rev. No.: 00 HLA-Cw*0409N Product Insert Page 3 of 8
101.861-12 – including Taq polymerase General "Instructions for Use"

IFU-01 Rev. No. 01 can be downloaded from

Lot No.: 87G Lot-specific information www.olerup-ssp.com

SPECIFICITY TABLE

HLA-Cw*0409N SSP subtyping

Specificities and sizes of the PCR products of the 2 primer mixes used for HLA-Cw*0409N SSP subtyping

Primer Mix	Size of spec. PCR product ¹	Size of control band ²	Amplified HLA-Cw alleles
1	205 bp	800 bp	0409N
2	255, 360 bp	1070 bp	04010101-040115, 0403-0420, 0423-0453

¹Alleles are assigned by the presence of specific PCR product(s). However, the sizes of the specific PCR products may be helpful in the interpretation of HLA-Cw*0409N SSP typings.

Nonspecific amplifications, i.e. a ladder or a smear of bands, may sometimes be seen. GC-rich primers have a higher tendency of giving rise to nonspecific amplifications than other primers.

PCR fragments longer than the control bands may sometimes be observed. Such bands should be disregarded and do not influence the interpretation of the SSP typings.

PCR fragments migrating faster than the control bands, but slower than a 400 bp fragment may be seen in some gel read-outs. Such bands can be disregarded and do not influence the interpretation of the SSP typings.

Some primers may give rise to primer oligomer artifacts. Sometimes this phenomenon is an inherit feature of the primer pair(s) of a primer mix. More often it is due to other factors such as too low amount of DNA in the PCR reactions, taking too long time in setting up the PCR reactions, working at elevated room temperature or using thermal cyclers that are not pre-heated.

²The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control band in order to help in the correct orientation of the HLA-Cw*0409N subtyping.

CE

IFU-01 Rev. No. 01 can be downloaded from Lot No.: 87G **Lot-specific information** www.olerup-ssp.com

INTERPRETATION TABLE						
HLA-Cw*0409N SSP typing						
	Well					
	1	2				
Length of spec.	205	255				
PCR product		360				
Length of int.	800	1070				
pos. control ¹						
5'-primer(s) ²	1034	28				
	^{5'} -CTg ^{3'}	5' -TCA 3'				
3'-primer(s) ³	1092	112				
o primor(e)	^{5'} -TTA ^{3'}	5' -CCA 3'				
		118				
		^{5'} -gCT ^{3'}				
		218				
		^{5'} -gCT ^{3'}				
Well No.	1	2				
HLA-Cw allele						
*0409N	1	2				
*04010101-040115, 0403-		2				
0408, 0410-0420, 0423-0453						
HLA-Cw allele						
Well No.	1	2				

¹The internal positive control primer pairs amplify segments of the human growth hormone gene. The two different control primer pairs give rise to either an internal positive control band of 1070 base pairs, for most wells, or a band of 800 base pairs, for some wells.

Well number 1 contains the primer pair giving rise to the shorter, 800 bp, internal positive control

band in order to help in the correct orientation of the HLA-Cw*0409N subtyping. . ²The nucleotide position, in the 1st or 6th exon, matching the specificity-determining 3'-end of the primer is given. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

The nucleotide position, in the 2nd or 7th exon, matching the specificity-determining 3'-end of the

primer is given in the anti-sense direction. Nucleotide numbering as on the www.ebi.ac.uk/imgt/hla web site. The sequence of the 3 terminal nucleotides of the primer is given.

IFU-01 Rev. No. 01 can be downloaded from

Lot No.: 87G Lot-specific information www.olerup-ssp.com

CELL LINE VALIDATION SHEET									
HLA-Cw*0409N SSP kit									
					Well				
					1	2			
				Lot No.:	201070501	201070502			
	IHV	VC cell line	C	Cw*					
1	9001	SA	*0702		-	-			
2	9280	LK707	*0701	*1505	-	-			
3	9011	E4181324	*1202		-	-			
4		GU373	*0304	*0401	-	+			
5		KAS011	*0602		-	-			
6	9353	SM	*0304	*0702	-	-			
7	9020		*0501		-	-			
8	9025		*0401		-	+			
9		YAR	*1203		-	-			
10		LKT3	*0102		-	_			
11		PITOUT	*1601		-	-			
12	9052		*0602		-	-			
13		JESTHOM	*0102		-	-			
14		OLGA	*0102	*0304	-	-			
15	9075		*0304		-	-			
16		SWEIG007	*0202		-	-			
17		CTM3953540	*0303	*0701	-	-			
18	9257	32367	*0102	*0705	-	-			
19	9038	BM16	*0701		-	-			
20	9059	SLE005	*0304		-	-			
21	9064	AMALA	*0303		-	-			
22		KOSE	*1203		-	-			
23	9124	IHL	*0102	*1502	-	-			
24	9035	JBUSH	*1203		-	-			
25		IBW9	*0802		-	-			
26	9285	WT49	*0701		-	-			
27	9191	CH1007	*0704	*1505	-	-			
28		BEL5GB	*0501	*1601	-	-			
29		MOU	*1601		-	-			
30	9021		*1701		-	-			
31		DUCAF	*0501		-	-			
32		HAG	*1701	*1703	-	-			
33		MT14B	*0304		-	-			
34	9104		*1203		-	-			
35		SSTO	*0501		-	-			
36		KT17	*0303	*0401	-	+			
37		HHKB	*0702		-	-			
38	9099	LZL	*0303		-	-			
39	9315		*0202	*0701	-	-			
40	9134	WHONP199	*0602		-	-			
41	9055	H0301	*0802		-	-			
42	9066	TAB089	*0102		-	-			
43	9076	T7526	*0102	*0801	-	-			
44	9057	TEM	*1203		-	-			
45	9239	SHJO	*0602	*1701	-	-			
46	9013	SCHU	*0702		-	-			
47	9045	TUBO	*0704	*1502	-	-			
48		TER-ND	*0401	*1601	-	+			

HLA-Cw*0409N Product Insert Page 6 of 8

101.861-12 – including *Taq* **polymerase** General "Instructions for Use"

IFU-01 Rev. No. 01 can be downloaded from

Lot No.: 87G Lot-specific information www.olerup-ssp.com

CERTIFICATE OF ANALYSIS

Olerup SSP® HLA-Cw*0409N SSP

Product number: 101.861-12 – including *Taq* polymerase

Lot number: 87G

Expiry date: 2012-February-01

Number of tests: 12 Number of wells per test: 2

Well specifications:

Well No.	Production No.		
1	2010-705-01		
2	2010-705-02		

The specificity of each primer solution of the kit has been tested against 48 well characterized IHWC cell line DNAs.

Results: No false positive or false negative amplifications were obtained.

Date of approval: 2010-February-09

Approved by:

Quality Control, Supervisor

HLA-Cw*0409N Product Insert Page 7 of 8
101.861-12 – including *Taq* polymerase General "Instructions for Use"

IFU-01 Rev. No. 01 can be downloaded from

Lot No.: 87G Lot-specific information www.olerup-ssp.com

Declaration of Conformity

Product name: Olerup SSP® HLA-Cw*0409N

Product number: 101.861-12

Lot number: 87G

Intended use: HLA-Cw*0409N histocompatibility testing

Manufacturer: Olerup SSP AB

Hasselstigen 1

SE-133 33 Saltsjöbaden, Sweden

Phone: +46-8-717 88 27 **Fax:** +46-8-717 88 18

We, *Olerup* SSP AB, hereby declare that this product, to which this Declaration of Conformity relates is in conformity with the following Standard(s) and other normative document(s) ISO 9001:2008 and ISO 13485:2003, following the provisions of the 98/79/EC Directive on *in vitro* diagnostic medical devices, Annex II List B, conformity assessed using Annex IV, as transposed into the national laws of the Member States of the European Union.

The Technical Construction File is maintained at *Olerup* SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

The Authorized Representative located within the Community is: Olerup SSP AB.

Saltsjöbaden, Sweden 2010-February-09

Olle Olerup Managing Director HLA-Cw*0409N Product Insert Page 8 of 8 101.861-12 – including *Taq* polymerase General "Instructions for Use"

IFU-01 Rev. No. 01 can be downloaded from

Lot No.: 87G Lot-specific information www.olerup-ssp.com

Addresses:

Manufacturer:

Olerup SSP AB, Hasselstigen 1, SE-133 33 Saltsjöbaden, Sweden.

Tel: +46-8-717 88 27 **Fax:** +46-8-717 88 18

E-mail: info-ssp@olerup.com

Web page: http://www.olerup-ssp.com

Distributed by:

Olerup GmbH, Löwengasse 47 / 6, AT-1030 Vienna, Austria.

Tel: +43-1-710 15 00 **Fax:** +43-1-710 15 00 10

E-mail: support-at@olerup.com **Web page:** http://www.olerup.com

Olerup Inc., 901 S. Bolmar St., Suite R, West Chester, PA 19382

Tel: 1-877-OLERUP1 **Fax:** 610-344-7989

E-mail: info.us@olerup.com

Web page: http://www.olerup.com

For information on *Olerup* SSP distributors worldwide, contact **Olerup GmbH**.