## *Olerup* SSP<sup>®</sup> HLA-B\*27 – unit dose

| Product number:  | 101.531-48 – including <i>Taq</i> polymerase |
|------------------|--|
|                  | 101.531-48u – without <i>Taq</i> polymerase  |
| Lot number:      | 3H1  |
| Expiry date:     | 2021-07-01                                   |
| Number of tests: | 48   |

**CHANGES COMPARED TO THE PREVIOUS HLA-B\*27 – UNIT DOSE** LOT (3G2): HLA-B\*27 unit dose primer set is unchanged.

THE NUMBER OF WELLS is unchanged.

## ALLELE COVERAGE:

B\*27:01 to B\*27:182, i.e. all the currently recognized HLA-B\*27 alleles, will be amplified by the B\*27 primer mix; <u>www.ebi.ac.uk/imgt/hla</u>, 2018-October-18, release 3.34.0.

## INFLUENCE ON THE INTERPRETATION OF HLA-B\*27 TYPINGS BY NON-HLA-B\*27 ALLELES:

Due to the sharing of sequence motifs between HLA-B alleles, a few non-HLA-B\*27 alleles will be amplified by primer mixes 1 and 2.

## **MODIFICATIONS MADE DUE TO COMMENTS FROM CUSTOMERS:**

No comments received.

