

Lot No.: **1S4****Olerup SSP[®] HLA-B*27 – unit dose**

Product number:	101.531-48 – including <i>Taq</i> polymerase 101.531-48u – without <i>Taq</i> polymerase
Lot number:	1S4
Expiry date:	2027-06-01
Number of tests:	48

Changes compared to the previous HLA-B*27 – UNIT DOSE Lot (1R9):

The HLA-B*27 unit dose primer set is unchanged compared to the previous lot.

THE NUMBER OF WELLS is unchanged.

ALLELE COVERAGE:

B*27:01 to B*27:265, i.e. all the currently recognized HLA-B*27 alleles, will be amplified by the B*27 primer mix; www.ebi.ac.uk/imgt/hla, 2023-April-17, release 3.52.0.

INFLUENCE ON THE INTERPRETATION OF HLA-B*27 TYPINGS BY NON-HLA-B*27 ALLELES:

Due to the sharing of sequence motifs between HLA-B alleles, a few non-HLA-B*27 alleles will be amplified by primer mixes 1 and 2.

MODIFICATIONS MADE DUE TO COMMENTS FROM CUSTOMERS:

No comments received.

**0197**

For *In Vitro* Diagnostic Use
MA125 v01 SSP Release Note Template
Date: July 2023, Rev. No: 00